

## Moderna COVID Vaccine VAERS Deaths up to July 2nd, 2021 [2,491 events]

Notes	Vaccine Type	VAERS ID	Age	Onset Interval	Adverse Event Description
-------	--------------	----------	-----	----------------	---------------------------

	COVID19 VACCINE	0913733-1	80+ years	0 days	My grandmother died a few hours after receiving the moderna covid vaccine booster 1. While I don't expect that the events are related, the treating hospital did not acknowledge this and I wanted to be sure a report was made.
	COVID19 VACCINE	0915880-1	80+ years	0 days	Patient died within 12 hours of receiving the vaccine.
	COVID19 VACCINE	0918518-1	50-59 years	0 days	syncopal episode - arrested - CPR - death
	COVID19 VACCINE	0919537-1	80+ years	0 days	Resident exhibited no adverse events during 30 minute monitoring following vaccine administration. Resident found without pulse at 1900.
	COVID19 VACCINE	0930487-1	80+ years	0 days	Medical doctor state patient has a acute cardiac attack
	COVID19 VACCINE	0930910-1	50-59 years	0 days	Patient received COVID vaccination around 12:15pm. Patient was monitored for the appropriate amount of time by nursing staff. Patient passed away at 2:15pm.
	COVID19 VACCINE	0933846-1	80+ years	0 days	1-2-2021 10:30 PM Complained Right arm/back hurt - took Tylenol 1-3-2021 Complained Right arm hurt, dizzy 1-4-2021 Felt better - did laundry, daughter found her deceased at 3:30 pm. Dr. at hospital said it was ""cardiac event"" according to death certificate. ""
	COVID19 VACCINE	0940855-1	65-79 years	0 days	Patient received her vaccination on 1/12/21 administered by pharmacy*+. She expired on 1/12/21 an approximately 7:30pm. Resident did not have any adverse reactions and was a hospice patient.
	COVID19 VACCINE	0943362-1	65-79 years	0 days	Pt collapsed at home approx 5:30 pm and died
	COVID19 VACCINE	0946293-1	50-59 years	0 days	51 year old M with h/o O2 dependent COPD, Severe pulmonary fibrosis became increasingly hypoxic around 1800hours 1/7/2021. He was transported to hospital for acute on chronic hypoxia respiratory failure. On 1/12/2021 he decompensated further, and after discussing with family and palliative care, He was changed to comfort care. He expired on 1/12/2021@2325 at medical center.
	COVID19 VACCINE	0947841-1	80+ years	0 days	Patient had no immediate effects from the vaccine, but died approximately 8 hours after receiving first dose of vaccine.
	COVID19 VACCINE	0950057-1	40-49 years	0 days	Patient suffered a cardiac arrest and was unable to give details about her symptoms. Per husband, patient did not complain of any symptoms after vaccine administration. She began seizing without warning which was complicated by cardiac arrest of uncertain etiology
	COVID19 VACCINE	0950073-1	60-64 years	0 days	On 1/15/2021 at 1800, resident noted to be lethargic and shaking, stating ""I don't care."" repeatedly. C/O head and neck pain. T100.6. Given Tylenol with no relief of pain. Order received for Aleve and administered.. Assisted to bed as usual in evening. Monitored during night shift and noted to be resting comfortably/sleeping.. Noted agonal breathing at 4:10 AM 1/16/2021 , T 99.4, Absence of vital signs at 4:15AM 1/16/21 and death pronounced at 4:40AM 1/16/21. ""
	COVID19 VACCINE	0950979-1	80+ years	0 days	Headache after dose was given at 10:00 a.m Died at after 7:30 pm the same night the dose was given.

COVID19 VACCINE	0956811-1	65-79 years	0 days	Resident was noted unresponsive, no respiration, no blood pressure, no pulse, code blue called according to facility protocol, resident is full code, CPR started, 911 called, arrived and took over from staff. Resident was pronounced dead at 1:16pm 1/18/21
COVID19 VACCINE	0956966-1	80+ years	0 days	hypoxia, secretions,cough, dyspnea Narrative: ALS patient on hospice with ongoing history of aspiration pna, receiving tube feeds. Developed incr in secretions, hypoxeia, temp and with recently noted clogged feeding tube.
COVID19 VACCINE	0956994-1	65-79 years	0 days	The patient had severe shortness of breath resulting in cardiac arrest on the 5th day after the vaccine. Shortness of breath started 12 hours after injection. On the 5th day, the patient was discovered to also have a rash throughout his body, but it is unknown when this rash started.
COVID19 VACCINE	0958565-1	65-79 years	0 days	Clients wife reported on 1/18/2021, that her husband died unexpectedly the day after receiving the COVID 19 vaccine. I called and spoke with her. She stated that the client had started experienced some tightness in his chest the evening of 1/11/2021. She stated that it was normal for him to have the tightness in his chest if he got stressed. She stated that she found him on the garage floor on 1/12/2021 at 2120. He was taken by ambulance to the hospital. She stated that the hospital told her that his COPD had caused him to go into arrythmia.
COVID19 VACCINE	0960752-1	65-79 years	0 days	Extreme Fatigue
COVID19 VACCINE	0962940-1	80+ years	0 days	Pt received second dose of COVID vaccine on 01/20/2021 at 1430. At 1600 Pt developed a wet productive cough with coarse crackles. Pt ate dinner at 5 pm cough persisted. At 18:30 the nurse went to Pt's room to give him his medications. Pt still had a cough, denied shortness of breath. Pt was in a good mood and joking with staff. Pt asked to be shaved. At 19:45 Pt was sitting in the lounge and a CNA noticed that Pt was pale/white in color and clammy. O2 Sat was 85%. Respirations were labored. Pt was placed on 4 L of O2. Increased to 5 L via face mask and O2 sat was 89-90%. Ambulance was called at unknown time. Pt arrived at Medical Center at 2120 and was pronounced dead at 2127.
COVID19 VACCINE	0965860-1	80+ years	0 days	Patient had increased SOB while at home. EMS was called. Patient coded in the squad
COVID19 VACCINE	0966888-1	50-59 years	0 days	At 04:30 on 1/22/2021, facility was notified of employee death at home.
COVID19 VACCINE	0967747-1	65-79 years	0 days	Pt passed away evening of 1/13 - unknown reason currently Narrative:

COVID19 VACCINE	0968195-1	80+ years	0 days	My dad got the Moderna Vaccine on Tuesday, January 12, 2021 in his left arm at the Mall injection site for the Health Department. He was told that the side effects could mean his arm hurting, tiredness, headache, and even a low grade fever. Additionally, the site informed us both (as I was with him to get the injection) that this was all normal and not to seek medical attention unless these symptoms last longer than 72 hours. That evening, my dad was experiencing all of those symptoms, and went to bed at 7pm. A little after 10am on Wednesday, January 13, 2021, when he awoke, my dad went to the bathroom vomiting. This was where he collapsed and went into cardiac arrest. Fire/Rescue was dispatched about 10:30am after my mom started CPR. County Fire Rescue EMTs and Paramedics continued CPR and other attempts at reviving him all the way to Hospital Emergency Department. He was pronounced dead at 12:14pm on Wednesday, January 13, 2021. We have no doubt my dad, following the instructions of the injection facility, thought he was just experiencing the side effects of the vaccine. He had no chance. Had this injection been done in the RIGHT arm, perhaps he could have recognized the arm numbness being that of an impending heart attack. We really miss Dad. He served this country with distinction for over 50 years, and we believe his country failed him.
COVID19 VACCINE	0968707-1	80+ years	0 days	My mother died 12 hours after the vaccine was administered
COVID19 VACCINE	0969699-1	80+ years	0 days	Patient died.
COVID19 VACCINE	0970412-1	65-79 years	0 days	Fever Feeling tired short of breath all night and morning after the vaccine My grandma had to be intubated and then passed away to a heart distress we think it was the vaccine because she was fine even with dialysis. When she got the vaccine it took hours and her health conditions changed.
COVID19 VACCINE	0971813-1	80+ years	0 days	patient received vaccine on 1/20/2121, later that night husband found her slumped in chair, called EMS and patient was taken to Hospital where she died on 1/21/2021
COVID19 VACCINE	0972148-1	80+ years	0 days	VACCINATION WAS RECEIVED THE MORNING OF 1/5/2021- IN THE EVENING OF THAT DAY RESIDENT SUSTAINED A FALL AND WAS TRANSPORTED TO FACILITY FOR TREATMENT. IT IS NOT UNUSUAL THAT RESIDENT WAS SELF TRANSFERRING AND HAS A HISTORY OF FALLS.
COVID19 VACCINE	0972167-1	65-79 years	0 days	Wife reported that 3 hours after receiving vaccine, pt had MI.
COVID19 VACCINE	0973814-1	80+ years	0 days	DEATH Narrative:
COVID19 VACCINE	0975023-1	65-79 years	0 days	CARDIAC ARREST THAT LEAD TO DEATH - IT WAS REPORTED BY EMS THAT THE PT HAD RECEIVED THE VACCINE ABOUT 30 MINS PRIOR. HE ARRIVED HOME, BECAME SHORT OF BREATH & COLLAPSED. 911 WAS CALLED AND HE WAS TRANSPORTED VIA EMS TO HOSPITAL (16:17) WHERE HE LATER EXPIRED (23:01).
COVID19 VACCINE	0977426-1	65-79 years	0 days	Patient has a history of advanced melanoma with brain metastasis. He developed seizure disorder as well and had some mild seizures at home over the prior month. He received the vaccine at 4pm and was monitored in the office for 15 minutes. He then went home with his daughter whom he lives with. He ate dinner with her and read until 8pm when he went to his room. She found him in his room at 9pm unresponsive with seizures. Hospice was alerted and recommend oral valium. He continued to be unresponsive and expired the following day at 7:30 pm.
COVID19 VACCINE	0981790-1	80+ years	0 days	Systemic: Other- Death

COVID19 VACCINE	0981912-1	65-79 years	0 days	Patient presented to the Emergency Department complaining of chest pain, pale, cool diaphoretic, and hypotensive. The patient was discovered to have a large saddle pulmonary embolism, went into cardiac arrest and expired. Of note, the patient received her second Moderna COVID vaccine on 1/23, which would place her first one approximately 12/25 if she received them at the appropriate interval. This information is from the patient's daughter and the ED record, the information is not available in CAIR. Per the daughter, the patient started feeling ill on 1/21, improved on 1/25, and then acutely worsened on 1/27, resulting in the ED visit.
COVID19 VACCINE	0982942-1	50-59 years	0 days	per recipient spouse - vaccine recipient became ill during the night of 1/21/21 or early morning of 1/22/21 and was deceased in the morning of 1/22/21.
COVID19 VACCINE	0986857-1	65-79 years	0 days	Extreme bouts of nausea first few days after vaccine. Estimated that patient died at home within 3-4 days after receiving the vaccine. Last phone call to daughter expressed extreme nausea and seemed to have altered mental status. Found dead by daughter on 01/04/2021.
COVID19 VACCINE	0987301-1	80+ years	0 days	My Mother was given the Covid Vaccine (1st Dose) on 12/28/2020. Later that night we received a call from the nursing facility that my Mother was having uncontrollable seizures and had to be transported to the nearby hospital. The ER doctor confirmed that my Mother had tested positive to Covid. She was treated for Covid and was on life support. A few days later we received a call that my Mother had a major stroke. She passed away on January 4, 2021
COVID19 VACCINE	0991859-1	80+ years	0 days	Per granddaughter's report, pt became very weak within hours of receiving the first dose of the Moderna COVID-19 vaccine and could not get out of bed the next morning without assistance, reported difficulty seeing, and did not recognize some family members. By Sunday, 1/31, pt was unable to be awakened, would not eat, and had low urinary output. Granddaughter reports that the morning of 2/1 he was awake and ate a small amount and seemed to be improving although still weak and unable to get out of bed. Granddaughter reported he died 2/1 around 10am in the morning.
COVID19 VACCINE	0992347-1	65-79 years	0 days	Death

COVID19 VACCINE	0992372-1	65-79 years	0 days	<p>This is a 73 year old female that received her 1st dose with Moderna vaccine on 1/8/21 at approximately 1600. Within one hour, the patient developed altered mental status and increasing weakness. She was transported to the hospital by the staff at her Assisted Living Facility for concern of a vaccine reaction. On admission, oxygen saturation was found to be 89% on room air, BP=137/86, HR=94. Labs were normal, with the exception of WBC=15 (leukocytes normal, chest xray clear, COVID test negative), and a detectable troponin=63. Head CT negative. Physical exam was only notable for 'slight superficial erythema over distal right forearm and dorsal hand. No significant edema.' The patient was treated for a possible allergic reaction to vaccine with NS bolus, methylprednisolone 125mg, famotidine 20mg, and aspirin 300mg PR. She was admitted for monitoring given continued altered mental status/weakness. The next day, she continued to show no improvement, so a head MRI was ordered. MRI showed "" 1. Numerous acute cerebral and cerebellar infarcts involving both anterior and posterior circulations consistent with a central embolic source. 2. Minimal right parietal petechial hemorrhage. 3. Moderate atrophy and moderate nonspecific white matter signal abnormalities compatible with chronic microvascular ischemia "" Neurology was consulted, who approved the start of aspirin and to continue DVT prophylaxis. The patient's advanced dementia and timeline preclude other intervention. The patient's status was DNR/DNI. The patient was discharged on hospice to her assisted living facility on 1/11/21 (with reports of continued somnolence). It was reported that date of death was 1/24/21.""</p>
COVID19 VACCINE	0992846-1	80+ years	0 days	<p>Patient complained to wife of not feeling well in evening after the vaccination and expired at home during the night.</p>
COVID19 VACCINE	0992977-1	80+ years	0 days	<p>spoke with patient husband on Saturday 1/23 and he said that she had been in the hospital. that she had had a stroke, the MD's at the hospital told him that it was not contributed to the vaccine and that they were unsure even if the stroke had occurred prior to the vaccine or after. spoke with him again on 1-29 and he stated that she had passed away on 1/25/21</p>
COVID19 VACCINE	0993072-1	60-64 years	0 days	<p>Pt. presented to the ER with abd pain and septic shock. Pt. reported to feel ill shortly after receiving the vaccine.</p>
COVID19 VACCINE	0994544-1	80+ years	0 days	<p>The patient went home around 11 am on 1-31-21 after her vaccine and 15 minute observation period. She was eating breakfast after at home and complained to a neighbor that her teeth hurt and she was nauseated after eating. In the afternoon, she felt dizzy and had diarrhea accompanied with blood. Close to 9 PM, her son went to check on her. The patient was found on the floor--she was unresponsive and had purple lips. Her son called an ambulance and started chest compressions. The patient passed away at the hospital. The doctor has ordered an autopsy, and the results are pending.</p>

COVID19 VACCINE	0996156-1	50-59 years	0 days	Client came to nursing station about 2pm to report she ""was not feeling well"". Nurses took vital signs, then referred her to the vaccination clinic that was onsite. She was observed by vaccination team for a period of time. She reported shoulder pain radiating into shoulder blade in arm vaccine was received. Vaccination team offered ice pack to her, observed for a period of time, and released back to work. About 10pm that evening, she sent a text to another coworker that her pain was ""off the charts"" and that she had pain covering her whole left side of her body. She did not come to work in the morning and did not contact work. Well being check was performed at approximately 9am on 2/2/2021 and she was found dead in her home. 911 was immediately called and authorities took over the scene.""
COVID19 VACCINE	0997677-1	80+ years	0 days	Rapid decline in health status, Elevated BP&P, posturing, loss of consciousness, Glasgow coma Scale 4 starting 2/1/2021, Deceased 2/3/21
COVID19 VACCINE	0998576-1	80+ years	0 days	Had acute respiratory failure, dysuria NSTEMI after Dose #1 Lot # 025L20A (Moderna) hospitalized same day 12/31/20 administered @ 1040 back to baseline. 2nd Dose on 1/27/21 0950 Lot as above. Unknown exact onset same day, ED by EMS @ 1745, respiratory distress, febrile 39.4 degrees C BP 150/105 RR 29
COVID19 VACCINE	1005499-1	80+ years	0 days	Moderna Vaccine Lot 029K20A Patient received second dose of vaccine on 2/2/21. Within 30 minutes patient had a near syncopal episode. She felt lightheaded and shortly after had episode of nonbloody vomiting. Hypotensive 81/69 and started on levophed. Alert and orientated. Lungs clear, abdomen benign on admission. Patient had no reaction when received first dose of the vaccine. Patient developed worsening shortness of breath, tachypnea, Afib with RVR, hypotension and required intubation and multiple pressors.
COVID19 VACCINE	1006168-1	50-59 years	0 days	The patient, who was a pharmacist, developed fatigue and shortness of breath hours after receiving vaccine. Two days later, on 01/28/2021, the patient went to local urgent care for worsening shortness of breath and was referred to Hospital for worsening dyspnea and hypoxia. The patient was admitted to the hospital We was found to have bilateral pulmonary infiltrates and treated for pneumonia with Rocephin and azithromycin. He was tested for COVID-19 multiple times, but each of the results were negative. Despite the negative results, there was high clinical suspicion for COVID-19 and the patient was started on Remdesivir and Decadron. The patient's oxygen requirements continued to worsen and the patient was transferred to another facility for higher level of care. There his hypoxia worsened and he required mechanical ventilation. Patient then developed hypotension and required vasopressors for blood pressure support. Furthermore, patient developed acute renal failure requiring hemodialysis. Despite mechanical ventilation with FiO2 100%, and for vasopressors, patient clinically deteriorated and family decided to palliatively extubate on 02/05/2021.
COVID19 VACCINE	1008041-1	80+ years	0 days	itchy skin, swelling, disorientation that led to a fall

COVID19 VACCINE	1010989-1	65-79 years	0 days	Brain aneurysm; Anaphylactic reaction; Collapsed; BP sky rocketed; Shortness of breath; A spontaneous report was received from a consumer concerning a 69-year-old female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced blood pressure skyrocketed, shortness of breath, loss of consciousness, massive anaphylactic reaction, and brain aneurysm. The patient's medical history, as provided by the reporter, included high blood pressure and arthritis. Products known to have been used by the patient, within two weeks prior to the event, included an antihypertensive. On 04 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. Twenty-two minutes later she had a massive anaphylactic reaction. She experienced shortness of breath, blood pressure skyrocketed, and loss of consciousness. She was taken to the emergency room. The patient had a brain aneurysm and never recovered. No treatment information was provided. The patient died on 04 Jan 2021. The cause of death was reported as brain aneurysm. Plans for an autopsy were not provided.; Reporter's Comments: This case concerns a 69-year-old, female patient with a medical history of hypertension, who experienced fatal, serious, unexpected events of Anaphylactic reaction, hypertension, dyspnea, loss of consciousness and brain aneurysm. The events occurred 22 minutes after the first dose of mRNA-1273 was administered. No treatment information was provided. The patient never recovered and died. The cause of death was reported as brain aneurysm. Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Additional information has been requested.; Reported Cause(s) of Death: Brain aneurysm
COVID19 VACCINE	1011362-1	65-79 years	0 days	Patient's son came to the vaccine clinic today 2/8/2021, stated that his father 2/24/1948 passed away the same day as the vaccine.
COVID19 VACCINE	1011487-1	65-79 years	0 days	Received Covid vaccine in am. Last seen by family at 17:30 pm and observed to be well. About an hour later he collapsed, unresponsive. A 911 call was initiated at 18:29. Paramedics arrived to find the patient in cardiac arrest. CPR/ACLS was initiated, but resuscitation was unsuccessful. Pt. was transported to MC where he was pronounced dead at 19:32. There was no sing of an injection site reaction, nor of allergic reaction..
COVID19 VACCINE	1011935-1	80+ years	0 days	Patient received his second dose of Moderna COVID vaccine on 2/6 at 12:40PM. Patient was observed for 15 minutes post-vaccination with no adverse events. On the evening of 2/6 (time unknown) the patient began to develop dry cough and fatigue. He was checked by a physician at that time (who was a family member). Patient continued to feel unwell into Sunday. His lungs were clear when checked Sunday afternoon (time unknown). At approximately 5:30pm on 2/7 the patient began experiencing sudden onset shortness of breath. A pulse ox was conducted at that time and it was 92%, and again shortly thereafter and it was 90% (as reported by family member). 9-1-1 was contacted at this time. CPR was initiated when he arrived at the emergency department, pulse ox was 60% (as reported by family member). The patient passed away shortly thereafter on 2/8/2021.
COVID19 VACCINE	1014628-1	80+ years	0 days	Death within 8 hours.

COVID19 VACCINE	1015687-1	60-64 years	0 days	Almost immediate headache per wife. Developed fever around 4 pm. Headache all day. Took Tylenol at 4 and 10 pm. Gradual development of SOB and cough. Temp of 101.4 at 10 pm. pulse ox 92% at 10 pm. Went to sleep, woke up at 0050 with increasing SOB. Pulse ox 82%. Used albuterol inhaler, wife called emergency services at 0113. EMS arrived around 0130 to patient's home. pulse ox 86%, coughing, sob, hard time breathing. Walked to stretcher. Became unresponsive. Found to have no pulse, stopped breathing. CPR initiated at about 0140. King airway placed in field, I/O in left tibia. Patient from PEA to asystole, to vfib, to asystole. ACLS followed. Unrecoverable asystole and patient time of death 0213.
COVID19 VACCINE	1016155-1	80+ years	0 days	2/7/2021 at 0630, resident found in recliner without pulse or respirations. Resident had not been found to have any adverse reactions to the vaccine between the time of the vaccine on 2/4 until found deceased on 2/7.
COVID19 VACCINE	1016709-1	80+ years	0 days	ON 02/08/2021 AROUND 0600 RESIDENT COMPLAINED OF MOUTH PAIN AND RECEIVED OXYCODONE. DURING THE COURSE OF THE MORNING, RESIDENT EXHIBITED A FEW EPISODES OF LABORED/SHALLOW BREATHING AND SOB AT RESTING. OXYGEN SATURATION RATE WAS 93-98% ON ROOM AIR, LUNG SOUNDS CLEAR IN ALL LOBES AND PULSE AND TEMPERATURE WITHIN NORMAL RANGE. AS THE DAY PROGRESSED, VITAL SIGNS REMAINED STABLE BUT RESIDENT CONTINUED TO HAVE PERIODS OF SOB/LABORED BREATHING. FAMILY AND NURSE PRACTITIONER UPDATED AND THE ORDER WAS RECEIVED TO SEND PATIENT TO MEDICAL CENTER ER FOR EVALUATION PER AMBULANCE. RESIDENT TRANSPORTED AT 1425. RESIDENT RETURNED FROM THE ER AT 1830 ON HOSPICE CARE WITH THE DIAGNOSIS OF: ACUTE RESPIRATORY FAILURE WITH HYPOXIA AND END OF LIFE DECISION MAKING. RESIDENT WAS MADE COMFORTABLE AND MONITORED DURING THE NIGHT AND EXPIRED AT 0630 ON 02/09/2021.
COVID19 VACCINE	1019964-1	80+ years	0 days	The resident received his COVID-19 Moderna vaccination on 2/6/2021 2:11 pm and expired on 2/7/2021 at 6:04 am. There were no signs or symptoms of vaccination reaction leading up to death.
COVID19 VACCINE	1022918-1	80+ years	0 days	Resident complained of feeling ""hot"" at supper time. Had emesis an hour or so later. Became hypoxic and was transferred to the hospital emergency room. Her evaluation in the ED revealed continued presence of UTI, leukocytosis (19.8), and renal insufficiency (BUN 22 Cr. 1.3) BP 99/63; P 74; Temp 98.1; RR 16; and O2 sat of 95% with 2 LPNC (she is typically on RA). CXR reported changes most consistent with CHF with cardiomegaly and bilateral pulmonary vascular prominence. Bibasilar pleural effusions greater on the right than left with pulmonary edema. Large hiatal hernia and likely old chronic wedge deformities involving the mid thoracic vertebral body. She was admitted for IV antibiotics. She expired 2/6/2021""
COVID19 VACCINE	1025472-1	65-79 years	0 days	Patient received COVID19 vaccine at clinic at 11:52 am, discharge post treatment stable. Got home around 2:30 pm went to bed. He usually got tired post dialysis. He did not wake up at 6 pm. His wife went check on him. found patient cold and unresponsive. 911 pulseless PEA. ER Medical hospital. Pronounced death at 7:40 pm
COVID19 VACCINE	1026379-1	50-59 years	0 days	patient 6 hours post vaccination

COVID19 VACCINE	1026443-1	65-79 years	0 days	Received first 1/15/2021 with no adverse reaction. Received 2nd dose 2/9 @ 0846 with no adverse reaction or report of feeling ill. Traveled to store and arrived approx. 2 hours after receiving vaccine. Daughter stated patient felt well and had to go to the restroom to have BM. Collapsed in bathroom. Transported by ambulance to Hospital @ 1439 in cardiac arrest. Was in PEA and went in v fib back to PEA. Resuscitation efforts initiated and patient expired with time noted at hospital records at 15:11.
COVID19 VACCINE	1026499-1	65-79 years	0 days	Resident reviewed for incident. Resident received the second dose of the Moderna Covid-19 vaccine lot# 016M20A Exp 5/2/2021 on 2/5/2021 from clinic through pharmacy. Resident had her temp/O2 taken on AM shift and was 98.6/93%, beginning PM shift 98.4/95%. A few hours later noted that resident to have chills and was shaking RN assessment completed and vitals taken resident noted to have temp of 102.2, oxygen 95%, pulse 110. Resident alert and oriented at that time and talking to staff. Reported findings to APNP with order to send to ER. 911 called, residents brother updated. Upon EMT arrival RN went down to residents room with EMT and resident had an emesis as resident was getting cleaned up resident went unresponsive. Pulse noted to still be present at that time, resident did briefly respond to sternal rub and then went unresponsive again. Resident full code and EMT transferred to gurney and said that if they lost a pulse in route that they would transfer to hospital B instead of hospital A being the closest facility. RN called brother and gave update. Facility notified from Hospital that resident had passed away.
COVID19 VACCINE	1027141-1	65-79 years	0 days	The patient reported feeling well. I discussed with him the Covid-19 vaccine and he was able to state that he wanted it and to sign his consent form. The facility reported they had discussed this with him and he had agreed prior to my visit.
COVID19 VACCINE	1030557-1	65-79 years	0 days	According to her husband, approximately 3 hours after vaccine, patients clasped and was instantly unconscious. She was pronounced dead upon arrival to hospital and physician told husband that she had suffered a burst abdominal aneurysm and passed immediately. Nothing was out of ordinary during vaccination and during 15 minute wait time after.
COVID19 VACCINE	1031629-1	80+ years	0 days	Patient became nauseated about 10 minutes after vaccine administered, this subsided but returned several hours after the vaccine was given. She continued with intractable nausea and vomiting for about 24 hours. This patient was enrolled in hospice and she continued to decline and refused to eat or drink. She was taking Ibuprofen due to intractable back pain. Her emesis was coffee ground color. After this her condition continued to decline until her death
COVID19 VACCINE	1031993-1	80+ years	0 days	Patient reported mild flu like symptoms from vaccination later that evening. Next morning LTCF staff found pt deceased

COVID19 VACCINE	1032575-1	50-59 years	0 days	Two days later passed away; difficulty breathing, shortness of breath; difficulty breathing, gurgling; Not feeling well; Achiness; Severe fever; Chills; A spontaneous report was received from a physician concerning a 56-year-old female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed fever, chills, achiness, shortness of breath, gurgling and unresponsive. The patient's medical history was not provided. Concomitant product use was not provided. On 19 Jan 2021, prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 (Lot 042L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. After receiving the vaccine on 19 Jan 2021, the patient experienced fever, chills, shortness of breath, gurgling and achiness. On 21 Jan 2021, the patient was found unresponsive. Emergency medical services were called to perform life saving measures however, they were unsuccessful. No further treatment information was provided. The patient died on 21 Jan 2021. The cause of death was reported as unknown. An autopsy was planned.; Reporter's Comments: This case concerns a 56-year-old, female, who experienced a serious event of death, with many other events after receiving second dose of mRNA-1273 (Lot# 042L20A). Very limited information regarding these events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1033155-1	60-64 years	0 days	Vaccine given in clinic per protocol - patient monitored for 15 minutes, no adverse reactions noted at the time. Patient stated he felt fine following 15 minute monitoring time. Patient left facility- it was later reported that pt had a fall at home. Upon review of pt's medical record - Pt's wife had to initiate CPR and call EMS for transportation and life saving measures enroute to the Emergency Room. Pt was intubated as pt was in asystole upon arrival to the ER, ACLS was continued, pt was noted to have a traumatic brain injury from his fall at home, and pt was pronounced dead at 1620.
COVID19 VACCINE	1036993-1	65-79 years	0 days	Patient reported at review of questionnaire had headache that day. Temp was taken, 97.8, okay. proceeded. Conversing customer friend in store afterward. When timer went off, said he was fine, he and his wife left. Daughter called to store Wednesday morning, said Pt had passed away Tuesday, that it was unknown the cause, and just wanted to let us know. We did not take down her phone number and last name. The patient was a long time customer.
COVID19 VACCINE	1038527-1	65-79 years	0 days	Per EMS/Hospital report patient had difficulty breathing and cardiac arrest with prolonged CPR (greater than 45 mins in the ER) who was resuscitated. Family subsequently arrived including son and daughter and all family members were in the ER room are in agreement that patient would not want further aggressive cares given her extremely poor prognosis in light of chronic debilitation with numerous medical issues and now a very long period of CPR. Hospital Course After updating family they stated patient would not want further aggressive cares given her grim prognosis and chronic severe and debilitating medical issues. She continued to have myoclonic jerking. She was extubated to comfort cares in the ER and did not pass immediately therefore brought to a room. She received comfort cares and passed away at 0450 with family present.
COVID19 VACCINE	1039028-1	50-59 years	0 days	Systemic: no issues during observation period-Severe, Additional Details: patient received moderna immunization during the morning of 2/17/2021. patient was found by facility staff at 2:38pm with no pulse CPR was started, aed was used and ems was called. time of death 3:15pm

COVID19 VACCINE	1039271-1	80+ years	0 days	Gentleman received his 1st Moderna dose on Thu. 2/11 at 0849. Vaccination protocol was completed. Pt reported feeling fine, no fever, and that he had no allergies which would prevent him from getting the vaccine. Pt played cards with friends later that day 2/11, but left at 1930 (normally plays late into evening) telling his companions he didn't feel well and his neck hurt. A welfare call was completed on Sat. 2/13, and the patient was found deceased in the bathroom by his son. It appears patient fell off toilet and hit his head on the tub. Pressure ulcer present under injection site. The presumed time of death was Thur. evening.
COVID19 VACCINE	1040802-1	80+ years	0 days	Toileting and had expired while doing so; Severe abdominal pain; Diarrhea; Vomiting; Mild injection site pain; A spontaneous report was received from a healthcare professional concerning an 88-year-old , female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced the events, toileting and had expired while doing so (death), mild injection site pain, severe abdominal pain, diarrhea, and vomiting. The patient's medical history was not provided. No relevant concomitant medications were reported. On 20 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 029L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 20 Jan 2021, the patient felt mild pain at the injection site after receiving the vaccine. On 21 Jan 2021, the patient reported severe abdominal pain, diarrhea and vomiting. These symptoms were intermittent for a week and no other adverse events were noted. On 27 Jan 2021, the patient passed away while toileting. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 27 Jan 2021. The cause of death was unknown. An autopsy was not performed.; Reporter's Comments: The gastrointestinal events were consistent with increased risk associate with elderly age of patient. The cause of death was unknown. Autopsy was not performed. Very limited information regarding the events is available at this time. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1040877-1	50-59 years	0 days	unknown if related to vaccine. patient received 2nd vaccine at 0830, observed 15 minutes, discharged, arrested at 0915 upon entering her home. vaccine was administered by DOH at their community location. patient was pronounced lifeless in the ED.
COVID19 VACCINE	1041719-1	80+ years	0 days	Pt received moderna vaccine #2 at 1:30pm. No s/s of adverse reactions. Ate dinner at 4pm. She was in her room at 430pm and she slid out of her chair and was laying on her Right side. She reported she slid out of her chair because she needed to go urinate per staff. She denied pain. At 630p complained of right hip pain. mobile xray was ordered. At 825pm resident was sleeping x 30 mins in her bed when she was found to have no pulse or respirations. She ceased to breathe. Mobile xray did not make it on time.
COVID19 VACCINE	1041839-1	65-79 years	0 days	Death- ~ 7 hours after vaccine
COVID19 VACCINE	1045895-1	80+ years	0 days	He was found deceased in his home by Sheriff and paramedics evening of 2/21/21.
COVID19 VACCINE	1047326-1	80+ years	0 days	According to patient's caregiver, patient presented with symptoms of fever (101.6 F) and purple blotches all over the body within an hour. Since patient was in hospice , caregiver called Hospice and a pharmacy and was told to give patient Benadryl and Tylenol. Patient was given both medications and the fever subsided in a few days but the purple blotches never went away. Patient passed away at the facility a week later.

COVID19 VACCINE	1049787-1	65-79 years	0 days	Without showing any side effect symptoms, patient suddenly fell unconscious and passed away within an hour. Though 911 was called and Paramedic was trying to revive the patient.
COVID19 VACCINE	1049997-1	80+ years	0 days	Vaccine was administered at Nursing Facility. Patient is an 89-year-old female with prior medical history of CVA with dysphagia, history of possible dementia, GERD, hyperlipidemia, and a pacemaker. She is a resident from town. She was sent for hypotension with a blood pressure of 90/52, tachypnea respirations of 54, possible aspiration pneumonia. Status post Covid vaccine earlier today. History is limited as patient is nonverbal on my exam. Death within 24 hours of vaccination
COVID19 VACCINE	1050172-1	80+ years	0 days	Individual developed severe body aches, severe shoulder discomfort, high fevers (documented max temp. 103.7 F). Daughter reported that she became non-responsive with high fevers, and when the fevers decreased she was more lucid. Her condition rapidly progressed to nausea vomiting, diarrhea and patient died on 2/9/2021.
COVID19 VACCINE	1051267-1	65-79 years	0 days	Passed away; Slight soreness in arm; A regulatory report was received from a pharmacist concerning a 72-year-old male patient who received Moderna covid-19 vaccine and death occurred 4 days after the vaccine and also experienced soreness in his arm after the vaccine administration. The patient's medical history includes diabetes mellitus, Hypertension, Hypercholesterolemia, CVD, previous stroke and Depression. No relevant concomitant medications were reported. No information on allergies. On 4-FEB-2021 at 10:43 am, prior to the onset of events, the patient received his first of two planned doses of covid-19 vaccine for the prophylaxis of covid-19 infection. He had soreness in his arm the day following the shot, but he had no other symptoms. He passed away on 08-FEB-2021 at 10 am. As per his wife, they never made it to the hospital, and he had poor health prior to vaccination. Action taken with 2nd dose of Moderna Covid-19 vaccine was not applicable. The outcome of the event death is fatal.; Reporter's Comments: This is a 72 year old male with hx of diabetes mellitus, hypertension, hypercholesterolemia, and CVD who died 4 days after the vaccine was administered. No autopsy report provided. No further information is expected in this regulatory report case.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1051651-1	50-59 years	0 days	Abdominal pain, nausea and vomiting, shortness of breath, acidosis, hypoglycemia, death. Onset of abdominal pain was 30 minutes after administration of the vaccine followed by 20+ episodes of vomiting and dry heaving.
COVID19 VACCINE	1052972-1	80+ years	0 days	RESIDENT EXPIRED
COVID19 VACCINE	1057363-1	80+ years	0 days	Patient with severe dementia in Hospice Care

COVID19 VACCINE	1057704-1	Unknown	0 days	High grade MDS; Multiorgan failure; Pancytopenia; shortness of breath; Inflammatory marker increased; Chills; Fever; Fatigue; A spontaneous report was received from a healthcare provider concerning a 71Years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and who experienced chills, fever, fatigue, pancytopenia, shortness of breath (dyspnoea), multi organ failure, and myelodysplastic syndrome (MDS). The patient's medical history was reported to include Breast Cancer and mastectomy. No relevant concomitant medications were reported. On 16 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch:unkown) intramuscularly for prophylaxis of COVID-19 infection. On 16 Jan 2021, The patient experienced events like chills, fever, and fatigue. On an undisclosed date, the patient was admitted to the hospital for shortness of breath. Laboratory details include Bone Marrow biopsy with abnormal results such as showed high grade MDS with 19% blasts. Blood work done with normal results. Body temperature results came out 103 degrees Fahrenheit. On 30 Jan 2021 the patient experienced worsening shortness of breath and was intubated. Her IL-6 was very high, and she had profound liver failure. She ended up needing pressors and requiring continuous renal replacement therapy. Treatment included steroids. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 12 Feb 2021. The cause of death was reported as high grade MDS. An autopsy was planned.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1058569-1	50-59 years	0 days	PATIENT DIED IN HIS SLEEP NIGHT AFTER ADMINISTRATION
COVID19 VACCINE	1059048-1	65-79 years	0 days	Fever, chills, fatigue, muscle aches, nausea, death 48 hours after injection
COVID19 VACCINE	1060190-1	65-79 years	0 days	Patient received Covid Vaccine Moderna at 1145, multiple syncopal episodes at pharmacy, sent to ER. Outcome Death
COVID19 VACCINE	1060858-1	60-64 years	0 days	had lack of appetite before second dose. When received the second dose, he started vomiting on the way home. Was sick on and off for the next few days. Died suddenly on 2/23/2021

COVID19 VACCINE	1061909-1	80+ years	0 days	<p>Massive stroke; A spontaneous report was received from a consumer (patient's daughter), concerning an 85-year-old female patient, who received Moderna COVID-19 vaccine and death occurred in two days. The patient's medical history was not provided. No relevant concomitant medications were reported. No information on allergies. She states that her mother was physically and mentally healthy before vaccination. On 29-JAN-2021, prior to the onset of events, the patient received her first of two planned doses of covid-19 vaccine for the prophylaxis of Covid-19 infection. There were no complaints on any side effects from the patient for 6 hours after vaccination. Next day, she was found unresponsive on her bed by her neighbor after they were sent to check on her by her daughter. Her heart was beating, and she was breathing at that time, but did not have consciousness. According to her daughter, the patient had a massive stroke in her sleep sometime between 8:pm on 29-JAN-2021 and 9:30 am on 30-JAN-2021. Her life saving measures were taken out at 1:15 am on 31-JAN-2021 and she died approximately at 1:45am. No information available on hospitalization and treatment received with this event. It is not known whether autopsy was done. Action taken with 2nd dose of Moderna Covid-19 vaccine was not applicable. The outcome of the event stroke is fatal.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the onset date of the event of stoke, a causal relationship cannot be excluded. Patient's elderly age is considered a risk factor.; Reported Cause(s) of Death: Massive stroke</p>
-----------------	-----------	-----------	--------	---

COVID19 VACCINE	1061911-1	40-49 years	0 days	Died at home; Gasping for air/difficulty breathing; Soreness; A spontaneous report was received from a physician concerning a 45 years-old, female patient who experienced soreness/MedDRA PT: pain, gasping for air/difficulty breathing/MedDRA PT: dyspnoea and subsequently died/MedDRA PT: death. The patient's medical history included blood pressure (disorder not specified), thyroid disorder, depression and anxiety. Concomitant product use included blood pressure medication, thyroid medication and possibly depression and anxiety medication. On 28 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot #007M20A) (route of administration and injection site not provided) for prophylaxis of COVID-19 infection. On 28 Jan 2021, following the vaccination, the patient was fine but had experienced some soreness. Per patient's coworker, the patient did not take any medication as it made the patient sick. The physician was not aware of any complaints from the vaccine. On 13 Feb 2021 at 3:31am, the patient called 911. Per the 911 call, the patient was gasping for air on the call and having difficulty breathing. The patient subsequently died on 13 Feb 2021 at home. The physician inquired whether Moderna gets involved with the autopsy and logistics of the death of patients and wanted to know the time frame for reporting a death of a patient who received the vaccine. The physician did not know who administered the patient's vaccine. Action taken with mRNA-1273 in response to the events was not applicable as the patient deceased. The event died was fatal. The outcome for the events soreness and gasping for air/difficulty breathing was unknown. The patient died on 13 Feb 2021. The cause of death was not provided. Plans for an autopsy were not provided.; Reporter's Comments: Very limited information regarding the event of dyspnea and death has been provided at this time. Further information has been requested. Patient's medical history of blood pressure is considered a risk factor. Based on the current available information and temporal association between the use of the product and the onset of the pain, a causal relationship cannot be excluded.; Reported Cause(s) of Death: Died at home
COVID19 VACCINE	1062830-1	80+ years	0 days	92 yo female who received her first dose of Moderna vaccine on 1/11/2021 with no known adverse effects. Admitted to the hospital on 1/17/21 with a spine compression fracture. Discharged and readmitted on 1/19 /21 with nausea and vomiting. Found to have new atrial flutter and elevated troponin attributed to NSTEMI. Discharge on Aspirin and Plavix. No cath. Second dose of Moderna vaccine 2/25/21. No immediate reaction. One hour later began to feel progressively weak. EMS called shortly after getting home. Intubated in the field. Died at 0658 on 2/26/21 s/p PEA arrest without ROSC.
COVID19 VACCINE	1063812-1	65-79 years	0 days	Resident had severe CAD, DM type 2, and hx of RBKA and left 5 digits on foot amputation. Hx of osteomyelitis post surgical. After last surgery, resident did not have a good appetite, more restless, increased confusion with dementia. Significant other passed away on 12/30/20, resident began refusing meals, decreased eating. Vaccinated on 1/13/21. On 1/25/21 Resident labs showed kidney failure. Dr. spoke with family and transitioned to Comfort care, on 2/5/21 went hospice. Patient passed away on 2/13/2021.
COVID19 VACCINE	1064265-1	65-79 years	0 days	Death

COVID19 VACCINE	1066484-1	65-79 years	0 days	Received vaccination at 14:20 2/26/21. Was observed until discharged at 15:15. Discharged per wheel chair to lobby in alert/stable condition, to wait on bus to take him home. At 18:00 his neighbor heard him fall, could not get patient to answer phone, found him unresponsive. Neighbor called 9-1-1, ambulance personnel could not revive patient. Coroner's office ruled his death as Natural Causes due to Hypertension, Cardiac disease, Diabetes, ESRD. There were no indication of anaphylactic reaction noted when I questioned the coroner's office. The Coroner's office/EMS were aware the patient had received the Moderna COVID 19 vaccination that day.
COVID19 VACCINE	1067125-1	80+ years	0 days	was reported to staff at Health Department that client passed away hours after receiving Moderna vaccine, also reported that client had multiple health conditions.
COVID19 VACCINE	1068357-1	80+ years	0 days	No pulse and no heart beat; couldn't wake him up; passed away; A spontaneous report was received from a daughter concerning a 84-year old, male patient who received Moderna's COVID-19 Vaccine (mRNA-1273) experienced no pulse or heartbeat, couldn't wake him up and passed away. The patient's medical history, as provided by the reporter, included high blood pressure and prostate cancer. No relevant concomitant medications were reported. On 19 Jan 2021, the patient had a blood pressure reading of 133/84 at a cardiology visit. On 13 Feb 2021, approximately 3 hours prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (batch number 031M20A) intramuscularly for prophylaxis of COVID-19 infection. On 13 Feb 2021 at 3:30 pm, the patient could not be woken up and was found with no pulse or heartbeat. Action taken with the drug in response to the events was not applicable. The outcome of the events, no pulse or heartbeat and couldn't wake him up, were not provided. The patient died on 13 Feb 2021. The cause of death was unknown.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. The patient's medical history of high blood pressure and prostate cancer remains the risk factors. The cause of death was unknown. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1069570-1	65-79 years	0 days	2nd dose of Moderna at 9:00am. No side effect (except pinch at injection site) throughout the day and evening. At ~9:45pm, my wife suddenly fell unconscious. Immediate CPR & with Paramedic were not able to revive her. SHE PASSED AWAY at home. We believe it may be triggered by the vaccine. Did not have a chance to go to hospital or emergency room - it was too sudden. A sad day for us.
COVID19 VACCINE	1069685-1	80+ years	0 days	3/2/21 became SOB, treated with oxygen and head of bed up in bed, only at dessert and drank supplement, for evening meal, no pain noted. 3/3/21 staff helped get her up in morning, went to weight room to take her weight, she then appeared to be struggling to breath, she was brought back to her room and the aides summoned nurse for assessment, was put back into bed, nurse noted poor color and shallow breathing, resident passed away shortly after that.

COVID19 VACCINE	1071120-1	60-64 years	0 days	Atrial fibrillation; Feeling fluttery; Heart rate was racing and was increasing, went up to 175 just sitting; A spontaneous report was received from a consumer concerning a 64-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced atrial fibrillation, feeling fluttery, and heart rate was racing and was increasing, went up to 175 just sitting. The patient's medical history was not provided. Concomitant medications included Travatan for glaucoma. On 12 Feb 2021, prior to the onset of the events, the patient received the first of two planned doses of mRNA-1273 (lot/batch: 030M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 12 Feb 2021, five hours after vaccination, the patient experienced a fluttery feeling, heart rate was racing and was increasing, heart rate went up to 175 just sitting. She took an EKG on her watch and it was atrial fibrillation. When she was sleeping, her heart rate was at 102 or the 90s, normally it would be in the 60s. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. At the time of this report, the outcome of the events, atrial fibrillation, feeling fluttery, and heart rate was racing and was increasing, went up to 175 just sitting, was unknown.; Reporter's Comments: This case concerns a 64 year old female patient, who was on hospice care experienced a fatal event of death, 1 day after receiving second dose of mRNA- 1273 (Lot# 030M20A). Very limited information regarding this event has been provided at this time. Further information has been requested.
COVID19 VACCINE	1071131-1	Unknown	0 days	Unresponsive; A spontaneous report was received from Pfizer concerning a 50-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and had a sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 31 Dec 2020, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) intramuscular for prophylaxis of COVID-19 infection. On 31 Dec 2020, the patient died. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 31 Dec 2020. The cause of death was unknown. Plans for an autopsy were unknown.; Reporter's Comments: This case concerns a 51 year old, female patient, who experienced an unexpected event of Death, after receiving 1st dose of mRNA- 1273 (Lot# unknown). Very limited information regarding this event has been provided at this time. There is no contact information and no further follow up information is expected.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1071132-1	Unknown	0 days	chronic hypoxia respiratory failure; Unresponsive; A spontaneous report was received from Pfizer concerning a 51-year old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and had developed hypoxia a sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 07 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 07 Jan 2021, around 6:00 pm, the patient became increasingly hypoxic. He was transported to the hospital for acute on chronic hypoxia respiratory failure. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 12 Jan 2021 at 11:25pm. The cause of death was not provided/unknown. Plans for an autopsy were unknown/not provided.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death

COVID19 VACCINE	1071133-1	Unknown	0 days	<p>Unresponsive; A spontaneous report was received from Pfizer concerning a 52-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and had a sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 08 Jan 2021, approximately 2 hours prior to the onset of event, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 08 Jan 2021, the patient was monitored for the appropriate amount of time by nursing staff, following vaccination. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 08 Jan 2021 at 2:15pm. The cause of death was not provided/unknown. Plans for an autopsy were unknown/not provided.; Reporter's Comments: This case concerns a 52-year old, female patient, who experienced a sudden death 1 day after administration of first dose of mRNA-1273. The cause of death was not provided. Plans for an autopsy were unknown. Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death</p>
-----------------	-----------	---------	--------	---

COVID19 VACCINE	1071367-1	80+ years	0 days	Blood pressure went down until he died; Couldn't hear his heartbeat; neck was sweating; He was cold; Couldn't get up; Death; Sick; immediately very tired; he was tired; Hands were shaking; Slept for too long; A spontaneous report was received on 18 Feb 2021 from a consumer concerning a 81-years-old, male patient who received Moderna's COVID-19 vaccine and developed immediately very tired, hands were shaking, neck was sweating, was cold, sick, couldn't get up, couldn't hear his heartbeat and blood pressure went down until he died. Patients' medical history, as provided by patient's spouse, was emergency room(ER) admission in November 2020 because he had a congested chest (he had fluid around his heart). At that time, they gave him pills for kidney function. Other concomitant medication reported was Coumadin, blood thinner. Two weeks before receiving the vaccine, patient's EKG was normal. On 11 Feb 2021, in the morning, patient received their first of two planned doses of mRNA-1273(BATCH/LOT # 007M20A) probably in the right arm for the prophylaxis of COVID-19 infection. On 11 Feb 2021, approximately after 15 minutes of receiving vaccine, they left and patient was immediately very tired, his hands were shaking. So, patient's spouse made them down sleep for too long. On Friday, 12 Feb 2021 she tried to pick him up, but he was tired, exhausted, and sick. On Saturday, 13 Feb 2021, she brought him a coffee and he couldn't hold it because his hands were shaking, so she gave him the coffee and then made him pee on the bed because he couldn't get up. At lunch time she made him eat something and he fell sleep again. His wife was hanging around him all day and around 7:30pm she realized that he was cold, and his neck was sweating, she couldn't hear his heartbeat. So, she called emergency services and when they arrived, her husband's blood pressure went down until he died. Treatment for the events were not provided. Action taken with mRNA-1273 was not applicable. Patient was pronounced dead on 13 Feb 2021 20:00. The cause of death was not provided. The plans for an autopsy were not provided. The events of blood pressure went down until he died and couldn't hear his heartbeat were fatal. The outcome for the remaining events were unknown.; Reporter's Comments: This case concerns an 81 year old, male patient, who experienced a serious event of death among others, 2 days after receiving mRNA- 1273 (Lot# 007M20A). Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1073773-1	80+ years	0 days	Patient was found deceased later in the afternoon.
COVID19 VACCINE	1073808-1	65-79 years	0 days	Prt was found deceased
COVID19 VACCINE	1074982-1	80+ years	0 days	death
COVID19 VACCINE	1075657-1	80+ years	0 days	Resident was having back pain but did have previous back pain prior too.
COVID19 VACCINE	1076158-1	65-79 years	0 days	Patient was found dead at his home on 2/25/2021. He was last seen at home by his sister at 8:30pm on 2/24/21.
COVID19 VACCINE	1077008-1	80+ years	0 days	Per patient's daughter the patient had severe flu like symptoms, shaking, extreme pain in wrists/fingers/feet. Patient collapsed at home and pronounced dead at scene.
COVID19 VACCINE	1077236-1	80+ years	0 days	Family states patient had been coughing and was weak after the vaccine. Patient walked to the bathroom and then fell striking her head found in PEA with agonal breathing. Despite aggressive CPR medications patient remained in asystole. Unknow if Moderna or Phifzer
COVID19 VACCINE	1078239-1	65-79 years	0 days	Death. Ruptured myocardial infarction.
COVID19 VACCINE	1078246-1	65-79 years	0 days	Death. Ruptured myocardial infarct.

COVID19 VACCINE	1079976-1	40-49 years	0 days	12/23/20 (Moderna #1) - Malaise, cough on 12/24, went to walk-in on 12/25 c/o cough, malaise, rx'd Augmentin x14d, Rapid covid negative (and PCR resulted negative). 12/27 slept all day, 12/28 back to work. 1/12/21 metallic taste in mouth, severe GI sx, malaise, aches, headache. 1/14 seen at walk-in and covid swabbed Negative. 1/21/21 exposed to parents who found out they were covid + on 1/22/21. 1/25/21 (Moderna #2) - Continued with persistent cough and GI sx. Then also developed urinary frequency and urgency. Seen at urgent care 2/1 c/o cough, dx URI, rx'd augmenting. Woke up morning of 2/2/21 abruptly, stood up, said something was wrong, and collapsed. CPR attempted immediately, EMS brought him to ER where he was pronounced dead.
COVID19 VACCINE	1080075-1	60-64 years	0 days	Hemorrhagic stroke. = Death
COVID19 VACCINE	1081279-1	80+ years	0 days	Patient seen by physician for weakness, tired, increase SOB, falls, increase confusion and then subsequently hospitalized. Patient then expired on 3/7/21.
COVID19 VACCINE	1082161-1	65-79 years	0 days	Cardiac Arrest/Death Date of death 03/03/2021 time 01:54 pm
COVID19 VACCINE	1083117-1	65-79 years	0 days	Pt. received his second moderna vaccine on 03/05/2021 and his son reported that the pt. passed away after receiving his vaccine.
COVID19 VACCINE	1084180-1	65-79 years	0 days	Patient came with husband to Vaccine clinic today 3/5 for 2nd dose of vaccine. Did well during and immediately after vaccine. Husband states patient has c/o severe chest pressure and pain for several weeks but has refused to come to ER for evaluation. Today, after getting vaccine dose and going to local bank, patient was in passenger side of truck when chest pain started again. Husband begged patient to let him take her to the ER but she said no, I'm fine and I don't want to go. She then went unresponsive. At a stop light, he was next to a couple of cops who he was able to wave down and proceed to escort them in to ER. Upon arrival to the ER, patient was unresponsive and pulseless. CPR was initiated, 1 defib, and 1mg of epi was given. Return of pulse was obtained, but husband asked for no life support and only comfort measures. Patient was admitted for comfort measures. I do NOT think this was related to her vaccine, but rather the unfortunately end to a sub-acute chest pain patient that declined multiple urgings to seek care. Patient then expired on 3/5/21 at 2037.
COVID19 VACCINE	1084419-1	60-64 years	0 days	EMS reported sudden onset of shortness of breath, patient grabbed his chest and collapsed. He stopped breathing. Wife began CPR with chest compressions at 5:00. Fire dept. arrived resumed CPR and attached AED but there was no shock advise. They placed an OPA as well (inserted an airway) and started ventilation. Asystole was confirmed, they continued CPR. After 5:25 they gave 3 rounds Epineferin and ended CPR at 5:46. They also checked his blood sugar and it was 136. Possible reaction to covid vaccine. Possible death due to history of cardiac issues. His PCP is requesting an autopsy
COVID19 VACCINE	1084685-1	65-79 years	0 days	We received a phone call stating that the patient passed away overnight.
COVID19 VACCINE	1084800-1	50-59 years	0 days	Death. EMS called to residence 9 hours later for cardiac arrest. Pt pronounced at Emergency Room. Pt sent to ME office for autopsy.

COVID19 VACCINE	1085185-1	Unknown	0 days	<p>testing positive for COVID; Fever for 3 hours after the vaccine/ High temperature; Joint pain; Severe upper back pain; Headache; A spontaneous report was received from a nurse concerning a 44-year-old female patient who experienced fever for 3 hours after vaccination, headache, joint pain, and severe upper back pain. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included dulaglutide, metformin, empagliflozin, losartan, amlodipine, levothyroxine, simvastatin, allopurinol, estrogen, colchicine, calcium, zinc, multivitamin and vitamin C. On 05 Jan 2021, the patient received mRNA-1273 (Lot number 026L20A) intramuscularly for prophylaxis of COVID-19 infection. On 05 Jan 2021, patient experienced fever for 3 hours after vaccination. The patient also experienced headache, joint pain, and severe upper back pain. The patient stated her temperature was high from 05 Jan 2021 until 09 Jan 2021 when it went down. Treatment information was not provided. Follow-up received on 21 Feb 2021, from the patient's husband, included that the patient tested positive for Covid-19 on 09 Jan 2021 and was hospitalized on 11 Jan 2021. The patient never recovered from her symptoms and the patient died on 02 Feb 2021. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the events Coronavirus test positive was fatal and for headache, joint pain, severe upper back pain and temperature were unknown. The cause of death was reported as Coronavirus test positive and autopsy details was unknown.; Reporter's Comments: This case concerns a 44-year-old female who was hospitalized with a serious unexpected event of COVID-19 with fatal outcome along with NS unexpected back pain and NS expected fever, headache, arthralgia. Event onset was 5 days after the first dose of mRNA-1273. Treatment not reported. Event outcomes fatal. Autopsy results unknown. Based on current available information and temporal association between use of the product and the start date of the event, a causal relationship cannot be excluded.; Reported Cause(s) of Death: Testing positive for COVID</p>
-----------------	-----------	---------	--------	---

COVID19 VACCINE	1085193-1	65-79 years	0 days	<p>Unconscious; Felt a bit sore at the injection site; A spontaneous report was received from a consumer and healthcare facility staff member concerning a 69 years old, female patient who experienced little bit sore at the injection site, unconscious and passed away. The patient's medical history was not provided. No relevant concomitant medications were reported. On 22 Feb 2021, prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. The patient experienced sore at the injection site and unconsciousness both since 22 Feb 2021. The husband of the patient performed CPR as instructed by 911 and EMT's and police performed medical procedure which included injections and electrical shock both on 22 Feb 2021. The patient died on 22 Feb 2021. Treatment information was not provided. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The patient died on 22 Feb 2021. The cause of death was unknown. Plans for an autopsy were not provided.; Reporter's Comments: This is a case of death of a 59-year-old, female patient who experienced injection site sore and became unconscious on the same day after mRNA-1273 administration and subsequently expired. Although critical details such as the patient's medical history and actual cause of death is lacking, based on the current available information which shows a strong temporal association with the product use, thus, a causal relationship cannot be excluded. injection sore is consistent with product safety profile and cannot be excluded.; Reported Cause(s) of Death: Unknown cause of death</p>
-----------------	-----------	-------------	--------	---

COVID19 VACCINE	1086933-1	80+ years	0 days	<p>Pneumonia, unresponsive at times, weak, Diarrhea, Feeling Punky, body aches/muscle aches, Fever; Chills; Nausea; Vomiting; Sore arm at site of injection; A spontaneous report, was received from a nurse (caregiver), regarding a 96 years-old female patient, unknown race and ethnicity, who was administered Moderna's COVID-19 vaccine (mRNA-1273), and experienced pneumonia, unresponsive at times (unresponsive to stimuli), weak (asthenia), diarrhea, feeling punky (malaise), body aches/muscle aches (myalgia), fever (pyrexia), chills, nausea, vomiting, sore arm at site of injection (vaccination site pain), and vomiting. The patient's medical history was not reported. Historical vaccine reported was flu shot. Concomitant medications included insulin, unspecified medication for pulmonary hypertension and heart failure. On 05 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number: 013M20A), intramuscular for the prophylaxis of COVID-19 infection. On 05 Feb 2021, the patient experienced the sore arm. On 07 Feb 2021, the patient experienced body aches, sore arms, felt punky, weak, fevers with a body temperature of 103.7 (unknown units), chills, nausea, vomiting, diarrhea and muscle aches. Treatment medication included acetaminophen. On 08 Feb 2021, the patient continued with high fever, unresponsive at times, and all other symptoms. On 09 Feb 2021, the patient's fever was control, very weak and passed away on the same day at 04 45 pm. The death occurred and death certificate stated that pneumonia was the cause of death. Action taken with second dose of mRNA-1273 in response to the events was not applicable. The outcome of the event, pneumonia was considered as fatal, and that of other events unresponsive at times, weak, diarrhea, feeling punky, body aches/muscle aches, fever, chills, nausea, vomiting, sore arm at site of injection, and vomiting were considered as unknown. The patient died on 09 Feb 2021. Plans for an autopsy was unknown. The cause of death was reported as pneumonia.; Reporter's Comments: This case concerns a 96 year old, female patient, who experienced a serious unexpected event of Pneumonia (fatal) among others, 5 days after receiving 1st dose of mRNA- 1273 (Lot# 013M20A). Very limited information regarding these events has been provided at this time. The subject's con meds included insulin, unknown medications for pulmonary HTN and heart failure. The cause of death was determined to be pneumonia. Advanced age and co-morbidities may remain as risk factors.; Reported Cause(s) of Death: Pneumonia</p>
COVID19 VACCINE	1088837-1	60-64 years	0 days	<p>Patient received first vaccine dose on 3/10/21, waited for approximately 1 hour in Pharmacy after. Was walking to her vehicle and became short of breath. Patient got to her vehicle and called 911 due to severe shortness of breath. Rescue arrived on scene at approximately 11:00am, found patient in distress and administered epinephrine, methylprednisolone, and diphenhydramine. Patient placed on CPAP in rescue en route to ER, became unresponsive, frothing pink sputum. Intubated by paramedics en route with iGel device. Patient arrived to ER at 11:22am, went into cardiac arrest at 11:24am. Patient continued to be unstable, had multiple rounds of cardiac arrest and ROSC. Patient ultimately did not survive arrests, and pronounced dead at 2:37pm. Medications received during course in the ER - epinephrine 1mg x18 doses, sodium bicarbonate 50mEq x4 doses, calcium chloride 1g, insulin regular 10 units x1, furosemide 80mg x1, epinephrine titrated infusion, sodium bicarbonate infusion.</p>
COVID19 VACCINE	1089215-1	65-79 years	0 days	<p>Syncopal episode followed by death. Unable to be revived. Coroner's case.</p>

COVID19 VACCINE	1090369-1	80+ years	0 days	Patient showed reaction to vaccine almost immediately, began having chills and nausea. Patient ultimately succumbed to cardiac arrest.
COVID19 VACCINE	1091138-1	80+ years	0 days	pt returned to his skilled nursing facility after his 2nd covid vaccine and at approx 10:45 pm he was in cardiac arrest. CPR was started and transported to Hospital. Pt was pronounced dead at 1:06 am on 3/11/21
COVID19 VACCINE	1091327-1	60-64 years	0 days	Death
COVID19 VACCINE	1094600-1	65-79 years	0 days	It is unknown if the decedent had any side effects. Patient died on 3/11/2021.
COVID19 VACCINE	1095393-1	65-79 years	0 days	Cardiac Arrest
COVID19 VACCINE	1096602-1	65-79 years	0 days	Hospice nurse reported patient started experiencing fatigue, nausea, dizziness, decreased appetite and shortness of breath immediately following vaccination. Hospice medications were ordered and patient began receiving morphine and nebulizer treatments. She then started having dysphasia. She then died on 3/5/21 from presumed respiratory failure.
COVID19 VACCINE	1098178-1	65-79 years	0 days	2nd dose of covid19 vaccine administered on 1/25/21 AM. First dose was about 12/28/2021. Patient had a change in condition noted same day PM, which included worsening mental status with increased confusion such as disorientation and decreased functional status, as well as opening of pressure ulcer on coccyx. Patient became lethargic. Patient condition worsened over the next few days. Patient decreased oral intakes, including medications. Care and comfort measures were in place. Patient expired on 2/4/2021.
COVID19 VACCINE	1098856-1	65-79 years	0 days	Four hours after vaccine shot, she began with a headache then severe vomiting. She became incoherent and when brought to the hospital she had a brain hemorrhage. She passed away on 3/3/2021 at 3:05pm.
COVID19 VACCINE	1101602-1	65-79 years	0 days	Later that day after receiving the shot, patient reportedly became very ill with fever, vomiting, and diarrhea. He was found deceased the next day when friends went to check on him.
COVID19 VACCINE	1104845-1	60-64 years	0 days	Deceased received second Moderna dose on 3/11/2021 at unknown location and unknown time. Complained of 'side effects' which are unclear at this time. Had a sudden witnessed cardiac event on 3/14/2021 and was rushed to a local emergency department. Diagnosed with ST elevation MI and could not be fully resuscitated.
COVID19 VACCINE	1105146-1	18-29 years	0 days	1/19 began vomiting and was hospitalized. On 1/30 he was discharged and later received the vaccine. It begins with weakness and a lack of appetite. He started coughing up foul-smelling secretions. He makes the arrangements to take him to the emergency room again, he called 911 to be transported, when they are taking the information from the POC, he is under oxygenation to 44. They take him in the ambulance, he receives CPR, they transport him to the facility where he arrives lifeless.
COVID19 VACCINE	1106554-1	60-64 years	0 days	She received vaccine on 12.28.21. On 12.30.21 she went to the ER and was subsequently sent to Hospital. Not sure what the findings were, but she was discharged after several hours. I spoke with her on the phone on 1.1.21,, She wasn't feeling well. I asked her what was going on because she had been doing really well for a few months. She stated ""Every since I took the vaccine, I have felt really bad."" She died on 1.5.21. Timeline: 12.28.20 Vaccine 12.30.20 ER 1.1.21 Continues to feel bad and reports feeling worse and worse since vaccine. 1.5.21 Died at home.""

COVID19 VACCINE	1109427-1	80+ years	0 days	Moderna Covid-19 Vaccine EUA After receiving the first vaccine, started making gasping noises at night, lethargy, fit bit would not register sleep at night, some breathing issues during waking hours. HR observed to decrease to under 40 over the last week of his life. 5 days after 2nd vaccine had extreme fatigue, nightmares, forgot to take regular meds in the morning, 6 days after he woke up very confused and had nightmares and 7 days after vaccination woke up late, exhausted, with shortness of breath all day and refused to go to ER. Went to bed early and died in the night with his CPAP machine on.
COVID19 VACCINE	1110439-1	80+ years	0 days	Tolerated Well without complications
COVID19 VACCINE	1110978-1	50-59 years	0 days	Unknown information regarding side effects from first Moderna Covid vaccine. Second Covid vaccine on 2/12/2021 and there were no issues. Patient died on 31/10/2021. Postmortem Covid test is negative for SARS-CoV2 RNA.
COVID19 VACCINE	1115045-1	50-59 years	0 days	Death; A spontaneous report was received from a consumer concerning a 57 years old male patient who received mRNA-1273 for prophylaxis of COVID-19 infection and had died (death). The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 2 Mar 2021, approximately three hours prior to the onset of the symptoms, the patient received his second of two planned doses of mRNA-1273 for prophylaxis of COVID-19 infection. It was reported that the patient died three hours after receiving the 2nd dose in the ER. Treatment information was not provided. The cause of death was unknown. Plans for an autopsy were unknown. Action taken with mRNA-1273 in response to the event was not applicable. The outcome of the event of death was considered as fatal.; Reporter's Comments: This is a case of sudden concerning a 57 year old male who died three hours after receiving the second dose of the vaccine. Very limited information regarding this event has been provided at this time.; Reported Cause(s) of Death: unknown cause of Death
COVID19 VACCINE	1115944-1	50-59 years	0 days	1-2 hours after receiving Moderna vaccination patient began complaining of chest pain to family members but refused to seek medical attention. He was found deceased this morning (03/19/21) by his family. Medical Examiner determined time of death was around 8:40pm on 03/18/21.
COVID19 VACCINE	1115994-1	80+ years	0 days	03/02/21 the patient was visited by nurse. No signs of distress. Normal vitals. No GI concerns according to staff. Her appetite was her usual described as fair. She received her 2nd Moderna vaccination on 03/08/21. Within hour she became very ill according to facility staff. She began to vomit up to 5 times. Her stools became loose. She became more lethargic. She was started on compazine for the vomiting. Her oral intake was minimal. Her symptoms did not resolve and she was visited by the nurse again on 03/11/2021 where she was not very responsive. Her vitals included an irregular pulse and apnea noted in her breathing up to 15 seconds. She died on 03/12/21

COVID19 VACCINE	1116259-1	Unknown	0 days	<p>Death, not able to stand up or walk, extreme weakness, he did not feel well, not able to stand up or walk; A spontaneous report was received from the patient's wife concerning a male (age not provided) who experienced extreme weakness/asthenia, did not feel well/malaise, unable to walk/gait inability, and unable to stand/dysstasia. The patient's medical history included lung disease which required oxygen support. Per patient's wife, no concomitant products were in use within two weeks of the event. The patient's wife also stated he does not take any daily medications. On 21 Jan 2021, prior to the onset of events, the patient received the first of two planned doses of mRNA-1273 ( Batch number 029L20A) by injection into his left arm for prophylaxis of Covid-19 infection. After receiving the vaccine, the patient's wife stated he did not feel well. He experienced extreme weakness. He was not able to stand up or walk for the first few days after getting the shot. ""He could not walk even 3 steps and get in the car"". On 09 Feb 2021, the patient felt a little bit better and could walk from one bedroom to another. No Medications were used to treat the patient's symptoms. No relevant medical tests were provided. The patient had an appointment with his healthcare provider (date and time not provided) and was told he could not get the second dose of vaccine unless he got better. The patient's wife stated she is not blaming the vaccine because her husband had a lung disease prior to getting the vaccine. His doctor said, (per his wife) this lung disease had weakened him to the point he could not drive his car anymore. His brain was fine before the vaccine. On 03 Mar 2021, the patient's wife called to say that the patient had finally passed away on 13 Feb 2021. The second dose of mRNA-1273 was withheld in response to the events while waiting for the patient's condition to improve however; it was never given due to the patient's death. The events of did not feel well, extreme weakness, unable to walk, and unable to stand were not resolved (presumably) prior to the patient's death. The patient died on 13 Feb 2021. The cause of death was not provided. Plans for an autopsy were not provided. Company Comment: The reported events, death, malaise, asthenia, gait inability, and dysstasia were considered possibly related to mRNA-1273.; Reporter's Comments: This is a case of death in a male subject with a hx of lung disease requiring oxygen, who died 23 days after receiving first dose of vaccine. Very limited information is available and based on the reporter's causality assessment the event is considered unlikely related to the vaccine""; Reported Cause(s) of Death: cause of death unknown""</p>
COVID19 VACCINE	1116594-1	65-79 years	0 days	<p>Patient called EMS from for respiratory distress. EMS arrived, noted severe distress and hypoxia. Patient transported to Hospital Emergency Dept. Patient deteriorated to respiratory arrest and cardiac arrest. Per ED note, after 30 minutes of aggressive resuscitation (including approximately 19 minutes in the ED), no ROSC was achieved. Patient expired</p>
COVID19 VACCINE	1119393-1	65-79 years	0 days	<p>Systemic: Death. Unknow cause as of reporting date. -Severe, Additional Details: PT caregiver called to report that the Pt passed away on 3/8/21 2 days post vaccine, Caregiver was distrot and not very able to provided more details due to recent nature of report.</p>

COVID19 VACCINE	1120842-1	65-79 years	0 days	this is all per family, 4 to 5 days after 2nd COVID vaccine he was acting unusual and was taken to the hospital. He had a clot in his brain and underwent brain surgery. He experienced seizures after the surgery, but it was ultimately reported the surgery went well. He remained intubated and on a ventilator after surgery. He developed complications of his lungs and kidneys while on the ventilator. Ventilator was removed 3/16/2021 and he passed away that day. The hospital providers thought the clot in the brain may have been from hitting his head over a month ago. From my understanding he was A&O, independent with ADLs, and lived in his private residence prior to these complications.
COVID19 VACCINE	1122172-1	80+ years	0 days	Moderna COVID-19 (mRNA-1273) vaccine treatment under Emergency Use Authorization(EUA): The decedent received the shot at 4:30pm and was found deceased at 10pm the same day.
COVID19 VACCINE	1123247-1	65-79 years	0 days	Our agency was alerted that the patient passed away on 3/16/2021
COVID19 VACCINE	1126060-1	60-64 years	0 days	death 2 and half hours after receiving the first Moderna vaccine; A Spontaneous report was received from a health care professional concerning a 61 year old male patient,who received Moderna's COVID-19 vaccine (mRNA-1273) and reported death. The patient's medical history as provided by the reporter included diabetes, history of shortness of breath, cardiac history. Concomitant medications included metoprolol, metformin and glipizide. On 05 Mar 2021, prior to the onset of events the patient received his first dose of their two planned doses of mRNA-1273 (Batch NO: 030a21a) intramuscularly for prophylaxis of covid 19 infection. On 05 Mar 2021,it was reported that the patient died 2 and half hours after receiving the first Moderna vaccine. The patient had no symptoms during observation 15 minutes after receiving fist Moderna vaccine.The patient's PCP ordered an autopsy. Treatment information not included. Action taken with mRNA-1273 in response to the events was not applicable. On 05 Mar 2021, it was reported that the patient died.; Reporter's Comments: This is a case of sudden death in a 61-year-old male subject with hx of diabetes, history of shortness of breath and cardiac history, who died 2 1/2 hours after receiving first dose of vaccine. Very limited information has been provided at this time.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1126619-1	80+ years	0 days	His vitals signs was stable after vaccine was administered, but the resident was expired in 85mins after given 1st dose of Covid Moderna vaccine.
COVID19 VACCINE	1127468-1	65-79 years	0 days	Severe lethargy after receiving the shot. Constant sleepiness and malaise, nausea, confusion, loss of appetite, dizziness, Blood vessels/clots formed in her eyes. Acute renal failure and eventually death on March 18, 2021.

COVID19 VACCINE	1129805-1	80+ years	0 days	Death; unconscious; in and out of consciousness; weak, very weak; blood pressure was very low; little light headed; A spontaneous report was received from consumer concerning a 88 years old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced a little light headed/ dizziness, weak, very weak/asthenia, blood pressure was very low/ hypotension, in and out of consciousness/depressed level of consciousness, unconscious/ loss of consciousness and passed away. The patient's medical history was reported as heart issues. Concomitant medications taken by the patient included levothyroxine, isosorbide, acetylsalicylic acid, metoprolol, furosemide, warfarin, antibiotics. On 3 Mar 2021, prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 (Lot number: 015M20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 3 Mar 2021, when the patient got home the night, after getting the shot, patient was a little lightheaded, she seemed to be okay on 04 Mar 2021 and 05 Mar 2021. Patient had complained of being weak and her blood pressure was very low on 08 Mar 2021. She was progressively started getting weaker. On 09 Mar 2021, she was very weak and was in and out of consciousness. Patient was taken to the hospital, and she became unconscious and then passed away. Patient passed away on 09 Mar 2021. The patient died on 09 Mar 2021. The cause of death was unknown. Plans for an autopsy were unknown. Treatment activities for event was not provided. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of events, unconscious, a little light headed, weak, very weak, blood pressure was very low, in and out of consciousness was unknown. The outcome was considered fatal.; Reporter's Comments: This is a case of sudden death in a 88-year-old female patient with a history of heart issues, who died 6 days after receiving first dose of vaccine. Very limited information has been provided at this time.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1129838-1	65-79 years	0 days	chest pain, vomiting, death
COVID19 VACCINE	1131617-1	80+ years	0 days	Pt c/o of left arm pain after injection and for several days after. Pt was in bed for 2 days after injection c/o generalized malaise and weakness. Pt c/o of feeling of funny heart rhythms and feeling of constant anxious feeling. Pt started having episodes of SOB and was very labored doing simple tasks such as using the toilet. Pt started using o2 for the first time and had to recover for any activity for several minutes. Different medications were tried to help control symptoms such as Morphine for SOB and ativan for anxious feelings. Symptoms were never well managed after vaccine. Pt eventually died from worsening symptoms on 3/20
COVID19 VACCINE	1136867-1	65-79 years	0 days	headache started about 12 noon on day of, texted a friend at 5:47pm to say wasn't feeling well, hurting all over mostly in chest, shoulders and head.
COVID19 VACCINE	1139039-1	65-79 years	0 days	According to daughter pt was in his usual state of health (pt was critically ill, so daughter provided hx) until he received his 2nd dose of the moderna covid 19 vaccination at 11am on 3/24/2021. He had not had any side effects from the first dose. Around 15 hrs after getting the vaccine he started having fevers, myalgias, fatigue, and sob. He has poor po intake following the vaccine. He arrived to the ER on 3/26 in hypoxic respiratory failure, septic shock, acute renal failure, nstemi, hyperkalemic with severe b/l pneumonia on chest x ray. He expired with in hours of arrival to the ER despite full attempts at resuscitation.
COVID19 VACCINE	1140772-1	80+ years	0 days	Chills, fever and tremors began around 2100 on night of vaccination, was reported symptoms subsided the following day. Found early morning of 2/22/2021 deceased in bed by live-in caregiver

COVID19 VACCINE	1145434-1	80+ years	0 days	Acute onset shortness of breath approximately 11-12 hours post second dose of Moderna covid vaccine. EMS responded and briefly performed CPR before DNR was produced and life saving measures were discontinued. Patient subsequently expired.
COVID19 VACCINE	1145479-1	80+ years	0 days	Patient received vaccine at 10:18am and then went home with no reaction in the vaccination POD. EMS was called to the patients home shortly before 2:30 that afternoon. When EMS arrived patient was posturing with lower extremities extended in plantar flexion. Last seen normal 30 minutes prior. she was also tachycardic and in respiratory distress with sonorous respirations. Cranial nerve deficit present GCS 3. She was unresponsive and intubated. Airlifted after CT to hospital. She died at 1647 at Hospital from hemorrhagic stroke.
COVID19 VACCINE	1146288-1	80+ years	0 days	Vaccine administered at 1816. Patient walked to the observation area and while in the observation area, got up to use the restroom. Patient exited the restroom and said she needed assistance. She indicated to the observation nurse that ""this ain't good"" or ""this ain't right"". Patient reported seeing spots and having chest pain. The time was approximately 1830. She was assisted to the floor. Help was summoned and 911 called at approximately 1834. Upon being lowered to the floor patient was breathing, she was not cyanotic, her eyes were open and she was not responsive. The patient had a pulse. Sometime after 1830, but before 1835, the patient was observed to have seizure like activity as bilateral""
COVID19 VACCINE	1150577-1	65-79 years	0 days	Got the shot Saturday patients arm was hurting Saturday and the people at shot clinic told the patient to take Tylenol for pain, Sunday the patient was extremely tired and clammy told the daughter his joints and body was hurting so badly. Sunday the patient woke up with allergy symptoms so patient was waiting it out to see dr until his appointment. The patient finally woke up on 3-31-21 around 5 am and the patient had cold chills and clammy the patient put on his robe then told his wife that he was too hot shortly after. The wife was leaving for work at 6am and the patient was curled around toilet stating he felt nauseous, wife left for work around 6am and then she stated about 15-20 minutes later the husband called her asking her to come back home she stated he sounded very short of breath and just not right, she turned around and got home around 645am and found her husband pale and in his recliner with his mouth open and unresponsive. The wife called 911 and she stated the told her pull him into floor and EMS arrived as soon as she got in the floor to start CPR.
COVID19 VACCINE	1150753-1	65-79 years	0 days	Rapidly progressive dyspnea and fatigue, worse with even light exertion, at night and laying down.
COVID19 VACCINE	1154856-1	40-49 years	0 days	My sister died due to allergic reaction 45min after taking the Moderna Vaccine
COVID19 VACCINE	1155829-1	50-59 years	0 days	Cardiopulmonary arrest and death at 0822 4/1/21
COVID19 VACCINE	1156076-1	65-79 years	0 days	Patient received her 2nd dose of the COVID-19 maderna vaccination on February 4, 2021. By the evening of February 4, 2021 her husband reported her health to decline rapidly. Her symptoms and complains included overall generalized body weakness and fatigue. She was reportedly unable to get out of bed on February 5, 2021. She continued to decline and became short of breath in the early morning hours of February 6, 2021. She went unresponsive and was pronounced deceased at 0615 by (medicolegal death investigator).
COVID19 VACCINE	1156250-1	65-79 years	0 days	Patient recieved his second dose of the COVID-19 vaccine on February 4, 2021. His complains consisted of overwhelming exhaustion. He was found dead in his hotel room on February 10, 2021.

COVID19 VACCINE	1156450-1	80+ years	0 days	Patient received his second dose of the COVID-19 vaccine on February 17, 2021. Per family, he complained of feeling chilly and cold. He was found deceased in the early morning on February 18, 2021.
COVID19 VACCINE	1157033-1	65-79 years	0 days	Per family patient reported c/o nausea and vomiting at home post treatment on 3/30/2021, he went to bed and was found unresponsive on 3/31, EMS was contacted and pronounced deceased at home on 3/31/2021. (exact time unknown).
COVID19 VACCINE	1157561-1	Unknown	0 days	<p>Died, Unresponsive, Shortness of breath, Not able to eat, Sick, Nauseous, Vomiting, Passed out on kitchen floor; Blood sugar increased; A spontaneous report was received from a consumer concerning an unspecified age, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced raised blood sugar/blood sugar increased, passed out on kitchen floor/loss of consciousness, nausea, vomiting, sick/illness, not being able to eat/decreased appetite, shortness of breath/dyspnea, unresponsive/unresponsive to stimuli and died/death. The patient's medical history included diabetes. Products known to have been used by the patient, within two weeks prior to the event, included unspecified insulin. On 11 Feb 2021, the patient received their first planned doses of mRNA-1273 (Batch number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 11 Feb 2021, the patient had a rise in her blood sugar (blood sugar 208, 212, 199 up until her bedtime of 9:45PM). On 12 Feb 2021, the patient passed out on the kitchen floor and the patient's blood sugar took a dive (blood sugar was 304 9:00AM, blood sugar was 260 10:30AM then stayed over 200/280 all day even with insulin). That evening, the patient experienced nausea and vomiting. On 13 Feb 2021, the patient's blood sugar was up and had nausea and vomiting throughout the night. The patient spoke with her doctor, who told her to regulate it with insulin if she needed too. Per the report, the doctor informed the patient that there have been studies that say the vaccine has shown to mess with blood sugars. The patient's blood sugar remained between 144-179 all day even with insulin. The patient had nausea and vomiting. On 14 Feb 2021, the patient reported still being sick. The patient reported a weight loss of 5 pounds and reported not being able to eat. Blood sugar was 174-292 all day even with insulin. On 17 Feb 2021, the patient's blood sugar was bouncing between 53-151 all day even with insulin. On 18 Feb 2021, the patient reported shortness of breath and was using Vicks to help clear the nasal passage. On 19 Feb 2021, approximately at 6:00AM, the patient's spouse found patient breathing but unresponsive. At approximately 7:25AM, the patient died. Treatment information included, unspecified insulin and Vicks. Action taken with the drug in response to the event is not applicable. The outcome of event, passed out on kitchen floor/loss of consciousness, was considered resolved on 12 Feb 2021. The outcome of events, raised blood sugar/blood sugar increased, passed out on kitchen floor/loss of consciousness, nausea, vomiting, sick/illness, not being able to eat/decreased appetite, shortness of breath/dyspnea, were considered unknown. The</p>
COVID19 VACCINE	1159365-1	65-79 years	0 days	My father received his second dose of the moderna vaccine on 3/27/2021. Around 5PM he started to feel unwell and went to lay down. My mom found him unresponsive at 10PM and called an ambulance. She was told at the hospital that he had a massive brain bleed. He passed away the following morning around 10AM.

COVID19 VACCINE	1166865-1	80+ years	0 days	After first vaccination mom was tired in bed flu symptoms for a few days. Had MG symptoms come back and talked to her Dr. Went for 2nd vaccination and very tired & had Severe MG symptoms dr said to take then stop taking Mestinon as she continued getting sicker he called and said not to get any therapeutic drugs called Solaris not to see a dr and she died few days after.
COVID19 VACCINE	1167407-1	65-79 years	0 days	Patient was involved in a single plane crash on the evening after receiving second vaccine dose
COVID19 VACCINE	1168622-1	80+ years	0 days	Pt started late in the day w/ CP and SOB, was transported to Hospital by EMS . Pt passed away once at the facility. Time of Death was: 2011 on 4/1/21; pt was discharged from ER on 4/2/21
COVID19 VACCINE	1169683-1	65-79 years	0 days	Within 5-10 hours of the second dose: nausea, vomiting, chills, fever, fatigue. Chills, fatigue and nausea continued for 10 days until death
COVID19 VACCINE	1170447-1	80+ years	0 days	Patient fully recovered from natural SARS-COV-2 infection in early December 2020. Patient was doing quite well between mid December and mid January. Patient was hospitalized with congestive heart failure in late January 2021. Received first dose of Moderna COVID19 vaccine shortly before being discharged around February 1 (not sure of exact date). Patient was feeling well at that time. Patient became quite ill within 24 hours of Moderna COVID19 vaccine. Patient steadily worsened during February 2021. Was hospitalized in mid February (unsure of date) and diagnosed with kidney failure and liver disease. Congestive heart failure rapidly worsened and previously stable leukemia flared up. Patient was discharged from hospital February 19 and was placed in quarantine at Care Center. Patient was considered terminal and was to go into hospice care. Patient was administered second COVID19 vaccine on February 25, rapidly deteriorated, and died on March 1.
COVID19 VACCINE	1171449-1	65-79 years	0 days	Pt received #2 moderna vaccine. Pt had no problems with #1 other than fatigue for 1 day. Went to store and passed out in the parking lot after passing out and hit her head on the pavement. Pt was transported to hospital. Pt was transferred to different hospital. Pt died at Hospital ER. 3 weeks ago pt diagnosed with heart murmur. Echo showed aortic valve function at 65%. Dr states he will just watch pt. no meds given. Pt family stated pt has a heart attack while at store.
COVID19 VACCINE	1171887-1	65-79 years	0 days	Notified by pt's family member that pt stated at the dinner table he was not feeling well and went to lay down. Pt then later called out for his family member stating he was bleeding from his dialysis access in his leg. Pt's family member called EMS, pt was transported to the hospital. Pt member stated the pt passed away that evening ""because of all the blood he lost from his access."" Pt's nephrologist and NP were notified. Pt's death per nephrologist was felt to be due to blood loss from his graft and not related to the vaccine. ""
COVID19 VACCINE	1175722-1	65-79 years	0 days	Family member reported patient deceased. Was found on 3/21/21. She had told a friend she wasn't feeling well on the night of 3/19/21.

COVID19 VACCINE	1177173-1	50-59 years	0 days	Husband and wife came in 4/5 and received their COVID vaccines at 11am. They waited the 15 minutes to check for reactions and were asymptomatic when time was up. The pharmacy did a courtesy call around 3:15 pm on 4/7 to check in with them and see how they were feeling. The wife stated that her husband had passed away the night of 4/5. Wife stated that they were getting ready to go to bed and husband felt hot and shaky so he laid in front of a fan. Wife eventually had to do CPR and stated that she thinks that he passed away during the time while they were waiting for EMS, which took about 45 minutes. Patient was pronounced dead night of 4/5. Wife stated that patient has a history of heart problems including hypertension and multiple stents place and that she does not think the vaccine had to do with her husband's death.
COVID19 VACCINE	1177800-1	80+ years	0 days	Rapid onset in fever and myalgia. Dyspnea and hypoxia developed over days, and eventually patient was hospitalized with bilateral pneumonia consistent with COVID-19, however patient had multiple negative tests for SARS-CoV-2, both antigen and PCR. Patient eventually diagnosed with interstitial lung disease prior to expiring on 4/7/2021.
COVID19 VACCINE	1178071-1	50-59 years	0 days	Patient found expired at home about 12 hours after administration of vaccine
COVID19 VACCINE	1178531-1	40-49 years	0 days	Death within 12 hours
COVID19 VACCINE	1181914-1	65-79 years	0 days	Patient entered Drug store to get his second Moderna COVID shot on 4/8/2021 at approx. 12:30pm. (First dose was 3/11/2021) He filled out his Pre-Vaccination Checklist for COVID-19 Vaccines and signed the consent. His form was reviewed and he was given his vaccine in his left deltoid. He then was given his CDC card and waited at least 15 minutes and then exited the building. At 1p.m he was in an accident on the main highway. He was conscious after the accident, but later did pass away. This information came from a Police Officer as no one at the pharmacy witnessed the accident.
COVID19 VACCINE	1183806-1	80+ years	0 days	Went down hill after receiving the 2nd shot and stopped breathing; Went down hill after receiving the 2nd shot and stopped breathing; This spontaneous case was reported by a consumer and describes the occurrence of RESPIRATORY ARREST (Went down hill after receiving the 2nd shot and stopped breathing) in a 92-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 22-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 22-Mar-2021, the patient experienced GENERAL PHYSICAL HEALTH DETERIORATION (Went down hill after receiving the 2nd shot and stopped breathing). On 24-Mar-2021, the patient experienced RESPIRATORY ARREST (Went down hill after receiving the 2nd shot and stopped breathing) (seriousness criteria death and medically significant). On 24-Mar-2021, GENERAL PHYSICAL HEALTH DETERIORATION (Went down hill after receiving the 2nd shot and stopped breathing) outcome was unknown. The patient died on 24-Mar-2021. The reported cause of death was stopped breathing. It is unknown if an autopsy was performed. Reporter wasn't sure if patient received Pfizer or Moderna vaccine. The patient was in hospice care and reporter thought the patient received the vaccination from a local pharmacy. Concomitant medications and treatment medications were not provided.; Reported Cause(s) of Death: Stopped breathing

COVID19 VACCINE	1184784-1	65-79 years	0 days	Approximately 3 hours after vaccine administration, patient experienced the following: Nausea, Vomiting, Abdominal pain, and the following day: Bloody Bowel Movements. Patient went to the emergency department the day after vaccine administration. Patient was made NPO, started on IVF and Zosyn. Patient was seen by GI who agreed with supportive management of ischemic colitis. Around 1730 on 2/6, patient unresponsive and rapid response was called. Patient responded to Narcan. On 2/8/2021, 0358, patient was seen as not breathing and code blue was called. Interventions were unsuccessful and patient was pronounced dead at 0439am.
COVID19 VACCINE	1185193-1	65-79 years	0 days	within 2 weeks of receiving the covid vaccine patient became weak, stopped eating, more lethargic and became bedbound and was started on hospice. She died on 3/31/2021
COVID19 VACCINE	1191979-1	65-79 years	0 days	Started with intense headaches right after the 2nd dose of the Moderna vaccine on 03/06/2021. Had the headache for over two weeks, and eventually went to the hospital with loss of speech and movement on her left side of her body. They at first said it was strokes, then after the CT scan results came back they found multiple abscess in her brain. She does not have a history of strokes or brain abscess. Speech and motor functions never returned, and one abscess was so large that it caused a brain shift ( the two hemispheres separated) they performed brain surgery and it was not successful. She passed away on 3/31/2021 at 431 am.
COVID19 VACCINE	1192426-1	65-79 years	0 days	Owner emailed the following message on 03/23/2021, ""Patient was feeling not good after the vaccinations and we call 911. She refused to go to hospital . Today she did do good and we call 911 and they took her because her oxygen dropped down . As of now she passed away""
COVID19 VACCINE	1197397-1	65-79 years	0 days	Death Narrative:
COVID19 VACCINE	1198028-1	65-79 years	0 days	None stated.
COVID19 VACCINE	1198211-1	30-39 years	0 days	The patient received his 2nd dose of Moderna (LOT#, site, time unavailable) at an outside clinic the morning of 2/10/21 and presented to the ED with coughing and hypoxia (spO2 occasionally dropping into 70's) at 8 PM that day. He had quadriplegic spinal paralysis as a result of a remote MVA and has been hospitalized and critically ill in the past due to recurrent UTI's and pneumonia with associated sepsis. CT negative for pulmonary embolism and showed bilateral infiltrates. Clinical presentation consistent with bilateral pneumonia and started on Rocephin/azithromycin. He was initially stable in the hospital on 1-2 LPM O2. The following evening he became febrile and acutely developed asystole without any pre-existing arrhythmia. Resuscitation was attempted for 45 minutes but unsuccessful. Overall, I suspect his death was related to bacterial pneumonia and resulting acute respiratory failure, complicated by his quadriplegia and autonomic dysreflexia but reported this event as it did occur within 2 days of receiving his 2nd Moderna vaccination.
COVID19 VACCINE	1198617-1	80+ years	0 days	Adverse Event: Death Treatment: Rest & Cold Pack On Arm At Injection Site (Not Effective) Symptoms: Arm Pain At Injection Site, Diarrhea, Fatigue, Dizziness, Low Appetite, Light Headedness, Fever & Chills
COVID19 VACCINE	1198939-1	65-79 years	0 days	Per Medical Examiner, fourteen hours after receiving vaccine presenting symptoms were fatigue and muscle aches, went to Hospital Emergency Room and was released. Six hours later family stated symptoms had worsened, fever, shortness of breath and fatigue, admitted to Medical Center, diagnosed with sepsis and died within 48 hours of vaccination, deceased 4/7/2021, cause of death neutropenic sepsis with multi-lobar pneumonia, autopsy scheduled 4/13/2021.

COVID19 VACCINE	1203703-1	80+ years	0 days	Patient's family called us on 03/18/2021 to report vomiting for 3 days starting after her vaccination. They took her to hospital where the family reports she was diagnosed with bowel obstruction. She declined surgery because of her age and underlying comorbid conditions including breast cancer and diabetes. She passed away on 03/22/2021.
COVID19 VACCINE	1204876-1	65-79 years	0 days	Death
COVID19 VACCINE	1205392-1	60-64 years	0 days	blood clots in left leg and both lungs diagnosed on 2/22, died 2/24
COVID19 VACCINE	1209252-1	65-79 years	0 days	On 4/13 patient's daughter in law called public health department to report that patient was found by EMS on 3/12/21. They believe patient had passed away over night. No autopsy was done. Family member reported that EMS believed the cause to be heart attack or pulmonary embolism.
COVID19 VACCINE	1209422-1	60-64 years	0 days	Per the patient's husband, on 03/26/2021, the day after vaccination, the decedent complained of nausea with vomiting, and had difficulty driving. On 03/27/2021, her nausea continued and she complained of shortness of breath while walking. On 03/28/2021, she was short of breath before vomiting a small amount. She then became unresponsive. Death was pronounced a short time later. Per her treating physician who signed the death certificate, the cause of death is felt to be probable myocardial infarction due to electrolyte abnormalities due to complications of her diabetes mellitus.
COVID19 VACCINE	1209462-1	65-79 years	0 days	NA
COVID19 VACCINE	1213115-1	65-79 years	0 days	cardiac arrest at approximately 4:35pm, patient expired.
COVID19 VACCINE	1214139-1	65-79 years	0 days	Cardiac Event
COVID19 VACCINE	1214277-1	80+ years	0 days	After resident received vaccine there continued to be a decline in her overall health. Resident died on 2/26/21 at the age 102. The County Health Department requested that her information be forwarded to VAERS. There is no evidence that resident had a adverse reaction to the vaccination.
COVID19 VACCINE	1214800-1	60-64 years	0 days	Patient per tracking received 2nd COVID vaccine on 4/5/2021 from Health Department. Patient to Hospital Emergency department via EMS 4/6/2021 with cardiac arrest and death
COVID19 VACCINE	1217813-1	65-79 years	0 days	deceased on 4/13/21
COVID19 VACCINE	1218467-1	65-79 years	0 days	Patient hospitalized Hospital Admission Diagnoses: Severe sepsis (CMS/HCC) [A41.9, R65.20] Discharge Diagnosis: Patient Active Problem List Diagnosis Date Noted *Elevated troponin 03/30/2021 *B12 deficiency 03/30/2021 *Acute systolic heart failure (CMS/HCC) 03/25/2021 Discharge Diagnoses: Patient Active Problem List Diagnosis Date Noted *Elevated troponin 03/30/2021 *B12 deficiency 03/30/2021 *Acute systolic heart failure (CMS/HCC) 03/25/2021 *Acute respiratory failure with hypoxia (CMS/HCC) 03/24/2021 *Acute pulmonary edema (CMS/HCC) 03/24/2021 *IVH (Intraventricular hemorrhage) (CMS/HCC) 06/06/2018 *Brain edema (CMS/HCC) 06/06/2018 *Brain compression (CMS/HCC) 06/06/2018 *Benign essential HTN *Coronary artery disease * Type 2 diabetes mellitus with hemoglobin A1c goal of less than 7.0% (CMS/HCC) *Nontraumatic right thalamic hemorrhage (HCC) 06/05/2018 Consults: IP CONSULT TO PULMONOLOGY IP CONSULT TO CARDIOLOGY INPATIENT CONSULT TO PHARMACY INPATIENT CONSULT TO PHARMACY IP CONSULT TO NUTRITION SERVICES IP CONSULT TO NUTRITION SERVICES Procedures: Intubation Catheterization Significant Diagnostic Studies: Cardiac Catheterization

COVID19 VACCINE	1221137-1	80+ years	0 days	My my grandma got them a derma vaccine on January 22 she died on February 11 she was admitted to the hospital with a blood clot in her leg they tried to do surgery but when they put her under the anesthesia she never woke back up. She was 93 years old and had many other health conditions but when I called the doctors office to ask them if they reported my grandma they just kept giving me the runaround I tried to call hospital as well and I got the same thing they told me to go back to the doctor. I think someone should know and I think it?s way too difficult for family members to try to report adverse side effects it took me all day to find someone that could help me get to this website. I think there may be a lot more adverse side effects but people don?t know how to report them.
COVID19 VACCINE	1222021-1	60-64 years	0 days	Client became ill approximately one hour after COVID immunization. Symptoms include weakness, light headed, general malaise. Client refused wife's offer for medical assistance.
COVID19 VACCINE	1222901-1	80+ years	0 days	Patient had started peritoneal dialysis at home with me, his wife, 8 days before the second shot. All was going well. We got his second shot on the morig of March 18. His only reaction seemed to be soreness at injection site. At 11 pm we started dialysis as usual, with the cyclor. At 12 pm he was having trouble breathing after just having been filled with 1500 ml of dialysate. This was the first time this happened. I gave hi nitro glycerine and had the cyclor take out the 1500 ml of dialysate, and stopped the therapy for the night. He then felt better, and apologized for waking me up. In the morning he was dead. I believe it is possible that the vaccine tipped the balance of patients already taxed system. As I know that people who have serious diseases and are older are encouraged to take the vaccine, this outcome should be known to the CDC.
COVID19 VACCINE	1227470-1	80+ years	0 days	My uncle started feeling unwell the evening he got his 2nd Covid 19 vaccine. By the next evening, he started vomiting violently, trembling and sweating. He lived in country and his caregiver didn't think to take him to the hospital. The symptoms calmed down after a while, but he was not able to hold any food or liquids down. Eventually, he fell asleep and his caregiver left for the night. He returned on Easter Sunday at 9:30 am and found my uncle deceased.
COVID19 VACCINE	1228838-1	65-79 years	0 days	Weak, Lethargic, No Appetite - DEATH 3/13/2021
COVID19 VACCINE	1229218-1	80+ years	0 days	My mom had a brain aneurysm 45 minutes after receiving her second Covid vaccine on Wednesday, March 31st, 2021. She was rushed to Medical Center. After her CT Scan she was put on Life support that morning. After consulting with Doctors we took her off Life Support at 4:00 pm on Friday April 2nd and she passed away 29 hours later at 9:00 pm on Saturday, April 3rd.
COVID19 VACCINE	1229552-1	50-59 years	0 days	We administered the second dose of the Moderna COVID-19 vaccine on Friday, April 16th. We were contacted by the patients family to report that the patient began a fever and chills the night of 4/16, she subsequently began having nausea, vomitting, and sweating followed by a seizure, and was taken to the emergency department where she died the following day. She was encouraged to receive the vaccine at the encouragement of her oncologist.
COVID19 VACCINE	1230283-1	65-79 years	0 days	Reported to the vaccination clinic by county EMS: Pt expired at his home following a call to 911 for a cardiac event for which resuscitation efforts were unsuccessful. This occured on the same day as his last dose of the Moderna vaccine.
COVID19 VACCINE	1230879-1	65-79 years	0 days	Heavy lethargy followed by death.

COVID19 VACCINE	1232673-1	80+ years	0 days	Patient was admitted to the hospital with pneumonia the evening after her received the vaccine in the morning. He had been struggling with his COPD/ pneumonia since 3/1/21. He was hospitalized and died 8 days later
COVID19 VACCINE	1234488-1	80+ years	0 days	Patient had an undiagnosed/unknown UTI at the time of her second vaccine on 3/2/21. She was admitted to Hospital on 3/3/21 with organ failure; she passed away on 3/5/21. Her cause of death is listed as Sepsis, and UTI. The vaccine was not listed as a cause of death, but might have been a ""tipping point"" in her inability to recover with antibiotic treatment. ""
COVID19 VACCINE	1237511-1	65-79 years	0 days	Patient brought in by ambulance after cardiac arrest witnessed by patient's wife at 4/19/21 1:37AM. Per ED, the wife reports he had complained of feeling weak over the last few days without clear reason, then this morning patient had episode of emesis after which he told wife to call 911 and then suddenly became unresponsive. In ED was intubated, started on hypothermia protocol, Patient sedated on Propofol and started on a heparin drip, clopidogrel, aspirin and empiric antibiotics for aspiration Pneumonia
COVID19 VACCINE	1237530-1	80+ years	0 days	Mom was feeling fine the day of the vaccine. Last spoke with her at 6:30 PM and she said she wasn't feeling anything but would go to bed early. I said OK I will check on you in the morning. She never woke up!
COVID19 VACCINE	1238733-1	60-64 years	0 days	Resident was found kneeling over walker with face down in the bathtub right before 1700. Code called and initiated. Resident pronounced dead at 1721 by EMS.
COVID19 VACCINE	1240254-1	65-79 years	0 days	Monday night pt. became ill, threw up and had a fever. He went to bed, but around 11 pm he woke up disoriented, unable to walk. Was helped to the bathroom, but was unable to get back to bed on his own. Fell on his bottom. I had to call our son to come pick him up and help him back to bed, unable to hold his own weight.. Had trouble sleeping. Abt 1 pm needed help getting up again, same disorientation, also fell off the toilet and needed help getting back to the bed, unable to hold his own weight. Finally fell asleep. Next day seemed fine enough. Tuesday night, became ill again, went to bed. Got up to go to the bathroom, was wobbly, but able to make it. Was helped back, wobbly but able to walk. Trouble falling asleep, fever, chills. Finally fell asleep at 3 am Wed morning. I had to go to the doctor early, so left him sleeping in bed. When I came back around 11 am, he was still sleeping, snoring loudly. Became concerned. Wouldn't wake up. Called Paramedics. CT scan at the hospital revealed a brain bleed. Transported to hospital. Put on support for almost 2 weeks. No progress, no response. Finally support was discontinued and he died April 19th at 7:52 pm.
COVID19 VACCINE	1242022-1	50-59 years	0 days	Patient care coordinator on PCP team learned of patient death, as documented: TC to pt family for a welfare ck d/t co-worker mentioned saw in social media pt had passed? PCC-spoke with pt daughter states father passed on 4/18/2021 in the PM unknown exact time of death at home. PCC gave family condolences for their loss. Patient reports father got covid-19 vaccine on 4/13/2021 and he started having severe HA's on this day. Sx increased for the next few days, he had dry cough,sore throat,chest pain,SOB. States father declined for family to called an ambulance while sx were increasing. States ambulance was called on Sunday 4/18/2021 to take body to the morgue. States they are awaiting for autopsy results,and death certificate. States father's body will be taken to his family. On what date did they pass away? 4/18/2021 unknown time, at home Do you know what the cause was? Family is not sure of cause of death

COVID19 VACCINE	1242160-1	65-79 years	0 days	<p>CALLED TO TRANSFER PATIENT FROM 2C ADMITTING AREA TO ENDOSCOPY UNIT AROUND 1410. UPON ARRIVAL IN 2C TO TRANSFER PATIENT, PATIENT WAS ALERT AND RESPONSIVE TO NAME. WHEN WHEELED TO BEDSIDE IN ENDOSCOPY UNIT PATIENTS RIGHT ARM SLUMPED AND HE BECAME UNRESPONSIVE. RAPID RESPONSE CALLED. PATIENT TRANSFERRED TO STRETCHER, CODE BLUE CALLED, AND CPR STARTED. DR. ANESTHESIA AT BEDSIDE MANAGING AIRWAY. CODE TEAM RESPONDED. REFER TO ARREST RECORD.</p>
COVID19 VACCINE	1242950-1	65-79 years	0 days	<p>Receiver of vaccine was reported dead on 04-22-2021 TOD 0809 to Medical Examiner's Office Report # 052-EMF-79-21</p>
COVID19 VACCINE	1243832-1	18-29 years	0 days	<p>4.21.2021- I spoke with (patient's husband) related to spouse. Husband stated the patient has a history of 2nd Degree Type 2 heart block, pacemaker placed at the age of 14, and she currently has issues with an eating disorder dx with anorexia. Patient is reported to be approximately 68-70 pounds at the time of vaccination. March 8.2021- Husband states he and his wife came to receive the vaccine around 1630. After, receiving the vaccine the patient stated to her Husband ""my arm really hurts."" She begin experiencing s/s at approximately 1900 including: fever, chills, runny nose, fatigued and tired - reportedly temperature was 100.0 and the patient began to drink Gatorade and take Tylenol. Monday, 3.15.2021 patient continued to have symptoms therefore, (husband) contacted Moderna Representatives from the safety team, to determine if it would be safe for the patient to get the 2nd vaccine dose - advised everyone that does not have contraindications should be vaccinated-advised to reach out to PCP. Husband stated that the patient did not want to go to her PCP because of her eating disorder. The patient worked from bed during the week per the husband and spent 90-95% of her time in the bed after receiving the vaccine. Husband states on Saturday 3.20.2021 the patients fever had subsided however, she continued to feel poorly and remained bedbound most of the time. Husband is an Pilot 3.23.2021 stated once, he had landed he began trying to contact wife but she was not answering the phone, after several attempts to contact wife - Husband called a neighbor to check on wife. Upon, entering the residence the neighbor found wife lying on the floor unconscious and not breathing. The neighbor notified Husband and called 911. EMS arrived at the scene and pronounced the patient as a DOA. Husband states that the death certification list cardiac arrest, electrolyte imbalance, and heart block, as causes for death. Husband is concerned that the vaccine may have contributed in some way demise of his wife as he stated ""she was never the same after the vaccination.""</p>
COVID19 VACCINE	1244990-1	30-39 years	0 days	<p>After receiving the second dose of the vaccine, my husband experienced left arm pain which he thought was from the injection. About a week later, the pain got worse and moved toward his chest. It got so bad, he had to be taken by ambulance to the hospital to find out he had been having a heart attack. He spent nearly three weeks in the hospital before he died on 4/15/21</p>

COVID19 VACCINE	1245370-1	50-59 years	0 days	very tired and sleep 18 hours, passed away, severe flu like symptoms, chest pain, soreness at injection site; This spontaneous case was reported by a patient family member or friend and describes the occurrence of DEATH (passed away) in a 54-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 020B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Dermatomyositis, Polymyositis, Osteoarthritis, Degenerative bone disease, Osteoporosis, Muscular dystrophy, Rheumatoid arthritis, Immune disorder (NOS) and Raynaud's phenomenon. Concomitant products included MONTELUKAST SODIUM (SINGULAIR) for Asthma, PILOCARPINE for Dry mouth, IRBESARTAN for Hypertension, DILTIAZEM HYDROCHLORIDE (CARDIZEM CD) for Hypertension and Chest pain, SUMATRIPTAN (IMITREX [SUMATRIPTAN]) for Migraine, TIZANIDINE for Muscle spasms, PROCHLORPERAZINE EDISYLATE (COMPAZINE [PROCHLORPERAZINE EDISYLATE]) and ONDANSETRON (ZOFRAN [ONDANSETRON]) for Nausea, GABAPENTIN (NEURONTIN) for Nerve pain, OXYCODONE for Pain, LEFLUNOMIDE and UPADACITINIB (RINVOQ) for Rheumatoid arthritis, ZOLPIDEM TARTRATE (AMBIEN CR), ACETYLSALICYLIC ACID (BAYER ASPIRIN), LANSOPRAZOLE (PREVACID), DIAZEPAM (VALIUM), CANNABIDIOL (CBD OIL) and IRON (IRON COMPLEX [IRON]) for an unknown indication. On 30-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 30-Mar-2021, the patient experienced VACCINATION SITE PAIN (Soreness at injection site). On 31-Mar-2021, the patient experienced INFLUENZA LIKE ILLNESS (severe flu-like symptoms) and CHEST PAIN (chest pain). On an unknown date, the patient experienced FATIGUE (very tired and sleep 18 hours). On 02-Apr-2021, INFLUENZA LIKE ILLNESS (severe flu-like symptoms), CHEST PAIN (chest pain), FATIGUE (very tired and sleep 18 hours) and VACCINATION SITE PAIN (Soreness at injection site) outcome was unknown. The patient died on 02-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. On 02-APR-2021 at 1: 30 AM mother found her daughter lying on the floor unresponsive. Paramedics and police came to the house. Paramedics tried to revive her and she was pronounced dead at the scene. This is a 54 year-old, female patient who received mRNA-1273 Vaccine) (batch no. 020B21A) and died 3 days after receiving first dose of vaccine and experiencing Influenza like symptoms. Medical hx of several auto immune disorders were provided. Conmeds
COVID19 VACCINE	1246110-1	65-79 years	0 days	Lethargy, weakness, headache; ultimately pronounced on 4/3/2021 at 1310 hours
COVID19 VACCINE	1246484-1	65-79 years	0 days	Patient received her first Moderna dose on 03/12/21 at 1:24pm in the Right Deltoid, Lot# 036A21A, no reaction after 15 min. No reaction was reported 15 min. after her second dose which was in the opposite arm. See was being watched by her family members that evening, family members did not report anything at that time. Her temperature on 4/16/21 was 97.1
COVID19 VACCINE	1246486-1	50-59 years	0 days	Patient reported to onsite health clinic to see nurse at 1930. Complaints of not feeling well. Vomited then dyspnea. Went into cardiac arrest, AED used x1. EMS called at 1945. CPR, intubation until 2055. Time of death 2055.
COVID19 VACCINE	1246534-1	30-39 years	0 days	Patient felt initially well, but later in that afternoon her arm started hurting and she felt increasingly nauseous and started vomiting at 10:49pm, two hours later she was pronounced dead at approximately 12:30am.

COVID19 VACCINE	1247401-1	30-39 years	0 days	Patient received Moderna Vaccine on Friday 4/16/2021 12:00pm in dialysis clinic. Over the weekend family called and left a message stating that patient CTB on Friday 4/16/2021 around 8pm.
COVID19 VACCINE	1249616-1	65-79 years	0 days	MY HUSBAND DIED WITHIN 24 HOURS OF RECEIVING THE VACCINE. I WANT TO CONFIRM THAT YOU KNOW ABOUT THIS. PLEASE CALL ME ON MY CELL PHONE , THANK YOU,
COVID19 VACCINE	1258269-1	50-59 years	0 days	This pt came in to see me in her normal state of health and then received moderna #1 here on 4/1. Developed SOB 2 hrs after vaccination. Presented to ER on 4/2 with hypoxia (80%) and was + for covid. The ER triage notes states ?C/O SOB, Nausea, vomiting, diarrhea that started yesterday 2 hours after he first COVID Vaccine?. Notes quote her saying ?I got my vaccine yesterday and I started to feel short of breath.? She died from covid respiratory failure on 4/23.
COVID19 VACCINE	1260018-1	50-59 years	0 days	Was sweaty, unresponsive, and breathing shallow a few mins after administration. BP 97/68. Within a few mins, patient became responsive and BP 146/81. Patient chose not to go with EMS and walked out of store after they were feeling better. Today (3 days later) received report from medical examiner that patient passed away.
COVID19 VACCINE	1263591-1	60-64 years	0 days	Within 12 hours of vaccine patient complained of being short of breath and asked his wife to call 911, he then stopped breathing and she did CPR until rescue squad arrived. Pt was unable to be revived and died.
COVID19 VACCINE	1263713-1	50-59 years	0 days	3/30/2021 Patient received 1st dose of Moderna vaccine at 11:35AM and subsequently discontinued dialysis treatment 58 minutes early due to being cold. 3/31/2021 Patient went to hospital at 2:28PM with admitting diagnosis of acute encephalopathy due to intra-cranial hemorrhage. 4/1/2021 Patient expired at 3:35AM with cause of death reported as intra-cranial hemorrhage.
COVID19 VACCINE	1267987-1	80+ years	0 days	? Patient never had a COVID positive test result ? The narrative seemed to shift over time, with the most recent hospital notes stating the headaches started after the vaccination, so I wanted to include a more in depth timeline on this ? General timeline gathered from notes o 01/11/2021: Constant headache ongoing for 3 weeks; discussed scheduling his COVID vaccine, directed to website o 02/02/2021: acknowledges patient has had first dose of COVID vaccine; denies ever being sick or around anyone with COVID o 03/01/2021: patient states he has had a headache since the COVID vaccine 1/19/2021 o 03/03/2021: patient has had both COVID vaccine shots o 03/12/2021: patient has had a headache for a couple months that waxes and wanes, no cause was identified. His headache first began at the end of January after his COVID vaccine
COVID19 VACCINE	1268044-1	65-79 years	0 days	Clinic was informed that patient patient went unresponsive at home at 2pm on 4/21/21 and patient expired.
COVID19 VACCINE	1268137-1	65-79 years	0 days	Cause of Death A: Acute encephalopathy Cause of Death B: COVID 19 IMMUNIZATION FOLLOWING COVID 19 VIRUS INFECTION Cause of Death Other: Chronic Schizophrenia

COVID19 VACCINE	1269282-1	50-59 years	0 days	Death; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Death) in a 56-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included COPD. Concurrent medical conditions included Immunocompromised. Concomitant products included OXYGEN for an unknown indication. On 12-Apr-2021 at 12:45 PM, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on 12-Apr-2021 The patient died on 12-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. No treatment information were reported.; Sender's Comments: Limited information regarding the event has been provided at this time and a causal relationship cannot be excluded; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1270749-1	50-59 years	0 days	HYPOTENSION (SARASOTA EMS RESPONDED TO PHARMACY); CLAMMY/SOB, EXTREMITY TINGLES; DEATH WITHIN 6-7 HRS
COVID19 VACCINE	1272012-1	65-79 years	0 days	Arm became sore at 5:25 pm (03/31/2021) developed chills, could not sleep for shaking, headache and joint pain (03:08 pm on 04/01/2021) ***this is what she texted to me and my other sister and the 03:08 pm text was the last text she had texted***
COVID19 VACCINE	1272342-1	80+ years	0 days	Developed shortness of breath within 12hrs of 2nd Moderna dose along with heart palpitations and nausea. Admitted to hospital 3 days after shot and quickly developed pneumonia and died 4 days later after blood O2 fell below 80%. Had periods of mild improvements followed by more severe declines each time.
COVID19 VACCINE	1274675-1	65-79 years	0 days	Vaccine was administered at 1215, patient was monitored for 15minutes per CDC guidelines with not adverse reactions noted. Approximately one hour after administration of vaccine patient noted to be moaning, fingerstick BS at 59mg/dL, Dextrose administered, pt proceeded in to cardiac arrest, CPR was initiated and EMS activated. Pt expired approximately 4 hours after incident at ER.

COVID19 VACCINE	1276708-1	65-79 years	0 days	<p>NSTEMI, Septic shock, Hypoxic respiratory, Hyperkalemic, Bilateral pneumonia, Acute renal failure, Shortness of breath; Fever; Myalgia; Fatigue; Poor PO intake following the vaccine; This spontaneous case was reported by a health care professional (subsequently medically confirmed) and describes the occurrence of ACUTE MYOCARDIAL INFARCTION (NSTEMI), SEPTIC SHOCK (Septic shock), RESPIRATORY FAILURE (Hypoxic respiratory), HYPERKALAEMIA (Hyperkalemic), PNEUMONIA (Bilateral pneumonia) and ACUTE KIDNEY INJURY (Acute renal failure) in a 69-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. the concomitant product the patient had taken are Norvasc , vitamin D, Metoprolol , Dexamethasone , Levothyroxine, Lexapro ,Lisinopril. the patient had certain medical history : Renal Cell Carcinoma on Chemotherapy , Hypertension , Hypothyroidism and Type 2 Diabetes Mellitus. Concurrent medical conditions included Renal cell carcinoma (on chemotherapy), Hypertension, Hypothyroidism, Type 2 diabetes mellitus, Critical illness and Penicillin allergy. Concomitant products included AMLODIPINE BESILATE (NORVASC), METOPROLOL, DEXAMETHASONE, LEVOTHYROXINE, ESCITALOPRAM OXALATE (LEXAPRO), LISINOPRIL and VITAMIN D NOS for an unknown indication. On 24-Mar-2021 at 11:00 AM, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 24-Mar-2021, the patient experienced FEEDING DISORDER (Poor PO intake following the vaccine). On 25-Mar-2021 at 11:00 PM, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced DYSPNOEA (Shortness of breath), PYREXIA (Fever), MYALGIA (Myalgia) and FATIGUE (Fatigue). On 26-Mar-2021, the patient experienced ACUTE MYOCARDIAL INFARCTION (NSTEMI) (seriousness criteria medically significant and life threatening), SEPTIC SHOCK (Septic shock) (seriousness criteria medically significant and life threatening), RESPIRATORY FAILURE (Hypoxic respiratory) (seriousness criteria medically significant and life threatening), HYPERKALAEMIA (Hyperkalemic) (seriousness criterion medically significant), PNEUMONIA (Bilateral pneumonia) (seriousness criterion medically significant) and ACUTE KIDNEY INJURY (Acute renal failure) (seriousness criterion medically significant). On 26-Mar-2021, ACUTE MYOCARDIAL INFARCTION (NSTEMI), SEPTIC SHOCK (Septic shock), RESPIRATORY FAILURE (Hypoxic respiratory), HYPERKALAEMIA (Hyperkalemic), PNEUMONIA (Bilateral pneumonia) and ACUTE KIDNEY INJURY (Acute renal failure) outcome was unknown. At the</p>
-----------------	-----------	-------------	--------	---

COVID19 VACCINE	1281046-1	65-79 years	0 days	Arthralgia, Chills, Cold sweat, Dyspnoea, Fatigue, Feeling of body temperature change, Nausea, Pain, Pain in extremity; Pallor; Unresponsive to stimuli; This case was received via FDA VAERS (Reference number: 1150577) on 27-Apr-2021 and was forwarded to Moderna on 27-Apr-2021. This regulatory authority case was reported by an other health care professional (subsequently medically confirmed) and describes the occurrence of ARTHRALGIA (Arthralgia), CHILLS (Chills), COLD SWEAT (Cold sweat), DYSPNOEA (Dyspnoea), FATIGUE (Fatigue), FEELING OF BODY TEMPERATURE CHANGE (Feeling of body temperature change), NAUSEA (Nausea), PAIN (Pain), PAIN IN EXTREMITY (Pain in extremity), PALLOR (Pallor) and UNRESPONSIVE TO STIMULI (Unresponsive to stimuli) in a 65-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 017B21A and 014M20A) for COVID-19 vaccination. Concurrent medical conditions included Lactose intolerance. Concomitant products included DIPHENHYDRAMINE, VITAMIN D3 and ZINC. On 27-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Mar-2021, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 27-Mar-2021, the patient experienced ARTHRALGIA (Arthralgia) (seriousness criterion death), CHILLS (Chills) (seriousness criterion death), COLD SWEAT (Cold sweat) (seriousness criterion death), DYSPNOEA (Dyspnoea) (seriousness criterion death), FATIGUE (Fatigue) (seriousness criterion death), NAUSEA (Nausea) (seriousness criterion death), PAIN (Pain) (seriousness criterion death), PAIN IN EXTREMITY (Pain in extremity) (seriousness criterion death), PALLOR (Pallor) (seriousness criterion death) and UNRESPONSIVE TO STIMULI (Unresponsive to stimuli) (seriousness criterion death). 27-Mar-2021, the patient experienced FEELING OF BODY TEMPERATURE CHANGE (Feeling of body temperature change) (seriousness criterion death). The patient was treated with PARACETAMOL (TYLENOL) at an unspecified dose and frequency. The patient died on 31-Mar-2021. The cause of death was not reported. It is unknown if an autopsy was performed. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Blood chloride: 104 (Inconclusive) 104. On an unknown date, Blood creatinine: 1.4 (Inconclusive) 1.4. On an unknown date, Blood glucose: 421 (Inconclusive) 421. On an unknown date, Blood lactic acid: 9.7 (Inconclusive) 9.7. On an unknown date, Blood potassium: 4.1 (Inconclusive) 4.1. On an unknown date, Blood sodium: 139 (Inconclusive) 139. On an unknown date, Blood urea: 13
COVID19 VACCINE	1286074-1	50-59 years	0 days	We were notified by company on 4/28/21 that patient had died between the afternoon of 4/23 and Saturday morning 4/24/21. No other information was given to us.
COVID19 VACCINE	1286659-1	80+ years	0 days	Shortness of breath, hypoxia, + COVID-19
COVID19 VACCINE	1286795-1	50-59 years	0 days	Patient reported feeling ""shaky"" day of 2nd vaccine dose. Patients family reports that patient wasn't feeling well the night of and called EMS to her home. Patient passed away this morning around 5am.""
COVID19 VACCINE	1290186-1	60-64 years	0 days	Vaccine was administered at 12:10pm The patient was observed for 15 minutes and sent over to her oncologist for an appointment. A CT scan was ordered- CT done (no contrast) in the same building with daughter transporting. Daughter states mother became unresponsive after CT scan. She alerted the doctor and staff who responded. They moved her to an exam room. Noted agonal breaths on vital signs. CPR started. CPR stopped shortly after per the families request. Death pronounced at 2:34pm.

COVID19 VACCINE	1290360-1	80+ years	0 days	Statement from health worker from Mobile Vax Team: ""We arrived at the patient's home and daughter explained patient was on hospice, had difficulty breathing and was on fentanyl and morphine but they definitely wanted to go ahead with the vaccination. Nursing student, who gave the vaccine said she saw the patient breathing. She wasn't blinking from my observations. We left after 15 minutes. I left my purse there by mistake so about 40 minutes later we called and the daughter informed us that her mother had passed away. Death verified by hospice nurse.""
COVID19 VACCINE	1290421-1	65-79 years	0 days	Fever, Diarrhea, chills, sweating, weakness beginning 7 hours after injection. Hospitalized due to these symptoms on March 10, and died on March 13.
COVID19 VACCINE	1291923-1	50-59 years	0 days	I had a patient come in at 10:05am for a Moderna Covid vaccine. Just before 11am we received a call from the patient's roommate that the patient arrived home and collapsed, it was also mentioned her blood pressure was high. We explained that they needed to call 911 but the patient did not want to go to the hospital. We explained that this patient must go to the hospital and get evaluated. They did end up calling 911. Approximately 45 minutes later I received another call from the patient's roommate that EMS did not believe this was a reaction from the vaccine. The roommate mentioned that she was in fact mistaken about the blood pressure and it was actually low (92/54 mmHg). She also mentioned that the patient was vomiting. Around 1:45pm I received a call from the roommate to tell me that the patient had died.
COVID19 VACCINE	1295932-1	65-79 years	0 days	Aspirating severe
COVID19 VACCINE	1296012-1	50-59 years	0 days	Arrived to emergency department via ambulance from nursing home with complaints of ""looking like he was about to have a seizure"". Patient became unresponsive and a code was called. ACLS performed but the patient did not recover from cardiac arrest.""
COVID19 VACCINE	1296807-1	65-79 years	0 days	In the hours following the first dose on 3/19/2021, sustained fever between 100 - 102 degrees, headaches, chills, clammy. The symptoms continued all day on the 3/20/2021. Sometime after 5:30 am on the 3/21/2021 she could not breathe. Pulse oximeter registered 57. contacted ambulance, within their arrival 10-15 minutes later, pulse oximeter was down to 43. Lips were blue skin was pale and clammy. At hospital she received high doses of oxygen and was treated for other symptoms.

COVID19 VACCINE	1301797-1	60-64 years	0 days	<p>Renal failure, Liver failure, Unresponsive, Died, Stomach pain, Nausea, This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of UNRESPONSIVE TO STIMULI (Unresponsive), DEATH (Died), RENAL FAILURE (Renal failure) and HEPATIC FAILURE (Liver failure) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Primary biliary cirrhosis. On 07-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 07-Apr-2021, the patient experienced ABDOMINAL PAIN UPPER (Stomach pain) and NAUSEA (Nausea). On 08-Apr-2021, the patient experienced UNRESPONSIVE TO STIMULI (Unresponsive) (seriousness criterion hospitalization). On 23-Apr-2021, the patient experienced DEATH (Died) (seriousness criterion death), RENAL FAILURE (Renal failure) (seriousness criterion hospitalization) and HEPATIC FAILURE (Liver failure) (seriousness criterion hospitalization). On 23-Apr-2021, RENAL FAILURE (Renal failure) and HEPATIC FAILURE (Liver failure) had resolved and NAUSEA (Nausea) outcome was unknown. The patient died on 23-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, UNRESPONSIVE TO STIMULI (Unresponsive) and ABDOMINAL PAIN UPPER (Stomach pain) outcome was unknown. The concomitant medication included liver medications, as reported by the reporter. On 07Apr2021 around 1230pm, the patient experienced stomach pain and nausea which the family attributed to her liver medications. The patient went to sleep later that evening. The next day, 08Apr2021, the patient was found to be sleeping around 8am but was unresponsive around 1:30pm. She was taken by ambulance to the local hospital. The patient was eventually placed on life support and passed on 23Apr2021. No other treatment medication were reported. Company comment: Very limited information regarding this events has been provided at this time. However, based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.; Sender's Comments: Very limited information regarding this events has been provided at this time. However, based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.;</p>
COVID19 VACCINE	1302428-1	40-49 years	0 days	<p>The patient was last seen well at 3:30 PM. He was found unresponsive, face down in his own vomit, cyanotic, apneic by family. Patient was unable to be resuscitated. He was pronounced dead at 6:51 PM.</p>
COVID19 VACCINE	1303208-1	60-64 years	0 days	<p>Recieved obituary on patient. Called pt. ER contact and she stated that she was unaware how patient died. Pt. died at home but states that pt. had been having flu-like symptoms in bed with chills after vaccination. Pt. ER contact is unaware of pt. medical history or current medications. Pt. ER contact that pt. PCP was not us but another medical facility. Called funeral home and spoke to employee and she stated that the coroner cause of death listed was acute MI. Employee stated that she does not have a certified copy of death certificate at this time.</p>
COVID19 VACCINE	1303694-1	80+ years	0 days	<p>Pt started feeling weak within hours of vaccine progressive weakness ensued and pt began to have falls and Rapid decline in general status and Died 3- -2021</p>

COVID19 VACCINE	1304434-1	40-49 years	0 days	<p>Patient found dead after receiving vaccine. At 11:44 on 3-30-2021 Medical Investigator was able to return call after leaving scene where there was no phone service. Police were on the scene requesting Medical Investigator Contact was made between Medical Investigator and member of the police force. Narrative was that the patient, who is handicap with considerable health issues which he was born with, and his parents had been to healthcare facility to receive COVID vaccination. Returning they had traveled in order to arrive at their residence. The decedent had asked to be dropped off close to parents home. The parents arrived at the residence and after waiting ten to fifteen minutes walked searching for the decedent. He was located unresponsive and 911 was initiated.</p> <p>Went back to sleep and never woke up, Arm soreness, Feeling bad, very flushed/looked red, very tired/fatigue/nappy women taking a lot of naps; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Went back to sleep and never woke up) in a 40-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 009C2117) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Neurofibromatosis, type 2 (acoustic neurofibromatosis) (Diagnosed at age 11, had tumor on nerves and all over body.), Blindness (All blind in left eye), Allergy NOS (unspecified allergy), Walker user and Feeding tube user. On 23-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Apr-2021, the patient experienced DEATH (Went back to sleep and never woke up) (seriousness criterion death), PAIN IN EXTREMITY (Arm soreness), VACCINATION COMPLICATION (Feeling bad), FLUSHING (very flushed/looked red) and FATIGUE (very tired/fatigue/nappy women taking a lot of naps). The patient died on 23-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, PAIN IN EXTREMITY (Arm soreness), VACCINATION COMPLICATION (Feeling bad), FLUSHING (very flushed/looked red) and FATIGUE (very tired/fatigue/nappy women taking a lot of naps) outcome was unknown. The patient was on a feeding tube, lived independently but had a caretaker who came in every day. The patient had long list of medications for her conditions but concomitant medications were not provided by the reporter. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. Regarding the events of Pain in extremity, Fatigue, Flushing, Vaccination related malaise, based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. However, regarding the event of Death, Very limited information regarding this event has been provided at this time. Further information has been requested.; Sender's Comments: Regarding the events of Pain in extremity, Fatigue, Flushing, Vaccination related malaise, based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. However, regarding the event of Death, Very limited information regarding this event has been provided at this time. Further information has been requested.;</p>
COVID19 VACCINE	1306318-1	40-49 years	0 days	<p>Went back to sleep and never woke up, Arm soreness, Feeling bad, very flushed/looked red, very tired/fatigue/nappy women taking a lot of naps; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Went back to sleep and never woke up) in a 40-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 009C2117) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Neurofibromatosis, type 2 (acoustic neurofibromatosis) (Diagnosed at age 11, had tumor on nerves and all over body.), Blindness (All blind in left eye), Allergy NOS (unspecified allergy), Walker user and Feeding tube user. On 23-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Apr-2021, the patient experienced DEATH (Went back to sleep and never woke up) (seriousness criterion death), PAIN IN EXTREMITY (Arm soreness), VACCINATION COMPLICATION (Feeling bad), FLUSHING (very flushed/looked red) and FATIGUE (very tired/fatigue/nappy women taking a lot of naps). The patient died on 23-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, PAIN IN EXTREMITY (Arm soreness), VACCINATION COMPLICATION (Feeling bad), FLUSHING (very flushed/looked red) and FATIGUE (very tired/fatigue/nappy women taking a lot of naps) outcome was unknown. The patient was on a feeding tube, lived independently but had a caretaker who came in every day. The patient had long list of medications for her conditions but concomitant medications were not provided by the reporter. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. Regarding the events of Pain in extremity, Fatigue, Flushing, Vaccination related malaise, based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. However, regarding the event of Death, Very limited information regarding this event has been provided at this time. Further information has been requested.; Sender's Comments: Regarding the events of Pain in extremity, Fatigue, Flushing, Vaccination related malaise, based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. However, regarding the event of Death, Very limited information regarding this event has been provided at this time. Further information has been requested.;</p>
COVID19 VACCINE	1314352-1	50-59 years	0 days	Vomiting.

COVID19 VACCINE	1314761-1	65-79 years	0 days	Patient DOD 4/19/21 Death Certificate Line A ?Adverse effect of Covid19 vaccine-5 day interval onset and death? Line B ?Anorexia nervosa? Line C ?Recurrent Major Depressive Disorder? Received her second Moderna dose from our Mobile team on 4/14/21 Since then I spoke with Dr. (Mobile); clients PCP, several times regarding this event. His nurse got an email from client on 4-12-21 that client had vaccination planned on 4/14 and may need to reschedule medical appointment planned 4-16 if she felt bad. The client was encourage to get vaccine and to keep appointment for Friday April 16th. The client emailed the office at approx 0300 Friday morning April 16 to cancel appointment because she felt to poorly from vaccination shot to come in (fevers; body aches). Dr next heard from police officer on Monday April 19th that she was found dead in her home. He requested the Medical Examiner (ME) evaluate but this request was denied. The client lived alone. Dr contacted family members but they did not have much interaction with the client and had no significant information to contribute. Dr said he speculates that the patients underlying anorexia nervosa likely put the client in a critical nutritional deficiencies / electrolyte imbalance condition and the side effects of vaccination were too much. He felt compelled to complete the death certificate as he did because the ME declined the case. From vaccine mobile team notes: team was there 2-3:30pm. All the answers to the health screening questions for the patient were ""no"" except for ""have you ever had a severe allergic reaction to something?"" To that question the answer was ""yes. Immunization Information System record - lot # is underlined: Coronavirus COVID-19, mRNA,LNP-S,PF, 03/17/2021 1 of 2 100 mcg/0.5mL Full 022M20A IM LA Coronavirus COVID-19, mRNA,LNP-S,PF, 04/14/2021 2 of 2 100 mcg/0.5mL Full 006B21A IM LA""
COVID19 VACCINE	1314864-1	60-64 years	0 days	She was found dead in her home one week after the injection. She died the day of the injection according to the coroners office. There was blood on the bed and down her chest.
COVID19 VACCINE	1316960-1	80+ years	0 days	ADMITTED TO HSOPITAL, EXPIRED
COVID19 VACCINE	1323178-1	80+ years	0 days	Worsening shortness of breath since the vaccination; collapsed in bathroom on day 10 post-vaccination
COVID19 VACCINE	1323654-1	80+ years	0 days	My mom died one month after the second maderna shot it made her very sick and she never recovered . Headache stomach ache chills fever shaking and death
COVID19 VACCINE	1326498-1	65-79 years	0 days	5 minutes after vaccination, patient suffered cardiac arrest in clinic. CPR started immediately, shocked, EPI given. EMS transported to hospital patient expired in ED.
COVID19 VACCINE	1326611-1	80+ years	0 days	Systemic: patient died-Severe, Additional Details: patient expired at the hospital not in the nursing home per, director of nursing, at Nursing Home.
COVID19 VACCINE	1333939-1	80+ years	0 days	The resident was administered his second COVID vaccine (Moderna) on 5/19/21 at 9:30am. Per nursing, the resident tolerated the vaccine well and no problems were documented throughout the day. At 10:00pm the nurse who administered the vaccine recorded the resident's vitals as follows: BP 118/68, HR 72, Respiration 18, Temperature 97.0 F. At 10:20am the resident's CNA discovered him lifeless with vomitus around his mouth and neck. The resident was not breathing, bluish in color, and cool to the touch. Vital signs were checked and no pulse was detected. CPR was attempted with not effect.

COVID19 VACCINE	1334068-1	60-64 years	0 days	Patient was provided with the COVID-19 vaccine outside of the hospital and began having shortness of breath approximately 15-20 minutes after receiving the vaccination. In route home, the patient could not catch his breath. The patient was found slumped over at home. EMS arrived and the patient received ACLS and ROSC was achieved. Days later, the patient arrested again and passed away on 5/13/21.
COVID19 VACCINE	1334284-1	65-79 years	0 days	According to patient's daughter, patient only complained of nausea the day of the immunization. Patient received 2nd dose of Moderna vaccine at 4:05pm and passed away around 8:30pm that same day per daughter's account. She had no pulse upon arrival to hospital. Autopsy was not performed.
COVID19 VACCINE	1334684-1	50-59 years	0 days	Systemic: death (unknown cause)-Severe, Additional Details: Patient was found deceased roughly an hour and a half after receiving Moderna vaccine. He waited 20 minutes at the pharmacy and left however later died. Details are unknown. Sister may have more information.
COVID19 VACCINE	1334827-1	Unknown	0 days	"severe reactions""; very weak; Felt Bad; shortness of breath; Fever; This spontaneous case was reported by a patient family member or friend and describes the occurrence of VACCINATION COMPLICATION (""severe reactions"" ) and ASTHENIA (very weak) in a 71-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Reporter stated that the patient had a history of ""health problems."" No specifics were provided. Concomitant products included COLECALCIFEROL (VITAMIN D [COLECALCIFEROL]) and MELATONIN for an unknown indication. In April 2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. In April 2021, the patient experienced VACCINATION COMPLICATION (""severe reactions"" ) (seriousness criterion death), ASTHENIA (very weak) (seriousness criterion death), FEELING ABNORMAL (Felt Bad), DYSPNOEA (shortness of breath) and PYREXIA (Fever). On 06-May-2021, FEELING ABNORMAL (Felt Bad), DYSPNOEA (shortness of breath) and PYREXIA (Fever) outcome was unknown. The patient died on 06-May-2021. The cause of death was not reported. An autopsy was not performed. Patient had no symptoms or side effects after the 1st dose. Patient was never hospitalized for the reported events. A 71-year-old male patient who received mRNA-1273 experienced Pyrexia, Feeling Abnormal, Dyspnea, Asthenia and Vaccination Complication and died on an unknown days after the second dose of vaccine. Patient had a history of unspecified health problems which may confound the event. Unlikely that the events are related to the vaccine. Very limited information has been reported at this time. Further information is not expected.; Sender's Comments: A 71-year-old male patient who received mRNA-1273 experienced Pyrexia, Feeling Abnormal, Dyspnea, Asthenia and Vaccination Complication and died on an unknown days after the second dose of vaccine. Patient had a history of unspecified health problems which may confound the event. Unlikely that the events are related to the vaccine. Very limited information has been reported at this time. Further information is not expected.; Reported Cause(s) of Death: Unknown cause of death""

COVID19 VACCINE	1334834-1	65-79 years	0 days	<p>Caller stated his wife passed out and hit her head on the floor; hit her head on the floor and split it open; transferred to hospital due to cardiac complications; fall; His wife passed away; This spontaneous case was reported by a patient family member or friend (subsequently medically confirmed) and describes the occurrence of DEATH (His wife passed away), LOSS OF CONSCIOUSNESS (Caller stated his wife passed out and hit her head on the floor), SKULL FRACTURE (hit her head on the floor and split it open), CARDIAC DISORDER (transferred to hospital due to cardiac complications) and FALL (fall) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 03-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (Caller stated his wife passed out and hit her head on the floor) (seriousness criteria hospitalization and medically significant), SKULL FRACTURE (hit her head on the floor and split it open) (seriousness criteria hospitalization and medically significant), CARDIAC DISORDER (transferred to hospital due to cardiac complications) (seriousness criterion hospitalization) and FALL (fall) (seriousness criterion hospitalization). On 04-Apr-2021, LOSS OF CONSCIOUSNESS (Caller stated his wife passed out and hit her head on the floor), SKULL FRACTURE (hit her head on the floor and split it open), CARDIAC DISORDER (transferred to hospital due to cardiac complications) and FALL (fall) outcome was unknown. The patient died on 04-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant product use was not provided by the reporter. Treatment information was not provided. On 03 Apr 2021, the reporter stated approximately 45 minutes after receiving the COVID-19 vaccine, the patient passed out in the parking lot and hit her head on the floor which caused it to split open. The patient was taken to a hospital but had to be transferred to another hospital after experiencing cardiac complications. On 04 Apr 2021 at 4:00 am, the patient passed away. Very limited information regarding this events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1337021-1	50-59 years	0 days	<p>Patient was a patient with long time diabetes and hypertension. She received the Moderna vaccine last Thursday. She had some nausea and vomiting and later some diarrhea. Unfortunately, she continued to take her diabetic meds and antihypertensives. Her CT abdomen showed duodenitis. She presented with multisystem organ failure and severe lactic acidosis. Despite aggressive treatment, she died less than 24 hours after admission. She was a complex patient and the renal failure and metformin toxicity seemed to be the terminal event, the vaccine may have started the process with some dehydration from nausea and vomiting.</p>
COVID19 VACCINE	1337824-1	65-79 years	0 days	foaming at the mouth and had a heart attack
COVID19 VACCINE	1338341-1	80+ years	0 days	Resident was found deceased in the evening of 5/11/21.
COVID19 VACCINE	1341218-1	80+ years	0 days	<p>Within hours of receiving the second Moderna vaccine, the patient began experiencing excruciating pain in his lower back and sciatica. Consensus among the health professionals he saw is that the second vaccine triggered an inflammatory response. The pain did not respond to medication physical therapies.</p>
COVID19 VACCINE	1349910-1	80+ years	0 days	Symptoms: & Death

COVID19 VACCINE	1354660-1	65-79 years	0 days	Patient spouse reports to me the following: patient felt normal most of the day, later in the evening he felt extreme fatigue went to bed around 9pm. She found him deceased around 2am.
COVID19 VACCINE	1354838-1	65-79 years	0 days	71 y.o. male with history of leukemia who presents accompanied by his son with complaints of 6 week history of generalized weakness worsening over time accompanied by loss of appetite and weight loss. He reports receiving his initial COVID vaccine 6 weeks ago and symptoms began immediately following this. He denies pain or SOB. Pt with severe protein calorie malnutrition and AML presented with dehydration from MRSA Sepsis. Pt had weakness from dehydration, malnutrition and sepsis. He had a progressive downhill course. His family elected for comfort measures. He died of his illness and was pronounced dead at 4:13AM April 13, 2021
COVID19 VACCINE	1358087-1	50-59 years	0 days	There were several serious GMO-associated injuries resulting into hospitalization: 90 (ninety) people, at least 2 (two) of whom died, but possibly even 25 (twenty-five) died (hospital/officials do not disclose the exact number) - Non of the injured/dead had noticable flu-like symptoms, but they had serious non-flu symptoms, e.g. transient ischaemic attack, acute myocardial infarction, neuronal stroke/hemorrhage, autoimmuneal petecchial thrombocytopenia etc.
COVID19 VACCINE	1361857-1	60-64 years	0 days	DEATH, lethargic, migraines, tired
COVID19 VACCINE	1364021-1	Unknown	0 days	Had his second shot on 5/13 and passed away on that night or morning; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Had his second shot on 5/13 and passed away on that night or morning) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 13-May-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on 13-May-2021 The patient died on 13-May-2021. The cause of death was not reported. It is unknown if an autopsy was performed. No relevant concomitant medications were reported. It was reported that patient passed away on that night of vaccination or next morning. The patient's autopsy might be scheduled on 24-MAY-2021. No treatment information was provided. Action taken with mRNA-1273 in response to events was not applicable. Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1365034-1	60-64 years	0 days	unknown
COVID19 VACCINE	1365530-1	65-79 years	0 days	Patient passed away 3 days after receiving vaccination
COVID19 VACCINE	1368779-1	18-29 years	0 days	After receiving second dose of vaccine, complained of stomach pain and feeling ""bloating."" Later had muscle pain, insomnia, and nausea. Found dead at home on 6/1.""
COVID19 VACCINE	1369340-1	50-59 years	0 days	My brother took the day off work on May 12, 2021 to receive his 2nd dose of the Moderna vaccine. He communicated with friends later that same day saying he was tired and needed to rest. On May 13, 2021, a work colleague followed up with a text message to see how he was doing to which my brother did not respond. This same colleague went to his house a few days later to find him dead lying on his couch.

COVID19 VACCINE	1372601-1	80+ years	0 days	Noticeable decline after 2nd Moderna vaccine, patient could no longer get out of bed, stopped eating and was unable to communicate verbally
COVID19 VACCINE	1373090-1	60-64 years	0 days	Patient had received his first Moderna Covid vaccine on 4/8/21 (time unknown). He left the pharmacy after wait period of 15 minutes. Wife said that he complained of sore throat later in the day. Wife said ""he started having fever almost like COVID symptoms"". Wife said he went to the doctors office and received prescription for ibuprofen. on 4/10/21 at 10am. Wife said he didn't get any better so he was hospitalized at the Hospital 8 days later and he passed away. ""
COVID19 VACCINE	1373283-1	Unknown	0 days	The patient is deceased; Nausea while eating; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (The patient is deceased) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 21-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 21-Jan-2021, the patient experienced NAUSEA (Nausea while eating). The patient died on 11-Mar-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, NAUSEA (Nausea while eating) outcome was unknown. No concomitant medications were reported. It was reported that nausea would go away for a few hours and would come back while eating again. The patient was already in supplemental oxygen but was using more since he received the vaccine. The patient had been experiencing the events for four days. Company comment: Based on current available information and the temporal association between product use and the start date of the events a causal cannot be ruled out for the event of Nausea and is unlikely for the event of Death. The event of Oxygen therapy is invalid as it is a pre-existing condition. Most recent FOLLOW-UP information incorporated above includes: On 25-May-2021: Follow up received on 25 May 2021 includes serious event death.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal cannot be ruled out for the event of Nausea and is unlikely for the event of Death. The event of Oxygen therapy is invalid as it is a pre-existing condition.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1378167-1	65-79 years	0 days	The night after receiving the vaccine, the patient began having continuous fevers and coughs. It was later discovered that there were blood clots in the lung and legs. Patient health rapidly declined during hospitalization period. Mobility, appetite and overall strength and energy decreased. Patient was fully bedridden and soon lost eye sight.
COVID19 VACCINE	1382252-1	65-79 years	0 days	Patient found deceased in his room on 5/19/21 at approximately 9:35am
COVID19 VACCINE	1382493-1	65-79 years	0 days	headaches, nausea, tired , all over run down, not able to eat
COVID19 VACCINE	1385311-1	50-59 years	0 days	Initially sore arm; severe headache. positive COVID test on 1/21/2021 - doctors assume he was positive at time of vaccination but we didn't know it yet; severe covid pneumonia; supraventricular tachycardia; diabetes; iron deficiency anemia
COVID19 VACCINE	1386097-1	65-79 years	0 days	patient died of cardiac arrest that night in hospital
COVID19 VACCINE	1391469-1	65-79 years	0 days	Slurred speech, loss of use of limbs, confusion, heart inflammation and liver failure

COVID19 VACCINE	1391500-1	50-59 years	0 days	Patient had his 2nd Moderna vaccine at pharmacy at 2:00 and was struggling to breathe a few hours later. We were at the emergency room around 6:00pm and he was placed on a ventilator between midnight and 1:00am. He died 10 days later after experiencing clots that led to seizures and congestive heart failure. I have a death certificate if needed.
COVID19 VACCINE	1391711-1	50-59 years	0 days	Death Certificate 4/22/2021 Cause of Death - Hypertensive Cardiovascular Disease
COVID19 VACCINE	1394845-1	30-39 years	0 days	Patient received 2nd Moderna shot on 6/11/21 at 10:32am. Went home after the shot and didn't feel well, so he laid down to rest. His wife checked on him and he was unconscious, so she called 911. Patient was taken to local hospital and died of Cardiac Arrest sometime between his vaccine and 7pm on 6/11/21.
COVID19 VACCINE	1396353-1	65-79 years	0 days	Worsening abdominal pain and distention on 3/2/21 which progressed to include shortness of breath for which he did not seek medical care. He was found unresponsive on the couch on 3/11/21 and resuscitation was unsuccessful.
COVID19 VACCINE	1402213-1	80+ years	0 days	Pt had severe itching started shortly after 2nd shot. MD stated pt having histamine response and Atarax started 3x/day to control itching symptoms. After several weeks pt stated atarax making her drowsy and requested to decrease to 2x/day. Pt started itching severely again after frequency decreased and pt requested to be put back to 3x/day. Shortly after pt had massive stroke which led to her death a couple of days later on 4/23/2021
COVID19 VACCINE	1402355-1	65-79 years	0 days	day after vax she became weak, couldn't walk, couldn't move arms/legs
COVID19 VACCINE	1402834-1	65-79 years	0 days	Strokes, very weak, vomiting, suffered mild heart attack.
COVID19 VACCINE	1410203-1	60-64 years	0 days	pt developed pulmonary embolism and passed away 6/14/2021
COVID19 VACCINE	1410676-1	30-39 years	0 days	ACHE, RUNNY NOSE, COUGH, LETHARGIC

COVID19 VACCINE	1412293-1	80+ years	0 days	<p>not well after the vaccination; Died of a massive heart attack; substantial swelling on her lymph node on the left side on the neck/jaw area; Chills; Nausea; Felt very tired; This spontaneous case was reported by a consumer and describes the occurrence of MYOCARDIAL INFARCTION (Died of a massive heart attack) in an 82-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 015M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included COVID-19 in January 2021. On 11-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 11-Feb-2021, the patient experienced CHILLS (Chills), NAUSEA (Nausea) and FATIGUE (Felt very tired). On 02-Mar-2021, the patient experienced LYMPHADENOPATHY (substantial swelling on her lymph node on the left side on the neck/jaw area). On 30-Mar-2021, the patient experienced MYOCARDIAL INFARCTION (Died of a massive heart attack) (seriousness criteria death and medically significant). On an unknown date, the patient experienced MALAISE (not well after the vaccination). The patient was treated with NAPROXEN SODIUM (ALEVE) for Lymph nodes enlarged, at a dose of 1 dosage form. The patient died on 30-Mar-2021. The reported cause of death was massive heart attack. It is unknown if an autopsy was performed. At the time of death, MALAISE (not well after the vaccination), CHILLS (Chills), NAUSEA (Nausea) and FATIGUE (Felt very tired) outcome was unknown and LYMPHADENOPATHY (substantial swelling on her lymph node on the left side on the neck/jaw area) had not resolved. Concomitant medications were not reported. Company Comment ; Very limited information regarding this events has been provided at this time. Further information has been requested. Most recent FOLLOW-UP information incorporated above includes: On 30-Apr-2021: Follow up telephone contact report (TCR) upgraded case to serious, new event added, action taken updated; new reporter added.; Sender's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Massive heart attack</p>
COVID19 VACCINE	1413849-1	65-79 years	0 days	<p>COPD She was a resident at the Senior Living facility. My mother received the vaccine on Tuesday, May 18, 2021 at approximately 11:00 a.m. She was left by herself and called around at 11:32 to say she got the vaccine and she was having a hard time breathing. Around 1:40, the nursing home called to let me know CPR was being performed. My sister rushed to the site and she was pronounced dead around 2:10. p.m.</p>
COVID19 VACCINE	1415083-1	60-64 years	0 days	<p>My husband fell ill within hours of getting the first dose of the vaccine, he started running fever, chills, body aches-within 7 days he was admitted to the hospital and 12 hours after admission to the hospital he was diagnosed with Covid Pneumonia. or they thought- his lungs were showing signs of being attacked. He had no illness, no fever, no underlying health concerns, no allergies, he was not overweight, he was not diabetic, he was still young and within 6 weeks of getting the vaccine he was dead. Doctors could do nothing to save his life. The Moderna vaccine killed my husband and it is killing other perfectly healthy people.</p>

COVID19 VACCINE	1419805-1	40-49 years	0 days	<p>Died due to heart attack; Lot of blood was on the floor; He fell on bathroom tiles; Feeling weakness/Could not coming out of bed; Fever; Chills; This spontaneous case was reported by a consumer and describes the occurrence of MYOCARDIAL INFARCTION (Died due to heart attack) and HAEMORRHAGE (Lot of blood was on the floor) in a 42-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Diabetes (was on anti-diabetic medicine.). On 20-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 20-Mar-2021, the patient experienced ASTHENIA (Feeling weakness/Could not coming out of bed), PYREXIA (Fever) and CHILLS (Chills). On 23-Mar-2021, the patient experienced MYOCARDIAL INFARCTION (Died due to heart attack) (seriousness criteria death and medically significant), HAEMORRHAGE (Lot of blood was on the floor) (seriousness criterion medically significant) and FALL (He fell on bathroom tiles). The patient died on 23-Mar-2021. The reported cause of death was Heart attack. It is unknown if an autopsy was performed. At the time of death, HAEMORRHAGE (Lot of blood was on the floor), FALL (He fell on bathroom tiles), ASTHENIA (Feeling weakness/Could not coming out of bed), PYREXIA (Fever) and CHILLS (Chills) outcome was unknown. Concomitant medication included was anti-diabetic medicine. The treatment information was not provided. Very limited information regarding this events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: heart attack</p>
-----------------	-----------	-------------	--------	---

COVID19 VACCINE	1420121-1	80+ years	0 days	passed away, received second vaccine 44 days after receiving the first dose, Pain the injection site from the first dose; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (passed away) in a 91-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 31-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 14-May-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 31-Mar-2021, the patient experienced VACCINATION SITE PAIN (Pain the injection site from the first dose). On 14-May-2021, the patient experienced INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (received second vaccine 44 days after receiving the first dose). On 05-Apr-2021, VACCINATION SITE PAIN (Pain the injection site from the first dose) had resolved. On 14-May-2021, INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (received second vaccine 44 days after receiving the first dose) had resolved. The patient died on 09-Jun-2021. The cause of death was not reported. It is unknown if an autopsy was performed. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) and mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant medication were reported. No treatment information was reported. Company comment: This report refers to a case of Inappropriate schedule of product administration for mRNA-1273, with associated Adverse Events of Vaccination site pain and Death in a 91-year-old female subject who died 25 days after receiving second dose of vaccine. Very limited information regarding these events has been provided at this time. Further information has been requested. This case was linked to US-MODERNATX, INC.-MOD-2021-132760 (Linked Report). Most recent FOLLOW-UP information incorporated above includes: On 14-Jun-2021: Case upgraded to Serious due to death.; Sender's Comments: This report refers to a case of Inappropriate schedule of product administration for mRNA-1273, with associated Adverse Events of Vaccination site pain and Death in a 91-year-old female subject who died 25 days after receiving second dose of vaccine. Very limited information regarding these events has been provided at this time. Further information has been requested. US-MODERNATX, INC.-MOD-2021-
COVID19 VACCINE	1421767-1	65-79 years	0 days	Patient died
COVID19 VACCINE	1423241-1	80+ years	0 days	Within 24 hours, my mom's arms swelled up from shoulder to fingertips and she had never had swelling in her arms prior. She also was hanging her head as if she had fallen asleep, but actually was unable to lift her head. 4 days following the vaccine she started having breathing issues and was intubated, we had the ventilator removed (she was actually a DNR and was not supposed to be intubated). On January 19, 2021 she died. She went into this facility for rehab regarding an infection she had in her leg.
COVID19 VACCINE	1424124-1	65-79 years	0 days	The pharmacist was contacted by patients daughter on 6/23/2021. She said that patient was found deceased on the morning of 6/20/2021. They believe he passed away sometime on 6/19/2021.
COVID19 VACCINE	1427402-1	60-64 years	0 days	6/23/2021 - pain at injection site, shortness of breath 6/24 /2021 - found dead in bed at 7AM
COVID19 VACCINE	1427475-1	80+ years	0 days	Patient was hospitalized within 60 days of receiving a COVID vaccine series and later died

COVID19 VACCINE	1427998-1	40-49 years	0 days	Patients appointment was either 2:15 or 2:30. His Apple watch recorded it's last heart beat reading at 3:15 pm, 05/21/2021, within an hour after receiving his second Moderna Covid-19. His heart rate increased rapidly from 3:00 to 3:15, reading 104 - 106 - 108 - 116 bpm. I can provide a photo of these last four readings if you need them. I don't know other symptoms. His body was found by police who were called for a well-check three days later, 05/24/2021. Patient died unattended, at home, alone. I only know for sure the vaccine was administered at a Target store near his home. Patient texted me at 2:48pm saying that Target gave him a \$5 coupon for getting his vaccine, and he was going to use it to buy Tylenol.
COVID19 VACCINE	1428029-1	30-39 years	0 days	N/A -- patient was perfectly fine during wait time
COVID19 VACCINE	1431331-1	65-79 years	0 days	Patient received second COVID vaccine on 2/3/2021. Was admitted to Medical Center on 6/15/21 for generalized weakness and tested positive for COVID 19 on 6/15/2021. Patient was also positive for COVID 19 in November 2020. Patient expired on 6/26/2021 while hospitalized.
COVID19 VACCINE	1431733-1	65-79 years	0 days	I am filing this on behalf of my sister, who feels it needs to be reported but she is too grief-stricken to do this herself. The morning after the second shot, my sister texted that her husband was up at least 10 times during the night, and five times the next night. He was agitated and hallucinating (swatting at bugs that weren't there.) For the next four weeks he had progressively more difficult breathing, and on 4/28 a liter of fluid was drained from his chest. He continued to have difficulty breathing and was taken by ambulance to Hospital on May 2 where they again drained his chest and diagnosed him with pneumonia. A nurse told him they were seeing a number of cases of fluid around the lungs (his fluid was around the lungs, not in them) after COVID vaccines. He was sent home May 4 and commented that it was strange his cardiologist hadn't visited. Almost immediately he was experiencing liver and gall bladder pain, even though tests for those showed the two organs were healthy. On May 8 my sister said patient woke up hyperventilating, which also became more frequent. On the 9th his daughter told me the labs were not trending well, and on May 10 he saw his cardiologist. He diagnosed him with congestive heart failure and got him an appointment at the Heart Hospital on May 17 - he explained congestive heart failure is scary but can be managed through programs at the heart hospital. He began sleeping outside because it made it easier to breathe. On May 15 he was advised to go to the ER/Hospital for tests the heart hospital would need and, once there, they discovered his kidneys weren't functioning and he was admitted immediately. He spent 17 days at Hospital- if the kidneys improved, the heart got worse. If the heart improved, the kidneys failed. He was released on June 2. On June 7 my brother took him to get blood work done - Patient was too weak to get in and out of the car by himself. The blood work came back bad, and on June 8 he was admitted to the Heart Hospital. On June 10 he was transferred to the Regional Community Hospital to be closer to his cardiologist. From there he continued to decline, and the doctors wanted to do surgery for a LVAD but couldn't. To help him get stronger, he had an impeller put in by catheter on June 19 and died that night. His own cardiologist said congestive heart failure is manageable. The symptoms started the night of the second vaccine and his illness wasn't gradual - he went off a cliff. With all the heart problems appearing in males, we don't think this was coincidence.
COVID19 VACCINE	1440865-1	65-79 years	0 days	Family stated patient had been weaker since ""last covid shot"". Patient death 5-5-2021 - 1 week after vaccination""

COVID19 VACCINE	0920326-1	80+ years	1 day	Redness and warmth with edema to right side of neck and under chin. Resident was on Hospice services and expired on 1.1.21
COVID19 VACCINE	0920368-1	80+ years	1 day	12/30/2020 07:02 AM Resident noted to have some redness in face and respiration were fast. Resident vital signs were abnormal except blood pressure. Temp at the time was 102.0 F taken temporal. Resident respirations were 22 labored at times. Pulse is 105 and pulse ox 94% on room air. Resident is made comfortable in bed. Notified triage of change in condition also made triage aware of resident receiving Covid vaccination yesterday morning. Resident appetite and fluid consumption has been poor for few days. 12/30/2020 07:32 AM Received order from agency to administer Acetaminophen 650mg suppos rectally due to resident not wanting to swallow anything including fluids, medications and food. This writer administered medication as NP ordered. Will monitor for effectiveness and adverse effects if any. 12/30/2020 08:41 AM Received new orders to obtain Flu swab, obtain CBC and BMP, and Chest Xray all to be obtained today. Notified family of resident having temperature and vital signs excluding b/p that was abnormal. Family was thankful for call and inierated to nurse that family does not want resident sent to hospital. Did educate family on benefits of Hospice services, but family persistant on continued daily care provided by nursing staff. Requests visits if decline continues. Family assured if resident continues to decline, facility will accomandate resident family to be able to be at bedside when time comes to do so. NP ordered IVF and IV Levaquin on 12/31/20. Family chose at that time to sign for Hospice services and not have resident provided with IVF or IV Antibiotics
COVID19 VACCINE	0921572-1	80+ years	1 day	Resident had body aches, a low O2 sat and had chills starting on 12/30/20. He had stated that they had slightly improved. On 1/1/21 he sustained a fall with a diagnosis of a displaced hip fracture. On 1/2/21 during the NOC shift his O2 sat dropped again. He later went unresponsive and passed away.
COVID19 VACCINE	0925154-1	80+ years	1 day	Deceased
COVID19 VACCINE	0926797-1	80+ years	1 day	had a vaccination on 12/31/2020 late morning passed away early morning 01/01/2020. This is a 93 year old with significant heart issues. EF of 20% among other comorbidities. He died suddenly approximately 0430, it is unlikely it was related to receiving the vaccine.
COVID19 VACCINE	0928513-1	65-79 years	1 day	Resident passed away in her sleep
COVID19 VACCINE	0929764-1	40-49 years	1 day	The patient was found deceased at home about 24 hours after immunization. Date of Death:: 12/29/2020; estimated time of death 6:00pm
COVID19 VACCINE	0929997-1	80+ years	1 day	Patient received vaccine on 1/4/2021. He was in Hospice for CHF and renal failure, but was able to get up in his wheelchair and eat and take medications and talk. On 1/5/2021 am, he was noted to be very lethargic an could only mumble, could not swallow. No localizing neurologic findings. He was too lethargic to get up in chair.
COVID19 VACCINE	0930876-1	80+ years	1 day	Death
COVID19 VACCINE	0934050-1	65-79 years	1 day	Staff reported that patient was found Friday morning (Jan 8) sitting at a table with his head tilted forward and unresponsive to verbal or physical stimuli. Staff lowered patient to floor and started CPR. EMS was called and continued CPR at scene, however they were not able to revive patient. Patient was pronounced dead at the scene. Staff written statements following the death of patient show that he had a fall about 1 hr. prior. It is unknown if this fall contributed to patient's death. An autopsy has been requested.

COVID19 VACCINE	0934539-1	65-79 years	1 day	Patient received COVID-19 (Moderna) vaccine from the Health Department on afternoon of January 8, 2021 and went to sleep approximately 2300 that night. Was found unresponsive in bed the following morning and pronounced dead at 1336 on January 9, 2021
COVID19 VACCINE	0935511-1	50-59 years	1 day	Patient received the 1st dose of Moderna and was found deceased in her home the next day.
COVID19 VACCINE	0936043-1	80+ years	1 day	RESIDENT 1ST DOSE OF MODERNA VACCINE ADMINISTERED ON 01/04/2021 AT 8:30PM, RESIDENT FOUND UNRESPONSIVE ON 01/05/2021.
COVID19 VACCINE	0939050-1	30-39 years	1 day	Patient vaccinated on 12/28. Approximately one day later, develops cough and on azithromycin x 1 week. On 1/3, patient develops left-sided weakness and aphasia. Taken to the hospital, tested COVID+, required intubation -- acute hypoxic respiratory failure secondary to COVID - on H&P. Patient died on 1/4/21 at 7:20am.
COVID19 VACCINE	0941561-1	80+ years	1 day	Staff walked into resident's room around 10:00am and noted resident's left side of his face was flaccid. Nurse was called and upon assessment resident noted to have an unequal hand grasp with left worse. He was able to talk but was mumbled and hard to understand. Physician, hospice, and family were notified. Resident had a stroke at 10:06 am on 1/8/2020. He lost all ability to use his left side. Resident passed away on 1/11/2020.
COVID19 VACCINE	0941607-1	80+ years	1 day	The patient passed away today, 1/13/2021. She was a hospice patient. She showed no adverse effects after receiving the vaccine on 1/12/2021. This morning she woke up as normal and during her morning shower she had a bowel movement, went limp and was non-responsive. The patient passed away at 7:45 am.
COVID19 VACCINE	0941743-1	60-64 years	1 day	This person was found to be deceased on routine rounds during the night, 3am. No symptoms of reaction noted post vaccine. No injection site reaction. No reports of any allergic reaction.
COVID19 VACCINE	0943889-1	65-79 years	1 day	No adverse reactions observed after administration of medication. Patient starting complaining of shortness of breath around 0500 the following morning. SPO2 checked in the 80s. Patient expired 01/09/2021;
COVID19 VACCINE	0944641-1	80+ years	1 day	Patient died on 1/21-2021
COVID19 VACCINE	0944732-1	80+ years	1 day	Resident found unresponsive and without pulse at 05:45am.
COVID19 VACCINE	0948428-1	80+ years	1 day	We got a call from a home health nurse Brandu Talamo, stating that the patient passed away.
COVID19 VACCINE	0949474-1	65-79 years	1 day	Resident had lunch on 01/14/21 and after lunch around 2:00pm, he vomited and stopped breathing. We coded the resident and 911 paramedics came. They pronounced him dead at 2:18pm.

COVID19 VACCINE	0949630-1	80+ years	1 day	This patient has been under hospice care for over 2 years at the nursing home. She has had a steady decline with gradual weight loss. She was totally dependent in her care needs. She received the vaccine on 1/2/2021 as part of the facility vaccination campaign. No adverse events noted initially. On 1/3/2021 at 6:06 pm, she was noted on vital sign checks (done every 4 hours for first 72 hours after vaccination) with BP 64/52 but otherwise asymptomatic. Subsequent BP improved. On 1/4/2021 at 4:45 am, pt found with respiratory rate of 30 with otherwise normal vital signs. Tachypnea persisted, so she received liquid morphine 2.5 mg without improvement. Supplemental oxygen was applied. Tachypnea persisted. She had poor oral intake after that point had persistent tachypnea and worsening hypoxemia despite clear lungs on exam. She remained under hospice care and comfort measures were continued. No blood testing or imaging tests were done. She required increasing amounts of oxygen, became hypotensive, and died peacefully on 1/8/2021 at 7:45 pm.
COVID19 VACCINE	0952881-1	80+ years	1 day	Resident was seen by MD on 1/11/2021 due to increasing in edema and shortness of breath. Lasix 40 mg STAT given. New orders to get a STAT CBC, CMP, and BNP. Resident has been dependent on Oxygen since his diagnosis of COVID-19 on 11/23/2020. Labs were abnormal. Continued on the lasix 40 mgs. Resident remained short of breath with exertion and on oxygen. He was assisted to the toilet on 1/15/2021 in the morning where he subsequently passed away.
COVID19 VACCINE	0957799-1	80+ years	1 day	Presented to Urgent Care for weakness and confusion, transferred to ED, patient had a cardiac arrest and was unable to be resuscitated
COVID19 VACCINE	0958935-1	80+ years	1 day	Sudden Death within 24 hours of vaccine
COVID19 VACCINE	0958971-1	80+ years	1 day	Hemorrhagic Stroke, Right Basal Ganglion
COVID19 VACCINE	0959001-1	50-59 years	1 day	Patient woke apx 0200 complaining of nausea to group home staff. Vitals were checked at that time and WNL. Patient went back to bed. When staff went to wake patient apx 0530, he was unresponsive and had no pulse. Chest compressions were started and EMS called.
COVID19 VACCINE	0959356-1	80+ years	1 day	Pt passed away the day after the vaccine was given.
COVID19 VACCINE	0961339-1	40-49 years	1 day	possibly got it at clinic, possibly who administered shot. Pts. daughter said the pts boyfriend denied any symptoms the whole day but that in the middle of the night the pt passed away.
COVID19 VACCINE	0963016-1	65-79 years	1 day	unknown. Event occurred after leaving vaccination site
COVID19 VACCINE	0965807-1	80+ years	1 day	began itching within 24 hours, within 5 days couldn't move on her own, by 6th day was having respiratory issues, by day 7 unresponsive, by day 8 dead
COVID19 VACCINE	0966359-1	65-79 years	1 day	Headache, pain in the injection site, threw up. A few hours later she died.
COVID19 VACCINE	0966844-1	65-79 years	1 day	Patient is reported to have died at home, the day after his COVID test. Family member states that he did good the afternoon and evening after his COVID-19 injection, but that he started not feeling good the next day. The patient ""was having palpitations"". The family tried to convince him to go to the Emergency Room, but he refused. Patient died at home.""
COVID19 VACCINE	0969219-1	60-64 years	1 day	patient received the Moderna Covid 19 vaccine on 1/23/2021 around 5:45pm wife called management today and reported that he had collapsed and passed away today around noon

COVID19 VACCINE	0969648-1	Unknown	1 day	death of unknown cause; Swelling on Right side of the neck and under chin; Warmth on right side of neck and under chin; Redness on right side of neck and under chin; A spontaneous report was received from a healthcare professional concerning an 89-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events of redness, warmth and swelling on right side of neck and under chin, and death of unknown cause. The patient's medical history included Alzheimer's and chronic obstructive pulmonary disease (COPD). No concomitant medications were reported. On 29 Dec 2020, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: Unknown) intramuscularly for prophylaxis of COVID-19 infection. On 30 Dec 2020, the patient experienced the events of redness, warmth and swelling on right side of neck and under chin. There was no indication that the patient was transferred out to hospital, which was unlikely because she was under hospice care. On 01 Jan 2021, the patient died due to an unknown cause of death. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 01 Jan 2020. The cause of death was not provided. Plans for an autopsy were not provided.; Reporter's Comments: This case concerns a 89-year-old, female subject with a medical history of Alzheimer's and chronic obstructive pulmonary disease (COPD) who experienced redness, warmth and swelling on R side of neck and under chin and expired from an unknown cause. The events of redness, warmth and swelling on R side of neck and under chin occurred 2 days after administration of the first and only dose of the mRNA-1273 vaccine and patient expired 4 days after mRNA-1273 vaccine administration. Lot # of the vaccine was not provided. De-challenge and re-challenge are not applicable. The events of redness, warmth and swelling on R side of neck and under chin are temporarily associated with the administration of the mRNA-1273 and thus, a causal relationship cannot be excluded. Due to limited information, the fatal outcome was considered unrelated to mRNA-1273 administration pending additional information. Fatal outcome is confounded by the patient's underlying condition and advanced age.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	0971176-1	80+ years	1 day	Pt. woke up the next morning after vaccination and ""didn't feel well"", described by wife as fatigue, no energy. At approximately 2 PM, he vomited. His wife checked on him at 4:20 PM and he wasn't breathing sitting in his chair. EMS squad was called but when they arrived he was asystole and mottling present. Did not start CPR since he was already gone too long. Pronounced by coroner on scene.""
COVID19 VACCINE	0972113-1	80+ years	1 day	Resident became lethargic and reports of blood coming from resident's nose and mouth on the morning of 1/13/21. Resident went out to ER for eval, and came back to facility with dx of pneumonia and recommendations for resident to be placed on hospice. Resident deceased on 1/14/21. Unknown if vaccine related, but with timeline of events I was advised to report this per medical director of facility, as well as Pharmacy who administered the vaccine.
COVID19 VACCINE	0972370-1	60-64 years	1 day	patient received covid vaccine and had a heart attack the next day and died
COVID19 VACCINE	0972394-1	65-79 years	1 day	Died about 24 hours later

COVID19 VACCINE	0975002-1	80+ years	1 day	on 1/13/2021 at 3:40am Cliff called for assistance. He lost his balance and had fallen. Cliff refused vitals, refused emergency department, denied hitting his head. As the day progressed patient developed a headache, diarrhea, and vomiting. He again declined the offer for the emergency room. At supper time wife and staff found Cliff unresponsive, 911 was called and he was taken to the emergency department. The ER did a CT scan and found an acute subdural hematoma. Patient was placed on comfort cares and expired at 3pm on 01/14/2021. Cliff did not have a history of falls.
COVID19 VACCINE	0977320-1	80+ years	1 day	about 20+ hours after vaccination resident was having hard time breathing, 911 was called. Resident coded multiple times at the facility after CPR she was taken to ICU. She coded again and was placed on life support. Due to her choice to not be on life support she passed on 11/26/2021.
COVID19 VACCINE	0979081-1	80+ years	1 day	Patient found dead in home the next morning. May or may not be connected to vaccination. Instructed to report it from our medical director and director of nursing.
COVID19 VACCINE	0979533-1	80+ years	1 day	Patient recieved vaccine 1 of covid 19 i 1/19/2021. She felt poorly on 1/20/2021. She felt dizzy and fell at 3 AM on 1/23/2021. She felt poorly and did not know her son's name which was not normal. She went to ER on 1/24. She was assessed as not having fractures. She was going to be transferred to a skilled nursing facility. She was not having respiratory complaints. She was awaiting transfer when her O2 levels started dropping substantially. She declined aggressive intervention and she died within a few hours.
COVID19 VACCINE	0981938-1	65-79 years	1 day	UNKNOWN/ASYTOLE Narrative: Please refer to section 6. 68y/o male with h/o severe peripheral vascular disease with previous left AKA 2/3/20, s/p bilateral bypasses in the past. Pt recently underwent right AKA on 1/12/21. Per Hospital remote data 1/10/21 pt c/o shortness of breath, CXR demonstrated right lower lobe opacity & left basilar infiltrate. Pt s/p >10 days emperic IV abx. Moderna vaccine 0.5ml IM was administered via left deltoid on 1/22/21 around 16:21. On 1/23/21@05:14 code blue was called as pt found to be unresponsive, breathless and pulseless, facial cyanosis noted, CPR started immediately. Pt found to be in asystole. ACLS guideline followed but no return of spontaneous circulation, At 05:32 pt remained pulseless and breathless and was pronounced. Autopsy currently pending.
COVID19 VACCINE	0982472-1	65-79 years	1 day	Worsening respiratory failure 1/20/2021 death 1/27/2021
COVID19 VACCINE	0985205-1	65-79 years	1 day	Patient was feeling dizzy and under the weather after the vaccination. The following day he died in his sleep during a nap.
COVID19 VACCINE	0985814-1	80+ years	1 day	started having generalized weakness on 1/21/21, fatigued., nausea/vomiting. went to doctor on 1/25/21 with complaint of sore throat, cough, and felt congested. Went to ER on 1/25/21 with complaints of increased shortness of breath, worsening nausea and vomiting. started on oxygen for sats of 87%. admitted on 1/25/21. On 1/26/21 needed intubated, CXR showed worsening consolidative change right lung at right hilar level. Echocardiogram showed ejection fraction 35-40%, left atrium is moderately dilated.

COVID19 VACCINE	0985933-1	Unknown	1 day	Died; Increased respirations (22 and labored at times); Pulse 105; 94% O2 on RA; Labored breathing at times; leukocytosis; elevated BUN; left lower lung congestion; elevated creatinine; Temperature of 102.0F; Redness on face; A spontaneous report was received from a nurse concerning a 92-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced redness on face, increased respirations, labored breathing at times, temperature of 102F, pulse of 105, 94 percent O2, leukocytosis, elevated BUN, left lower lung congestion, elevated creatinine, and death. The patient's medical history, as provided by the reporter, included dementia and reduced mobility. No relevant concomitant medications were reported. On 29 Dec 2020, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On 30 Dec 2020, the patient began to experience redness on her face, increased respirations (reported as 22 and labored at times), pulse of 105, and 94 percent oxygen saturation on room air. The patient had a fever of 102 degrees Fahrenheit. Laboratory tests revealed a negative influenza swab, elevated white blood cell count of 14.1, elevated BUN at 113, and creatinine 2.7. Chest x-ray showed mild, left lower lung infiltrate. On 31 Dec 2020, the patient went under hospice care per her family request. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 01 Jan 2021, the cause of death was unknown.; Reporter's Comments: This case concerns a 92-year-old, female subject with medical history of dementia and reduced mobility, who experienced the serious unexpected events of death, respiratory rate increased, heart rate increased, oxygen saturation decreased, elevated BUN, elevated creatinine, left lung congestion and dyspnoea and the non-serious events of erythema and pyrexia. The events of respiratory rate increased, heart rate increased, oxygen saturation decreased, dyspnoea, erythema and pyrexia occurred 2 days after the first dose of the study medication administration, and the event of death occurred 4 days after the first dose of the study medication administration. Very limited information regarding the events is available at this time and no definite diagnosis or autopsy report have been provided. Additional information has been requested.; Reported Cause(s) of Death: Died
COVID19 VACCINE	0986631-1	80+ years	1 day	Suspected myocardial infarction on 01/15/2021. Patient passed away on 01/15/2021.
COVID19 VACCINE	0987029-1	80+ years	1 day	Resident passed away at 8:15 am on 1/28/21-found to be without pulse/respirations/DNR order in place.
COVID19 VACCINE	0988245-1	80+ years	1 day	93 y/o with complex medical history (severe COPD on oxygen, diastolic CHF, CKD3, myelofibrosis, marginal zone lymphoma of spleen with recent progression and no active treatment, chronic anemia, afib, CAD, pulmonary artery hypertension, h/o bladder cancer, hypertension, hypothyroidism, h/o bilateral PE, sick sinus syndrome s/p pacemaker, h/o Hodgkin's disease). Has had multiple hospitalizations over the last 3 months for dyspnea, most recently in 12/2020. Enrolled in palliative care. Has had multiple transfusions (most recently 01/13/21) for his chronic anemia due to myelofibrosis, and recently started on darbepoetin. No documented history of anaphylaxis to medications or prior vaccinations. He received COVID19 vaccine (Moderna) on 01/16/21. He passed away suddenly at home on 01/17/21. Symptoms: & cardiac arrest Treatment:
COVID19 VACCINE	0991060-1	80+ years	1 day	Fever 101.1, unresponsive episode. Transferred to Hospital on 1/28. Diagnosis there was anemia and CHF, aware that he had vaccine day prior. Transfused with 2 units pRBC's. Transferred back to Nursing Home on 1/30 and passed away 0140 1/31/2021

COVID19 VACCINE	0992571-1	65-79 years	1 day	Patient's wife called the physician's office with increasing SOB. MD advised that the patient go to the ED. While dressing, the patient became unresponsive, 911 called. Patient expired in ED.
COVID19 VACCINE	0992677-1	60-64 years	1 day	Low Grade Temp, Persistent low back pain, Projectile Vomiting.
COVID19 VACCINE	0994309-1	80+ years	1 day	Got vaccine on 1/15/21. He was tired right away, bedridden the next 3 days. He couldn't breathe so he was taken by ambulance on 1/18/21. He was in hospital for several days. put on remdesivir cocktail for 10 days. Slowly getting worse and died in hospital on 1/30/21.
COVID19 VACCINE	0994913-1	40-49 years	1 day	patient passed away 2 days after vaccine. patient had temperature, nausea, and vomiting after vaccine.
COVID19 VACCINE	0998422-1	80+ years	1 day	patient developed progressive diffuse muscle weakness, altered mental status including excessive drowsiness, decreased oral intake starting on 1/31/2021. Symptoms continued to worsen overnight and he was evaluated in the emergency room on 2/2/2021 and admitted with dehydration and altered mental status. He was aggressively hydrated overnight, but showed persistent diffuse muscle weakness, altered mental status with decreased responsiveness progressing, but no focal neurological findings noted. CT scan of the head on 3/3/2021 showed no findings other than age-related diffuse cerebral atrophy. The patient did spike a fever to 103 on the morning of 2/3/2021. CBC, CMP, procalcitonin and lactic acid levels remained normal. He remains hospitalized in stable condition as of 2/3/2021 @1300.
COVID19 VACCINE	0998770-1	80+ years	1 day	Patient had no symptoms or adverse events until the next evening after shot (1/29/21) where daughter reported her having heart palpitations. Family told her to rest and did not seek medical attention. Saturday afternoon (1/30/2021), patient started experiencing labored breathing. Daughter called 911 and before the ambulance arrived, the patient's breathing became more and more shallow. Patient was taken to the local hospital and passed away Saturday evening around 5:30 pm.
COVID19 VACCINE	1002052-1	Unknown	1 day	Passed away yesterday, found deceased in her apartment; This spontaneous report was received from a consumer which refers to a 91-year-old female patient who received the Moderna COVID-19 vaccine (mRNA-1273) and next day the patient passed away. The patient's medical history was not provided. Concomitant medications were not reported. On 19 Jan 2021, the patient received her first of two planned doses of mRNA-1273 intramuscularly (Lot number: not provided) for prophylaxis of COVID-19 infection. On 20 Jan 2021, the patient passed away and she was found deceased in her apartment. No treatment medication was provided. Action taken with mRNA-1273 in response to the events was not applicable as the patient passed away. On 20 Jan 2021, the patient died, cause of death was unknown. Autopsy result was unknown. The reporter assessed the causality as related between the event and Moderna COVID-19 vaccine.; Reporter's Comments: This case concerns a 91-year old female patient. The medical history and concomitant medication is not provided. The patient experienced Death. The event occurred approximately one day after receiving their first of two planned doses of mRNA-1273 (Lot unknown). Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the onset of the event, a causal relationship cannot be excluded and the event is considered possibly related to the vaccine.; Reported Cause(s) of Death: Unknown Cause of Death

COVID19 VACCINE	1002187-1	65-79 years	1 day	PATIENT WAS IN CLINIC FOR 1ST CLINIC. WAS DISCHARGED BEFORE OUR 2ND CLINIC. HE CAME BACK TO OBTAIN HIS 2ND SHOT. WE WENT OUT TO THE CAR GAVE SHOT. THE NEXT DAY TO MY KNOWLEDGE, HE STARTED CODING AT HOME. AMBULANCE WAS CALLED AND HE CONTINUED TO CODE. THE AMBULANCE CREW TRIED CPR FOR 30 MINS WITH NO LUCK. PATIENT PASSED 2-3-21.
COVID19 VACCINE	1002813-1	80+ years	1 day	Patient was seen at 0710 he was sleeping but at normal cognitive behavior Patient was again assessed at 0720 where he was noted to be unresponsive, BP 180/100s, HR 230s, he was a DNR therefore not CPR was administered. EMS arrived at facility patient was noted to be in full cardiac and respiratory arrest. Time of death 0735
COVID19 VACCINE	1002840-1	80+ years	1 day	Client lives alone and had dinner at his home with family members after the 4:40 appointment. Client stated that in general he did not feel well but did not give any specific symptom. Family states they asked the client to go to the ER and the client refused. Family states they helped the client to his chair in the living room and then left to go home. Family states that the client was found in his bedroom the next morning at 7:54 a.m. deceased.
COVID19 VACCINE	1003390-1	80+ years	1 day	On 2/1/2021, the patients daughter, who claims is a nurse, reported this incident to me. She stated that the evening after the patient received the vaccine, she felt some mild injection site pain. The morning after, the patient reported severe abdominal pain, diarrhea and vomiting. The patients daughter then called her physician to report these symptoms and attributed them as an adverse reaction to the vaccine at that time. These symptoms were intermittent for one week and no other adverse reactions were noted. In the early morning hours of 1/27/2021, the patient was toileting and had expired while doing so. An ambulance was called and cause of death was not found. An autopsy was not performed.
COVID19 VACCINE	1003624-1	50-59 years	1 day	Patient awake at 0300. When going into the room to get him ready for dialysis he was cold to touch, unresponsive other than to sound, and nonverbal. O2 sat was 67 via finger probe. Oxygen immediately initiated and a venturi mask retrieved and initiated. When unable to arouse him via sternal rub this RN called 911. Send to ED. Febrile 39.2 and hypotensive 58/43. Admitted. unknown after that as patient expired in hospital.
COVID19 VACCINE	1005217-1	80+ years	1 day	Nursing home called 911 for decline in condition. Patient transported to ER where she was admitted to inpatient care and expired 1/30 at 16:13
COVID19 VACCINE	1005276-1	65-79 years	1 day	chills 1 day after vaccine administration; found dead by family 1/18/2021 Narrative: Per patient family report, patient said the next day after vaccination that he didn't feel well because of chills. Patient was found dead at home by his family on January 18th. He was a 74yo man with castrate resistant prostate cancer and liver and bone metastases with rising PSA, status post intravenous chemotherapy 1/7/21
COVID19 VACCINE	1005455-1	65-79 years	1 day	We don't know what happened. 25 hours after the shot, he started gagging and stopped breathing. He was pronounced at OSF at 8:07pm after we took him off life support.
COVID19 VACCINE	1005568-1	65-79 years	1 day	Pt. deceased.

COVID19 VACCINE	1006216-1	80+ years	1 day	Notes of the checks/events with resident: 18:36 2/2/21 Resident had no complaint of pain, swelling, redness or warmth to vaccine site. No signs and symptoms of fever, chills, tiredness or headache. T 97.2 02:50 2/3/2021 Resident received 2nd COVID vaccine. No complaint of pain, swelling, redness or warmth to vaccine site. No signs and symptoms of fever, chills, tiredness or headache. T 98.1 07:15 2/3/2021 Resident was observed not breathing. 911 was contacted along with the doctor. Resident was confirmed having passed away.
COVID19 VACCINE	1006228-1	80+ years	1 day	2/2/21-1000-patient presented to the local emergency room with complains of fever, shortness of breath and decreased oxygen sats. temp 101.7, pulse 102, respirations 36, BP 141/92, oxygen 94%. Lung sounds crackles bilaterally with rhonchi on the left. patient worked up for sepsis, CXR shows mild atelectasis. blood pressure dropped, and continued to drop through treatment requiring levophed drop to be initiated. Patient POA determined that this would not be her sister's wishes and made the decision to make patient comfort care status. 2/3/21- patient lethargic throughout night. 0640-patient demise.
COVID19 VACCINE	1009866-1	80+ years	1 day	pt was given vaccine on the afternoon of 01-29-2021. Pt was administered the moderna covid-19 shot into the deltoid muscle of this pt. Pt was observed and left pharmacy. on 2-6, pts daughter calls pharmacy, and says the night of 1-29, after recieveing the vaccine, her mother had a hemmorrhagic stroke and passed away
COVID19 VACCINE	1011577-1	80+ years	1 day	Resident expired on 2/5/21 at 03:35pm, about 25 hours after second dose of vaccine. At breakfast, resident was spitting a lot of secretions, coughing up liquids from nose and phlegm, facial swelling, which were all symptoms that he was struggling with prior to both doses of COVID vaccine, but had increased more than prior incidences on 2/5/21. Gurgling noted in upper airways, hyscolamine given, bath given to loosen secretions, morphine given. Family notified and came into facility for compassionate care visit around 1300. 1400 HR was 3 and RR was 2, but increased back to 60 and 12 within 20 minutes. Then resident expired at 1535.
COVID19 VACCINE	1015773-1	80+ years	1 day	Resident passed away in her sleep. No s/s of adverse events leading up to the residents death. Resident was previously declining- MD stated the vaccine had nothing to do with the death.
COVID19 VACCINE	1017051-1	65-79 years	1 day	pt received vaccine on 2/3. early on 2/4 developed chest pain, dyspnea, and was seen in ED and diagnosed with acute exacerbation of CHF and NSTEMI type 2, and anemia. on 2/5 transfusion was started and pt developed worsening dyspnea and then PEA arrest. Pt achieved ROSC and was transferred to the cardiac intensive care unit where he required vasopressor support. he subsequently declined and died on 2/7
COVID19 VACCINE	1019669-1	65-79 years	1 day	the following morning the patient became unresponsive while taking a shower, became asystolic and died despite about an hour of ACLS and 8 rounds of epi
COVID19 VACCINE	1019979-1	65-79 years	1 day	Patient received the Moderna COVID vaccine 1/28/21. He was tested for COVID 19 on 1/29/31. Results were received 1/30/21, at which time he was evaluated and found to be hypoxic with tachycardia. He was sent to the local ER and returned this same day. On 2/2/21, he was evaluated by the provider, who sent him to the emergency room with acute respiratory distress and poor O2 sats
COVID19 VACCINE	1020018-1	65-79 years	1 day	Patient reported to be unresponsive on the morning after receiving his second dose of Moderna COVID-19 vaccine. Patient had expired during the night.

COVID19 VACCINE	1021171-1	80+ years	1 day	Patient received first dose of Moderna COVID-19 vaccine on 2/3/21. Primary Care physician received call from coroner's office 2/8/21 asking for information contributing to cause of death. Per Primary Care Physician notes, wife states she and patient took turns shoveling snow on 2/4/21. On one trip back into the house she found him unresponsive on the floor and called 911. Paramedics were unable to revive patient and he passed away (2/4/21).
COVID19 VACCINE	1025079-1	80+ years	1 day	Patient found by family in his home deceased on the morning of 02/10/2021.
COVID19 VACCINE	1025330-1	80+ years	1 day	On 1/26 at breakfast table began vomiting. Continued thru am when at noon a caregiver did his O2 saturation and found it was 75%. This was confirmed, and resent sent to ER .
COVID19 VACCINE	1026396-1	80+ years	1 day	Patient experienced loss of taste and lack of appetite. Passed away on 1/23/21.
COVID19 VACCINE	1026451-1	80+ years	1 day	Resident expired 2/2/2021 one day after the vaccine
COVID19 VACCINE	1026671-1	80+ years	1 day	The vaccine was administered at the patient's residence in an assisted living facility. The morning following the vaccination staff report that she was very agitated and stated she did not feel well. They called an ambulance and she was transported to a local ER, staff report that it was not at the hospital that the patient is usually seen by when when she has issues and they were concerned that the facility did not have her medical history to treat her properly. The patient's grandson reported back to the assisted living director that the patient was diagnosed with asymptomatic pneumonia, was transferred to the ICU and passed away in the night.
COVID19 VACCINE	1026841-1	80+ years	1 day	Resident passed away this morning. No signs or symptoms prior to his death of an issue with the vaccine. He was an end stage dementia resident at the nursing home.
COVID19 VACCINE	1029068-1	65-79 years	1 day	Patient was given vaccine the following day he died ,
COVID19 VACCINE	1030468-1	65-79 years	1 day	Pt presents to ER with increased weakness, hypoxia, history of COPD, but not oxygen dependent., hypotension. Acute Kidney failure noted in labs, not previously diagnosed , new hyperkalemia. BP 73/39, HR 67. dopamine initiated, and switched to Levophed. Oxygen Sat 86%, requiring 10 L O2. Transferred from this critical access hospital to another Hospital. Expires later 2-13-2021
COVID19 VACCINE	1030712-1	65-79 years	1 day	2/10: Fever, fatigue, tylenol 2/11 @ 1300: pt made DNR, hospice consulted 2/11 @ 1800 decreased LOC, increased RR, fever, chills - 1/5L NS bolus IV, rectal tylenol. Refusing to eat/drink, PO morphine 2/12 @ 16:30, deceased at facility **resident was not doing well prior to vaccination
COVID19 VACCINE	1031767-1	80+ years	1 day	1/31/2021 12:50 Nursing Note Note Text: Res had low BP, low O2 sats, 30 breaths per minute, eyes open wide, making confused utterances. Started supplemental oxygen via NC, 2L, then 3L. Sats went up to 93% for a while, Sprvsr called. Unable to auscultate Left lung sounds. Called to update Res daughter. Called to page NP, writer went back to assess Res and O2 sats were 88%, turned O2 to 4LPM, called 911 for transport to Hospital ED. Left around 1030. NP called back afterwards, was updated. Family updated that Res was sent to Hospital ED. Note Text: Received phone call from daughter as well as information from hospital. Resident has pneumonia with septic shock. She is on abx and had thoracentesis performed for large pleural effusion. [linked]
COVID19 VACCINE	1032873-1	80+ years	1 day	He had rigors starting 6 pm the day after the vaccination. He was treated with one 500 mg tylenol. He had increased wheezing but did not complain of SOB. At 0400 the next morning, he died.
COVID19 VACCINE	1033448-1	80+ years	1 day	Fever by the next day, difficulty breathing, pneumonia, and then DEATH within a few days. (Died 02/01/2021)
COVID19 VACCINE	1033607-1	65-79 years	1 day	Vomiting, death.

COVID19 VACCINE	1034146-1	18-29 years	1 day	ARRIVED AT EVENT, CONSENT FORM COMPLETED, DID NOT REPORT HE HAD BEEN ILL, DID NOT REPORT THAT HE TOOK ANY FEVER REDUCING MEDICATIONS
COVID19 VACCINE	1035872-1	80+ years	1 day	Patient was found unresponsive at 8 am on 2/12; patient was deceased
COVID19 VACCINE	1036345-1	65-79 years	1 day	Patient developed lethargy and malaise several hours after vaccine with a low grade fever. The following morning she reported to her husband inability to taste food or drink. She developed nausea and vomiting which persisted from 1/30/21 through her death. She was found deceased in bed by her husband this morning.
COVID19 VACCINE	1037207-1	30-39 years	1 day	She had pain in the injection site Tuesday night and then during Tuesday she got worse with nausea and some fever. By Wednesday she was complaining that she could not pee even though she was drinking a lot of fluids. She continued to complain it was the worst she ever felt and then at 0600 Thursday morning she woke us up and said she needed to go to the hospital. We arrived at the hospital just before 0700 and she immediately threw up in the trash can. We went into a treatment room and they took blood and started fluids as she became incoherent. She said she had taken Tylenol so they started a drug to counter that but her liver function was all wrong and they started to look for a hospital that could transplant a liver. She was air evade about 0930 to Medical center and just over 30 hours latter she was dead. There is a pending autopsy. She was a healthy 39 year old mother who got the shots because she worked as a surgical tech and she was the single mother of a 9 year old little girl.
COVID19 VACCINE	1038253-1	Unknown	1 day	Died the next day; A spontaneous report was received from a consumer concerning a male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and died the next day. The patient's medical history was not provided. Concomitant medication use was not provided by the reporter. On 12 Jan 2021, approximately one day prior to the event, the patient received one of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On 13 Jan 2021 the patient died. No additional information was provided in regards to the event. Action taken with mRNA-1273 in response to the event was not applicable. The patient died on 13 Jan 2021. The cause of death was unknown.; Reporter's Comments: This case concerns a male patient of unknown age. The medical history and concomitant medication were not provided. The patient died approximately one day after receiving their first of two planned doses of mRNA-1273 (Lot unknown). Very limited information regarding this event has been provided at this time.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1038633-1	80+ years	1 day	Moderna COVID vaccine administered 2/9/21. Patient expired in home on 2/10/21, at around 2100. Patient had h/o CVA in2001 with long standing sequelae. On day of administration, team attempted to draw lab specimen with vein finder, but patient was possibly Narrative: Moderna COVID vaccine administered 2/9/21. Patient expired in home on 2/10/21, at around 2100. Patient had h/o CVA in2001 with long standing sequelae. On day of administration, team attempted to draw lab specimen with vein finder, but patient was possibly dehydrated. CG/wife reported to APRN on 2/10/21, patient was sleeping and snoring and then began to sleep more quietly. She checked on patient and found that he had no pulse and had passed away

COVID19 VACCINE	1038635-1	80+ years	1 day	The patient fell the day after receiving the Moderna COVID-19 vaccine. She broke her hip in this fall. During surgery to correct the broken hip, she went in to sudden and unexpected cardiac arrest. The anesthesiologist did not notice any ST changes or A fib; dysrhythmia was very unexpected. The patient had a DNR. She died at 13:00 on 02/07/2021. Causes of death are listed as 1. Cardiac Arrest 2. Recent hip fracture with hip placement 3. History of Breast Cancer 4. Hypothyroid and 5. Dementia
COVID19 VACCINE	1039090-1	80+ years	1 day	The patient came to the Emergency Room at approx 3:30 am on 02/03/2021 with pain in right arm (same arm the COVID vaccine had been administered in approx 12 hours earlier) and feeling generally unwell. Patient was concerned about possibility of gout flare or that something was wrong with her arm. Elevated blood pressure was noted; this was attributed to anxiety. She was evaluated, given 500 mg Tylenol, and discharged since the pain was decreasing and blood pressure was stabilized. Patient instructed to follow-up with physician. The next day, on 02/04/2021, the patient arrived at the Emergency Room by ambulance; cardiac arrest was the chief complaint. The patient's daughter stated the patient had been ""feeling generally poor and then suddenly collapsed."" Daughter described ""gurgling respirations"" and being unresponsive. 911 was called, police arrived within 5 minutes and initiated CPR. Epinephrine, atropine, lidocaine and bicarb administered after arrival to Emergency Room. Shockable rhythm never demonstrated. Patient never recovered spontaneous respiration or movement. The death was called at 23:04. Coronary artery disease with cardiac arrest is the cause from the ER records; the coroner is putting COVID-19 vaccination in Part 1 of the death certificate.""
COVID19 VACCINE	1040005-1	65-79 years	1 day	Patient was found unresponsive and had passed away.
COVID19 VACCINE	1041200-1	80+ years	1 day	Patient described feeling nervous, anxious the next morning (Wednesday) after the vaccine. He later fell in the bathroom after using the restroom, his legs gave out (his words) and consequently was on the ground for 23 hours before being transported to the hospital. That was Thursday afternoon. He was diagnosed with COVID-19 on Saturday night and died the following Friday morning.
COVID19 VACCINE	1041276-1	80+ years	1 day	on 2/13 at 7:30am resident was observed congested, foaming at the mouth. transferred to the hospital, verbal report from hospital nurse stated the resident was admitted for hypercalcemia and dehydration. The resident expired on 2/14/21 at 9:30am. Died on 2/14/2021
COVID19 VACCINE	1041832-1	65-79 years	1 day	Patient was found unconscious without a pulse. Patient remained in asystole without pulse or respirations despite CPR.
COVID19 VACCINE	1043880-1	50-59 years	1 day	Pt received second Moderna COVID-19 vaccination administered in left arm at her assisted living facility by Pharmacist at 1153 on 2/19/2021. Pt was monitored for vaccine reaction with no known adverse reaction. Approximately 18 hours post-vaccine, she was found deceased in her sleep at 0540 on 2/20/21. Per circumstances/pt history, it is presumed that the patient aspirated while sleeping, perhaps secondary to a seizure. Coroner was notified and declined as coroner's case. VAERS notification being made due to pt death within 24 hours of receiving a vaccine.

COVID19 VACCINE	1046752-1	65-79 years	1 day	Pt was hospitalized Jan 18, 2021 after he had fallen outside overnight and lay there approximately 12 hours until he was found. Hypothermic & rhabdomyolysis diagnosis. Gradually improved w/ strength & mental status - was in swing bed @ hospital. He got his first Covid 19 shot on 2-8-21. Was fine @ 0300 on 2-9-21 and @ 0430 he was found unresponsive. Dx: probable arrhythmia & pronounced dead @ 0454. Noted on pain scale @ 2/8/21 @ 21:11, clients pain was a 7/10 They offered pain med & he refused They repositioned & distracted him @ 2047 on 2/8/21 Pain had decreased to 3/10 and nothing given. Then @ 0300 check he was sleeping and @ 0430 unresponsive.
COVID19 VACCINE	1046845-1	80+ years	1 day	Deceased 02/18/2021 with an unknown cause of death
COVID19 VACCINE	1046881-1	80+ years	1 day	Code blue called at 11:00pm. Patient had code status of Do Not Resuscitate.
COVID19 VACCINE	1047282-1	80+ years	1 day	Patient felt fine on Friday afternoon and evening after shot. Felt fine on Saturday until the afternoon when she started feeling fatigued and chilled. Decided to take a warm bath at about 6pm. Was found dead in bathtub at approximately 7pm with blisters on arms, legs, and face.
COVID19 VACCINE	1048786-1	80+ years	1 day	Was given vaccine around 1:30Pm on 2-11-2021. He and his wife waited in the building for 15 minutes and then left. he denied complaint. (He was waiting to have both Covid shots before he went to cardiologist Re: CAD.) He had an alarm going off in his house, was going to basement to check it out. Police officer heard alarm, came into house, & heard a thud when Doc fell. He was in PEA (Pulseless Electrical Activity) when brought into ER. Given 5 ""rounds of Epinephrine with no response.""
COVID19 VACCINE	1048917-1	80+ years	1 day	Resident yelling for assistance in apartment. Nursing personnel found resident on floor at 6:10 AM on 2/18/2021. Resident was transported to Hospital on 2/18/2021. Status update on 2/18/2021 from son, resident CT & X-rays were done all normal. Labs done and WBC count was elevated and awaiting results. Resident stable and admitted to hospital for observation. Resident passed away on 2.21.2021.
COVID19 VACCINE	1048947-1	80+ years	1 day	Patient experienced an episode of emesis and loss of consciousness several hours after vaccine on 2/16/21. He was taken by EMS to the hospital and was noted to be hypoxic and hypotensive. He was admitted to the hospital and subsequently intubated. He was also found to have a small bowel obstruction and a nasogastric tube was placed to decompress the bowel. He required pressor support as well. He expired on 2/17/21.
COVID19 VACCINE	1050137-1	80+ years	1 day	Pt received second Moderna Vaccination on 2/21/21 at 1:00 pm at Pharmacy. Pt present on 2/22/21 to ER via ambulance at 1940. Upon presentation C/C hypotension Post COVID vaccine. Nurse notes states that Home Health nurse sent patient to ER secondary to hypotension and hyperglycemia. Pt states back ached and was holding his head. Nurse noted pt had random petechiae over body and bruising to abdomen following injections received during recent hospitalization. (unknown hospitalization). Patient was treated with IVF bolus in addition to initiating Dopamine for hypotension, patient became agonal and daughter at bedside presented Adv. Directive, pt was DNR. Pt pronounced time of death was 2110pm. (Pt only reported a sore shoulder secondary to vaccine).

COVID19 VACCINE	1050441-1	80+ years	1 day	Vaccination and observation period successfully completed without adverse event. The patient's significant other reported neither of them were feeling well on 2/21/2021. Approximately 28 hours after vaccination, the patient was found unresponsive in the bathtub. EMS arrived within 5 minutes, resuscitation attempt was unsuccessful, CPR terminated at 1503 and the patient pronounced dead. The Medical examiner refused the case on the basis of lack of jurisdiction, and the remains were moved to a local funeral home. No autopsy was performed. This event is not thought to be related to the vaccination event or the vaccine, the death is thought to be from natural causes.
COVID19 VACCINE	1052164-1	65-79 years	1 day	911 called to patients house for trouble breathing and abdominal pain. Patient coded, wife presented DNR paperwork. Patient presented to Hospital DOA at 0958.
COVID19 VACCINE	1052172-1	50-59 years	1 day	Agency contacted 2/19 In evening by employer representative- client Died Suddenly after work""""
COVID19 VACCINE	1052273-1	65-79 years	1 day	Patient admitted to the hospital the day after receiving a COVID vaccine x 5 days. Patient passed away on 2/23/2021.
COVID19 VACCINE	1052738-1	80+ years	1 day	He vaccine on 2/5/2021 I went to see my husband the next day he was shaking and his mouth was open shaking, and he had fever of 105, they gave him Tylenol suppositories and he passed away 2 hours later. They should not have given him should not have given him the vaccine that is on hospice, it was not the right decision. I am worried about the elderly and those very sick.
COVID19 VACCINE	1052809-1	65-79 years	1 day	Patient passed away
COVID19 VACCINE	1052820-1	65-79 years	1 day	Approximately 2 weeks after the first COVID vaccine she developed shortness of breath that was much more significant than she had previously. This was the first time she had expressed this symptom to me as being something she was concerned about and difficult for her to manage (we have spoken almost daily for many years). Within 24 hours of the second dose of the mRNA vaccine, they called an ambulance to get her and she was taken to the hospital and diagnosed with bacterial pneumonia. The doctors said it was unrelated, but I found a study with a different vaccine (LAIV) that also seemed to increase the incidence of bacterial pneumonia. They hypothesized through diverting the immune system. So while I don't think the vaccine gave her the bacteria, I do think it may have caused her immune system to be temporarily compromised allowing the bacteria to grow out of control. I feel this is important to report to look for these types of patterns as perhaps it can help others avoid the death spiral that happened to my mother. There were also intervening events between her hospitalization and her death including two successful surgeries (one for a broken hip and another to put in stents in her leg). So to summarize, the first vaccine was within about 2 weeks of the onset of her breathing problems. Within 24 hours of the second vaccine she was hospitalized and diagnosed with bacterial pneumonia. As she was battling bacterial pneumonia in the hospital she broke her hip and was found to have reduced peripheral circulation and had 2 surgeries to correct those. They were successful according to the surgeons, however she died within a week or so of the surgeries. She had other comorbidities as well which I'm sure predisposed her such as diabetes, hypertension and cancer for many years.
COVID19 VACCINE	1053978-1	65-79 years	1 day	pt woke up at 0400 with fever, chills, and body aches progressing over 4 hours to the point when she became unresponsive. husband called 911, pt was declared dead at the time of EMS arrival around 1200

COVID19 VACCINE	1054160-1	30-39 years	1 day	2/12/2021 woke up with sore arm and back. 2/13/2021 woke up with headache around 1am. Headache and nausea all morning. Mid-late afternoon started having seizures. Admitted to Hospital 2/15/2021 expired. Reported per wife on 2/25/2021.
COVID19 VACCINE	1054337-1	80+ years	1 day	FOUND DEAD IN HIS OWN BED
COVID19 VACCINE	1054435-1	80+ years	1 day	Patient passed on 01/28/2021 per family member.
COVID19 VACCINE	1054699-1	80+ years	1 day	Patient was found at 6 AM on 01/21/2021 - he passed away during his sleep
COVID19 VACCINE	1055149-1	80+ years	1 day	This is a hospice patient under the care of Hospice at an affiliated nursing home. Pt received the vaccination around noon on 2-16-21 by a representative from Pharmacy. The following afternoon 2-17-21 at 14:45 the pt started to experience severe SOB resp rate 36, audible wheezing and use of respiratory accessory muscles. BP180/80, 113 pulse temp 98. Pt was given morphine and ativan. The respiratory distress was eased however pt never returned to baseline and died 2-22-21 around 4am.
COVID19 VACCINE	1055691-1	80+ years	1 day	Massive ischemic stroke with aspiration, unable to arouse on the morning of 1/21/2021 and placed on Hospice with death 1/24/2021
COVID19 VACCINE	1055819-1	80+ years	1 day	On January 1, 2021, patient was admitted to Medical Center with COVID. Tested positive on January 2, 2021. Spent 10 days in hospital. Once recovered from pneumonia and fever gone, on January 10, 2021, she was transferred to Rehabilitation Center for continued treatment. She spent 16 days there. She developed UTI and CDIF infections and was on/off oxygen. She started physical therapy. She was scheduled to be released to go home on January 27, 2021. On January 26, 2021, the day before going home, Rehabilitation Center gave her the Moderna vaccine. On January 27, the day she went home, she started feeling very weak and couldn't walk. My dad tried lifting her and they both fell to the ground. My dad called 911 and she was taken to Medical Center, with high fever and possible stroke symptoms (which later was negative). Two days later, she had difficulty breathing and was put on a ventilator. She was on a ventilator for about three days. They took it off and she slowly started recovering. The doctors did all kinds of tests (blood clot in lung, heart, etc.) and all was negative. The only thing they could trace it to was an adverse reaction to the vaccine. After spending 11 days at hospital and treating her for various infections, her heart stopped and she passed away suddenly.
COVID19 VACCINE	1057997-1	65-79 years	1 day	"Feeling Hot"" without fever and nausea 10 hours post vaccine and resolved within 1 hour. Seizure, Hypotension, Unresponsive followed shortly by cardiac arrest and pulseless electrical activity 21 hours post vaccine. Pronounced dead 22 hours post vaccine""
COVID19 VACCINE	1058447-1	40-49 years	1 day	Moderna COVID- 19 Vaccine EUA Patient was found deceased in the community near his home address on 2/24/21. The Medical Examiner's cause of death is currently listed as ""Drug Intoxication - Accidental Overdose."" Per the MEO, post mortem urine toxicology was positive for cocaine and fentanyl. His death is believed to be related to a cocaine product that was adulterated with fentanyl and is not believed to be related in any way to the Moderna COVID-19 vaccine. This was explicitly stated by the Medical Examiner's Office.""
COVID19 VACCINE	1059207-1	65-79 years	1 day	Unknown symptoms overnight. Appears patient passed away sometime after waking up next morning after receiving vaccine.
COVID19 VACCINE	1059825-1	80+ years	1 day	30 hours after the first Covid vaccination, the resident was lethargic, non responsive with shortness of breathe.

COVID19 VACCINE	1060525-1	80+ years	1 day	death Narrative: This was reported to VAERS by another entity and records were requested.
COVID19 VACCINE	1060527-1	65-79 years	1 day	loss of consciousness;febrile Narrative: Patient received his 2nd vaccine at 10am 2/17. That evening he felt subjectively febrile and then suffered a ground level fall at 0400 on 2/18. He did not lose consciousness or injure his head. EMS was contacted and assisted him into bed. At 0600, wife noted increased work of breathing, which prompted another EMS call, who found him hypoxic with fever of 106. He was transported to a community hospital, where he was found to have temp 102.9 and blood pressure in 70s-80s systolic. He was transferred to hospital at 1300 on 2/18/21, requiring norepinephrine for pressure support after fluid resuscitation. He c/o stiffness and soreness all over but presenting ROS was otherwise negative. Patient was treated with 4L IV fluids and vancomycin and piperacillin/tazobactam at the outside ER. Here at the hospital he was treated with vancomycin, piperacillin/tazobactam and levofloxacin along with IV fluids and norepinephrine. Despite this he had several fevers with Tmax 103.5F the night of 2/18-2/19 and he required norepinephrine plus vasopressin overnight to maintain blood pressure. Piperacillin/Tazobactam was discontinued in favor of meropenem. His last fever was at 6am on 2/19. ID consult was obtained 2/19/21 and vancomycin and levofloxacin were weaned off. Ultimately his blood pressure improved and he was weaned off of all vasopressors the morning of 2/20. Notably, he never developed severe hypoxemia at rest while in the ICU, but did require BiPAP non-invasive ventilation at night instead of his usual CPAP to keep his oxygen levels > 90% while sleeping and additionally had desaturations into the low 80% range with exertion from which he was slow to recover. His oxygen saturation was >90% on 30-40% FiO2 via aerosol mask overnight and 3L (his current baseline) NC during the day. He was transferred out of the ICU on 2/21 based on hemodynamic improvement, stable oxygenation, and improved mentation and symptoms. Unfortunately, on the morning of 2/22/21, patient had an abrupt change in status and was found to be unresponsive with hypercarbic respiratory failure and hypotension. ABG during this event was 7.16/121/65. BiPAP was initiated as patient's code status was DNR/DNI. CXR with no significant change from 2/18/21. CT of head without contrast was negative for acute processes. Based on lack of rapid improvement, the decision was made by wife to transition to comfort care. Patient died at 1446 on 2/22/21. **Of note: patient was admitted for 1 week for covid 19 pneumonia November 2020. During this hospitalization he was found to have chronic R sided PE, no acute PE.
COVID19 VACCINE	1060529-1	80+ years	1 day	Hypoxia, Decreased responsiveness, Narrative: 86yo male with PMHx HTN, Afib not on AC after head trauma, CVA, and colon cancer who was brought to the ED by his family on 2/17. Per documentation the pt was in his usual state of health until 2/16. Received Moderna covid vaccine #2 on 2/16/21 at 0900, and was monitored for 15 minutes following immunization no noted issues. Later that night, had myalgias and took Tylenol. Per the family he slipped on the ice and fell on his butt. Overnight, had several dark stools and vomitus. was brought to the ED by his family because he was being less responsive. Pt arrived to the emergency department in extremis. No pulse identified. CPR immediately initiated for several rounds lasting about 25-30 minutes. ROSC unable to be achieved. Patient expired on 2/17 at 1941. Of note, per previous documentation had waxing and waning mental status at baseline. No symptoms noted with 1st dose of Moderna vaccine, which was administered on 1/16/21.

COVID19 VACCINE	1061040-1	65-79 years	1 day	Text message from patient : 2.37 pm Saturday 02/20/2021 had the vaccine , waiting for 15 minutes & 2nd dose due 3/18/2021 Test message 9.44 am Sunday :feeling little sick with stomach ach No answer to phone calls on Cell/ Landline on Sunday No answer to phone call/ or text message No further communication.
COVID19 VACCINE	1061059-1	65-79 years	1 day	Do not know if patient informed her physician that she received vaccine on 1/29/2021. She had appt at 3:15 pm on 1/29 and afterwards stated she received the Moderna vaccine. Reporter is uncertain if this was at a health office or clinic. She drove herself to the ER at about 3am on 1/30/2021 with increased cramping and pain.
COVID19 VACCINE	1061077-1	80+ years	1 day	Day after second dose decedent had fever and tremors, subsided on day three (less than 72 hours) after dose with exterem wekness followed by death less than 72 hours after second dose
COVID19 VACCINE	1063758-1	60-64 years	1 day	Patient died on 2/25/21 in the AM after receiving his COVID-19 Moderna vaccine #1 at approximately 2:30P on 2/24/21. I do not have a time of death. I contacted the County Medical Examiner's office who stated that they received his body after he was determined to be deceased at the shelter. No autopsy was performed and his body was released to a funeral home on 2/26. The ME's office said that ""permit for burial/cremation is pending"" and no other information on COD was available. Per staff, he was also tested for COVID as part of shelter protocol on 2/24 and PCR was negative. He arrived to the shelter on 2/19/21.""
COVID19 VACCINE	1065507-1	80+ years	1 day	EXTREME PAIN, STOPPED EATING/DRINKING -- STARTED MORPHINE
COVID19 VACCINE	1067036-1	80+ years	1 day	Patient received dose 1 of Moderna Vaccine on 1/14/21 administered by pharmacy. Patient was hospitalized on 1/31/21 due to shortness of breath and diminished O2 sats down to 88%. Patient was in atrial fibrillation. Patient discharged from hospital on 2/25/21 to home. Patient received dose 2 of Moderna Vaccine on 2/25/21 prior to discharge from hospital. Last hospital note stated that patient was pleasant and cooperative with good motivation. Patient passed away after discharge from the hospital on 2/26/21. Patient's son called the hospital to report his passing.
COVID19 VACCINE	1068888-1	80+ years	1 day	DEATH
COVID19 VACCINE	1068963-1	80+ years	1 day	approximately 24 hours post vaccine Patient developed a low grade fever of 99.5 and had increased fatigue. 48 hours later she had decreased neurological functioning. 02/23 she had difficulty swallowing. 02/23 She was admitted to hospice services. 02/26 she passed just before 10 am.
COVID19 VACCINE	1069140-1	65-79 years	1 day	The day after the administration of the vaccine, the fever began, the patient claim that he had no blood pressure problems. He was given acetaminophen every 4 hrs. and vitamin C and D. On February 11, he was stabilized, he had his regular meals without any problem but in the afternoon his temperature rose again and they put him to bed. The patient died that same afternoon around 4:00 pm
COVID19 VACCINE	1069728-1	40-49 years	1 day	Patient Started having dizziness, feeling faint at around midnight on 3/3/2021. He then lost consciousness, had seizure-like activity and was taken to hospital via EMS. In the hospital patient was unresponsive and received resuscitation attempts unsuccessfully. Per family, after about 45 minutes, code was called and patient expired.
COVID19 VACCINE	1070562-1	65-79 years	1 day	The coroner called Dr. on 3.2.2021 to advise that he had a witnessed collapse and Mr. was taken to the ED where he was pronounced.

COVID19 VACCINE	1071129-1	Unknown	1 day	Unresponsive; A spontaneous report was received from Pfizer concerning a 43-year old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and had a sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 08 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 09 JAN 2021, the patient died. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 08 Jan 2021. The cause of death was not provided/unknown. Plans for an autopsy were unknown/not provided.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1071130-1	Unknown	1 day	Unresponsive; A spontaneous report was received from Pfizer concerning a 45-year old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and had a sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 28 Dec 2020, approximately 24 hours prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 29 Dec 2020, the patient was found deceased at home. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 29 Dec 2020. The cause of death was not provided/unknown. Plans for an autopsy were unknown/not provided.; Reporter's Comments: Very limited information regarding this event has been provided at this time.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1071135-1	Unknown	1 day	Unresponsive; A spontaneous report was received from Pfizer concerning a 56-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and had a sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 08 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 09 Jan 2021, the patient was found deceased in her home. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 09 Jan 2021. The cause of death was not provided/unknown. Plans for an autopsy were unknown/not provided.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1071139-1	Unknown	1 day	Sudden death; A spontaneous report was received from Pfizer concerning a 60-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 12 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 13 Jan 2021, the patient was found to be deceased at 3:00 am. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 13 Jan 2021. The cause of death was unknown/not reported. Plans for an autopsy were unknown/not provided. .; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death

COVID19 VACCINE	1071618-1	80+ years	1 day	Chills; headache; extreme fatigue; gas or chest pain that was thought to be gas and went away Died 4 days later
COVID19 VACCINE	1072156-1	65-79 years	1 day	Vaccine manufacturer and lot number unknown, vaccine given at alternate location. 2/23/21 8:27 PM: The patient is a 68-year-old male comes to the emergency department by paramedic ambulance for altered mental status that, began at around noon in association fever temp 102.9. PMH of myelofibrosis (on Jakafi and hydroxychloroquine), depression, anxiety, OSA, and history of AVR. Given history of myelodysplasia and Jak inhibitor predisposing to some opportunistic infections most notably viral reactivation with history of HSV and possible bacterial endocarditis he was admitted to the ICU for further monitoring and pressors. Patient has a MOS procedure 14 days prior - Status post MOSs procedure with large wound deficit on forehead -- Does not appear to be overtly infected at the time of admission. ED physician indicated mild facial cellulitis. 2/23/21- WBC 16.1 on admission. ECHO 2/26 indicated - no vegetation visualized. Of note second COVID vaccine 2 days prior to admission. Dr. felt incident was possible cardiogenic shock secondary to COVID vaccine. He did not feel the patient has a source of infection upon admission. Questionable given wounds on forehead Dr. (CMO) review of case- his impression was septic shock with and underlying case of chronic cardiac compromise making the hemodynamics worse
COVID19 VACCINE	1074067-1	65-79 years	1 day	Patient received Moderna COVID-19 vaccine on 2/25/2021. Patient found dead by family the morning of 2/26/2021. Family requested an autopsy.
COVID19 VACCINE	1074361-1	80+ years	1 day	General malaise, acetaminophen was given every 6 to 8 hours
COVID19 VACCINE	1074401-1	80+ years	1 day	General malaise, acetaminophen was gives every 6 to 8 hours
COVID19 VACCINE	1074599-1	Unknown	1 day	Death; A spontaneous report was received from a other health care professional concerning a 57-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and died. The patient's medical history included chronic obstructive pulmonary disease (COPD). Concomitant product use was not provided. On 02 Feb 2021, prior to onset of the events, the patient received his first of two planned doses of mRNA-1273 (Lot number: 043L20A) in the left arm for prophylaxis of Covid-19 infection. 03 Feb 2021, it was reported that the patient died. The patient was not experiencing any symptoms prior to death. He was on hospice care, not hospitalized. No further information was provided. Treatment information was unknown. The cause of death was not reported. Plans for an autopsy were unknown. Action taken with the mRNA-1273 in response to the event was not applicable.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown
COVID19 VACCINE	1074784-1	80+ years	1 day	Nurse called clients' son to remind her of the second dose needed and was informed that client had passed away from Pneumonia the Sunday after she received the vaccine 1/17/2021.
COVID19 VACCINE	1074955-1	80+ years	1 day	at midnight client got up to go to the bathroom. His legs became weak and he fell and hit his head on the wall. He called for his wife and said he didn't feel right. He denied any pain. She called EMSA and he stopped breathing while she was waiting on them. She gave him CPR with instructions from the dispatcher. He was pronounced dead at 1:30am. She has tried to call the clinic 3 times and left messages and no one has called her back, Her PCP told her this needed to be reported .
COVID19 VACCINE	1075296-1	65-79 years	1 day	Patient was found dead this morning.
COVID19 VACCINE	1075363-1	65-79 years	1 day	Death due to Moderna 2nd dose, pulmonary thromboembolism

COVID19 VACCINE	1075388-1	80+ years	1 day	The day after the shot she developed fever for 2 days as high as 101. She developed a pruritic burning rash to posterior right leg extending down the lateral lower leg. She had fatigue and myalgias. Diagnosed with shingles on 2/23. and informed to not receive the 2nd vaccine. She presented to the Emergency room on 2/27 with fatigue, numbness right side of the face, no reports of shortness of breath or chest pain. Ambulated in to ER. After her work up she was discharged home - she present back to the ER within 30 minutes. PTA arrival at the ER for the 2nd time - she complained of left neck and arm pain - then went unconscious. She arrived to the ER in full arrest - pronounced deceased after resuscitation efforts were not effective
COVID19 VACCINE	1075608-1	65-79 years	1 day	Patient waited 15 mins after covid vaccination on Wednesday 3/3, cleared by EMT to leave. I was notified by nurse at the senior building where patient resides that she had expired Thursday evening at home. Paramedics were called. No other additional information.
COVID19 VACCINE	1075725-1	80+ years	1 day	Resident started have chest pain on 3/02 and on 03/03 he was lethargic and wasn't eating or drinking Resident was on Hospice
COVID19 VACCINE	1077275-1	80+ years	1 day	At about 11:00 am which was about 22 hours after receiving 2nd dose of Moderna patient exhibited difficulty breathing and soon breathing became more difficult to point where her shoulders were lifting to breathe. At 6:45 pm she passed away.
COVID19 VACCINE	1079251-1	65-79 years	1 day	Patient died the day after she received her vaccine
COVID19 VACCINE	1079958-1	65-79 years	1 day	Pt found down and pulseless in home by husband. EMS called, Pt found to be in PEA arrest. Pt achieved ROSC with CPR and Epinephrin. Pt Passed away on 09/07/2021 at 1330. Pt was in multisystem organ failure.
COVID19 VACCINE	1080424-1	80+ years	1 day	Narrative: above in section ""Other relevant history""
COVID19 VACCINE	1080427-1	80+ years	1 day	Narrative: above in section ""Other relevant history""
COVID19 VACCINE	1080429-1	80+ years	1 day	DEATH Narrative: no documentation regarding any immediate reaction after vaccine administration. 83 y.o. male with pmh severe pulmonary hypertension, s/p TAVR last year, severe asbestos related lung disease on chronic oxygen, recently started on palliative care. Was found by daughter deceased on the morning of 2/11/2021. Autopsy declined by family.

COVID19 VACCINE	1080431-1	65-79 years	1 day	<p>Narrative: 67 year-old male received his 1st COVID vaccine dose at a clinic on 2/25/21 at ~ 11:45am. No known prior COVID infection. No history of vaccine allergies or allergies to any component of the COVID vaccine. Does have history of allergic reactions including hives, angioedema or anaphylaxis to some medications (neomycin, Neosporin, bacitracin) and environmental allergens (yellow jackets, fir trees). Patient reported previously daily use of diphenhydramine (2 caps every morning) and kept an epi-pen on hand. The afternoon of 2/26/21, patient presented to his neighbor's house requesting assistance with an epi-pen. Neighbor reported significant swelling around tongue and lips, and ability to faintly speak. Neighbor administered epi-pen, but unsure if it worked, so administered a 2nd epi-pen. Within a minute or two after the 2nd dose, patient slumped over and became non-responsive. EMS was called and neighbor began CPR. EMS reported that patient was non-responsive upon arrival. A King airway was placed and a Lucas device used for chest compressions. Three rounds of epinephrine were administered during transport to the local emergency room. Patient remained unresponsive with evidence of PEA during transport. Arrival at the ER occurred ~ 4:25pm. On arrival patient noted to be unresponsive with CPR in progress. Dose of epinephrine administered ~ 3 minutes after arrival in ER. No femoral pulse palpable, cardiac monitor did show some electrical activity. Evaluation of oral cavity showed significant swelling of tongue. Additional dose of epinephrine given. Patient remained with no palpable central pulse and showed continued evidence of PEA. Patient was estimated to have been down &gt; 45 minutes. Patient pronounced deceased at 4:59pm.</p>
COVID19 VACCINE	1081009-1	80+ years	1 day	<p>there were no signs of adverse reaction at the time of injections and she waited 15 minutes at the site to watch for side effects. and none were evident or reported. We were notified that she passed away on Saturday, March 6.</p>
COVID19 VACCINE	1081305-1	50-59 years	1 day	<p>Sudden death approximately 24 hours after receiving 2nd COVID vaccine - symptoms unknown - autopsy revealed cardiac disease as the cause of death</p>
COVID19 VACCINE	1082717-1	80+ years	1 day	<p>Patient dropped dead 24 hours after receiving the vaccine. The vaccine killed her. She received the vaccine 2/16/2021 and died 2/17/2021</p>
COVID19 VACCINE	1082850-1	65-79 years	1 day	<p>pt became nauseated and vomiting 1 day after getting vaccine, reported on Mon 2/22/21 but states was getting better, received call from sister on 2/25/21 that pt could not get out of bed on own - was sent to ER at that time</p>

COVID19 VACCINE	1083728-1	65-79 years	1 day	Dead on the bed with his legs dangling off one side of the bed; Complained about an upset stomach; A spontaneous report was received from a nurse concerning a 70-year-old, male patient, who received Moderna's COVID-19 Vaccine (mRNA-1273). The patient's medical history included hypertension and diabetes. No concomitant medications were provided. On 20 Feb 2021, Saturday, the patient received their dose of mRNA-1273 (Batch Number: Unknown) for prophylaxis of COVID-19 infection. On 21 Feb 2021, Sunday 9:36 AM the patient's experienced an upset stomach and attributed it to dinner last night and later on 22 Feb 2021, Monday he was found dead on the bed with his legs dangling off one side of the bed. The cause of death was unknown. Treatment information for event upset stomach included half a spoon of an Indian thing. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the event upset stomach was fatal and patient died on 21 Feb 2021.; Reporter's Comments: This is a 70-year-old, male patient, who received Moderna's COVID-19 vaccine and history of risk factors for CAD such as hypertension and diabetes, was found dead 2 days after vaccination. Very limited information regarding this events has been provided at this time. Further information has been requested; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1084793-1	60-64 years	1 day	Hypotension in the 70s/40s despite IV fluid replenishment. Per our MD DC/transfer note: PEG displacement, ongoing sepsis, hypoglycemia. Assess for other reason for hypotension including sepsis, cardiogenic shock, acute abdominal processes. patient was transferred to the Hospital ER where she expired
COVID19 VACCINE	1085032-1	50-59 years	1 day	Patient received dose #2 of her Moderna COVID vaccine on 2/25/21. Patient called in to work the next day 2/26/21 because she was not feeling well. Patient did not show up to work on Monday 3/1/21 and her supervisor, called the PD to check in on her and she was found deceased in her home.
COVID19 VACCINE	1086206-1	80+ years	1 day	Four days of feeling sick with aches, pains, upset stomach. On day 2 he was so sick he thought he would die. Sudden death on day 7.
COVID19 VACCINE	1088328-1	80+ years	1 day	The caregivers in their rounds indicates that resident was well, ate his meals and her vitals were taken. In their next 7:30 pm rounds they find that the resident was not breathing. Home physician certifies death as Congestive Heart Failure.
COVID19 VACCINE	1088615-1	50-59 years	1 day	Death within 30 days of vaccination, vaccinated on 3/5/2021 pronounced dead on 3/6/2021. Unknown if any side effects from vaccine. No ER visit found at local hospital.
COVID19 VACCINE	1089349-1	60-64 years	1 day	Patient had an adverse reaction to her first shot, unreported, mostly local to the injection. For this 2nd dose, she was not feeling well the day after the shot, but was at work. She did not show up for work on Friday and was found dead. Time of death was undetermined. She lived alone. An autopsy was not performed.
COVID19 VACCINE	1090464-1	65-79 years	1 day	Feb. 10: Moderna Vaccination #1 Administered (arm) Feb. 11-Feb. 19: Developed a cough which worsened, weakness, confusion, could not follow instruction, fell, no appetite, fever of 102.8 on Feb. 19, no taste Feb. 20: Emergency Room with diagnosis of Covid pneumonia. Given usual Covid treatment. Became very confused, combative, etc. Feb. 21: Placed on ventilator Mar. 1: Ventilator removed. Patient expired.

COVID19 VACCINE	1091439-1	65-79 years	1 day	fell/passed out (unknown) at home, taken by ambulance to local hospital, small bleed noted on CT scan, transferred to tertiary care center, f/u scan after 6 hours unchanged. Sent home. next morning unresponsive, transported back to tertiary care center. required ventilation en route.. massive cerebral hemorrhage noted on CT scan in different area. due to advanced dementia and unresponsiveness life support removed around 9pm that night. passed away at 9am on 3/1.
COVID19 VACCINE	1091753-1	65-79 years	1 day	observed for 15 min after both vaccines and no reported issues after vaccination. Patient did expire 2/25/2021 but cause of death unknown.
COVID19 VACCINE	1092483-1	65-79 years	1 day	Both patient and spouse we given their Moderna prime dose on 2-10-21. Both patient and spouse agreed to observe the post vaccination waiting period and reported no concerns. On 3-10-2021, they returned for their boost dose at 12:30 PM. Prior to administration of their second dose, they reported only mild headache and fatigue that presented approximately 12 hours after their first dose was administered. Once again, spouse and patient observed the post vaccination waiting period and reported no issues. On 3-11-21, I was notified that patient had passed away at home. In speaking to spouse, he stated that they both went to bed that evening with with a mild headache and fatigue. Spouse stated that he woke up early that morning with a more pronounced headache and had difficulty sleeping. He noted that at approximately 5:18 AM patient seemed to breathing heavily and may have gasped a bit. He checked on her again around 6:40 and determined that she had passed away. He contacted EMS and the technician confirmed that she had passed away. Spouse reports that the state will perform and autopsy in the next few days at the direction of Medical staff.
COVID19 VACCINE	1092485-1	65-79 years	1 day	Patient felt generally unwell, tired and unable to walk well. Said his feet felt numb. He could not get up and slid to the floor. He did not have the core strength to even help him sit up. Sometime after he was assisted back on the couch around 4:30 am he must of got back up and attempted to go to restroom because he was found on the floor with his arm and face resting on the love seat which looked as if he was trying to pull himself up. His wife found him in the morning around 11:00 am and he had been died for some time according to EMS. His death was unexpected. Even when contacting his doctors they were confused as to why he had passed away. No autopsy was done but as of this moment he has not been cremated yet and is at Funeral Home.
COVID19 VACCINE	1092651-1	65-79 years	1 day	DEATH
COVID19 VACCINE	1092653-1	80+ years	1 day	Patient received the vaccine on the evening of 03-09-2021. R.N. states she was ""fine "" at 440 AM bed check. At 0830 03-10-2021 patient was found slumped over on her bathroom toilet having expired sometime between 440AM and 830 AM""
COVID19 VACCINE	1092941-1	80+ years	1 day	Extreme fatigue, shortness of breath. Stopped eating within 2 days, stopped fluid intake 3 days later. Family notified on March 3. ery little fluid intake until Sun, when fluid intake stopped as well. Death occurred on mon, Feb 8 2021.
COVID19 VACCINE	1093986-1	40-49 years	1 day	Received a phone call stating that the patient complained of not feeling well on 3/11/21 while at work and that the patient died that night while at home.
COVID19 VACCINE	1094102-1	50-59 years	1 day	NO ADVERSE EVENT NOTICE RECEIVED ON DATE OF VACCINE. RECEIVED NOTICE FROM CORONOER THAT THIS PATIENT EXPIRED 2/28/2021. COLLECTED URINE, BLOOD, AND TOXICOLOGY SCREEN. NOT SENT TO HOSPITAL. SENT TO FUNERAL HOME

COVID19 VACCINE	1094165-1	65-79 years	1 day	Patient received her first dose of the Moderna Covid vaccine at the Health unit on 03/10/21. Her family states she began experiencing nausea and vomiting last night (03/11/2021) and then started having chest pain at around midnight. This morning (03/12/2021) she was still experiencing vomiting and chest pain. She collapsed at approximately 07:30 and her family initiated CPR and EMS was called. She was brought the Hospital via Ambulance at 08:18 in cardiac arrest. The emergency department was unable to resuscitate her and she was pronounced dead.
COVID19 VACCINE	1095238-1	65-79 years	1 day	Patient at the time of vaccination on 3-8-21 has having issues with shortness of breath and edema consistent with congestive heart failure, the following day on 3-9-21, he was having more issues with shortness of breath, tachycardia, low O2 saturation. He was given meds in the clinic and monitored until he was feeling better with increased O2 sats. He was found unresponsive on his housing unit one hour later and failed to respond to resuscitation efforts and was pronounced expired at 1047.
COVID19 VACCINE	1095300-1	50-59 years	1 day	According to Medical Center's report, patient was brought to ED deceased upon arrival via EMS on 03/12/2021 at 8:57am. Patient had been seen on 3/11/2021 at same ED complaining of a heavy type of chest pain in the mid chest, also noting body aches, headache, and nausea.
COVID19 VACCINE	1095666-1	65-79 years	1 day	Patient received his 2nd dose of Moderna COVID-19 vaccine yesterday. He was found dead at his home today. After speaking with the County Coroner, an autopsy is not planned. Patient had COPD, Type II Diabetes, cardiovascular disease, and a pacemaker. The coroner does not believe vaccination was contributory to his death.
COVID19 VACCINE	1096497-1	40-49 years	1 day	Notified by police department that patient was found dead at his home on 3/12/21. Per the officer, the family reports patient reported diarrhea on 3/11/21 and fatigue on 3/12/21. The family found him in his home deceased later in the day on 3/12/21
COVID19 VACCINE	1102244-1	65-79 years	1 day	Patient expired on 02/26/2021 from a Myocardial Infarction
COVID19 VACCINE	1103055-1	65-79 years	1 day	Patient wife called on 3/11/21 to state that she would like us to cancel her husband second dose appointment for his COVID-19 Moderna vaccine. Wife stated that 24 hours after receiving vaccine patient died. Hospital told patient wife that it could be due to receiving COVID-19 vaccine. Unable to get anymore pertinent information from patient representative.
COVID19 VACCINE	1103347-1	80+ years	1 day	At 2 PM Friday, March 12, patient was cleaning house and began speaking incoherently. Due to the aphasia, her daughter called 911. The ambulance delivered her to Hospital by 2:20. She presented with a brain hemorrhage. Hospital called for medivac which took her to another Hospital. The bleeding continued and the docs ruled out surgery. They were unable to slow the bleed. Patient was put on a ventilator shortly after arriving at hospital. Patient passed at 6:55 PM March 13.
COVID19 VACCINE	1104252-1	80+ years	1 day	Death Narrative: On 2/12/21, patient was hospitalized at Medical Center with ""leaking and swollen legs."" Patient was transferred to hospital 2/13/21 for a vascular surgeon consult, where patient was diagnosed with lower extremity ischemia and acute diastolic heart failure. A bilateral, common endarterectomy with bovine angioplasty and bilateral iliac stent placement was performed on 2/17/21. Patient was discharged to a skilled nursing facility on 2/26/21. Patient had received first covid vaccination on 1/29/21. He was due to receive his second dose on 2/26/21, however, the appointment was moved to 3/10/21 since patient was hospitalized. Patient received his second dose on 3/10/21. Patient was hospitalized again (reason for hospitalization unknown) where he passed away 3/11/21 at hospital.""

COVID19 VACCINE	1104337-1	80+ years	1 day	On 3/23 at 0730 resident non responsive with saliva foaming from mouth. BS 500. All vitals initially Ok then sats dropped to 75. (11 was called immediately upon finding resident. Taken to hospital. Completed course there and later on to rehab. She expired 3/11/2021
COVID19 VACCINE	1104364-1	65-79 years	1 day	Death within 24 hours of receiving vaccine
COVID19 VACCINE	1104699-1	80+ years	1 day	Patient had been admitted to hospice care on 11/3/20. He reportedly declined in health and died 2/12/21.
COVID19 VACCINE	1106667-1	65-79 years	1 day	Information here obtained from daughter: on Thursday patient had an uneventful fistulagram with angioplasty. Patient got vaccine at end of usual Friday am dialysis treatment. He was observed for about 30"" and no untoward event noted, vitals usual. At home on Saturday morning, seemed not quite himself by wife as reported by daughter, from whom i got his information. He gets up late as hemodialysis starts at 515 am. No reported problems on Friday. On Saturday morning, he seemed not himself but sat down and ate breakfast around 9 am. On getting up from table he got suddenly weak, his head rolled back and his eyes rolled up. 911 called and he was given resuscitation efforts of unknown duration which were unsuccessful. He was pronounced dead at 11 am and the mortuary was called. No premortem labs, et al.""
COVID19 VACCINE	1108261-1	80+ years	1 day	death Narrative: Patient received 1st dose of Moderna COVID-19 vaccine on 03/08/2021. Patient died 03/09/2021. Medical examiner received report that patient was alert before a fall on the night of 03/08/2021. Death certificate will report death likely due to arrhythmia due to underlying CHF. Contributing factors include diabetes.
COVID19 VACCINE	1108365-1	65-79 years	1 day	She had breathing problems, bowel movement problems, sharp pain -site unknown No appetite and nausea. Went to the Doctor on wednesday and they gave her a prescription for nausea (promethazine) 12.5mg She Passed away 03/12/2021 at 8:54pm waiting to be picked up by a friend that was going to take her to the emergency room/hospital.
COVID19 VACCINE	1108588-1	80+ years	1 day	After vaccine (2nd dose) on 3/04, patient resumed normal activities, running errands, etc. In the evening of 3/05, patient complained of extremely sore arms (not alleviated by painkillers) and nausea. Additionally, patient felt extremely cold. She went to bed early, at 7:00 pm, and was found dead the next morning 3/06 at 7:30 am. She had vomited. The coroner (not a medical examiner) declared cause of death as 1) cardiac arrest 2) hypertension and 3)hypercholesterolemia, based solely on medical records. There was no autopsy. Due to or despite medications, patient's blood pressure readings were typically low (last one 118/70), pulse normal (89), BMI 25.29, cholesterol levels normal (166/LDL 82), blood sugar 95.
COVID19 VACCINE	1108609-1	65-79 years	1 day	Patient was found unresponsive the morning of March 14, 2021. She was pronounced dead at 5:33 AM. The medical examiner quoted natural cause of death.
COVID19 VACCINE	1108623-1	65-79 years	1 day	Fatigue, Body aches, loss of appetite, 100 degree fever for a short time. indigestion, nausea for about 3 days Fatal Heart attack 2/28/2021
COVID19 VACCINE	1110388-1	60-64 years	1 day	On 2/1/2021 they performed CBC, the result was aseptic bacteria so it came out and she was taken to the hospital. They removed the tube in the hospital, (she remained in the hospital) First she was hospitalized and then she was transferred to the Medical Center Hospital to auscultate bleeding in the stool and to be evaluated by the Gastroenterologist. This specialist performs the necessary studies, they do not give a diagnosis and in the process she dies. The hospital indicated that she had a blood drain and heart failure.

COVID19 VACCINE	1111683-1	65-79 years	1 day	Patient's niece reported that the patient's arm became sore, had stomach upset, fever the day after the vaccine. The following day the patient died.
COVID19 VACCINE	1111924-1	65-79 years	1 day	Patient found demised at home on 3/17/2021
COVID19 VACCINE	1112123-1	65-79 years	1 day	This patient was on hospice, we are reporting this to VAERS at the Medical Directors request d/t patient's death within 48 hours of the second dose vaccine. The death occurred the morning following his second dose of the Moderna COVID-19 Vaccination, vaccine received on 03/11/21 and patient date of death 03/12/21 at 9:41 am. This was a hospice patient with a terminal dx of CKD. This is being reported at the request of the Medical Director for the hospice team, d/t the patient's death occurred within 48 hours of receiving the second dose of this vaccine. The nurse case manager stated the pt was declining as they were on hospice for a terminal condition and had co-morbidities, Pt did show more decline after receiving COVID-19 vaccination and patient passed away within 48 hours of receiving second vaccination dose.
COVID19 VACCINE	1112264-1	80+ years	1 day	death
COVID19 VACCINE	1112370-1	65-79 years	1 day	The patient got the Moderna vaccine on 3/2/2021. On 3/3/2021 he suffered a dissection of the ascending thoracic aorta and died.
COVID19 VACCINE	1112773-1	50-59 years	1 day	Moderna #1 vaccine given at 130pm March 11th 2021. Pt had history of asthma and frequent nebulizer use and had it in car with her for drive-thru vaccine clinic we did at location, which has a large parking lot. We gave 80 doses. Pt checked off anaphylaxis on the intake form so Dr spoke to her and she changed it to no history of anaphylaxis and only has history of asthma. So we gave her the vaccine. About 5 minutes later in car parking lot she started to use her personal nebulizer. I saw her in passenger side of car using a personal nebulizer so I talked to her and her daughter to find out what was going on. They said she has exacerbations all the time and this was not out of ordinary for her. I checked pulse ox and did a lung exam, etc, and she was stable. She seemed baseline according to history by her and her daughter. As she seemed at baseline and clinically was comfortable and conversant whole time, and she felt better after her nebulizer, I told them to have a low threshold for going to ER or calling 911 if her asthma was worse or different than her usual symptoms. They agreed. According to daughter, she did well until about 24 hours the next day. The daughter said she was fine and she went to store and when she returned EMTs were intubating patient and apparently the patient used her epipen and called 911 herself. Approximate time of expiration was 230pm on March12th 2021.
COVID19 VACCINE	1113563-1	65-79 years	1 day	2/25/21 - sore arm, profound fatigue 2/26/21 - chills, fatigue, runny nose (cold-like sx) 2/27/21 - dry throat 3/02/21 - lost voice 3/03/21 - 3/04/21 - chest congestion, difficulty breathing, sounded like water in lungs 3/05/21 - became pale, eyes rolled back, shaking, immobile, caregiver called ambulance, taken to Hospital ER 3/06/21 - death, Hospital dx him with ""pneumonia"" but I believe that hospital medical staff were unaware of his sx following the COVID vaccine #2 shot.""
COVID19 VACCINE	1114496-1	65-79 years	1 day	Impaired emotional state, the abdomen began to inflate, 8/2/2021 is taken by ambulance to the hospital where corresponding studies were carried out. He was having complications from cirrhosis. Then you are discharged on the same day 8/2/2021. On 2/18/2021 he was complaining of generalized pain, they call hospice to be evaluated, caregivers when they proceed to take vitals he was without vital signs.

COVID19 VACCINE	1114822-1	50-59 years	1 day	Diagnosed with COVID (confirmed with a positive COVID test) the say after her vaccine. Eventually died from complications of COVID. Because vaccine was administered prior to her illness, I am putting this in the VAERS system. Symptoms included SOB, coughing, muscle aches. headache, fever.
COVID19 VACCINE	1115348-1	Unknown	1 day	death; A spontaneous report was received from a HCP concerning about a 86 years old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and died. The patient's medical history was not reported. Concomitant medications were not reported. On 05 Mar 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number: 026A21A) via intramuscular in left deltoid for prophylaxis of COVID-19 infection. On 06 Mar 2021 the patient died next day after vaccination, who left quite well after vaccination from the facility, the reason for death is not known. Treatment information was not provided. Action taken with mRNA-1273 in response to the event is not applicable. The outcomes of all the event is not applicable.; Reporter's Comments: This is a case of death in a 86 years old female patient, with unknown past medical hx or current co morbid conditions and concomitant medications, who died one day after receiving first dose of vaccine. Very limited information has been provided at this time.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1116407-1	50-59 years	1 day	Patient got sick over the weekend. Went to facility on 03/02/2021 and then passed on 03/18/2021
COVID19 VACCINE	1117316-1	65-79 years	1 day	Sister in law called on 3-19-2021 to report that had died a day after receiving his Moderna vaccine. She stated he was found in his driveway and was unable to be resuscitated after being rushed to the hospital.
COVID19 VACCINE	1120756-1	65-79 years	1 day	On Friday night, 3/19/21, patient spiked a fever, had shortness of breath, and had blood coming out of his nose and mouth per patient's daughter-in law. 9-1-1 was called, paramedics arrived at the home at 5AM on Saturday, 3/20/21 per patient's daughter. Patient died.
COVID19 VACCINE	1120816-1	65-79 years	1 day	Death. No autopsy performed.
COVID19 VACCINE	1122640-1	50-59 years	1 day	Death 3/11/21
COVID19 VACCINE	1123847-1	50-59 years	1 day	Patient had no reactions to first vaccine post dialysis. The morning after the patient received the vaccine, patient expired at home. Police stated that the death was vaccine related.
COVID19 VACCINE	1123977-1	80+ years	1 day	Not even 20 hrs after she received the vaccine she couldn't breathe, she's been fine nothing wrong at all. 7am she was awake sitting up in bed doing crosswords told her great granddaughter to have a good day at work and would see her shortly . 739 I walked out the room to take my kid to work was gone till 751 not even 12 minutes and I came in and my gram couldn't breathe was yelling for me saying she couldn't breathe. It sounded like my gram had come over with upper respiratory problems in a matter of 10 minutes she was gasping for air called 911 spoke to operator my gram was talking saying she couldn't breathe she was trying to breathe, my grams last words were if they don't hurry I'm going to die I'm 100% sure my gram was dead in my arms before EMS arrived. Yes she was 95 but she is a healthy lady have had no issues of health problems lately. We've done everything to keep her save from the virus and then she gets her 2nd moderna shot and she's dead 20 hrs later there's a huge problem old age or not

COVID19 VACCINE	1124577-1	65-79 years	1 day	My father received the first Covid shot 3/2; he woke up 3/3 with severe body aches and weakness, which we thought nothing of. However, every day, he got weaker and weaker. He has been treated for Liver cancer, he received his first infusion of Opdivo almost 4 weeks before the vaccination. About 7 days after the shot, he was having trouble swallowing so he went to the ER to get a CT scan. He was found to have greatly elevated troponins, the DR was baffled he wasn't having any chest pain; they were apparently not trending either., he has never had a heart attack or any other heart problems, takes Nadolol for high blood pressure. The CT scan showed significant growth of his tumors which had been stable for a year and the last CT scan was the end of January; liver enzymes were also significantly elevated whereas they were stable before. My father deteriorated rapidly, and died on 3/18/21. The day he got the shot just prior, he was hauling wood, shoveling snow and living a normal life feeling good. The day after the shot he could barely get out of bed he was so weak, until he finally died 16 days later.
COVID19 VACCINE	1124826-1	80+ years	1 day	Patient had a mini stroke (TIA) approximately 14 hours after the 1st Moderna COVID vaccine which is when the doctors put him on Plavix, the blood thinner and an aspirin. The patient had a massive stroke with brain hemorrhage within 24 hours of the 2nd Moderna COVID vaccine which resulted in his death.
COVID19 VACCINE	1125778-1	60-64 years	1 day	3/20/21 06:22 pm Resident c/o Nausea and feeling full- Tube feeding placed on Hold- Resident started vomiting- Zofran 4 mg given- Positive outcomes. 03/21/2021- 0430 Resident found unresponsive on morning rounds- w/ weak pulse, shallow breathing. O2 via NC increased to 5 L, NP, Family ( Code Status DNR)- Power of attorney ordered to send out- MR notified- Upon arrival no rhythm detected- Death pronounced at 0445
COVID19 VACCINE	1125936-1	80+ years	1 day	3-21-21 at 5:35am - Intermittent coughing during HS. Afebrile. Upper lung fields noted congestion; clearing when coughing/turned repositioned per staff, Afebrile. 3-21-21 at 9:30am - In residents room repositioning him, resident vomited tube feeding. Turned him on his side and swept out his mouth. Tube feeding pump turned off. Breathing became labored. Second nurse placed non-rebreather mask on him. Called 911 to take resident to hospital. 3-21-21 9:45am EMS now at bedside. Pulse palpable, Cheyne Stokes respirations. O2 on per non-rebreather mask. EMS assessed resident- now in VT/VF CPR initiated. Code cart placed outside of door. 3-21-21 10:00am Resident transferred out to Rig with an organized heart rhythm. Dr. ( on call for Dr.) notified of event and transport to hospital.
COVID19 VACCINE	1126639-1	65-79 years	1 day	@ 6:50 pm- Resident lying in bed with signs of apnea also has o2 in progress per Nasal cannula. Call bell in reach. v/s 53/20, 12, 101.5, o2 is 92%. Family choice not to send out to hospital bc resident had HX of periods of apnea @ 9:30 pm- resident had no means of life, vitals wasnt reading at this time.
COVID19 VACCINE	1126721-1	65-79 years	1 day	Patient experienced severe vomiting and fatigue 24 hours after receiving vaccine. This occurred throughout 48 hours after and patient was found d/c on 03/20/2021.
COVID19 VACCINE	1126810-1	80+ years	1 day	Patient suffered AMI within 24 hours after dose was administered.
COVID19 VACCINE	1126882-1	65-79 years	1 day	Patient's wife states that he reported a bad headache about 3 hours after vaccination, that had improved by the next morning. The afternoon of 1/27/21, within 24 hours of receiving the vaccine, patient suffered from a stroke.

COVID19 VACCINE	1127080-1	65-79 years	1 day	He developed very labored breathing on Tuesday night. By Wednesday morning , upon waking it was severely worse. I would have taken him to the ER had I been home. When I returned home around 11am, he was having a very hard time breathing. I got him a rescue inhaler to use. He had a dailysis treatment that day, during the treatment they kept him on oxygen. I called Dr office to inform them, they ordered a new inhaler and told me if the symptoms did not decrease by 72 hours to inform them. His breathing did get somewhat better but he did not have his enegy levels that he had previously or his appeatite. 12 days after his 2nd dose of the Moderna vaccine he went into cardiac arrest in the home with myself and husband present.
COVID19 VACCINE	1127245-1	65-79 years	1 day	Vaccine given Dec 27th 2020, patient couldn't swallow eat or drink the next day, patients family notified Dec 29th 2020 and patient passed away on Dec 30, 2020 at 1 pm EST.
COVID19 VACCINE	1127847-1	65-79 years	1 day	Participant felt flushed, feverish, fatigued with general aches and dry cough over the weekend after receiving injection, took acetaminophen and cough syrup on Monday. He became short of breath on 1/20/2021 and was hypoxic on oximeter check, was sent to the ER. He was intubated in ER and went into respiratory failure with sepsis due to COVID19. He was treated with tocilizumab, became paralyzed and DVT in left lower extremity was found. HE required pressors and diuresis, he developed AKI and hyperkalemia. On 2/21 he was in multi-organ failure. His level of cognition decreased until he was no longer responsive and he died on 2/24/2021.
COVID19 VACCINE	1128052-1	80+ years	1 day	Chest pain; felt really bad; Death; Vomited that night; Sore arm and pain in both arms; A spontaneous report was received from a consumer concerning a 83-years-old, male patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced sore arm and pain in both arm /pain in extremity, felt really bad/feeling abnormal, chest pain and the patient died. The patient's medical history was not provided. No relevant concomitant medications were reported. On 03 Mar 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 04 Mar 2021, patient experienced sore arm and felt bad. The patient vomited that night. On an unknown date patient reported chest pain and pain in both arms. On 05 Mar 2021, at 12:46pm the patient died. Action taken with mRNA-1273 in response to the event was not applicable. The patient died on 05 Mar 2021. The cause of death was reported as unknown. Plans for an autopsy were unknown.; Reporter's Comments: This is a case of death in an 83-year-old male subject with unknown medical history, who died 2 days after receiving first dose of vaccine. Very limited information has been provided at this time. No follow up is possible.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1130616-1	40-49 years	1 day	Community partner reported that they found her unresponsive on the 17th (so she may have died on the 16th) from what they believe was a heart attack. The family has requested an autopsy.
COVID19 VACCINE	1132159-1	65-79 years	1 day	Death, adverse event occurred outside of the hospital and outside of observation window. Event was reported via employee to hospital.
COVID19 VACCINE	1134432-1	60-64 years	1 day	Pt went unresponsive at home per wife, was transported to hospital by EMS and died after getting to the hospital. This is not a suspected allergic reaction to the COVID Moderna vaccine at this time.

COVID19 VACCINE	1135281-1	Unknown	1 day	Passed away; A spontaneous report was received from a Healthcare Professional concerning a 57-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and passed away/death. The patient's medical history was not provided. However, the patient had some serious chronic health condition. No relevant concomitant medications were reported. On 21 Jan 2021, prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 (lot/batch: LOT: 011L20A Exp: 03July2021) intramuscularly in the left deltoid for prophylaxis of COVID-19 infection. He did not experience any symptoms right away and nothing within the next 15 mins under observation. On 22 Jan 2021, the patient passed away. Treatment details was not reported. Action taken with mRNA-1273 in response to the event passed away, was not applicable. On 22 Jan 2021, the patient died. It was unknown if an autopsy was performed.; Reporter's Comments: Very limited information regarding the event of death has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Passed away
COVID19 VACCINE	1136862-1	65-79 years	1 day	Had his vaccine, he had some reaction but not aware of what it was. On 3/20/21 they found him slumped over the toilet where he had died. His brother had spoken with him the day before and was supposed to see him on Saturday. Brother is not aware if he had taken anything for his symptoms, probably just took some Tylenol.
COVID19 VACCINE	1139653-1	65-79 years	1 day	Patient reported to hospital ER department the day following second vaccination. Patients issues at ER was: breathing difficulty, Respiratory arrest, Cardiac arrest, aspiration vomit. The patient died while in ER. It should be noted patient had been on hospice prior to vaccination.
COVID19 VACCINE	1140864-1	80+ years	1 day	My mom received her second covid shot at 10:05 AM on 3/26 and experienced no adverse symptoms. At around 6 am the following day, on the morning of 3/27 she was found on the floor, and presumably suffered from a heart attack. After devastation to our family, we called her physician and he himself was also surprised. Although she is a type 2 diabetic with high blood pressure she has maintained great health and kept her conditions under control with her medications. This, unfortunately, seems too coincidental to not have been in some way or completely caused by the second dose of the shot.
COVID19 VACCINE	1141402-1	65-79 years	1 day	Dad had a heart attack either on February 19th or 20th. He was found dead on the morning of February 20th.
COVID19 VACCINE	1143017-1	80+ years	1 day	Low BLP, dies at Hospital
COVID19 VACCINE	1143613-1	80+ years	1 day	He was going to be discharged from Hospice on Monday 2/15/2021. The patient was in Hospice due to a stroke. The nurse indicates after the vaccine she started with stomach pain and vomiting. Hospice evaluated her, she was given Pedialyte and then she died on 2/19/2021
COVID19 VACCINE	1144355-1	50-59 years	1 day	no details provided, informed patient died on 3/21/21
COVID19 VACCINE	1145054-1	40-49 years	1 day	patient received 2nd dose of Moderna on 3/13/2021; reported by Police Department as having passed away on 3/14/2021. No other details available.

COVID19 VACCINE	1145135-1	80+ years	1 day	My mom received her first Moderna Vaccine on 1/22/21. Late on 1/23 her face began to swell so the staff called the ambulance to come take her to the hospital for what they thought was an abscessed tooth. ER doctor said there was an infection and that she needed to be seen by an oral surgeon. On 1/25/21 I took my mom to Dr., her oral surgeon and after the examination he advised that there was no abscess but an allergic reaction to the Moderna vaccine. He suggested Benadryl. I gave her benadryl and the swelling started subsiding. From this point on her gums and teeth hurt. Her eating habits started to decline. She received her 2nd Moderna vaccine on 2/19/21 and from that point on she could no longer chew or brush her teeth because the pain was so severe. She passed on 3/19/21.
COVID19 VACCINE	1145526-1	30-39 years	1 day	3/13- First shot of Moderna vaccine received. 3/14- Sore arm, chills and a headache. 3/15- Shortness of breath and rapid heartbeat. 3/16- Went to ER because of more severe shortness of breath and rapid heartbeat. 3/17- COVID test with negative result. 3/19- Patient messaged her PCP explaining persisted symptoms. 3/23- Chest pain and shortness of breath developed and she died at ER in PEA. 3/25- Autopsy showed pulmonary embolism with no evidence of peripheral vascular disease. Double check COVID test with negative result.
COVID19 VACCINE	1145918-1	18-29 years	1 day	As reported by the patient's mother, the patient received the vaccine on 1/19/21, ""got sick"" on 1/20/21, and died in the early morning hours of 1/21/21. No further information was offered.""
COVID19 VACCINE	1146141-1	65-79 years	1 day	My mother didn't feel well after the 2nd shot. She died in her bathtub overnight 3/12 into 3/13
COVID19 VACCINE	1146320-1	65-79 years	1 day	Flu symptoms 14 hours after injection. Respiratory failure within 22 hours after injection leading to death
COVID19 VACCINE	1146788-1	80+ years	1 day	patient passed away Narrative: Family member reported patient passed away day after receiving the covid vaccine
COVID19 VACCINE	1147591-1	60-64 years	1 day	Patient received vaccine on 3/26/2021. Was found deceased on 03/27/2021
COVID19 VACCINE	1147793-1	65-79 years	1 day	she got couple episodes of vomiting next day of vaccine and by the day after morning she became unresponsive and took to ER and found benign meningioma ( not known before ) and uncle herniation, thalamic infarct and followed by went for the decompressive surgery at the and brought home after 2 week and at the 3 rd week put on hospice and diet on 03/18/2021. She would be alive today if she hasn't received vaccine.
COVID19 VACCINE	1148390-1	65-79 years	1 day	Diarrhea, Pulmonary embolism resulting in death
COVID19 VACCINE	1150089-1	65-79 years	1 day	Suicide, no vaccine symptoms
COVID19 VACCINE	1151500-1	50-59 years	1 day	Found unresponsive by family member after falling asleep. Started CPR .Rescue squad arrived. Transported to Hospital. Cease resuscitation order at 1:32 am.
COVID19 VACCINE	1152757-1	60-64 years	1 day	vaccine recieved 3/29/21, on 3/30/21 patient expired in his home. cause of death assumed to be cardiac related. Pt. was not feeling well after covid vaccination, therefore refused to go to dialysis (3/30/21). Collapsed in basement and was found by spouse 30 minutes later. Patient was DNR. spouse stated she feels death was not directly related to vaccine because he had several health conditions in which he has been noncompliant with and has not been following his medical providers treatment plans.

COVID19 VACCINE	1153969-1	60-64 years	1 day	Brain bleed; Platelet count dropped to 40; Bruises all over the body; Organs shut down; A spontaneous report was received from a consumer concerning a 64-year-old female patient, who experienced bruises all over the body (contusion), brain bleed (cerebral haemorrhage), platelet count dropped below 40 (platelet count decreased) and organs shutdown (multi organ failure). The patient's medical history included bacterial infection 2 days prior to receiving vaccine dose. Product known to have been used by the patient, within two weeks prior to the event, included antibiotics (not specified). On 02 Mar 2021, the patient received her first of the two planned vaccine doses of mRNA-1237 (Lot # unknown) for prophylaxis of Covid-19 infection. On 03-Mar-2021, the patient developed severe bruises all over her body. On 04 Mar 2021, within 2 days after receiving the vaccination, the patient was rushed to the hospital where it was determined that she had sustained a brain bleed. She had all her organs shutdown and her platelet count had dropped below 40. On 04 Mar 2021, it was reported that the patient died. The cause of death was reported as organ failure. Plans for autopsy were not provided. Action taken with the mRNA-1273 in response to the events was not applicable. The outcome of the events, bruises all over the body(contusion), brain bleed(cerebral haemorrhage), platelet count dropped below 40(platelet count decreased) were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, the patient's underlying history of bacterial infection could be a contributory factor. Awaiting further clarification.; Reported Cause(s) of Death: Organ Failure
COVID19 VACCINE	1153971-1	65-79 years	1 day	Patient passed away; Heavy breathing; Shortness of breath; Low temperature; Tired; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DEATH (Patient passed away) in a 67-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 046AZ1A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concomitant products included ROSUVASTATIN CALCIUM (CRESTOR) for an unknown indication. On 18-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 19-Mar-2021, the patient experienced BODY TEMPERATURE DECREASED (low temperature) and FATIGUE (tired). On 20-Mar-2021, the patient experienced DEATH (Patient passed away) (seriousness criterion death), DYSPNOEA (heavy breathing) and DYSPNOEA (shortness of breath). The patient died on 20-Mar-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, DYSPNOEA (heavy breathing), DYSPNOEA (shortness of breath), BODY TEMPERATURE DECREASED (low temperature) and FATIGUE (tired) outcome was unknown.; Reporter's Comments: Very limited information regarding these events has been provided at this time. The fatal outcome may be related to the patient's pre-existing comorbidities. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1154153-1	65-79 years	1 day	Cardiac Arrest Narrative: Pt went into cardiac arrest 2/13 when he was being taking off dialysis machine. Per wife, he was unresponsive, but they were able to revive him with CPR and then called 911 who took pt to Hospital. Pt ultimately died at Hospital 2/26/21. Pt received second dose COVID-19 vaccine 2/12/21 (day prior to cardiac arrest)

COVID19 VACCINE	1155891-1	80+ years	1 day	Pt was given 3rd dose of Moderna Covid Vax in error on 3/11/2021 at the rehabilitation center. 3/12/2021 - according to nursing home pt was acting strange around 7:30 am. Pt was scheduled to be picked up by family members at 9:00 am. When family got there the pt was unresponsive and 911 was called. He was transported by ambulance to Medical Center ER. Pt was intubated. He had fever so was given 3 different types of antibiotics. He was given for blood pressure medicine and Chest X-ray. He was moved to ICU and considered critical. Family was called in to make final decisions. His organs were failing. He was on ventilator at 100%. On 3/16/2021 the family made the decision to remove him from the ventilator. He passed around 7 AM on 3/16/2021.
COVID19 VACCINE	1159084-1	65-79 years	1 day	Patient was found deceased on 4/2/21
COVID19 VACCINE	1159573-1	65-79 years	1 day	He received his vaccine, had soreness in his arm. Went to bed and around 2:00 AM his brother got a call from his dad (he lives upstairs from him in the same house) who said that something was wrong and he needed to go to the hospital. The brother found him sweating profusely, it appeared that the right side of his body was stiffening up, and they started to go out to the car to go to the hospital. He started to go limp and he collapsed and tried to revive him, they called 9-1-1 and they tried to revive him as well without success and he died.
COVID19 VACCINE	1160669-1	80+ years	1 day	Fever, Weakness, Chills, Body aches Stared on 3/9/21
COVID19 VACCINE	1163093-1	80+ years	1 day	On the morning of 3/31/2021 patient had chills, she seemed to develop a cold, she was achy and not wanting to eat. She was very sleepy and by 6:00 P.M. she passed away.
COVID19 VACCINE	1163141-1	65-79 years	1 day	Tongue swelling, feeling hot (no temperature taken)
COVID19 VACCINE	1165014-1	65-79 years	1 day	My dad had the first shot of the covid vaccine and less then 24 hours later he went into cardiac arrest. He spent 10 days in ICU and we had to remove him from life support and he survived another 6 days suffering until he past in April 3rd
COVID19 VACCINE	1165132-1	65-79 years	1 day	Death; had vomited and was found unresponsive and covered in stool, intubated and then went in to PEA in the field and passed despite lengthy resuscitation.
COVID19 VACCINE	1168598-1	60-64 years	1 day	Patient passed away the morning after receiving her second COVID vaccine.
COVID19 VACCINE	1173788-1	65-79 years	1 day	had second vaccine on 4/1/21, expired 4/2/21
COVID19 VACCINE	1173977-1	80+ years	1 day	after receiving his initial dose the next day he seemed to have suffered a TIA that took almost a week for him to recovery from. He was confused, no appetite, weak, and generally not himself. Prior to receiving his second dose he was alert, eating, no complaints of any discomfort or issues. The next day following his second dose he passed away from what we think was a massive heart attack. As a family we feel his weakened state contributed to this and not the fault of the vaccine but felt it important to notify you in case individuals such as patient should be monitored in a different way or use a different vaccine.
COVID19 VACCINE	1174109-1	80+ years	1 day	Death
COVID19 VACCINE	1178887-1	40-49 years	1 day	Death
COVID19 VACCINE	1180530-1	80+ years	1 day	Death due to massive basal ganglia hemorrhage
COVID19 VACCINE	1185061-1	65-79 years	1 day	On 04/08/2021 pt. was found passed away in her bath tub. Pt. received her 2nd dose of the Covid vaccine on 04/07/2021 at 2:00 p.m. Family choice not to have an autopsy performed and death certificate was completed with cause of death ""sudden cardiac arrest"". Note on 2/20/21 Pt. was transferred to Hospital with dx. of acute pancreatitis with elevated lipase and wbc. ""

COVID19 VACCINE	1186039-1	80+ years	1 day	On 2/27/2021 at 12:46 pm, the patient developed chest pain. Not helped by nitroglycerin x 2. He was transported to the hospital where he died.
COVID19 VACCINE	1186275-1	65-79 years	1 day	Died of Heart Attack unexpectedly day following vaccine
COVID19 VACCINE	1194264-1	50-59 years	1 day	Patient found deceased. Unwitnessed death.
COVID19 VACCINE	1196666-1	40-49 years	1 day	Pt. Expired
COVID19 VACCINE	1196941-1	80+ years	1 day	My father awoke the day after vaccine with a fever of 100 and his blood oxygen level at 82, he was shaking, weak. We called 911 and he was taken to hospital, he was given oxygen in er and then transferred to a room. On Friday he suffered a heart attack and was put on life support. On Tuesday, April 6th we discontinuing all life saving measures and my father died.
COVID19 VACCINE	1197984-1	80+ years	1 day	This was the 2nd Moderna Shot on 2-18-2021. She received the first shot on 1-22-2021. Patient verbally reported to me that about 4 hours after the shot, she began experiencing severe shocks all over her face and into her left neck and chest area. This quickly worsened to include her left arm. That all resolved after a nap. But when she woke up, and went to the mirror, she noted that her left face was slow and drooping. She went to the ER. It was noted that she was having a severe problem with swallowing. She also was noting severe pain in left external ear canal. She had obvious severe breakout in the left ear canal - and the immediate area. She was sent home - and came to my office the next day. By that time, the symptoms had become much much worse. She was unable to swallow. The outbreak in the left ear was much more pronounced. And her entire left face and left tongue were paralyzed. She was diagnosed with the Ramsay-Hunt Syndrome - she was unable to talk or swallow. She was readmitted back into the hospital.
COVID19 VACCINE	1198032-1	65-79 years	1 day	Patient has had L leg blood clot and multiple mental co-morbidity-Anemia, hypertension, heart disease, hypokalemia, liver enzyme off per MD, poor nutrition, tremors, hypothyroidism, COPD, small vessel disease of the brain
COVID19 VACCINE	1198196-1	80+ years	1 day	On 3/10/2021 around 2 pm reported more fatigue, low-grade fever, and weak; treated w/ Tylenol; 3/13/2021 refused medications; 3/16/2021 became constipated; 3/20/2021 gait unsteady and reported feeling as though she'd fall; more fatigued; 3/20/2021 refused medications and slept excessively; 3/20/21 vomited in bed; 3/22/2021 restless and exit seeking; 3/25/2021 packed belongings and exhibited exit seeking; 3/26/2021 transported to hospital 5:15 am due to falling while attempting to pick up something off of the floor; 3/29/2021 hospital reported she had a brain bleed and had chosen hospice care at her daughter's home; resident passed away on 3/30/2021.
COVID19 VACCINE	1198387-1	60-64 years	1 day	Found dead in her home on Saturday morning
COVID19 VACCINE	1199323-1	80+ years	1 day	Patient's Wife reported that patient did not experience any side effects from the vaccine. She reported they did their daily chores after receiving the vaccine and patient did not complain about having any health issues on that day even before going to bed. She reported that patient did not wake up from his sleep the next morning.
COVID19 VACCINE	1200921-1	80+ years	1 day	Chills, tiredness. DEATH.
COVID19 VACCINE	1202719-1	50-59 years	1 day	Death of patient within 24hrs of vaccine
COVID19 VACCINE	1205305-1	65-79 years	1 day	3-11 didn't feel well, passed away later that day

COVID19 VACCINE	1205518-1	40-49 years	1 day	Resident was inoculated on 04/09. According to family members, he began to feel unwell that evening, cold sweats, high fever, dehydration. According to family members, he refused to get medical attention. After not hearing from him for a few days, family members called for a welfare check on 04/12 at which time he was found deceased.
COVID19 VACCINE	1206085-1	80+ years	1 day	She got sick, pain in the arm and neck the day after the vaccine. I called her doctors office on the 19th of Feb and I did not get a call back. She was sick to her stomach, really tired and lost her appetite. On the 22nd I called her doctor again... no response, on the 23 I called again. On the 24th finally someone spoke to me.. they stated they had called my mom and spoke with her. They are suppose to call me, my mom could not remember by the time she would hang up. They said to let her rest and give her electrolytes and Vit. B6. On the 26th when I called the doctor and said she is lethargic they said to take her to the ER. She flat lined at the hospital and her body went into shock. She ended up having Kidney, Heart and Liver Failure. She was still driving and doing all of her cooking, banking, shopping, showering, walking every day on Feb 18th. She died on March 5th.
COVID19 VACCINE	1206330-1	18-29 years	1 day	Death
COVID19 VACCINE	1207428-1	80+ years	1 day	Patient declared deceased the day after receiving second Moderna COVID vaccine. not her regular pharmacy to our knowledge. Have attempted to contact last known PCP with no response. Son notified pharmacy of patient passing away.
COVID19 VACCINE	1207687-1	65-79 years	1 day	My husband became very sick the day after recieving the shot. He was freezing cold. No matter what he did he could not get warm. He experienced flu like symtpns for about 24 hours. This was on Saturday. On Tuesday he died. They said it was a heart attack. He was in excellent health. We had gone to the gym 3 days a week for years. He was doing Cardio on the bike and treadmill for over an hour each time. He never experienced shortness of breath and before the shot was 100 % healthy
COVID19 VACCINE	1207822-1	50-59 years	1 day	No adverse symptoms from vaccination. Decedent died day after 2nd vaccination, death not related to vaccination
COVID19 VACCINE	1208248-1	80+ years	1 day	Had a general over all weakness especially affected his swallowing.
COVID19 VACCINE	1209447-1	80+ years	1 day	Sudden death No reported symptoms 24 hours after vaccine
COVID19 VACCINE	1210267-1	80+ years	1 day	Dad became very sleepy the day after. He quickly declined and died on Feb. 7 th. I feel the vaccine may have had something to do with his death.
COVID19 VACCINE	1212251-1	80+ years	1 day	Fall and stroke
COVID19 VACCINE	1213081-1	65-79 years	1 day	Fever, Sick on stomach, aches, fatigue, extreme weakness. Symptoms were extreme. Generally felt terrible after being very stable and active. No improvement and condition worsened daily with loss of appetite. Death occurred on March 13, 2021.
COVID19 VACCINE	1214135-1	65-79 years	1 day	unknown, death at home, with no one in attendance. Pt with mulitple medical conditions, when RN adminstered 2nd dose on 4/07/2021. They dicussed how the first one went. Pt states, besides sore arm nothing. She did have acid reflux, (common for her) which she took regular medication which took care of it. But denied any other problems with first dose. Second dose given with no reaction during 15 min observation time. EMS was called to scene on 4/08/2021 at approx 1630 hrs, to find pt deceased, spine in bed. approx down time 2-3 hrs. Pt's primary Dr. contact as well as corner. With pt's medical history no further investigation was done.

COVID19 VACCINE	1218469-1	65-79 years	1 day	death Narrative: Patient passed away on April 13, 2021 at home at 1810 He was 72 years old had severe aortic stenosis and hypertension and had an aortic valve replacement (TAVR) at hospital on Jan 20, 2021. He was readmitted to hospital for shortness of breath which was evaluated from Feb 19 - Feb 21, 2021 I spoke with his daughter today. She was with him at home when he went to the bathroom and since he had not come out for some time, she knocked on the door and found him collapsed in the bathroom. She called 911, who did CPR, however he had passed away. He was referred to the coroner. He had his first Moderna vaccine on March 15, 2021 after which he had not had any side effects. He received his second dose on April 12, 2021 and had not mentioned any side effects other than mild abdominal discomfort. Daughter said his shortness of breath had been improving after his discharge from the hospital. He had not complained of chest pain, cough, fever, diarrhea, in the last few days. I paid condolences to daughter and told here we would be reviewing the case to see if there was any relationship to him receiving the Covid19 vaccine and that the case had already been referred to the coroners office.
COVID19 VACCINE	1218714-1	50-59 years	1 day	Patient was returning to unit. When patient reached unit doors, patient collapsed. Health Care called, 3 nurses and Mini Ambulance deployed. Upon the Staff's arrival CPR was in progress, AED in place, Narcan administered. Ambulance call, transported to Facility. Patient pronounced 0724 hours
COVID19 VACCINE	1219402-1	60-64 years	1 day	Homebound visit complete 4/14/21 around 1230-1300, monitored for 15 minutes, left attended with home health nurse. Patient was found dead per EMS and had passed sometime during the night.
COVID19 VACCINE	1221576-1	50-59 years	1 day	Death
COVID19 VACCINE	1222285-1	80+ years	1 day	Hospice patient, started with dysphagia. POC of the home refers death by asphyxiation
COVID19 VACCINE	1222469-1	50-59 years	1 day	REPOERTED BY FAMILY MEMBER THAT THEY FOUND PATIENT DEAD IN SLEEP, NOT BREATHING SUSPECTING HEART ATTACK...AUTOPSY WILL BE PERFORMED
COVID19 VACCINE	1222851-1	65-79 years	1 day	12 hrs after receiving, did not feel well headache , nausea, 48 hrs later had seizure during sleep ,affecting her speech , speech got worse over the day drs were running test , then had another seizure causing them to resuscitate, hospital was giving he4 seizures medications , she was giving 5 and a small amount of sedation, 1# days later they had them almost to a halt , ran several test to determine what could have caused the seizures and could find no reason , she never regained consciousness, she passed away 18 days later . I would like to know if the vaccine caused the seizures .
COVID19 VACCINE	1228448-1	65-79 years	1 day	Received vaccine 04/08/2021. Was admitted to the hospital later in the day with cardiac arrest. Deceased 4/9/2021
COVID19 VACCINE	1229034-1	80+ years	1 day	Pt. had hx of SOB prior to vaccination and Dx with hear failure Woke up day after vaccination with being very tired. Admitted to hospital with UTI, Sepsis
COVID19 VACCINE	1229152-1	65-79 years	1 day	101.5 fever Friday night, followed by a seizure at 3am. She was found unresponsive late Saturday afternoon, and was pronounced dead at the hospital. Sudden cardiac arrest.
COVID19 VACCINE	1229810-1	80+ years	1 day	No adverse reactions
COVID19 VACCINE	1229825-1	80+ years	1 day	Death

COVID19 VACCINE	1231272-1	65-79 years	1 day	PATIENT RECEIVED THE WND INJECTION APPROX 4:00PM. DAY OF - INITIAL COMPLAINT CHRONIC FATIGUE AND REDNESS & TENDERNESS AT THE INJECTION SITE. NEXT DAY CHRONIC FATIGUE, REDNESS AND TENDERNESS AT THE INJECTION SITE. APPROX 9:30 PM PATIENT COMPLAINED OF A POUNDING HEADACHE AND FATIGUE. SHE DIED A FEW HOURS LATER. CORONER'S OFFICE PROCLAIMED TIME OF DEATH APPROX MIDNIGHT THURSDAY NIGHT/FRIDAY MORNING.
COVID19 VACCINE	1231568-1	65-79 years	1 day	Unknown onset of adverse events. PT received second COVID vaccine on 3/26/21. She was found deceased in her residence (where she lives alone) by family on 3/28/21. She was found in bed, appropriately covered with blankets. Son last spoke with PT around 17:30 hours on 3/26 after receiving the vaccine, and reported the PT did not complain of any symptoms, did not sound short of breath, and did not complain of any breathing difficulty. Based on postmortem presentation, believed PT died late night of 3/26/early morning of 3/27. Suspect death is likely due to PT's heart disease, Medical Examiner agreed with the assessment. I spoke with the clinic that administered the second dose, and was informed that the PT did not exhibit any signs/symptoms during the observation period immediately following the vaccine being given. PT's PCP was contacted, and agreed to certify DC based on known medical history. PCP also agreed that the death did not sound related to the vaccine based on lack of symptoms as reported by the administering clinic and family.
COVID19 VACCINE	1231694-1	65-79 years	1 day	suffered a massive heart attack the morning following his first dose of Moderna vaccine. He was hospitalized for 21 days, first at Hospital and then . He passed away on February 11, 2021, at .
COVID19 VACCINE	1232541-1	30-39 years	1 day	Patient found unresponsive at approximately 12:00 am 10/11. EMS called and patient was pronounced dead at scene.
COVID19 VACCINE	1232551-1	80+ years	1 day	Patient was administered dose 2 of Moderna vaccine on 2/22/2021 and on evening of 2/23/2021 patient experienced a witnessed cardiac arrest, was transported to the ED and expired
COVID19 VACCINE	1233445-1	50-59 years	1 day	Patient found in pulseless arrest on stairwell of her apartment building on the night of 4/2/21. Patient transported via ambulance to hospital where she passed away.
COVID19 VACCINE	1233606-1	50-59 years	1 day	52 m active alcoholic with lab abnormalities c/w heavy etoh including pancytopenia (anemia to 7s, thrombocytopenia to 70s, mild leukopenia-since 12/20); 2 recent admissions (feb march 2021) with likely etoh-induced pre-renal AKI; DM; who received 2nd dose of moderna 4/8/21. After not being in contact with his family for several days, family sought him at his residence where he was found pulsless and apneic on the floor with some scant blood near his face. CPR-->transported to hospital where upon attempting to intubate profuse bleeding into larynx/pharynx noted. Despite ongoing cpr and mechanical ventilation team in ER was unable to re-establish pulse. He was pronounced dead at about 8 PM 4/9/21.
COVID19 VACCINE	1236785-1	65-79 years	1 day	Resident found unresponsive and without vital signs the morning on April 17, 2021 at 6:35am. The nurse started CPR, called a code, 911 called, AED applied. Local EMS responded, took over the code. EMS had contact with the local hospital ER, code called at the facility. Resident expired.
COVID19 VACCINE	1237427-1	50-59 years	1 day	Arm soreness 1-3 days post vaccine flu like symptoms 4-7 days post vaccine Severe back pain 4-10 days post vaccine Death 11 days post vaccine

COVID19 VACCINE	1238235-1	50-59 years	1 day	Information received by wife. Patient was fatigued 4/10/21 after vaccination. His wife stated that she talked with him and he seemed fine. When his wife went to bed early that evening, the patient was sitting in the recliner in the living room. On the morning of 4/11/21, patient's wife found him unresponsive in the recliner. She called an ambulance but patient was deceased. Patient's wife stated that she noted a trashcan next to the chair the patient was sitting in. The trashcan did not have emesis in it but patient's wife assumes he had been nauseated that evening before he passed away.
COVID19 VACCINE	1242850-1	80+ years	1 day	Received #2 Moderna on 3/5/2021. Started to not feel well the next day. By 3/9/2021, he was too sick to get out of bed. Friends stayed with him the previous night and opted to call 911 for hospital transport on 3/9. He was admitted to a Medical Center and diagnosed with pneumonia. He died on 3/18/2021 in patient.
COVID19 VACCINE	1243360-1	65-79 years	1 day	Patient received first Moderna Vaccine on 02/26/2021 and second Moderna Vaccine on 03/26/2021. Health Department was notified of patients death on 03/27/2021, today 04/22/2021. Any further information is unknown by the health department for patients cause of death that occurred on 03/27/2021.
COVID19 VACCINE	1243650-1	30-39 years	1 day	Unexpected death; found unresponsive 04/20/21 morning and pronounced dead after unsuccessful resuscitative efforts

COVID19 VACCINE	1245371-1	80+ years	1 day	<p>irritated her heart condition, clot blood, weakness in legs, couldn't walk with legs, coma, couldn't breathe; stroke/massive stroke in left side of her brain; Irritated her heart condition, rapid heart beat; Headache; Tiredness; This spontaneous case was reported by a consumer and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke/massive stroke in left side of her brain), CARDIAC DISORDER (irritated her heart condition), DYSPNOEA (couldn't breathe), THROMBOSIS (Clot blood), COMA (Coma) and MUSCULAR WEAKNESS (weakness in legs, couldn't walk with legs) in a 95-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for Covid-19 Vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Heart disease, unspecified, Hypertension and AFib. Concomitant products included APIXABAN (ELIQUIS) for Anticoagulant therapy, SACUBITRIL VALSARTAN SODIUM HYDRATE (ENTRESTO) for Hypertension, METOPROLOL for an unknown indication. On 10-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 11-Mar-2021, the patient experienced HEADACHE (Headache) and FATIGUE (Tiredness). On 12-Mar-2021, the patient experienced MUSCULAR WEAKNESS (weakness in legs, couldn't walk with legs) (seriousness criterion hospitalization). On 13-Mar-2021, the patient experienced CARDIAC DISORDER (irritated her heart condition) (seriousness criterion hospitalization), THROMBOSIS (Clot blood) (seriousness criterion hospitalization) and HEART RATE INCREASED (Irritated her heart condition, rapid heart beat). On 15-Mar-2021, the patient experienced CEREBROVASCULAR ACCIDENT (stroke/massive stroke in left side of her brain) (seriousness criteria death and medically significant). On 16-Mar-2021, the patient experienced DYSPNOEA (couldn't breathe) (seriousness criterion hospitalization prolonged) and COMA (Coma) (seriousness criterion hospitalization prolonged). The patient was hospitalized on 13-Mar-2021 due to CARDIAC DISORDER, COMA, DYSPNOEA, MUSCULAR WEAKNESS and THROMBOSIS. The patient died on 17-Mar-2021. The reported cause of death was massive stroke in left side of her brain. It is unknown if an autopsy was performed. At the time of death, CARDIAC DISORDER (irritated her heart condition), DYSPNOEA (couldn't breathe), THROMBOSIS (Clot blood), COMA (Coma), MUSCULAR WEAKNESS (weakness in legs, couldn't walk with legs), HEART RATE INCREASED (Irritated her heart condition, rapid heart beat), HEADACHE (Headache) and FATIGUE (Tiredness) outcome was unknown. Action taken with mRNA-1273 in response to the events was not Applicable. This case concerns an 95</p>
COVID19 VACCINE	1247315-1	65-79 years	1 day	Death less than 24 hours after vaccine administration
COVID19 VACCINE	1247318-1	65-79 years	1 day	Death
COVID19 VACCINE	1256666-1	50-59 years	1 day	Patient started complaining of being short of breath, weak and dizzy a day or two after receiving the shot. He started taking the asthma inhaler constantly rather than just once in months. He lay down for a nap and never woke up exactly 3 weeks after getting the shot. (more exact details will need to come from his wife).
COVID19 VACCINE	1257062-1	40-49 years	1 day	The patient developed high fevers, profound watery diarrhea up to 13L/day, requiring IV administration of replacement fluids. He ultimately developed ARDS and succumbed to this illness.

COVID19 VACCINE	1258236-1	80+ years	1 day	resident was hospice she was afebrile day of vaccine on 4/20. on am of 4/21/21 0600 nurse stated no c/o of pain or discomfort. Resp were even and unlabored. That morning at 1145 charge nurse stated she was extremely hard to rouse. Vs were ok. SHe had some weakness in right side. they notified hospice. She had labs done. She was diagnosed with PNA and started on Abt. That night she was unresponsive to verbal commands and couldn't get po med. she received gentamicin im. on 4/22/21 charted she was vommiting small amount. She expired late that night. MD doesn't believe the vaccine caused the death, but thinks it has the potential.
COVID19 VACCINE	1260747-1	65-79 years	1 day	Patient received notice of her vaccination appoint shortly before her AV Fistulogram, with angioplasty surgery on Tues, 2/2/21. She was nervous about getting the vaccine just days prior to her scheduled surgery. We called her primary doctor and was told to contact the surgeon. After multiple attempts to reach the surgeon and speaking with hospital staff, assuring us it was fine to get the vaccine prior to surgery. I still wanted to confirm with the surgeon and was finally able to speak to him. He assured me and to inform patient that it was fine to get the vaccine prior to surgery. On Sat, 1/30/21, patient received her Covid-19 Moderna vaccine. On Sun, 1/31/21, she got a covid-19 test to prepare for her surgery on Tues, 2/2/21. Her vaccine injection site was sore and she was tired, so she rested and took naps. On Mon, 2/1/21, she went to dialysis as usual. On Tues, 2/2/21, she had her surgery in morning. On Wed, 2/3/21, her dialysis facility could not perform treatment due to swelling of her arm. On 2/4/21 she rested, her arm still bothering her but had been assured to rest. On Fri 2/5/21, she went for her usual dialysis treatment but the facility was not able to perform dialysis and shortly after starting treatment, the facility called 911 to take patient to the hospital. Patient died with the next few hours without her family at her side.
COVID19 VACCINE	1263989-1	60-64 years	1 day	Nausea, vomiting, burning in stomach, high blood sugars- symptoms started the day after the vaccine. Found obtunded 3 days after vaccine given. 911 called in route to the hospital had a cardiac arrest, resuscitated, arrested again and resuscitated. Upon admission to the hospital diagnosed with diabetic ketoacidosis and died the next day- 4 days after the vaccine was administered
COVID19 VACCINE	1266493-1	50-59 years	1 day	Family friend of the wife, called our pharmacy on 04/28/2021 and reported that wife's appointment would need to be canceled for 04/29/2021 because her spouse passed away the previous night. This prompted our staff to look further and it was noted that her spouse, received his first Moderna vaccine on 4/26/2021 at our pharmacy. Friend was not reporting his death due to the belief that the injection was the cause. Only to report, so upcoming appointment for his wife could be canceled. It was reported to our Medical staff that Patient n has Chronic COPD and had difficulty breathing on the evening of 4/27/2021 and was taken to the hospital where he later passed away. Patient was on portable oxygen and resembled shortness of breath while ambulating at the time of his vaccination appointment on 4/26/2021. Patient immediately recovered from Shortness of Breath once seated in exam room for injection for a few minutes.
COVID19 VACCINE	1266821-1	40-49 years	1 day	Pt was seen in Family Medicine on 4/23/2021. Was given her first Moderna vaccine that day. On-call doctor received phone call on 4/24/2021 that pt had expired. Death certificate states cause of death: seizure due to possible complication of COVID 19 vaccine. Conditions if any, leading to immediate cause: cerebellopontine angle tumor of brain

COVID19 VACCINE	1267278-1	30-39 years	1 day	Patient passed away 4/12/2021 suddenly, found by family on couch. Was having shortness of breath day before. Per mom, patient had been laughing and talking the morning before patient passed away.
COVID19 VACCINE	1267587-1	80+ years	1 day	patient woke up on 04/22/2021 with shortness of breath and weakness. On exam, she was hypotensive, tachycardic and edematous
COVID19 VACCINE	1267641-1	50-59 years	1 day	Shortness of breath
COVID19 VACCINE	1268373-1	65-79 years	1 day	Patient collapsed and became unresponsive 24 hours after receiving second dose of vaccine.
COVID19 VACCINE	1271626-1	65-79 years	1 day	SPOUSE REPORTS THE FOLLOWING FOR PATIENT 4/21/2021 @ 9PM GENERAL MALAISE 4/22/2021 APPROX 4AM SEVERE HEADACHE TOOK IBUPROFEN 4/23/2021 AFTER LUNCH, PATIENT WAS UNABLE TO WALK AS PREVIOUS AND HAD 4 FALLS, ALSO COMPLAINED OF A SORE THROAT. 4/24/2021 DID NOT FEEL WELL, TEMP UP TO 100.4, NAUSEA AND VOMITTING X 1 AND CHEST PAIN, CALLED EMS AND WAS TRANSPORTED TO MEDICAL CENTER ER. 4/26/2021 PATIENT WAS DISCHARGED HOME AFTER TREATMENT FOR RHABDOMYOLYSIS AND RETURNED TO THE HOSPITAL AGAIN ON 04/27/2021 WITH RHABDOMYOLYSIS AS PRIMARY DIAGNOSIS. RESIDENT DISCHARGED TO SNF ON 04/28/2021.
COVID19 VACCINE	1272476-1	65-79 years	1 day	She was quite sick, dizzy, went to ER three times between Saturday and Sunday, they sent her home each time, she died Monday morning.
COVID19 VACCINE	1273475-1	18-29 years	1 day	on 04/29/2021 Resident was checked at 1830 and found to be at baseline status. At approximately 1855, resident was found pulseless and apneic. CPR initiated and resident transferred to medical center. Resident expired 1939.
COVID19 VACCINE	1282946-1	60-64 years	1 day	The patient passed away.
COVID19 VACCINE	1283068-1	80+ years	1 day	Hi, my name is, I'm a RN and am submitting this report about my grandpa. I took him into the VA to get his second covid vaccine on 2/17/21. At that time my grandpa lived semi-independently in a house between my parents and my uncle. He didn't get out very much but with some help of grocery shopping and organizing his medication he was still able to live alone and function well independently. My mother reported to me on 2/18/21 that my grandpa was confused, weak and tired. My grandpa has never had any signs of dementia. At this time he developed a delirium that waxed and waned. He complained of headache, no appetite and extreme weakness. On 2/23/21 he fell down in his house and we decided to move him into my uncle's spare bedroom to keep better eyes on him. The delirium persisted and on 3/5 he was taken to Hospital for a workup for his delirium and weakness. There he saw Dr. an internal medicine doctor at hospital. The workup showed an elevated BNP (probably baseline but I'd have to look at previous lab results) but nothing further. We opted not to do further imaging and instead take him home. It became obvious to me that this was the end of his life and so I requested a hospice referral from Dr. My grandpa died on 3/24/21.
COVID19 VACCINE	1283686-1	40-49 years	1 day	Patient discovered by caregiver to have passed away on the morning of 4/24/21

COVID19 VACCINE	1289333-1	80+ years	1 day	<p>March 2 - second Moderna - March 3 - spontaneous bruising appears - March 4 - visit with primary care doctor, blood work shows significant drop in platelets - March 9 - first visit with oncologist/haematologist &amp; hospitalized - March 9-19 - hospitalized for tests, treatment to increase platelets, &amp; many blood panels. No official diagnosis, treat as ITP. Follow up visits with oncologist/haematologist to keep an eye on platelets as they increase. - March 30-Apr 4 - ER visit due to swelling of ankles, feet, and left arm. Tests show superficial blood clot, fluid on lungs, and pneumonia. Oncologist said that ""we have no official diagnosis"", that she's being treated for ITP. April 6-14 - follow up visit to oncologist/haematologist show elevated kidney enzymes, then later liver enzymes, low sodium. - April 14 - decision to move to short term rehab for regular PT and OT. Continued swelling (fluid in third spaces.) - April 21 - visit to cardiologist to perform cardioversion, successful (during first week of hospital stay, heart rhythm med had to stop). - April 23 - facility nurse discovered significantly low Hemoglobin and a blood transfusion was ordered. - April 24 - returned to short term rehab facility. - April 25 - discovered my mother on O2 and state of health was different, extremely weak and not moving, arm hurting badly. I insisted that her oncologist is contacted. Transported to ER. Discovered her blood work abnormal. After stabilizing her, rushed to the hospital ICU. - April 26 - Discussed with her ICU doctor the history of what you have read above. He explained that the covid-19 vaccination has a tendency to affect three proteins specifically that clot and thin blood. I begged him to ""get it out of her system."" Her bleeding was significant and platelets dropped, again. Still has her mental facilities. Responding well to aggressive treatment: albumin transfusion, plateletpheresis, and CRRT. Pleural catheter to remove fluid from the lungs. Mention of Sepsis. - April 27 - Lifted her head up today, opened her eyes, making doctors very happy. Her cardiologist and the ICU doctor both said they were ""confused"" and everything happening to my mom was ""a mystery."" Though going in to the evening, her nurse expressed to me that she's worried. The ICU oncologist called me at home in the evening. He asked me if she had been having a fever on a regular basis. He said he thought it could be TTP or a rare disease called HTH, but both results wouldn't be back for one week. He planned to consult with a doctor. He explained to me that the blood was attacking itself and ""confused,"" and that her organs were shutting down. He indicated that the blood work wasn't indicating significant infection. He referenced how the vaccination has made her auto immune</p>
COVID19 VACCINE	1289604-1	50-59 years	1 day	Patient was found deceased in her home the next morning after getting her vaccine the day before
COVID19 VACCINE	1289723-1	30-39 years	1 day	Death. Approximately 12 hours after administering the vaccination shot, patient experienced a medical emergency and lost her pulse. Paramedics attempted to resuscitate her for about 80 minutes. Her heart was unable to be restarted. She was declared deceased at 3:00 AM locally.
COVID19 VACCINE	1290197-1	65-79 years	1 day	Cardiac arrest, seizures death
COVID19 VACCINE	1294303-1	80+ years	1 day	Vomiting and diarrhea starting 4/28/21 (day after vaccine). Came to ED today for these symptoms, feeling weak, had a cardiopulmonary arrest and died.
COVID19 VACCINE	1295164-1	65-79 years	1 day	Patient's wife called today to inform us that her husband passed away on 04/17/2021. Patient experienced some side effects after receiving both doses of Moderna vaccine such as body ache and feeling of lethargy. Patient was taken to the hospital around 04/16/2021. Exact cause of the death is not known as wife did not want to get autopsy done.

COVID19 VACCINE	1297350-1	65-79 years	1 day	My father in law died one day after his COVID vaccine. His doctor did not seem to care. She ruled it natural causes. She did not order an autopsy. He did have underlying heart conditions, but the timing of his death was suspicious.
COVID19 VACCINE	1301096-1	60-64 years	1 day	32 hours after the vaccine, he suffered a massive heart attack due to a blood clot and a massive clot in the right arm. He went to the hospital and under went surgery at 12 am on Saturday. The coronary surgeon mentioned that this was not from heart disease as all vessels were clear. Rather, this was due to an embolism due to an unknown origin. A further work up concluded that he also had blood clots throughout his body (both lungs, one kidney, heart, liver, legs, arms, and possibly brain). By 12 p.m. we were asked back to the hospital as he was worsening. Treatment options included a heparin drip, which caused a brain hemorrhage. He was just at the doctors two times this week, on Tuesday and Wednesday and was fine no issues found. They went through with the 2nd dose and came to our home on Thursday.
COVID19 VACCINE	1302844-1	18-29 years	1 day	Lethargy began the day of vaccine and shortness of breath along with abdominal and chest pain followed the next day. Decedent was found deceased the next evening.
COVID19 VACCINE	1303655-1	80+ years	1 day	Fever, chills, nausea the morning After vaccine. Took out the trash and had a cardiac arrest and fell. 911 called went to hospital 3 1/2 days no change. 2 Dr.s said no improvement brain dead. Had a living will disconnected after 48 hrs. Disconnected at 7:00 pm died 8:17 pm. 2/7/21
COVID19 VACCINE	1310861-1	50-59 years	1 day	Cardiac Arrest, Death
COVID19 VACCINE	1312456-1	30-39 years	1 day	Death. While driving patient passed out and was found by County Sheriffs Office. EMT was called and could not save patient. M.E. Declared patient dead at 7:20 PM on May 4, 2021
COVID19 VACCINE	1312481-1	50-59 years	1 day	My husband stated that he did not feel good after the vaccine the next morning, later he went to pick up hay and died on someone's property from the acute coronary syndrome.
COVID19 VACCINE	1313673-1	65-79 years	1 day	4/2/21 Vaccination #2 given, 4/3 fatigue, decreased appetite and energy, increased confusion. 4/6/21 PCP ordered CT angiogram of chest-no PE but suspicious infiltrates in upper lung for Covid-19 pneumonia. DVT negative. 4/7/21 Hospital ER CT of head/neck -no stenosis, no intercranial abnormalities, Covid test negative, RIDP positive for rhinovirus and enterovirus. Neuro consult, full admit. Treated with Rocephin, zithro and oxygen, eventually vented then transferred to another location on 4/11/21. Acutely ill and in shock, Extensive workup showed no other identifiable source of infection. Died 4/18/21.
COVID19 VACCINE	1313837-1	65-79 years	1 day	He died 24 hours later after receiving the vaccine!
COVID19 VACCINE	1314224-1	50-59 years	1 day	Patient was vaccinated with Moderna Covid Vaccine on Thursday, May 6, 2021. We were informed the following Monday that the patient had passed away unexpectedly on Friday, May 7, 2021. Family members did not reach out to us to ask any questions or to let us know what had happened. We do not know that this patient passed away due to vaccination with the Moderna Vaccine.
COVID19 VACCINE	1314395-1	80+ years	1 day	Fever, body aches, respiratory difficulties, had a cardiac arrest.
COVID19 VACCINE	1314846-1	40-49 years	1 day	5/07 general ill feeling; runny nose, watery eyes. continued until 5/10. Wife denied fever or cough. continued until 5/10. 5/11 at work, patient collapsed. Was awake but non-responsive, breathing on his own, vomited shortly before EMS arrived. EMS arrived, patient stopped breathing, was bagged until arrival at hospital where he was intubated. 5/12 Patient was extubated and died in early AM 5/13. Medical records state cerebral brain hemorrhage.

COVID19 VACCINE	1314985-1	60-64 years	1 day	The 2nd dose of Moderna was administered on 05/12/2021 at 9:40 am, patient waited for 15 minutes he was feeling well and left the pharmacy at 09:50 am. The patient-caregiver contacted us at 12pm on 05/13/2021 stating that the patient passed away today. She stated he was feeling fine yesterday and had his breathing treatment at night and in the morning he didn't wake up.
COVID19 VACCINE	1315198-1	80+ years	1 day	My Mom had headache, body pain, chills and fever and very weak on the 29, and 30 of April. On May the 3,2021 I found my Mom Dead in Bed. My Mom was a very active lady for her age.
COVID19 VACCINE	1316707-1	65-79 years	1 day	Patient became suddenly short of breath, unresponsive, attempted CPR unsuccessfully and patient expired.
COVID19 VACCINE	1317203-1	30-39 years	1 day	Started having pain in right hip on 4/15/2021. On 4/16/2021 complained more about right hip, said feels like he got hit by a truck, and that he felt like he was starting to get a cold. Then he died the night of 4/16/2021.
COVID19 VACCINE	1318152-1	65-79 years	1 day	(Information gained secondhand from patient's close friend as patient was intubated and sedated at the time that potential relationship between events and vaccine administration recognized). 77 yo F with no known significant PMH (was independent in ADLs, active, line-danced twice/week) who developed nausea, headache, fatigue on first day after first dose of Moderna vaccine. Friend reports that patient complained of ""just not feeling right"" following vaccine administration. Complained of poor sleep, poor appetite, dyspepsia and began complaining of lower extremity swelling in the weeks following vaccine administration. Was no longer able to line-dance, etc. Was fatigued. Her friends became concerned and encouraged her to seek medical attention, patient reported that she had been prescribed ""water pill"" and told to ""lay off salt"". Friends later found out that she had lied about doctor's visit and was self-medicating with over the counter ""water pills"" for all of the weight she was gaining. Eventually developed worsening shortness of breath. Admitted to hospital on 5/4 with shortness of breath and worsening abdominal pain. Found to have systolic heart failure (EF 20-30%) and was in SVT. Also diagnosed with UTI and SMV thrombus. Grossly anasarctic on exam. Treated for heart failure with diuretic and for her UTI with antibiotics, was started on Heparin drip for SMV thrombus. Underwent left heart catheterization at OSH that was negative for significant CAD. Developed worsening septic shock and was transferred to our hospital for higher level of care. Unfortunately had ongoing decline, found to be fungemic. Eventually succumbed to her septic shock, passed away on 5/14/21. Patient had second dose of vaccine on 3/18/21 according to vaccine card in her purse. Friend states that because of symptoms she developed after first dose of vaccine, she was fearful of getting second dose. Friends insist that she was well before the vaccine---knee pain was limiting factor for her activity level, never shortness of breath. Of note, several friends tested positive for COVID on 2/11/21, the week prior to patient receiving her vaccine. Patient tested negative and reportedly got tested at frequent intervals and was always negative. ""

COVID19 VACCINE	1322255-1	65-79 years	1 day	At approximately 8 pm pt. sucked in a deep breath, head began to roll and he began twitching on the right side of his body. Pt. only has muscle function in the right side of his body due to his stroke damage. His wife immediately approached him in his chair and asked him what was wrong and all he was able to state was ""I don't know"" before loosing consciousness and stopping breathing. 911 was immediately called and due to his wife being frail herself she was not able to remove him from his wheelchair to perform any CPR. EMS arrived and begin performing CPR until the DNR papers for pt. were located. Medical examiner came to the home and stated she did not feel that an autopsy was needed even though family had told her NUMEROUS times that pt. had received his second Covid vaccine the day prior. He was pronounced dead by the medical examiner and taken directly to the funeral home due to the DNR papers being present. ""
COVID19 VACCINE	1322484-1	30-39 years	1 day	About a week after his first dose he developed a skin reaction at the injection site. Redness, swelling, itching. The affected area was about 10 inches by 6 inches. The day following the second dose of the vaccine he developed chills, sweats, aches, and a low grade fever. He also developed the same skin reaction. He had these symptoms for 2 days (Thurs and fri). By Saturday his condition was improving. Sunday was even better, Monday evening he died. He was 37 with no known medical issues. He just died out of nowhere.
COVID19 VACCINE	1323673-1	50-59 years	1 day	Subsequently developed respiratory distress and pneumonia after testing positive for COVID. Pt died due to illness.
COVID19 VACCINE	1324523-1	65-79 years	1 day	Witnessed Cardiac arrest at home. No bystander CPR; +30 min transport time, unsuccessful resuscitation. Code called upon arrival to hospital
COVID19 VACCINE	1325911-1	60-64 years	1 day	stated that her mother in law died; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (stated that her mother in law died) in a 61-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 06-May-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on 07-May-2021 The patient died on 07-May-2021. The cause of death was not reported. It is unknown if an autopsy was performed. Not Provided Concomitant medications and treatment information was not provided. A 61-year-old female patient who received mRNA-1273 died 2 days after the first dose of vaccine. No medical condition or conmeds were provided. The cause of death was not reported. Very limited information has been reported at this time. Further information is being followed up.; Sender's Comments: A 61-year-old female patient who received mRNA-1273 died 2 days after the first dose of vaccine. No medical condition or conmeds were provided. The cause of death was not reported. Very limited information has been reported at this time. Further information is being followed up.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1328936-1	65-79 years	1 day	pt. daughter called pharmacy on May 18, 2021 (approximately 5:00pm MST) stating pt. passed away and wanted info on reporting incident to authorities=Technician gave pt. daughter phone # to report incident.
COVID19 VACCINE	1331183-1	50-59 years	1 day	Death occurred outside of pharmacy 22.5 hours post vaccination. Cause of death being the vaccine is unknown.

COVID19 VACCINE	1332656-1	50-59 years	1 day	bilateral leg pain, diarrhea, flu like symptoms, death
COVID19 VACCINE	1334283-1	65-79 years	1 day	Patient felt very weak, body aches, shortness of breath and was found deceased at home on 5/10/2021
COVID19 VACCINE	1334843-1	80+ years	1 day	Informed of patient recently passing within 24 -36 hours of vaccine administration. patient had no signs of adverse side effects while at pharmacy.
COVID19 VACCINE	1337502-1	65-79 years	1 day	Death, code blue at home, received COVID vaccine 5/20/21. No known health issues
COVID19 VACCINE	1337634-1	65-79 years	1 day	had second dose on 5/14/21, passed away during the night of 5/15/21. Found dead on 5/16/21 morning
COVID19 VACCINE	1337951-1	40-49 years	1 day	patient expired 1 day after receiving 2nd dose of Moderna vaccine
COVID19 VACCINE	1338625-1	30-39 years	1 day	Outcome: unexpected/unexplained death Had first dose Moderna Vaccine 3/31/21. She described body aches and mild fever ? ?like I had COVID again for a day? ? lasting about 36 hours, and then felt fine. Had dose # 2 Moderna vaccine about 6:50 PM at Community vaccination site. She was driver, received left deltoid injection from Doctor. During observation period reported no symptoms, was happy and talkative with family and staff. Family reports later that evening she did not feel well ? ?just not hungry? and wanting to lie down. Slept well, then woke up feeling better except for left arm achiness at injection site. Did not report redness, rash, or any difficulty breathing. Was talkative, walking around, took a shower, and was planning to drive to the grocery store later that day. Mid morning ? maybe beginning about 11 AM, family said she went in and out of bathroom several times. She told them she had vomited three times and was feeling shaky. Her oral temperature was 101.3. About 1:30 PM, she was in her room and called out for her mother. When family went into the room, she was shaking ?like she was having a seizure? and then her eyes rolled back and she fell to her side and stopped breathing. Family called 911 and started CPR. CPR was continued by EMT?s once they arrived, but they were not able to resuscitate her.
COVID19 VACCINE	1344052-1	65-79 years	1 day	Complicated young elder with AICD for recurrent Vtach who was found unresponsive around 20 hours after vaccine; Based on the defibrillator interrogation she had sustained ventricular tachycardia that was properly identified and treated by the device but which did not respond to device discharge, degenerated into ventricular fibrillation and unfortunately could not be terminated by her ICD. Not clear related to vaccine
COVID19 VACCINE	1346657-1	18-29 years	1 day	Found deceased in bed, no known symptoms, undetermined cause and manner of death
COVID19 VACCINE	1347148-1	65-79 years	1 day	Heart pain/ chest pain. Hard to breathe Lack of energy Swollen legs Erratic heart rate Outcome: death 3 days after. Heart failure
COVID19 VACCINE	1347815-1	60-64 years	1 day	passed away suddenly a day after getting his first Moderna covid vaccine. He got the vaccine said he felt fine other than having a sore arm he has in good spirits and joking around according to his coworkers. He died suddenly a day later circumstances are unknown ,He had passed before he was discovered. No autopsy was done. Aneurysm is suspected.
COVID19 VACCINE	1351445-1	50-59 years	1 day	Slight malaise after first dose. After second dose, she complained of body aches throughout the rest of the day until she was transported to the hospital.
COVID19 VACCINE	1354957-1	50-59 years	1 day	On 3/27/21 at around 9pm He felt tightness in chest which lead to heart attack and death
COVID19 VACCINE	1355831-1	80+ years	1 day	Site pain Vomiting fever death
COVID19 VACCINE	1361137-1	80+ years	1 day	Death
COVID19 VACCINE	1361525-1	65-79 years	1 day	None known. However, died on 5/28/21 at 06:11

COVID19 VACCINE	1362465-1	65-79 years	1 day	chest pain, fatigue, death
COVID19 VACCINE	1362518-1	80+ years	1 day	Death (found down in home ) having died the night before, and he received his COVID vaccine <24 hours before his death.
COVID19 VACCINE	1362534-1	80+ years	1 day	Within 24 hours after the vaccine his blood pressure escalated out of control, 200's over 100's . He went to see his PCP and cardiologist Nephrologist ended up in the hospital in February and his aortic graphic had broken loose and they felt it was because of the escalation of the blood pressure which the doctor felt was a possibility caused by the vaccine. February 7 he was in the hospital for 4 days. On march 10 he went to the hospital to repair the aneurism that had broken loose, the doctor thought it could have broken loose from the hypertension of the blood pressure. He stayed in the hospital for 48 day and was transferred to a rehab center in anther hospital he was in the hospital for a total of 78 days . He came home on the 26 of May and had home health care, he also was ended up with pneumonia. he came home on antibiotics . He ended up passing away yesterday, May 30th, 2021
COVID19 VACCINE	1365485-1	30-39 years	1 day	On 05/27/2021 the decedent began complaining of shortness of breath, cough, fever, chills, and pain at the injection site. On 05/28/2021 the decedent complained of the same symptoms.
COVID19 VACCINE	1369968-1	65-79 years	1 day	Fatigue on 6/2/21 followed by cardiac arrest & death
COVID19 VACCINE	1374180-1	65-79 years	1 day	My Brother was found dead at home - Not sure it's vaccine related - but he did not have major or urgent health issues .
COVID19 VACCINE	1376634-1	80+ years	1 day	81 year old male who presented to Medical ER 6/4/21 with possible seizure like activity at home after having his second dose of COVID vaccine on 6/3/21. His first dose of COVID vaccine was given on 5/4/21. After the patient arrived to the ED he was able so my questions. The patient had an EKG performed was not concerning for ACS. He was given a total of 1 mg of Ativan IV. CT head CTA head and neck were negative for any acute findings. He was started on IV lactated Ringer's. CBC was reassuring. CMP showed a sodium of 125 and potassium 3.3. The patient was started on a liter of NS. Magnesium was found to be 1.7 was given 2 g of magnesium IV. Ammonia level blood alcohol level were negative. Initial lactic acid level was 5.9. Repeat lactic acid level is down to 1.9. I had spoke with on-call neurology felt that seizure is most likely due to the patient's electrolyte abnormalities. Did not recommend antiepileptics at this time. I spoke with Dr. who is willing accept the patient for admission to the ICU. When Dr. came down and spoke with the patient he started having another seizure. After the seizure he continued to not breathe. The patient was bagged and started having some spontaneous respirations however continued to have a low O2 sat if he was not bagged. We were able to speak with the neurologist again who recommended giving Keppra 1500 mg IV. Dr. was able to speak with the patient's next of kin his son and the patient's brother who both recommend the patient not be intubated or any other life-saving measures. Would like the patient be kept comfortable. The patient passed away shortly thereafter time of death was 2044.
COVID19 VACCINE	1378431-1	80+ years	1 day	Open 24 hours of receiving the vaccine, the patient was noted to be fatigued and increasingly confused. Had some response to IV fluids but within 72 hours became progressively hypertensive and transferred to hospital

COVID19 VACCINE	1382638-1	65-79 years	1 day	Patient received his second dose of the Moderna vaccine on 5/21/21. On the morning of 5/22/21, patient started having issues with mobility, heavy sweats, body aches, and headache, although he had no fever and maintained his sense of smell and taste. Patient was later hospitalized and tested positive for COVID on Thursday, May 27, 2021. Patient passed away on Friday, May 28, 2021.
COVID19 VACCINE	1382716-1	80+ years	1 day	Family called to report patient passed away within 24 hours upon receipt of first vaccination. Patient was ambulating to the bathroom when they heard him fall. Upon going to check on him he was already deceased.
COVID19 VACCINE	1388572-1	60-64 years	1 day	At around 5:30 a.m. on the day after 2nd Moderna dose, resident was found non-responsive with no vital signs. CPR was performed. Time of death 6:20 a.m. There were no acute illnesses or changes in condition noted prior to receiving vaccine.
COVID19 VACCINE	1391273-1	60-64 years	1 day	Went unresponsive at home after experiencing diarrhea. Pulses were lost at home and regained by EMS prior to transport to the emergency room. Pulses lost again in the emergency room. ACLS performed for approximately 40 minutes before pronouncement of death was made.
COVID19 VACCINE	1391483-1	65-79 years	1 day	Outcome: Patient Death Chief Complaint: In ER: chest pain, SOB History of Present Illness: Patient is a 66 yo with PMH of chronic afib on chronic anticoagulation who presented to the ER with a chief complaint of shortness of breath and increased fatigue over the past several weeks that has progressively become worse. Patient denies orthopnea or PND but does have some palpitations and occasional chest pain associated with increased fatigue with exertion. On evaluation emergency room patient was noted to be tachycardic consistent with chronic atrial fib, also acute renal insufficiency likely secondary to dehydration. Patient is admitted to the medical service for further treatment and evaluation. DEATH SUMMARY Date of Admission: 04/07/2021 Time of Death: 04/10/2021 at 0737 Final Diagnoses: 1. Sudden Cardiac Death 2. Acute Renal Impairment Secondary to Hypovolemia, A TN 3. Chronic Atrial Fibrillation w/ RVR, Resolved 4. Atypical Chest Pain, Resolved 5. Hypokalemia, Resolved 6. Obstructive Sleep Apnea 7. Chronic Diastolic Heart Failure Hospital Course: Patient is a pleasant 66yo admitted for acute renal impairment secondary to significant o hypovolemia resulting in ATN as well as atrial fibrillation w/ RVR after presenting to ER with complaints of chest pain, dyspnea, malaise, and anorexia that began after receiving his second COVID vaccine on 4/01/2021. Please see H&P for full details. Patient reported that on the day after his COVID #2 vaccine, he lost his appetite and was not able to eat or drink. He continued to take his home medications as prescribed including losartan, chlorthalidone, and meloxicam. After experiencing progressive worsening of symptoms for 5 days, patient presented to ER for further evaluation. Upon arrival to ER, patient was noted to be hypotensive and tachycardic. EKG showed atrial fibrillation w/ RVR. Routine labs were obtained and were remarkable for elevated creatinine and mild hypokalemia w/ normal BNP and negative cardiac enzymes. CXR showed enlarged cardiac silhouette, but no evidence of pulmonary edema or other acute abnormalities. Patient was subsequently admitted for further evaluation and medical management. He was staited on aggressive IV hydration for his hypotension and hypovolemia w/ PRN IV metoprolol as needed for HR> 110bpm. He was continued on anticoagulation. Serial cardiac enzymes were obtained and were negative. TIE report from Dr's office that was performed recently was obtained and showed EF of 55-60% with Grade 1 diastolic dysfunction. Patient's wife brought his CPAP from home and patient wore his CPAP while sleeping during his hospital stay. During the course of hospitalization, patient's blood pressure & HR improved, though he remained in atrial fibrillation. His

COVID19 VACCINE	1395843-1	80+ years	1 day	Dad woke up on January 29, 2021 with severe stomach pains and vomiting. He was very uncomfortable and ended up going back to bed. He was miserable all day. I called his physician and we decided to keep him comfortable at home and give him the BRAT diet which seemed to be helping with the pain and vomiting. Dad never got out of bed again. On February 4th, Dad was placed on Hospice and died on February 7, 2021.
COVID19 VACCINE	1396725-1	80+ years	1 day	Per daughter, patient died the next day after receiving the shot. Patient didn't have any issues with 1st shot and she went to check on her and she was dead.
COVID19 VACCINE	1407833-1	50-59 years	1 day	Patient was found dead next day at home during sleep.
COVID19 VACCINE	1410799-1	60-64 years	1 day	After first dose of vaccine on 4/23 complained of fatigue and tiredness. After second dose on 5/26 complained of fatigue, dizziness, nausea and body aches. Expired on 5/28.
COVID19 VACCINE	1415733-1	50-59 years	1 day	The pt received his 2nd Moderna covid vaccine on 6/13/21 at 10:45 am (approximately). Starting at 5pm he c/o pain, redness and tenderness in the injection site, chills, and lethargy. The next day he did not go to work b/o he felt tired and he stayed home with his 7 y/o daughter while his wife went to work. His wife spoke with him in the am and he reports he was making breakfast for their daughter and he was going to lie down and sleep afterward. He made lunch for daughter about 1 pm and he went to lie down in his chair. His brother called his wife at about 4:30 pm stating he was blue. 911 was called and they were unable to revive him.
COVID19 VACCINE	1420707-1	80+ years	1 day	Patient presented to ER on 01/18/2021 and stated respiratory symptoms began on 01/14/2021. Positive Covid test that day. Patient was released from ER and admitted as inpatient to the hospital on 01/23/2021 and expired of Covid related symptoms on 02/02/2021.
COVID19 VACCINE	1421273-1	65-79 years	1 day	DEATH WITHIN 24 HOURS
COVID19 VACCINE	1421533-1	30-39 years	1 day	Per report from patient's husband, the patient developed a fever to 103 on the evening of 6/21/21. She awoke in the morning and was ""not herself"". He describes her as having difficulty breathing and not being lucid. He took her to the hospital where she was hospitalized and then he got a call from the hospital in the evening reporting that she had walked to the restroom and then collapsed. Per his report, she had CPR performed for 30 minutes prior to being declared deceased. His phone number is the one included in this report. ""
COVID19 VACCINE	1428895-1	80+ years	1 day	Feb 8th 2nd vaccination. Next day lost consciousness, fell no injuries. Following day Feb 10th weak and could not stand, BP low, Dr sent him via ambulance. EMS identified him having a heart attack that started Feb 9th. He had no cardiac history He was hospitalized for a sudden blockage, had a vtach episode, did not lose consciousness, one stent placement, had a 2nd vtach episode and did lose consciousness. Placed on blood thinner, within a few days had uncontrolled urinary bleeding, catheter to irrigate, changed blood thinners and did not stop. Continued weakness and decline. Then developed pneumonia the following week. Placed on antibiotics, oxygen 2-7 L/nc. Went to rehab, back and forth to hospital. Came home twice, once Feb 14th for 24 hours, then 2nd time March 9 (his birthday) for his final 2 weeks t home where I cared for him until he passed March 21st. On 4L/NC, did not have catheter, bleeding had stopped.
COVID19 VACCINE	1430452-1	30-39 years	1 day	Fever, pain in thigh, vomiting, diarrhea, sepsis, eventually died two weeks later. Time of death 6-11-21 1am
COVID19 VACCINE	1431211-1	65-79 years	1 day	Sudden Death

COVID19 VACCINE	1432736-1	65-79 years	1 day	Death; Cardiac arrest; Fatigue; This case was received on 15-Jun-2021 and was forwarded to Moderna on 15-Jun-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of DEATH (Death), CARDIAC ARREST (Cardiac arrest) and FATIGUE (Fatigue) in a 73-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included Hemodialysis. Concurrent medical conditions included Chronic kidney disease (On HD). On 01-Jun-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 02-Jun-2021, the patient experienced DEATH (Death) (seriousness criteria death and medically significant), CARDIAC ARREST (Cardiac arrest) (seriousness criteria death and medically significant) and FATIGUE (Fatigue) (seriousness criterion death). The patient died on 02-Jun-2021. The cause of death was not reported. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No treatment/concomitant medications were reported. Very limited information regarding these events has been provided at this time. No further follow-up information is expected.; Sender's Comments: Very limited information regarding these events has been provided at this time. No further follow-up information is expected.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1433741-1	65-79 years	1 day	Patient found unresponsive at home, CPR administered by EMS/ER, patient deceased.
COVID19 VACCINE	1437490-1	80+ years	1 day	Patient was feeling in good health prior to receipt of vaccination- Patient reported not feeling well right after receiving the dose; fainted the following day- sought medical care that same day- no issues detected; patient continued to say he did not feel like something was right. Patient died on June 4, 2021- brain bleed - transferred to different hospital-intraparenchymal bleed ---please note- there are NO LOT NUMBERS WRITTEN ON PT VACCINE RECORD!
COVID19 VACCINE	1437852-1	65-79 years	1 day	Arm pain following vaccination. Was found deceased the following morning (less than 24 hours after the vaccine). Death was not attributed to the vaccination; cause of death was hypertensive and atherosclerotic heart disease.
COVID19 VACCINE	0909095-1	65-79 years	2 days	on 12/24/2020 the resident was sleepy and stayed in bed most of the shift. He stated he was doing okay but requested pain medication for his legs at 250PM. At 255AM on 12/25/2020 the resident was observed in bed lying still, pale, eyes half open and foam coming from mouth and unresponsive. He was not breathing and with no pulse
COVID19 VACCINE	0918065-1	60-64 years	2 days	1/1/2020: Residents was found unresponsive. Pronounced deceased at 6:02pm
COVID19 VACCINE	0921547-1	65-79 years	2 days	DEATH ON 1/4/2021, RESIDENT RECIEVED VACCINE ON 1/2/20
COVID19 VACCINE	0924126-1	80+ years	2 days	resident expired 1/1/2021
COVID19 VACCINE	0926600-1	65-79 years	2 days	Patient did not report any signs or symptoms of adverse reaction to vaccine. Patient suffered from several comorbidities (diabetes and renal insufficiency). Patient reported not feeling well 01/06/2021 and passed away that day.

COVID19 VACCINE	0934263-1	80+ years	2 days	The resident resides in an independent living facility/apartment. The reporter at the center was informed by his daughter he was not feeling well on 1/1/2021 (specific symptoms could not be ascertained). He reportedly went to be COVID tested on 1/1/2020 and observed to be deceased in his apartment on 1/2/2020. I do not have confirmation of his COVID results, although the reporter indicates his daughter reports his test was positive.
COVID19 VACCINE	0935350-1	80+ years	2 days	Patient was found unresponsive at home with SpO2 20% 1/2/2021
COVID19 VACCINE	0937152-1	80+ years	2 days	The facility had positive cases for COVID 19 when the vaccine was received and administered to patient. With her advanced age and chronic conditions, she did not have time to build immunity between the time of vaccination and her testing positive.
COVID19 VACCINE	0937186-1	80+ years	2 days	The facility had a number of positive COVID 19 cases prior to patients vaccination. Due to her advanced age, chronic condition, and exposure, patient did not have the time to build immunity after exposure before becoming positive.
COVID19 VACCINE	0940602-1	80+ years	2 days	Patient received vaccine on 1/8/2021. On 1/9/2021 I checked on patient via phone for symptoms or problems and he reported none but mild soreness at injection site. On 1/10/2021 family friend called me to tell me that patient had expired at about 8:00 pm. Patient reportedly complained of ""pain"" unspecific and collapsed at home. Hospital reportedly told family that it appeared to be a ""heart attack"".
COVID19 VACCINE	0940866-1	65-79 years	2 days	Patient was found ""acting abnormal"" on 1/9/2021 at 1215. VS HR 20-30's. EMS activated. EMS arrived and patient was found pulseless in PEA/ asystole, CPR and ACLS initiated and then transported to the MC. Unsuccessful resuscitation and expired on 1/09/2021 at 1348. Clinical impression Cardiopulmonary arrest.
COVID19 VACCINE	0947129-1	80+ years	2 days	Resident received Moderna vaccine on 12/23/2020 around 5 pm. At approximately 3:35 am on 12/25/2020, resident had a CVA and died on 1/1/2021 at 3:00 am.
COVID19 VACCINE	0947662-1	80+ years	2 days	Accelerated decline in condition with decreased input, decreased responsiveness, somnolence, and death
COVID19 VACCINE	0948164-1	65-79 years	2 days	Abdominal pain, Headaches, chest pain, loss of appetite, confusion, elevated liver enzymes 1/8-1/15/21
COVID19 VACCINE	0949523-1	60-64 years	2 days	Around 00:50am on 01/15/21, C.N.A. reported that the resident looked different and not responding. Initiated Code Blue and started CPR. 911 arrived and pronounced resident dead at 1:01 am.
COVID19 VACCINE	0953348-1	80+ years	2 days	Patient was living in a nursing home with positive cases when administered. His age and chronic condition was such that he did not have time after the vaccination to avoid exposure or develop immunity.
COVID19 VACCINE	0958745-1	65-79 years	2 days	Resident was noted to have increase weakness on 1/15/2021. Resident was warm to touch with low grade fever of 99.3 F. Resident was up propelling self in w/c on 1/16/2021 he was pleasant, accepted medications and ate lunch. He was found slumped over in his w/c not responding and vital signs absent.
COVID19 VACCINE	0959167-1	80+ years	2 days	Patient received COVID 19 vaccine 01/14/2021. Patient died in his sleep 01/16/2021.
COVID19 VACCINE	0963163-1	80+ years	2 days	Narrative:
COVID19 VACCINE	0963167-1	80+ years	2 days	Narrative: Symptoms: & Cardiac Arrest; Death Treatment: EPINEPHRINE

COVID19 VACCINE	0965831-1	65-79 years	2 days	Patient received her first dose of vaccine on Monday, January 18th. Two days later on Wednesday, January 18th, she retired to bed early. Later that night when her husband went to bed, he found her in the bed deceased. No other details of the event are know.
COVID19 VACCINE	0969363-1	65-79 years	2 days	Patient obtained initial dose of Moderna vaccine on Thursday, Jan 14. No adverse effects reported during initial 15 minute post vaccine waiting period. Saturday morning (Jan 16), patient developed severe cough, labored breathing, and fever. Additionally patient mental status changed suddenly, became non-communicative (unable to speak, but would scream if she was touched). O2 status was irregular, dropping to 78. Sunday morning, EMT and then hospice was hospice called. Monday morning, after hospice emergency kit was initiated, patient passed away.
COVID19 VACCINE	0972610-1	65-79 years	2 days	Patient was tested positive for Covid-19 on 12/9/20. Patient received Covid Vaccine on 1/21/21. Patient was observing for 15 minutes in treatment room by Nursing staff. Patient denied any signs/symptoms adverse effect: headache, dizziness & weakness, difficulty breathing, muscle pain, chills, nausea and vomiting, and fever. Patient seated on treatment table appeared to be relaxed, respiration even and unlabored. Health teaching provided. Patient educated to report any changes in condition to staff immediately. Patient verbalized understanding and able to verbalize signs and symptoms and adverse effects to be aware of related vaccine. On 1/22/21: patient was seen by medical provider for ""altered behavior"". Per medical provider's documentation: ""Patient was fallen on 1/2/21 and was sent out to outside hospital on 1/4/21. CT head: no intracranial abnormality, age-related changes. Patient had labs (B12, RPR, folate) were within normal limit"". We did MMSE today: 22/30 score ""mild dementia"" On 1/23/20: ""Patient was inside his cell. He was walking towards cell door to obtain his breakfast, when custody witnessed him collapse and activated the alarm. Nursing staff arrived at cell front at 06:34 am and found the patient pulseless and unresponsive, and CPR was immediately initiated. AED was attached at 06:35 am and no shock advised. AMR then arrived and patient did not have ROSC, and was pronounced dead at 06:54 am.""
COVID19 VACCINE	0979796-1	65-79 years	2 days	Patient went to hospital with COVID symptoms on 01/10/2021 and passed away on 01/22/2021
COVID19 VACCINE	0979841-1	60-64 years	2 days	Pt likely presented to vaccine appt with asymptomatic/early infection of COVID-19, as he presented 2 days post-vaccination and tested positive for COVID-19 on rapid and PCR test. He was hospitalized where he eventually died of complications from COVID-19 while in ICU. Date of death was 1/15/2021.
COVID19 VACCINE	0979990-1	60-64 years	2 days	sudden cardiac arrest
COVID19 VACCINE	0982370-1	80+ years	2 days	Patient died at hospital on j/16/2021 approximately 48 after receiving vaccination. Believe death related to fall at home prior to vaccination.
COVID19 VACCINE	0982541-1	80+ years	2 days	36 hours after vaccination, the patient had increased respiratory distress. He was placed on high flow nasal cannula oxygen with mild improvement. He then continued to be hypotensive requiring IV fluids and subsequently IV vasopressors. Patient's BP was stabilized with vasopressor, however he continued to deteriorate clinically with altered mental status and lethargy, concerned for bowel perforation based on physical exam by MD. He was then emergency intubated and placed on mechanical ventilation. He was then transferred to acute care hospital near by.
COVID19 VACCINE	0988369-1	80+ years	2 days	aspiration pneumonia/death

COVID19 VACCINE	0991216-1	65-79 years	2 days	Vaccine given on 01-25-2021. Wife reported on 01-29-2021 that patient had a ran a fever on 01-26-2021, Was better on 01-27-2021. She found him dead when she came home work on the evening of 01-28-2021.
COVID19 VACCINE	0991849-1	80+ years	2 days	Congestion, Hypoxia, SOB, Tachycardia, Weakness. Started on O2 @ 3L, HOB elevated, Tylenol supp
COVID19 VACCINE	0991997-1	65-79 years	2 days	Resident c/o nausea evening of 1/29 (nausea common for her post dialysis), had a large emesis at approx 2220, 0030 (unusual for resident to vomit)- received Zofran per order. Skin cool and damp, Blood sugar 147 (checked due to h/o diabetes and poor intake). At approx 230am Blood pressured checked and noted to be 52/29. Resident transferred to ER, intubated and transferred to higher level of care where she passed away on 1/30 at 736pm. Resident's medical notes indicated likely shock, cardiogenic in nature, sepsis (source unknown) along with a multitude of other co-morbidities that resident has.
COVID19 VACCINE	1004206-1	80+ years	2 days	Death; A spontaneous report was received from a nurse concerning a 91-year-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and died two days later. The patient's medical history included dementia. Concomitant medications reported included paracetamol. On 21 Jan 2021, approximately two days prior to her death, the patient received the first of two planned doses of mRNA-1273, intramuscularly for prophylaxis of COVID-19 infection. On 23 Jan 2021, the patient died. The nurse reporting the event stated that the patient's death was considered as due to ""natural causes"" and that she was not aware of any new-onset symptoms of illness prior to the patient's death. The patient was described as ""fragile"" and was under hospice care at the time of her death. An autopsy was not performed. Action taken with the drug in response to the event is not applicable. The patient died on 23 Jan 2021. The cause of death was natural cause of death related to dementia. Autopsy was not performed.; Reporter's Comments: This case concerns a 91-years-old female patient, with medical history of dementia, who experienced a serious unexpected event of death. This event occurred 2 days after first dose of mRNA-1273, lot # unknown. At the time of death, the subject was very fragile and was in hospice care. Concomitant medication included Tylenol. Treatment details were not provided. The doctor considered that the death was due to natural causes. However, autopsy was not performed. Very limited information regarding this event has been provided at this time. Based on the limited information available, it is difficult to assess a cause and effect relationship. The benefit-risk relationship of Moderna's COVID-19 vaccine is not affected by this report.; Reported Cause(s) of Death: Natural cause of death related to dementia""
COVID19 VACCINE	1005533-1	80+ years	2 days	Narrative: 89yo with type 2 DM, HT, pacemaker and prior COVID+ in Nov 2020. Shortly after administration of 2nd Covid vaccine, patient began to have increased cognitive decline and 2 days after he expired at the facility

COVID19 VACCINE	1014740-1	80+ years	2 days	Patient found down at home with agonal respirations and per EMS asystole, received 2 rounds of epi at her house with return of spontaneous pulses, lost pulse again in route to ER and another round of epi was given, CPR in progress when arrived at hospital. Prior to this patient's husband states he heard her fall in the bathroom but did not immediately check on her as he states that this has happened before. He checked on her 10 min later and that's when he found her unconscious. Daughter called 911 and she began CPR. No previous complaints of headache, chest pain, back pain, fever or chills. Husband states patient was drinking that evening which is not unusual for her. Patient died at hospital.
COVID19 VACCINE	1014774-1	65-79 years	2 days	We were informed the patient passed away 2 days after receiving the vaccine. We do not have any details about what happened, we were informed by one of his employees. We have no knowledge that this had anything to do with the vaccination in any way.
COVID19 VACCINE	1020227-1	80+ years	2 days	This is the patient who passed away 2d after his second COVID vaccine. Of note, the 2/8 telephone note makes it sound like he was hospitalized at time of death - that is incorrect. His daughter listed as EM contact works in the eye clinic here. He had mild illness, completed 10d isolation but missed his scheduled booster dose on 2/2 due to isolation. He was called on 2/5 when there was a booster visit cancellation and received his booster dose on that day. His daughter reported that he was doing fine and looking well on 2/7 AM, ate breakfast, shortly after stood up and just collapsed.
COVID19 VACCINE	1020749-1	65-79 years	2 days	Patient had no reaction at the clinic. Patient is a medical doctor whose partner called in this death. States patient had no complaint on 1/13 nor 1/14 while at work. States patient died at home on 1/15 a.m. Physician who stated she was called to the patient's home @ 0157 1/15/2021 and found cyanotic from head to toe. State girlfriend found him sitting in the chair a few minutes before they called her. The Coroner did not order autopsy. Did not sent patient to the hospital. Sent him directly Funeral Home. Death Certificate Number 123-2021-002593 list cause of death as pending. I spoke with the patient's primary doctor who gave me the history of HTN, Diabetes, & High Cholesterol. States he had not seen this patient since April 2020. They were also friends and he was not aware of any medical problems. The Coroner state she thinks patient has a heart attack. Neither the Coroner nor PMD think death was related to COVID Vaccine. Informed both that MSDH would have to complete VAERS. Both voiced understanding.
COVID19 VACCINE	1023948-1	60-64 years	2 days	02/08/21--2 days after vaccine--Resident stated that she ""didn't feel good"" (She is developmentally delayed and less able to communicate how she feels than those in the community) and stopped eating most foods; also had fatigue. Vitals, coloring, & behavior were normal. 02/09/21--Belly was firm and mildly distended (although she stated it didn't hurt); she coded this evening and CPR was performed before EMT could transport her to the hospital. 02/10/21--Resident passed.""
COVID19 VACCINE	1024325-1	80+ years	2 days	Patient passed away on February 5, 2021. There was no reaction after the shot was given, the patient's son said the death was not related to the vaccine. The patient had a bad case of shingles about a month prior to receiving the vaccine which the son said had been hard on the patient, the patient was also 90 years old. Per the son, the patient's doctor had wanted the patient to get the vaccine. Due to the close proximity of the date the vaccine was given and the date Patient passed away we wanted to complete the VAERS form.

COVID19 VACCINE	1025081-1	60-64 years	2 days	No reported adverse reactions from 1st or 2nd vaccine doses Patient died on 2/6/2021 at Correctional facility- autopsy was performed at medical examiner's office. The COD was arterosclerotic cardiovascular disease
COVID19 VACCINE	1025398-1	65-79 years	2 days	Patient received vaccine on 2/5. We were told on 2/9 that the patient visited another emergency department on 2/6 but no information was given as to what prompted that visit. She was sent home. Daughter found her on 2/6 or 2/ 7 unresponsive and she died.
COVID19 VACCINE	1025493-1	65-79 years	2 days	Patient expired on the morning of 2/11/2021. No known adverse events prior to death. Patient was observed for 20 to 25 minutes after administration of vaccine and reported experiencing no signs or symptoms of adverse events at that time.
COVID19 VACCINE	1026534-1	80+ years	2 days	resident had a stroke, sent to the hospital and died 4 days later
COVID19 VACCINE	1027158-1	80+ years	2 days	death. Per son pt was not feeling well after the vaccination ""like her legs were weak."" Son found the mom in her bed 1am on 2/12/2021 unresponsive.""
COVID19 VACCINE	1027502-1	80+ years	2 days	My dad received his first COVID vaccine on January 14, 2021. On January 16, 2021 he ate breakfast around 7:00 am and went back to his room. When the staff checked on him around 8:00 am they found my dad unresponsive. His blood pressure was over 220 and his pulse was 43. They began manual CPR until the paramedics arrived, but my dad died.
COVID19 VACCINE	1028596-1	80+ years	2 days	*extreme* fatigue. could not awaken for more than few seconds. When briefly awake she was coherent and not confused. slept deeply from 4pm and could not wake to eat or drink. No fever, bp normal, blood oxygen ok. Blood sugar at 11pm was 230. Gave her 15u lantus at 11pm (normally 25u). Was sleeping at 2:30am but had died at next check at 3:30am.
COVID19 VACCINE	1029412-1	65-79 years	2 days	Death
COVID19 VACCINE	1030273-1	Unknown	2 days	Death; A spontaneous report was received from a reporter concerning a patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and passed away. The patient's medical history was not provided. No relevant concomitant medications were reported. The patient received their first of two planned doses of mRNA-1273 on 28 Dec 2020 intramuscularly for prophylaxis of COVID-19 infection. On 30 Dec 2020, 2am the patient passed away. Administrator marked as natural causes. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not applicable. The outcome of the event was fatal. The patient died on 30 Dec 2020. The cause of death was reported as unknown. The reporter did not provide an assessment for the event, passed away.; Reporter's Comments: This case concerns a patient of unknown age and gender. The medical history and concomitant medication is not provided. The patient experienced Death. The event occurred approximately one day after receiving their first of two planned doses of mRNA-1273 (Lot unknown). Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. The benefit-risk relationship of Moderna's COVID-19 vaccine is not affected by this report.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1030323-1	65-79 years	2 days	Patient had COVID vaccination on 2/3 with no adverse s/s before leaving unit. Upon coming to treatment Friday 2/5 he reported to the RN that he had fallen on thursday 2/4 due to ""getting up fast"" did not hit head or hurt anything per RN discussion. Began treatment without difficulty. About 3/4 way through treatment was talking with staff and became unresponsive - code was called and pt expired after 30 minute resuscitation efforts.""

COVID19 VACCINE	1030787-1	65-79 years	2 days	Pt admitted from home with intermittent nausea, dry heaving, and central chest pressure which self resolve in 2 minutes since 2/6/21. Called 911 on 2/12/21 due to sustained episode that did not resolve. EMS treated with aspirin and nitroglycerin prior to arrival to ED. In ED patient became unresponsive and went into full cardiac arrest -CPR and ACLS care initiated. STEMI with AV conduction block. 2nd degree a-v block type II - significant bradycardia - temporary pacemaker placed - Vfib -PEA. Time of death 0955 on 2/12/21 Patient received first dose of Moderna Covid vaccine on 2/4/21
COVID19 VACCINE	1031593-1	80+ years	2 days	On February 11, 2021 around 10:15 am, patient was given the Moderna brand COVID-19 vaccination. After his vaccination, he was instructed to wait around for 15 minutes after the administration of the vaccine. During this time, there were no reported issues with the patient. On February 15, 2021 around 9:15am, patient's wife called the pharmacy and spoke with the pharmacist informing her that patient had passed away in his sleep on Saturday evening. Patient's wife inquired about whether death may have been caused by an adverse reaction to the vaccine. During the call patient's wife mentioned that patient slept a lot the day of the vaccine and the day after. patient's wife mentioned that patient woke up Saturday to eat breakfast and lunch. She states that later that evening, she found patient asleep and cold which she then realized that he'd passed away.
COVID19 VACCINE	1034192-1	65-79 years	2 days	Patient presented with spontaneous IVH of small vessel origin with essentially no past medical history. She then acutely developed mesenteric ischemia. Died due to all dead small bowel which also appeared to be small vessel disease and not embolic/thrombotic. This process started one week after
COVID19 VACCINE	1034349-1	80+ years	2 days	Patient awoke on 2/12/21 with altered mental status, confusion, respiratory distress, was taken to hospital by ambulance. Per ED notes from ED attending Pt presented with hypotension and respiratory distress. DNR status, patient given comfort measures and passed away in ED at 11:24 am on 2/12/21.
COVID19 VACCINE	1035878-1	80+ years	2 days	Daughter called to report that the patient died on 02/15/2021. No report of symptoms from the vaccine on 02/13/2021
COVID19 VACCINE	1036585-1	60-64 years	2 days	Patient called EMS approximately 1pm on 2/15 with complaints of generalized weakness. Upon arrival EMS found her to be diaphoretic and she had a witnessed syncopal episode with question of v-fib and seizures. She became unresponsive and had no pulse. CPR was begun and she was transported to ED. She remained asystole throughout. CPR was initially continued in the ED for approximately 30 minutes and then stopped with Time of Death noted at 13:27. ED notes noted ""suspect given history that patient experienced massive MI, PE or ruptured AAA"". Death certificate notes indicate ""significant conditions contributing to death after cardiac arrest; ASCVD"". ""
COVID19 VACCINE	1036685-1	65-79 years	2 days	Systemic: Body Aches Generalized-Medium, Systemic: Chest Tightness / Heaviness / Pain-Medium, Additional Details: Unknown if patient experienced adverse effects 2-13 or 2-14, patient called facility 2-15 reporting body aches and chest pressure and was told by facility to seek medical attention, she passed later that day
COVID19 VACCINE	1036787-1	65-79 years	2 days	passed away 2 days after vaccine was given

COVID19 VACCINE	1038147-1	80+ years	2 days	Patient went into new-onset atrial fibrillation, resulting in a catastrophic stroke. Patient passed away on 2/11 as a result of the stroke.
COVID19 VACCINE	1038257-1	60-64 years	2 days	Passed away; tired; nonresponsive; cold; difficulty breathing; swelling; sore arm; feeling weird and funny; A spontaneous report (United States) was received from a consumer concerning a 63 year old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and the patient experienced limb discomfort, feeling abnormal, dyspnea, fatigue, swelling, unresponsive to stimuli, body temperature abnormal and the patient passed away . Medical history included treatment for tuberculosis and dialysis. Concomitant medication included calcium acetate, Renvela, glipizide, omeprazole, aspirin, vitamin D, losartan, furosemide, rifampin, and Sensipar. On 14 Jan 2021, the patient received the first of their first planned doses of mRNA-1273 (lot number 030L20A) for prophylaxis of COVID-19 infection. On 13 Jan2021, the patient tested negative for COVID-19). On 16 Jan 2021, the patient experienced a sore arm, and feeling weird/funny. On 17Jan2021, the patient experienced difficulty breathing and swelling. On 18 Jan 2021, the patient declined dialysis, was tired and wanted to lay down. At 8 am, the patient was found nonresponsive and cold and is believed to have passed away around 4 am. The coroner tested the deceased for COVID-19 and the test was positive. No autopsy was reported. No death certificate was issued at the time of the report but the reporter believes it will list cause of death as COVID complications. Action taken with the mRNA-1273 was not applicable. The outcome of the events of limb discomfort, feeling abnormal, dyspnea, fatigue, swelling, unresponsive to stimuli, body temperature abnormal, was fatal. On 18 Jan 2021, the patient was died. Cause of death was COVID-19. Autopsy details were not provided.; Reporter's Comments: The events developed on four days after first dose of mRNA-1372. Dyspnea, unresponsive to stimuli, and death were consistent with infection in pandemic set up confounded by age of patient and refusal of dialysis Cause of death was reported as COVID-19. Autopsy details were not provided. Based on reporter's causality the events are assessed as unlikely related to mRNA-1273.; Reported Cause(s) of Death: COVID-19
COVID19 VACCINE	1043482-1	60-64 years	2 days	Noted red blotchy areas 2 days post vaccination on bilateral inner thighs. Patient states he has yellow drainage if he expresses the areas. Has a photo of the rash. They are circular individual areas about 1 cm circumference. Each individual area is bright red with a open pinpoint area in the center. Some have a crusty area. He denies itching, burning. Denies rash in any additional areas post vaccination. Referred to see physician.
COVID19 VACCINE	1052226-1	60-64 years	2 days	Patient discovered unresponsive in cell, blue coloration to skin, vital signs, undetectable. CPR initiated, Ambulance summoned. Following EMS arrival with additional unsuccessful attempts to revive patient, patient was determined to have expired.
COVID19 VACCINE	1055070-1	40-49 years	2 days	Client died on 02/21/2021 and had received the second dose of the vaccine series on 02/19/2021.

COVID19 VACCINE	1062350-1	Unknown	2 days	Death; A spontaneous was received from a consumer concerning a male patient, who received Moderna's COVID-19 vaccine and who died. The patient's medical history was not provided. No relevant concomitant medications were reported. On 23-Jan-2021, prior to the onset of the event, patient received their first of two planned doses of mRNA-1273 (Lot number:013620A) intramuscularly for prophylaxis of COVID-19 infection. On 25-Jan-2021, approximately 2 days after injection, patient Died. On 26-Jan-2021, neighbor Reporter called in to report a potential AE death. She shared that she lives in a condo building with other elderly. She shared that she and 2 other neighbors went to a vaccination site in Miami at a fire department. She shared that she is fine but that her neighbor died two days after shot. She shared that she didn't know if he had symptoms and that she knows that he had a lot of medical issues and was on about 15 medicines. She shared that she didn't know his age but guessed 70. She said we can contact his wife, but it must be a Spanish speaking agent because she speaks little English. She is concerned because they all received the vaccine at the same time. She wanted to reiterate that she was fine but believed we should know about the neighbor's death. No treatment information was provided. Action taken with the second dose of mRNA-1273 in response to the event death is not applicable. The patient died on 26-Jan-2021. The cause of death was not provided. Plans for an autopsy were not provided.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested. The cause of death was not provided.; Reported Cause(s) of Death: Unknown
COVID19 VACCINE	1064294-1	80+ years	2 days	Death on 2-28-21. Not felt by this provider to be likely related to vaccination.
COVID19 VACCINE	1064433-1	65-79 years	2 days	Cardiac Arrest
COVID19 VACCINE	1067358-1	60-64 years	2 days	1-25-2021- Phone call: pt had cold and cough prior to vaccine. cough worsened 1-28-2021 Phone call: pt requesting provider visit, cough is same and taking tessalon pearls 1-29-2021 Provider in office visit: pt complain of cough and SOB for 6 days. Getting worse. Temp 101.2, pulse ox 87%, BP 128/70. level of distress- leaning forward to breath. appeared ill. diffuse rales throughout both lung fields, more at bases. Diagnosis Pneumonia due to COVID 19 virus. Sent to ER
COVID19 VACCINE	1068564-1	80+ years	2 days	On 3/2/2021, clinic was notified by patient's family that patient had deceased on 2/28/2021 from a heart attack. Unsure of any relation to the Moderna vaccine but reporting for due diligence.
COVID19 VACCINE	1069647-1	65-79 years	2 days	Beginning in the evening 2/19/21, fever/chills/fatigue; worsening of symptoms 2/20/21 with lethargy/lack of appetite/weakness; unable to arouse on 2/21/21 then breathing stopped, patient's spouse called 911 performed CPR, EMS continued for 15 min then while in ambulance to hospital where he was pronounced dead. Official time of death 2:20pm
COVID19 VACCINE	1071903-1	60-64 years	2 days	No reported adverse effects after vaccine was administered. Someone reported to our clinic that patient was found dead at home on Sunday
COVID19 VACCINE	1074271-1	65-79 years	2 days	altered mental status, acute on chronic thrombocytopenia, death

COVID19 VACCINE	1075639-1	50-59 years	2 days	<p>Patient is a 53 year old man with a past medical history of follicular lymphoma diagnosed in 2008, more recently with DLBCL with CNS involvement (involving hypothalamus; dx 8/2018; s/p HD MTX, s/p BMT- followed by Dr.), autoimmune hepatitis, obesity, adipic DI, central hypothyroidism and type 2 DM who presented to Hospital via EMS after a fall at home with multisystem organ failure leading to intubation in the ED and subsequent transfer to Oncology ICU for further management. He was in his usual state of health until Sunday. On Saturday he got COVID vaccine at 4pm, that evening he had no issues. Sunday night around 10pm he didn't make complete sense and his wife was concerned because of his history of DM and treated CNS lymphoma. BG was 320-340 at that time. Monday he was good and Monday night he started to have shaking of his left hand. Tuesday he had one episode of diarrhea. Later he was more shaky in the shower and he started to fall and his wife was unable to grab him and he slid down the wall and could not get up. Family was called to help and he was not making sense so they called EMS. Wife reports that he was down approximately 3 hours before EMS was able to get him up. In EMS he was noted to have a large area of skin desquamation from the right posterior knee to the ankle. His GCS was 15. He had stable blood pressure and heart rate. He was hypoxia to the 50s and oxygen was applied. In the ED he was found to be in multisystem organ failure and was intubated and had rapid progression of shock requiring Epinephrine, Levophed and Vasopressin. Crash lines were placed and he was sent to hospital. Upon arrival he was noted to have a cold pulseless right lower extremity and surgery was called. He was evaluated by Trauma Surgery, Orthopedic surgery and Vascular surgery and eventually underwent above the knee amputation. Unfortunately they were not able to remove all nonviable tissue and he continued to deteriorate. He was taken level 1 back to the OR and an additional 10 cm of nonviable tissue was removed. Unfortunately upon arrive he suffered cardiac arrest in the setting of severe lactic acidosis and hyperkalemia.</p>
COVID19 VACCINE	1075871-1	80+ years	2 days	<p>She was vaccinated on 2/2/21 and started feeling bad on 2/4/21. She was treated by her doctor, improved somewhat, got worse, then went to the hospital on 2/16/21. She died on 2/20/21.</p>
COVID19 VACCINE	1081547-1	80+ years	2 days	<p>NO IMMEDIATE ADVERSE EVENTS PRESENT FOLLOWING IMMUNIZATION. RESIDENT WAS ALERT, RESPONSIVE, TALKATIVE, WITHOUT COMPLAINTS, AND ENGAGING IN NORMAL ACTIVITIES AFTER IMMUNIZATION, AS WELL AS THE FOLLOWING DAY. HE WAS FOUND IN BED THE SECOND MORNING AFTER VACCINATION (AT 6:25AM) WITHOUT VITAL SIGNS AND HAD EXPIRED PEACEFULLY IN HIS SLEEP. HE WAS A DNR, NO LIFE SUSTAINING MEASURES WERE PERFORMED.</p>
COVID19 VACCINE	1082707-1	50-59 years	2 days	<p>death</p>
COVID19 VACCINE	1085788-1	80+ years	2 days	<p>My grandpa was very lethargic after his 2nd vaccine. The following day he started acting more awake, he had a better appetite but seemed to be breathing a little funny. He was labored a bit. He went to sleep on 2/24/21 and at 230 am was dead.</p>
COVID19 VACCINE	1089038-1	65-79 years	2 days	<p>Patient died 2 days after COVID vaccination, concern for vaccine related death. Autopsy showed bilateral pulmonary emboli. No evidence death was vaccine related.</p>
COVID19 VACCINE	1091538-1	80+ years	2 days	<p>According to his daughter, patient did not appear to have any ill effects from his second COVID-19 vaccine on 03/09/2021. However, on 03/11/2021, he suffered what is suspected to be a fatal arrhythmia/myocardial infarction. It is unknown if there is any correlation to the vaccine.</p>

COVID19 VACCINE	1092108-1	80+ years	2 days	Patient's wife reports patient never reported feeling unwell. He had been working on painting the basement all week and on 02.12.2021 came in from outside, ate, and they sat down to watch TV. Around 9:30 patient reported being extremely tired and went to bed. Was found unresponsive the following morning, 02.13.2021. Patient's wife reports the doctor said it was a heart attack.
COVID19 VACCINE	1093843-1	80+ years	2 days	patient's daughter reported patient passed away 2 days after first dose of vaccine
COVID19 VACCINE	1094638-1	65-79 years	2 days	Exposure to Covid 19 either on the date of vaccine (2/13/21) or shortly thereafter. Symptoms of Covid started on Monday (2/15) early morning following shot. Dr. ordered Covid test on Weds. (2/17). Taken by ambulance to Hospital, approx. 7 pm on Saturday (2/20) with dehydration, low oxygen levels, confusion, shaking and cough. Admitted to hospital with threats of ventilator up until Weds (2/24) when he was intubated, proned and FINALLY given hydration via IV fluids. He went into kidney failure on Thursday (2/25) and put on dialysis. Other organs began shutting down and was taken off the ventilator on Friday (2/26) and did not recover. He passed away just before 4:00 p.m. on 2/26/21.
COVID19 VACCINE	1095170-1	65-79 years	2 days	patient status started to decline within a few hours of receiving her covid vaccine she was weak, developed increased shortness of breath and went to the emergency room where she was diagnosed with STEMI and within 2 days expired.
COVID19 VACCINE	1095862-1	80+ years	2 days	received a phone call from the daughter of the patient. On 01/21/2021, patient came in and got his first Covid Vaccination. 3 days after the vaccination, the patient experienced really bad diarrhea, and was sleeping for 22 hours a day. 2 weeks later he perked up a little bit. On 02/23/2021, patient received his booster. Daughter states that 2 days later, patient shut down completely, not eating or drinking. The patient ended up passing away on 03/05/2021.
COVID19 VACCINE	1097244-1	80+ years	2 days	Death within 7 days of vaccine. COD Cardiac Arrest
COVID19 VACCINE	1100650-1	65-79 years	2 days	Patient died two days after receiving vaccine. Death certificate said respiratory failure.
COVID19 VACCINE	1101239-1	80+ years	2 days	Patient had been slowly declining over the past year due to dementia and age. On the date of her second vaccination, Feb. 17, she was getting around with her walker. On Friday, Feb. 19, she was so weak she was no longer able to walk with her walker, and she declined every day thereafter. On Monday, Feb. 22 she began crying and saying ""help me"". That lasted approximately a week. her health declined every day until Saturday, March 6, when she passed away at 6:15a. ""
COVID19 VACCINE	1101837-1	65-79 years	2 days	The patient became ill two days after the vaccination, and was hospitalized. He was diagnosed with COVID pneumonia on the 15th, and subsequently died.
COVID19 VACCINE	1103708-1	80+ years	2 days	Diarrhea, Stiff Neck, Overall feeling not well, Loss of strength
COVID19 VACCINE	1103813-1	65-79 years	2 days	Pt was vaccinated on 2/28 and on 3/2 began to experience worsened SOB from baseline, development of sternal chest pain, abdominal bloating, nausea and fatigue. She presented to the hospital on 3/9 c/o intractable pain and nausea/vomiting that was worsening. Imaging revealed no change in her cancer from same imaging in Jan 2021. PE ruled out. No sepsis. She had acute kidney injury/dehydration. started on ivf. renal imaging normal. echo normal. ekg normal. she rapidly progressed to anuric renal failure and died 3/13/2021. oncology ruled out tumor lysis. she was not felt to be a candidate for dialysis.
COVID19 VACCINE	1105125-1	65-79 years	2 days	Patient had a hemorrhagic stroke

COVID19 VACCINE	1105820-1	80+ years	2 days	<p>Patient seen and evaluated by PA-C with myself. We agreed on the clinical findings and implemented our plan together. Please see PA's note for details. All relevant procedures supervised. Patient arrived to the emergency department due to respiratory symptoms, hypoxic, reported that Wednesday he received his 2nd dose of COVID vaccine. His initial workup was concern for NSTEMI with elevated troponin and peaked T-waves, his chest x-ray concerning for COVID/pneumonia. Patient initially tolerated oxygen by nasal cannula and sepsis protocol was started including IV fluid resuscitation that was done cautiously due to the concern of COVID with respiratory failure. The biotics were given. PA-C readdressed code status with patient who confirmed that his DNR DNI, she so contacted his daughter. Patient had multiorgan failure including acute kidney injury, and pneumonia with respiratory failure +/- respiratory failure. Due to the concern of NSTEMI patient was initially going to be transfer to was hospital and transfer was started. Patient respiratory status started deteriorating and his blood pressure dropped slightly but improved after 500 cubic centimeters of IV fluid and he was also placed on a NIPPV. Around 6:00 p.m. patient has significantly desaturation and he discontinued himself NIPPV. Due to inability to intubate patient, he was ventilated with BVM, patient is slowly improved saturation levels and was opening his eyes, he was placed on a non-rebreather. At this point there is high concern of ARDS and due to inability to intubate or give for the respiratory support His daughter was at bedside and updated of current medical status and poor prognosis. Patient continued deteriorating and at this point he had agonal breathing. His daughter was at bedside and she was made aware of the futile prognosis of patient due to his respiratory failure. Patient rapidly became bradycardic and went into cardiac arrest. No CPR was done due to the DNI DNR status of the patient. Critical Care Procedure Note Authorized and Performed by: MD Total critical care time: Approximately 30 minutes Due to a high probability of clinically significant, life threatening deterioration, the patient required my highest level of preparedness to intervene emergently and I personally spent this critical care time directly and personally managing the patient. This critical care time included obtaining a history; examining the patient; pulse oximetry; ordering and review of studies; arranging urgent treatment with development of a management plan; evaluation of patient's response to treatment; frequent reassessment; and, discussions with other providers. This critical care time was performed to assess and manage the high probability of imminent, life-threatening deterioration that could result in</p>
COVID19 VACCINE	1106581-1	50-59 years	2 days	Patient was discovered deceased in her apartment at 3pm on March 12, 2021.
COVID19 VACCINE	1106684-1	80+ years	2 days	Resident on palliative/comfort care services since readmission to facility on 2/9/2021. Received first dose of Moderna COVID-19 vaccine on 1/7/2021. Received second dose of Moderna COVID-19 vaccine on 3/8/21. G-tube feeding discontinued on 2/14/21. Resident expired 3/10/2021.
COVID19 VACCINE	1109418-1	60-64 years	2 days	sudden death, while sleeping 2 days after injection Vaccine 3/12/21 last seen conversant and comfortable at 3a 3/14/21 Found nonresponsive and not breathing at 8:30a 3/14/21
COVID19 VACCINE	1110581-1	80+ years	2 days	Withing 24 hours of vaccine admin developed nausea, chills, aches, dyspnea, elevated heart rate. Saw PCP on 2/15 and was sent to ER and then admitted to hospital for 5 days-continued extreme nausea and atrial fibrillation after diuresis for CHF. HR 120s had to be put on multiple meds to bring ratedown. Discharged on 2/19. Cont worsening nauaeaa/chills/aches. Passed away on 2/23
COVID19 VACCINE	1112164-1	40-49 years	2 days	Individual Suddenly passed away on 3/7/21.....His Psychiatrist stated that there could be an adverse effect with COVID, the COVID Vaccination and medications, with an emphasis on Clozapine
COVID19 VACCINE	1112517-1	80+ years	2 days	My mother died of a brain hemorrhage 5 days after receiving the vaccine.

COVID19 VACCINE	1112743-1	80+ years	2 days	PATIENT PASSED AWAY ON 3/14/2021 @ 6:10 PM
COVID19 VACCINE	1116094-1	80+ years	2 days	Attempted Suicide Narrative: 93 year old received his 2nd dose of moderna vaccine on 3/11/21 in his home (nurse went there to give it). He attempted to take his life via gunshot wound to the head on 3/13/21. Sent to an outside hospital and passed away 3/16/21. He recently was diagnosed with cancer. Had an appointment with oncologist on 3/11/21 and found out cancer was limited to lung only and discussed treatment options. No Mental Health issues in the past. Cancer diagnosis and covid vaccine timing may have contributed.
COVID19 VACCINE	1116386-1	65-79 years	2 days	Patient developed nausea and vomiting 3/14/21. was seen at clinic by this provider 3/16/21 and reported at that time continued fatigue but overall symptom improvement. Vital signs were stable. pt was advised to orally hydrate and routinely monitor blood sugars and f/u as needed. On 3/18/21 patient was found down in his motel room by shelter staff unresponsive. 911 was called. pt transported to hospital by EMS receiving BLS. Clinic staff was advised by family that patient was pronounced dead that date.
COVID19 VACCINE	1126222-1	60-64 years	2 days	Patient admitted to hospital on 3/6/21 with sudden onset right-sided hemiplegia and aphasia. CT showed acute intraparenchymal brain bleed. Family chose palliative care over neurosurgical intervention due to sever neurologic impairment and inability to communicate. Patient was discharged to home hospice on 3/9/21.
COVID19 VACCINE	1126609-1	60-64 years	2 days	CARDIOPULMONARY ARREST 2 DAYS AFTER RECIEVING SECOND MODERNA DOSE
COVID19 VACCINE	1127860-1	65-79 years	2 days	Not sure if covid vaccine caused this, but this is what happened - Received covid vaccine. two days later had violent shakes in the night. Immediately went to get a covid test out of precaution. Tested negative for covid, but positive for ""flu b"". Went home to treat flu with fluids and rest. Got no better. Went to heart doctor out of precaution, full work up...everything checked out great. Went home, got no better. Went to primary care physician, full work up...found a ""spot"" on left lung. Was given antibiotics and steroids, go home and in a few days will be getting better. 3 days later became incapacitated and had to be rushed to ER. Was admitted into hospital for 6 days to treat ""pneumonia"". Also possible UTI and sepsis. Also while in hospital found out that a mini stroke had happened. Treatment went well, oxygen levels were good. Was released with glowing reports. 24 hours later at home had to be rushed to ER again after becoming incapacitated.. Was admitted again 7 more days. During this time everything took a nose dive in succession. Lungs were failing, multiple unexplained strokes were happening (while on blood thinners, had been on blood thinner 15 years...after first stroke they changed to another blood thinner...only more strokes). After so many strokes and compounding of strokes, his neuro function started failing. He was put on life support. While on life support his organs started failing. He had to be put on comfort mode and was dead within 8 hours. A perfectly healthy 77 year old man who had never been sick a day in his life (literally) got his 2nd covid shot, two days later he fell ill. From that point on his health spiraled out of control until his death on March 19th. Every doctor (pulmonologist, cardiologist, neurologist, and all attending doctors said that it was ""atypical and abnormal"" what was happening. It should not have happened. 180 degrees from normal.""

COVID19 VACCINE	1129860-1	18-29 years	2 days	Died January 21 after she received an mRNA shot; A spontaneous report was received from a consumer via social media concerning a 28-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and died two days later (death). The patient's medical history was not provided. No relevant concomitant medications were reported. On 19 Jan 2021, per social media post, the patient received one of their two planned doses of mRNA-1273 (Batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. The reporter stated that the patient was dead on 21 Jan 2021. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was not applicable. The patient died on 21 Jan 2021. The cause of death was reported as unknown. An autopsy was done. The reporter stated that the autopsy showed no other red flags, otherwise, no additional autopsy results were reported.; Reporter's Comments: Very limited information regarding this event has been provided at this time.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1130251-1	65-79 years	2 days	Sister reports that she was fine, the day before I took her to the dentist. Sister on 5/3/2021 called her and did not answer, so she goes to the nursing home where she resides. She finds her sister cold in the apartment's furniture. Massive heart attack
COVID19 VACCINE	1130327-1	80+ years	2 days	died in sleep
COVID19 VACCINE	1133712-1	40-49 years	2 days	reported bad headaches on the day following the vaccine--did not see the doctor--later died. the coroner reported that the preliminary autopsy showed an enlarged heart and liver
COVID19 VACCINE	1135730-1	40-49 years	2 days	Patient found dead two days after vaccination; A spontaneous report was received from a healthcare provider concerning 48-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and died. The patient's medical history includes bipolar disorder, colon polyps, hypertension, benign tremors & other Comorbidities. Concomitant product like iron sulfate, Fluticasone, Gabapentin, Lamotrigine, Methocarbamol, Propranolol hydrochloride was reported by the reporter . On 11 mar 2021, approximately 2 days prior to the event, the patient received their first dose of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 13 Mar 2021, the patient died. No other details were reported. Treatment information was unknown. The patient died on 13 Mar 2021. The cause of death was not provided. Plans for an autopsy were unknown.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1135778-1	65-79 years	2 days	Breathing issues; Death; A spontaneous report was received from a consumer concerning a 78 years old, female patient who experienced breathing issues/dyspnoea. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 08 Mar 2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly in an unknown arm for prophylaxis of COVID-19 infection. The patient experienced breathing difficulty on 12 Mar 2021. The patient died on 12 Mar 2021. Treatment information was not provided. Action taken with the drug in response to the events is not applicable. The patient died on 12 Mar 2021. The cause of death was not reported. The reporter wanted to conduct a autopsy to find out if the death was caused by the vaccine.; Reporter's Comments: This is a case of death in a 78-year-old female subject with unknown medical history, who died 4 days after receiving first dose of vaccine. Very limited information has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1138403-1	65-79 years	2 days	patient showed no signs or symptoms after but was found deceased the following day.
COVID19 VACCINE	1141262-1	80+ years	2 days	Moderna vaccine administered. Death resulted 48 hours later.
COVID19 VACCINE	1142982-1	80+ years	2 days	Cold symptoms (cough with phlegm) Weakness Low oxygenation
COVID19 VACCINE	1145251-1	80+ years	2 days	Ppt collapsed at home on 3/27/2021 late morning. Presented to ED on 3/27/21 from home around 11am with altered mental status. Was found to have a hyper acute stroke per CT head (intracranial hemorrhage). Ppt was pronounced on 3/28/2021 at 1:45pm. UNSURE IF DEATH RELATED TO VACCINE.
COVID19 VACCINE	1146708-1	65-79 years	2 days	not feeling; Patient was found deceased; Stiffness in neck; Extreme fatigue; A Spontaneous report was received from a consumer concerning a 65-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced stiffness in neck/ musculoskeletal stiffness, extreme fatigue and patient was found deceased/Death. The patient's current condition included obesity and diabetes. Concomitant medication was not reported. On an unknown date, the patient received his first of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 14 Mar 2021, prior to the event, the patient received his second of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 14 Mar 2021, after receiving the second dose of the vaccination the patient began to complain of not Feeling. On 16 Mar 2021, the patient began to complain of stiffness in neck and extreme fatigue. On Wednesday 17 Mar 2021, the patient was found deceased in their home. The event deceased was reported as serious. The family member states they would hate to link the Moderna vaccination to their uncle's death but the vaccination was the only alteration of the patient normal diet and medications. Treatment medication was not reported. The patient died on 17 Mar 2021. It was unknown if autopsy was performed. Action taken with the drug in response to the events was not applicable. The outcome of the event patient was found deceased was fatal whereas outcome of other events stiffness in neck, extreme fatigue was unknown.; Reporter's Comments: This is a case of sudden death in a 65-year-old male subject with a hx of obesity and diabetes who died 3 days after receiving the second dose of vaccine. Very limited information has been provided at this time."" Further information is requested.; Reported Cause(s) of Death: Death""

COVID19 VACCINE	1147758-1	60-64 years	2 days	headaches, coughing, fatigue, fever, chills, nonapeptide, vomiting
COVID19 VACCINE	1148224-1	80+ years	2 days	on 2/27 patient's wife called and stated that he had fatigue, body aches, low grade fever, and poor appetite. on 3/4, patient's wife called and stated he had some shortness of breath and extreme fatigue. on the evening of 3/4, he experienced sharp back pain and shortness of breath and was taken by ambulance to the hospital, where he was diagnosed with CHF exacerbation and NSTEMI and worsening CKD. he developed cardiogenic shock and renal failure. on 3/10 he was started on milrinone, then on 3/11 he went into pulseless VT and expired.
COVID19 VACCINE	1148451-1	80+ years	2 days	Described patient feeling fine the day after the vaccine (3/4/21), but by 3/5 she wasn't feeling well and was on the couch all day. By 3/8 she couldn't get out of bed, then was subsequently admitted to the hospital. Patient remained in hospital for ~2 weeks before passing away on 3/29/21.
COVID19 VACCINE	1149704-1	65-79 years	2 days	Patient received Moderna vaccine on 3/12 and passed away on 3/14. Patient had multiple chronic and acute conditions and was in overall poor health.
COVID19 VACCINE	1149813-1	60-64 years	2 days	PT RECEIVED MODERNA #1 ON 3/26 AND PASSED AWAY ON 3/28 AT HOME.
COVID19 VACCINE	1155633-1	80+ years	2 days	cardiac arrest/vfib arrest
COVID19 VACCINE	1158955-1	65-79 years	2 days	Deceased
COVID19 VACCINE	1159118-1	65-79 years	2 days	Patient died at home in the night of 03/30/21 to 03/31/2021. Time of death unknown.
COVID19 VACCINE	1159988-1	80+ years	2 days	Death
COVID19 VACCINE	1171191-1	40-49 years	2 days	Patient was found dead in his apartment. I'm not clear on details, but he was having some issues the week prior to being vaccinated. He was in acute distress when his attendant care worker came to give him his medications the day before.
COVID19 VACCINE	1184531-1	60-64 years	2 days	Weakness Confusion Falling down Vision impairment Legs really weak All of the above symptoms started on March 14, 2021 On March 18,2021 she was not out of bed except for just a few minutes. On March 19, 2021 she was on the floor laying beside of the bed and my father noticed blood looking stuff on her shirt and bed covers. She was really confused and lethargic. She was really weak and could not stand. She was extremely fatigued. At around 10:30 she fell again on the floor and my father and sister in law was able to get her back up and put her in a chair and she went to sleep. At 12:55 my father noticed she was not breathing and called 911. When they did CPR blood was coming from her mouth and nose. When the ambulance arrived they immediately took her to the hospital where she was pronounced dead at around 3:30 pm.
COVID19 VACCINE	1185996-1	65-79 years	2 days	My father complained of chest pains and then died two days after receiving the vaccine.
COVID19 VACCINE	1186982-1	80+ years	2 days	Three days after receiving dose 1 of the Moderna COVID 19 vaccine, I was contacted by the deceased daughter who indicated she could not get her mother out of bed. She was subsequently placed in Hospice Care due to global decline, never experienced any significant improvement, and expired 30 days later. Vaccine related adverse effect global debilitation after receiving vaccine.
COVID19 VACCINE	1189843-1	80+ years	2 days	Fell three times in home on May 15th. Was taken to Emergency Room by Ambulance. In hospital for two days and then released. Ordered Home Physical Therapy and Walker. Cleaned the wounds from the fall. Difficulty breathing and swallowing. Released and told to schedule echocardiogram with Primary Care to follow up on heart's pumping function. Still had difficulty breathing when home and walking. Started diarrhea on Monday 22 had appointment on the 24th with doctor, but died at home before she could make appointment.

COVID19 VACCINE	1190541-1	65-79 years	2 days	RECEIVED VACCINE ON 2/5/21 AND WAS FOUND DEAD MORNING OF 2/7/21. SHE HAD NO SIDE EFFECTS OTHER THAN SLIGHTLY SORE ARM UP TO THAT POINT. ED MD FELT SHE HAD SIGNIFICANT CARDIAC HISTORY AND LIKELY HAD MI. MEDICAL EXAMINER DID NOT ORDER AN AUTOPSY AND SHE WAS CREMATED. I FELT THAT I SHOULD JUST REPORT IT SINCE IT WAS SO CLOSE TO RECEIVING THE VACCINE.
COVID19 VACCINE	1204133-1	80+ years	2 days	came in with chest pain ,coded and died. Family believes it was because of COVID vaccine
COVID19 VACCINE	1205421-1	60-64 years	2 days	On April 8, 2021 patient received his second dose of Moderna COVID-19 vaccine at pharmacy at 1:08pm. Patient waited the appropriate 15 minutes, and then left pharmacy. He reported no adverse reactions to our staff during that time, and did not call afterward to report any adverse reactions. At approximately 4:30pm on April 10, 2021, I received notification that patient was found DOA at his residence. No other information is available at this time.
COVID19 VACCINE	1207097-1	65-79 years	2 days	According to hospital records, patient presented to the ER in full cardiac arrest with ongoing CPR in progress.
COVID19 VACCINE	1207989-1	65-79 years	2 days	The decedent was last seen alive at approximately 0130 when the decedent's next of kin (NOK) heard the decedent walking around the residence. The decedent complained of arm soreness and indigestion; the decedent received a second COVID-19 vaccination (Moderna) on 04/12/2021. The decedent went to the living room to sleep on the couch due to the health and soreness complaints. At approximately 0750, NOK entered the living room and found the decedent unconscious and not breathing.
COVID19 VACCINE	1214783-1	80+ years	2 days	unknown details of event as pt was in LTC facility where medical records would be located. Pt is reported to have expired at the facility.
COVID19 VACCINE	1218779-1	65-79 years	2 days	Death
COVID19 VACCINE	1219100-1	50-59 years	2 days	This patient was at work two days after her vaccine and went to the bathroom. When she did not come back to work after around 20 minutes, she was found unresponsive and an ambulance was called. The patient was declared deceased at the ER with the cause of death initially as cardiac arrest however a full autopsy was performed and Coroner's office is awaiting that report at this time. We did not know of the death until we went back this week to complete the second round of vaccinations. Since the death happened in such close proximity to the vaccination date we felt it prudent to report.

COVID19 VACCINE	1221521-1	60-64 years	2 days	Patient reported after 1st vaccine experiencing some itching. Patient also reported an increase in his BS after vaccine 1. Provider prescribed Atarax to patient for this, patient had previously been prescribed this as he has had a similar reaction to other vaccines and medication changes. Patient was seen by provider for high BS, patients insurance stopped paying for his insulin and they were transitioning him to Trulicity. Patient came to vaccine clinic on 4/13/2021. Patient was given 2nd dose of vaccine and monitored for appropriate period of time post vaccination. Patients family reports that patient had been feeling SOB for the past several weeks and more fatigue than usual. 4/14/2021, patient triggered an alert thru the monitoring system, nurse reached out to patient to discuss and schedule appointment for further DM education and appt with provider. Nurse had difficult time reaching patient, but patient did call back same day and scheduled appt on 4/23/21. Family reports they went to bed on 4/14/2021, brother went upstairs for bed checked on patient and he was unresponsive. 911 called, paramedics and fire department responded, but CPR was unsuccessful. Patient pronounced dea 4/15/2021 @ 12:26am.
COVID19 VACCINE	1222565-1	80+ years	2 days	Resident was in Hospice and began to stops wallowing. Respiratory cardiac arrest
COVID19 VACCINE	1222742-1	80+ years	2 days	This patient was admitted to Hospital, and subsequently transferred with acute coronary syndrome and cardiogenic shock two days after receiving a COVID-19 vaccination. He died of complications of acute coronary syndrome on April 17, 2021.
COVID19 VACCINE	1227320-1	65-79 years	2 days	about 2 days after the 1st dose of the moderna vaccine, felt very tired and unwell for several days. He felt okay for about 2 weeks then on January 29, 2021 he felt intense chest pain. Concerned it was a heart attack, he was brought to the hospital. He stayed one night and the hospital ran several tests like EKG, stress test and others. Found his results to be normal and was released on January 20, 2021. Even the moment he was released, he felt very dizzy but hospital was not concerned and thought maybe side effect of medication. He continued to feel dizzy, fuzzy brain and hard time staying awake during the day and sleeping through the night for the rest of the week. He passed sometime in the early hours of February 6, 2021. Doctor's suspicion is a blood clot. He has no history of blood clots, heart problems or any health issues.
COVID19 VACCINE	1228875-1	60-64 years	2 days	woke up with trouble breathin like couldn't get enough air into lungs, happened when sleeping for several nights
COVID19 VACCINE	1230868-1	65-79 years	2 days	My dad took vaccine 4/1 5pm, he had arm pain 4/2 morning, felt like fever in the afternoon. After 5pm, he compliant with joint pain. He was found on the floor dead 4/3 at 1am at home.
COVID19 VACCINE	1231112-1	80+ years	2 days	Patient was admitted to the hospital approximately 2 days after receiving the Moderna vaccine. She was under Hospice care before receiving the vaccine.
COVID19 VACCINE	1235472-1	65-79 years	2 days	My mother never had a reaction with the 1st shot and after the 2nd shot doing fine Thursday afternoon and Friday. She began having sx Saturday and passed Sunday early morning
COVID19 VACCINE	1243791-1	18-29 years	2 days	Per the father, the deceased received his first shot of Moderna vaccine on Saturday, 4/10/2021 at a local church. He did not work on 4/11/2021. Worked on 4/12/2021. The deceased was found dead at 6:43 p.m. at his home.
COVID19 VACCINE	1245299-1	80+ years	2 days	Patient developed swelling of his upper and lower lip on 4/11 and was given 25 mg benadryl at the care home. Swelling subsequently worsened and 911 was called, with EMS noting SpO2 at 88%. He was transported to the ER and found to have CHF/pulmonary edema and NSTEMI. Comfort care measures were implemented and he died 4/15.

COVID19 VACCINE	1249652-1	80+ years	2 days	Patient died in his sleep 2 days after receiving 1st dose; This spontaneous case was reported by a patient family member or friend and describes the occurrence of DEATH (Patient died in his sleep 2 days after receiving 1st dose) in an 84-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 011M20A) for COVID-19 vaccination. No Medical History information was reported. On 10-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) .5 milliliter. Death occurred on 12-Feb-2021 The patient died on 12-Feb-2021. The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant product use was not provided by the reporter. The patient's wife went to wake him up but he was found dead in his sleep. She was hearing impaired and was not able to give any other information. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not applicable. This is a case of sudden death in a 84-year-old male, who died 2 days after receiving ffirst dose of vaccine. Very limited information has been provided at this time.; Sender's Comments: This is a case of sudden death in a 84-year-old male, who died 2 days after receiving ffirst dose of vaccine. Very limited information has been provided at this time; Reported Cause(s) of Death: Patient died in his sleep 2 days after receiving 1st dose
COVID19 VACCINE	1258054-1	80+ years	2 days	Stroke, hospitalized 5 days, sent to skilled care (nursing home), death 2 weeks after stroke
COVID19 VACCINE	1261766-1	1-2 years	2 days	increased body temperature, seizure, death
COVID19 VACCINE	1262319-1	80+ years	2 days	Per Review of Charge Nurses Notes. Please see Below Called in to residents room by CNA, resident without respirations or pulse, resident placed on floor and CPR initiated at 0725, EMSA notified and called time of death at 0751. Specialists on call for Dr. notified. daughter notified. cremation services notified.
COVID19 VACCINE	1262415-1	65-79 years	2 days	Information obtained from clients wife. patient received his first dose of Moderna 2/24/21 lot 024M20A with no reported issues except for a sore arm. patient received his second dose of Moderna on 3/24/21; Lot# 006B21A. No immediate effects from the vaccine. On day 2 post vaccination, patient became to have chills, per wife; did not check temperature and denied any symptoms such as flu-like symptoms. Day 3 post vaccination; patient began to have weakness in the legs. March 31st; patient was unable to stand and the rescue squad was called. patient was taken to the Hospital; where he was evaluated and released home. Pt collapsed at 1am 4/1/2021 and died 4/1/21.
COVID19 VACCINE	1264003-1	50-59 years	2 days	Patient received 1st COVID vaccine 4/12/2021 at medical center. Per ER report: 4/14/2021 patient was in bed with significant other and was noted to not be responding. EMS was called. Patient was found without a pulse and apneic. CPR began, PEA converted to Vtach, received 8 total epi and 1.5gm lidocaine by EMS. Down 50-55 minutes prior to ER. In ER given 2 additional epi, 2 sodium bicarb, intubated and was PEA then asystole. Pronounced deceased in ER.
COVID19 VACCINE	1267948-1	65-79 years	2 days	Exact time of symptom onset unknown. Clinic was notified by family at 10am on 4/21 that patient had expired at home. Family member reported that patient was tired and achy and was found deceased on the floor in his room. Patient had a history of Covid-19 in January, 2021.
COVID19 VACCINE	1277990-1	65-79 years	2 days	Patient passed away, was notified by Coroner

COVID19 VACCINE	1281552-1	60-64 years	2 days	I cannot confirm the type of vaccine the pt received as it didn't occur in our health system. Pt experienced out of hospital cardiac arrest a few days after vaccination. Pt resuscitated; however never regained consciousness. Coronary angiogram revealed normal coronary arteries.
COVID19 VACCINE	1282259-1	80+ years	2 days	Death
COVID19 VACCINE	1284252-1	65-79 years	2 days	patient suffered from a massive right ICA stroke on 4/22 (2 days after vaccine). stroke progressed to cerebral edema with evidence of herniation. she was intubated and unfortunately expired. not a neurosurgery candidate due to her age and signs of herniation.
COVID19 VACCINE	1285872-1	80+ years	2 days	80 yo woman with hx of HTN, anxiety dneies any other conditions, presented to ER due to epigastric pain, vomiting x1. In Er presented with elevated heart rate, EKG with sinus tachycardia, regular rythm. CXR with COPD changes. There are bibasilar infiltrates suspicious for pneumonitis in the appropriate clinical setting. PATient admitted to unit for further treatment and workup. WBC 16.91 4/27/2021
COVID19 VACCINE	1289866-1	60-64 years	2 days	On 4-15-21, patient started having breathing problems and shortness of breath. He had a cough that he had productive phlegm. He continued to get worse. On 4-18-21, he fell getting out of the shower and slumped onto the floor, stating that he couldn't breathe. His wife and neighbor took him to the local ER. His condition improved with oxygen. He was admitted on 4-18-21 and then was transported by Air Evac to ICU. He was placed on the ventilator prior to leaving on 4-21-21 and transferred to hospital. His condition continued to deteriorate and he passed away on 4-25-21.
COVID19 VACCINE	1292411-1	65-79 years	2 days	Death resulted two days after 2nd dose in series.
COVID19 VACCINE	1313922-1	30-39 years	2 days	PT NO SHOW FOR APPT 5/11 FOR 2ND DOSE -CHECK OF agency system SHOWS PT REPORTED DECEASED 5/14- CHECK OF database SHOWS PT FOUND DECEASED AT HOMEN 5/14/21- AUTOPSY Completed
COVID19 VACCINE	1316677-1	80+ years	2 days	N17.9 - Acute kidney failure, unspecified
COVID19 VACCINE	1321832-1	40-49 years	2 days	Per her father on 5/2/21 she had kidney and liver failure and was admitted to the hospital. Was notified on 5/15/21 by her mother that she passed away. They are performing an autopsy to determine the cause.
COVID19 VACCINE	1327132-1	65-79 years	2 days	Cardiac Arrest
COVID19 VACCINE	1327446-1	65-79 years	2 days	Patient's friend called office on 3/29/21 to notify PCP that patient had passed away on 3/26/21.

COVID19 VACCINE	1330750-1	80+ years	2 days	<p>ED to Hosp Admission Discharged 3/8/2021 3/27/2021 (14 hours) Hospital MD Last attending :  Treatment team Dementia without behavioral disturbance (CMS/HCC) Principal problem Discharge Summary MD (Physician) ? ? Internal Medicine Inpatient Discharge Summary BRIEF OVERVIEW  Admitting Provider: MD Discharge Provider: MD Primary Care Physician at Discharge: CRNP  Admission Date: 3/8/2021 Discharge Date: 3/27/2021 Discharge Diagnosis Hospital Problems  POA * (Principal) Dementia without behavioral disturbance (CMS/HCC) Yes Aortic stenosis Yes  Atrial fibrillation (CMS/HCC) Yes Chronic obstructive pulmonary disease (CMS/HCC) Yes  Congestive heart failure (CMS/HCC) Yes Coronary artery disease with history of myocardial  infarction without history of CABG Not Applicable Depression Yes History of aortic valve  replacement Not Applicable Hyperlipidemia Yes Hypertension Yes Peripheral vascular disease  (CMS/HCC) Yes Ambulatory dysfunction Yes Dementia (CMS/HCC) Yes CKD (chronic kidney  disease) Yes History of TIA (transient ischemic attack) Not Applicable Dementia with behavioral  disturbance (CMS/HCC) Unknown DETAILS OF HOSPITAL STAY Presenting Problem/History of  Present Illness/Reason for Admission AKI (acute kidney injury) (CMS/HCC) [N17.9] Dementia with  behavioral disturbance (CMS/HCC) [F03.91] Generalized weakness [R53.1] Patient is an 87 y.o. male  with past medical history of hypertension, hyperlipidemia AFib not on anticoagulation, sick sinus  syndrome status post pacemaker, aortic stenosis status post valve replacement. Coronary artery  disease status post CABG, CHF, history of peripheral vascular disease, history of carotid stenosis, severe  vertebral artery stenosis, diabetes, CKD, dementia, chronic respiratory failure on 2 L nasal cannula post  COVID-19 pneumonia 11/2020 was brought to the emergency room by the family due to worsening  confusion and agitation, as per wife after the patient was discharged back in November in few weeks  patient dementia started to get worse, more confused, more agitated and few times he was violent to  his family members, well for the last few days patient's wife reported that his confusion was very bad  so she decided to bring him to the ED for further evaluation management. Hospital Course -For the  above presentation patient was admitted to the hospital services, patient was started on oxygen  supplementation, Covid repeat test continue to be positive, started on IV antibiotics, IV hydration due  to worsening kidney function, in the evening of 3/8 patient was found without any spontaneous  respiration, patient was pronounced dead by the RN and CRNP finished the discharge defecate, please</p>
COVID19 VACCINE	1333759-1	65-79 years	2 days	<p>My mom, patient was a health 79 year old women, only two health issues were COPD and moderate  dementia. She had even gotten her annual labs done recently which came back all with in normal  range, she as far as we knew did not have any issues with her heart. After her first vaccination in  March she started to lose interest in things and didn't have energy to be as active as she was. After  the second shot with in two days she started to report pain in chest and head and trouble breathing,  She went to her PCP on 5/12 and he wanted her to go to a cardiologist, this referral was made but by  the 16th she was in the ER due to extreme chest pain and trouble breathing, a stent was placed in her  heart on 4/17/21 my mom's 80th birthday. with in 4 days she died. Her heart just deteriorated. i feel  that if she didn't get this shot she would be alive today, she was healthy, now she is dead.</p>
COVID19 VACCINE	1337728-1	65-79 years	2 days	Intestinal distress ending in dead gut sundrome
COVID19 VACCINE	1338617-1	65-79 years	2 days	Death of patient two days after second injection.
COVID19 VACCINE	1351556-1	65-79 years	2 days	Patient was hospitalized multiple times and died within 60 days of receiving a COVID vaccine series

COVID19 VACCINE	1355052-1	65-79 years	2 days	She received her vaccine. The next few days, she was extremely tired and slept a lot. A couple days after the vaccine, she complained that her stomach hurt slightly. Days went by and the pain slowly got worse. She didn't feel like eating. Then on 2/8/21 in the middle of the night, she woke up in excruciating pstomach pain and her husband called ambulance. They rushed her to ER. The determined that her colon had ruptured near her stomach and they took her in for emergency colonoscopy. The surgery was a success, but a couple days after, she was weak and said she didn't want to fight any longer. They put her on hospice measures and she died 2/15/21. We feel that she was doing fine before the vaccine, and then all of a sudden this occurred. Seems to be too much of a coincidence. Finally taking the time to report it, in case there are others having colon and or stomach issues.
COVID19 VACCINE	1355128-1	65-79 years	2 days	Fainted in apartment parking lot, on morning of April 3; transported to ER,, via ambulance. Hospital stay for several days, moved to Rehab, sent back to ER with a cough, trouble breathing, and swallowing. Diagnosed with pneumonia. Went into coma on 4/18. Passed away on 4/22/2021.
COVID19 VACCINE	1360114-1	40-49 years	2 days	Soariness, low blood pressure and then death.
COVID19 VACCINE	1366154-1	50-59 years	2 days	Death
COVID19 VACCINE	1371905-1	50-59 years	2 days	Adverse Event was Death within 48 hours of vaccine.
COVID19 VACCINE	1375603-1	40-49 years	2 days	Received vaccine at on 5/24/2021. Patient is a 40 y/o male with no significant PMH who initially presented to the hospital after being found down at a restaurant. Was found to have ST segment changes on EKG, somnolent, and hypotensive requiring pressors. Taken to the cath lab where he had equalization of diastolic pressures and subsequently received pericardiocentesis due to concern for tamponade from pericardial effusion. 350 ccs of fluid was drained and his hemodynamics immediately improved and he came off vasopressors. Pericardial drain was placed. Over the next several days he had ongoing workup for the etiology of his pericardial effusion. His pericardial drain output dropped off, was clamped 5/31 and repeat echocardiogram 6/1 did not show significant effusion. Unfortunately, patient went into PEA arrest in the afternoon and was coded for ~40 minutes without return of ROSC. Unclear etiology at this time, no evidence of significant effusion on echocardiogram
COVID19 VACCINE	1376953-1	80+ years	2 days	After second dose, individual became weaker and needed to use of cane to walk around. Became progressively weaker over course of a few weeks, then on May 14th had chest pressure, nausea, and dizziness. This continued, Wednesday May 19th complained of trouble breathing, shortness of breath, but felt better Friday, May 21st, until Saturday May 22nd at 6:00 AM individual complained of more severe chest pressure. Taken to hospital, determined heart attack and kidney failure.
COVID19 VACCINE	1388553-1	80+ years	2 days	Death
COVID19 VACCINE	1394806-1	65-79 years	2 days	My father passed 2 days after vaccine
COVID19 VACCINE	1395042-1	80+ years	2 days	Cardiac arrest leading to death
COVID19 VACCINE	1407938-1	65-79 years	2 days	Intense diarrhea, stomach cramps and bloating. nausea, fatigue, memory loss, incoherent, skin peeling over entire body including face, immobile and labored breathing (over and above her COPD).
COVID19 VACCINE	1412755-1	65-79 years	2 days	Patient found in respiratory arrest at 4:20am on 6/19/21. CPR initiated and continued by EMS, along with IV fluids and intubation, remained in asystole throughout course of CPR. CPR terminated by EMS.

COVID19 VACCINE	1414536-1	40-49 years	2 days	This patient was homeless. Partner was with patient on the night of 6/12 when patient complained of not feeling well and attributed it to side effects of his COVID vaccine, which he received two days prior. Patient declined to go to the hospital. When partner woke up the morning of 6/13, the patient was found dead. A coroner's report is expected sometime within the next 4-6 weeks.
COVID19 VACCINE	1415239-1	80+ years	2 days	Myocarditis in 2 days - diuretics, Respiratory Failure in 2 days Bipap and Airvo, Clotted off leg in a few weeks Angiogram and Fascotomy, Ischemic gut weeks - comfort care orders, DVT in arm in weeks could have been due to PICC also - Elquis
COVID19 VACCINE	1420517-1	65-79 years	2 days	1 week history of shortness of breath and nonproductive cough beginning shortly after receipt of second dose. Patient became hypoxic and had diffuse consolidation through left lung with wedge-shapes consolidation involving the right upper and midlateral lungs. Leukocytosis and bandemia noted and acute renal failure. Developed atrial fibrillation and rapid ventricular response. Multilobar pneumonia, septic shock, non-q-wave myocardial infarction, acute renal failure. Patient expired.
COVID19 VACCINE	1423287-1	80+ years	2 days	Patient received his second Moderna vaccine on 02-24-21. He began to experience chest pains on mild exertion on 02-26-21. He then suffered a heart attack on 03-08-21 and passed away.
COVID19 VACCINE	1431244-1	80+ years	2 days	started with runny nose, fever, cough. ended in death due to Upper GI Bleed and inflammatory markers very elevated and no explanation why.
COVID19 VACCINE	1431530-1	50-59 years	2 days	Pt. got shot on 5/25 but started feeling real bad arm pain on day 2. The pain got worse in arm and patient reached out to pharmacy questioning arm pain to which he was told it was an expected side effect of the shot but because he was still in pain he made an appointment with his doctor on the coming Monday, but unfortunately, he passed away on Sunday 5/30/21 and was found by neighbors. Brother wants to report death because he took the vaccine
COVID19 VACCINE	0910363-1	80+ years	3 days	Patient had mild hypotension, decreased oral intake, somnolence starting 3 days after vaccination and death 5 days after administration. He did have advanced dementia and was hospice eligible based on history of aspiration pneumonia.
COVID19 VACCINE	0923993-1	60-64 years	3 days	Patient was vaccinated Dec 30, 2020. Prime dose of Moderna vaccine. Observed for full 15 minutes post-injection. No complaints when asked during observation. Released. Subsequently, vaccine clinic staff learned from the patient's supervisor that on Jan 4, 2021 that the patient had expired on Jan 2, 2021. By report from the supervisor, the patient was found dead at his home. The patient's primary care provider was unaware of his death when contacted by this reporter today (Jan 6, 2021). Electronic Medical Record without any information since the vaccination.
COVID19 VACCINE	0924664-1	80+ years	3 days	At approximately, 1855, I was alerted by caregiver, resident was not responding. Per caregiver, she was doing her rounds and found resident in bed, unresponsive, mouth open, observed gurgling noises and tongue hanging out of mouth. This primary caregiver observed resident at baseline and ambulating after dinner at approximately, 1800 less than an hour prior to incident. This PCG called 911 for EMS and gave report of incident. Resident was taken to Medical Center Emergency Department. At ER, CT scan and X-ray was performed. Per report from ER RN, CT scan and x-ray revealed an intracranial aneurysm and fluid in the lungs. Per RN, resident was still unresponsive and was admitted to Medical Center for observation and comfort measures. This primary caregiver reported to RN, resident recently received the first dose of COVID-19 vaccine on 1/2/21. Primary caregiver received a call from Castle RN at 0700, resident expired at 0615.
COVID19 VACCINE	0930154-1	60-64 years	3 days	Notified today that he passed away. No other details known at this time.

COVID19 VACCINE	0959272-1	80+ years	3 days	Patient died 4 days after immunization. Probably unrelated to immunization, as patient has been in poor health and was receiving hospice services. I have no details related to his illness or symptoms. Daughter is the HIPAA/emergency contact and will have all the information needed.
COVID19 VACCINE	0959568-1	65-79 years	3 days	Patient received her first dose of the Moderna COVID-19 Vaccination on Saturday January 16th 2021 at approximately 12pm. She completed all necessary screening forms and was deemed to be at low risk for serious allergic reactions. She tolerated the vaccination well, and no complications or immediate adverse events occurred. She was observed for a full 15 mins per CDPHE/CDC guidelines and left the Clinic in stable condition after her observation period was complete. On the morning of Tuesday, January 19th, 2021, the patient was found unconscious and unresponsive by her husband. She was transferred by Ambulance to Hospital shortly thereafter. She was diagnosed with a brain bleed that was determined to be inoperable. She was transferred to other Hospital for higher level care. She was seen by neurosurgery and diagnosed with a ruptured aneurysm. She was treated in the ICU for 24 hours, at which point her team determined that the severity of her brain bleed would not respond to treatment. Supportive cares were withdrawn on Wednesday Jan 20th, and she passed away shortly thereafter.
COVID19 VACCINE	0963610-1	60-64 years	3 days	Patient deceased on 01/17/2021
COVID19 VACCINE	0965922-1	65-79 years	3 days	We were alerted that the patient died at home.
COVID19 VACCINE	0970495-1	65-79 years	3 days	Patient expired three days after receiving first dose of Moderna COVID-19 vaccine. The death certificate states cause of death is sudden cardiac arrest.
COVID19 VACCINE	0974443-1	65-79 years	3 days	Patient received Moderna COVID vaccine on 12/30/2020 at a Pharmacy clinic where he was a resident. Nurses at the facility reported that he was responsive and showed no signs of any adverse effects until 1/2/2021 when he was observed slightly unresponsive and staring at the ceiling and trembling. He had a fever of 101F at this time. The facility ordered labs and a rapid COVID test (all of which came back normal) and started IV antibiotics. A few hours later, patient began bleeding from his eyes, nose, and mouth and was sent to the local ER. The patient refused being admitted to the ICU for possible sepsis/hemorrhage and died the following day on 1/3/2021. All healthcare professionals involved agreed that this was not likely due to the vaccine, but needed to be reported nonetheless.
COVID19 VACCINE	0976112-1	80+ years	3 days	Resident expired on January 21, 2021
COVID19 VACCINE	0981061-1	80+ years	3 days	Patient died 3 days post Moderna vaccine.
COVID19 VACCINE	0981406-1	65-79 years	3 days	Stroke, death
COVID19 VACCINE	0981849-1	80+ years	3 days	died 01/16/2021
COVID19 VACCINE	0982890-1	65-79 years	3 days	Pt presented to ER via EMS at 1556 3 days after receiving vaccine. pt was breathing approximately 50 times a minutes and o2 sats in the 70's upon arrival. NP decided to intubate, Rocuronium and Versed given. Pt became bradycardic and 1 amp of Atropine was given without improvement. No pulse felt, CPR started per ACLS protocol. 7 Epi's given. Time of death- 1632. After TOD pt was swabbed for COVID-19 and the results were positive.
COVID19 VACCINE	0990780-1	65-79 years	3 days	patient passed
COVID19 VACCINE	0995789-1	65-79 years	3 days	The patient received the vaccine on the afternoon of Thursday, 1/28/21. He was observed for at least 30 minutes following administration of the vaccine with no reactions noted. He was found dead in his car on Sunday, 1/31/21. It is unknown if the vaccine contributed to his death.

COVID19 VACCINE	1002931-1	65-79 years	3 days	CARDIAC ARREST, DEATH Narrative: The patient presents to the emergency department in cardiopulmonary arrest. CPR was continued upon arrival. The Combi tube was removed and an endotracheal tube was placed without complications. ROSC was obtained multiple times but the patient continued to go into PEA. The patient was seen in the emergency department by both critical care and Cardiology. EKG shows ST elevations, but the patient was unstable to go to catheterization. The patient had 1 episode of asystole. Despite best efforts and multiple attempts we were unable to resuscitate the patient. Time of death 1253 on 1/24/21.
COVID19 VACCINE	1005164-1	65-79 years	3 days	unresponsive Narrative: 74yo patient with pacemaker, type 2 DM, parkinson's and history of syncopal episodes presented to emergency dept on Jan 24th. He was observed and discharged on Jan 26th back to the home where he continued to have cognitive decline and later passed away on 2/2/2021
COVID19 VACCINE	1011774-1	80+ years	3 days	Cardiac arrest resulting in death on the third day post vaccine administration, 0224. Reported syncopal event post toileting. Rescue measures attempted but not successful. Time of death 0358, 02/06/2021.
COVID19 VACCINE	1013145-1	50-59 years	3 days	Patient texted a friend on 2/7/2021 c/o arm pain and feeling tired. I don't know if he was taken to a hospital. Autopsy today.
COVID19 VACCINE	1020195-1	80+ years	3 days	Received Moderna #1 on 1/12/2021. 1/15/2021 developed worsening shortness of breath. Went to hospital and diagnosed with anemia, 4 negative fecal tests, neg EGD and colonoscopy. Discharged and readmitted (circumstances unknown for this episode) then readmitted a third time 1/20/2021 for shortness of breath. Diagnosed covid + at third hospitalization and continued to get worse. He died 1/23/2021.
COVID19 VACCINE	1020684-1	65-79 years	3 days	Patient received vaccine at Public Health Clinic. Patient ended up having a seizure 3 days later and ended up in the hospital. Found to have right lobe pneumonia and low depakote level. Patient noted to have multiple seizures at hospital, issues with stabilizing HR and BP, and passed away on 1/20/21.
COVID19 VACCINE	1021926-1	Unknown	3 days	Passed away; Positive result; A spontaneous report was received from a consumer concerning a female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed COVID-19 and passed away. The patient's medical history was not provided. Concomitant product use was not reported. On 05 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On 08 Jan 2021, the patient had a positive COVID-19 test. On 18 Jan 2021, the patient passed away. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 18 Jan 2021. The cause of death was not reported.; Reporter's Comments: This spontaneous report concerns a female patient who experienced COVID-19 and passed away. The event of COVID-19 occurred 4 days after the first and only dose of the mRNA-1273 vaccine administered and death occurred 14 days after administration of the mRNA-1273 vaccine. Based on the information provided and the known etiology of COVID-19, it is unlikely to be associated with mRNA-1273 vaccine administration. With no definite information on the clinical details of the death, it is difficult to adequately assess a causal association with mRNA vaccine. Main field defaults to 'possibly related'; Reported Cause(s) of Death: unknown cause of death

COVID19 VACCINE	1024420-1	65-79 years	3 days	Patient had the first Moderna Covid vaccine on Thursday 1/21/2021. She had a bit of sore arm on that day and the day after. On Saturday 1/23/2021, she had a fever of 100.5 F (11AM), nausea, light headache and chills. The temperature went down after she took ibuprofen. Patient's husband enrolled her to V-Safe to report all the adverse effects she experienced. On Sunday 1/24/2021, her temperature was 98.3F. She still had nausea and no appetite. She and her husband watched a football game in their bedroom upstairs. Husband noticed that his wife was pacing around the room many times. At 7Pm, Husband went downstairs for dinner but she refused to come down to eat. He went upstairs around 8pm, TV was still on. He turned off TV and went down stairs again thinking his wife felt as sleep while watching TV. He went back upstairs for bed around 10:30 PM. Husband said his wife had a deviated septum so she would snore very loudly when asleep. He didn't hear her snoring so he went to check on her and found her not responsive. Husband called emergency services. Paramedic came at 10:45 and said patient was passed. Husband sent many texts to V-safe after that to report the incident. No response was received from V-safe. Patient's doctor told her husband that she died due to cardiac arrest.
COVID19 VACCINE	1024627-1	65-79 years	3 days	covid shot 2/2; feel bad 2/5; covid positive diagnosis - 2/8 s/s cough, fever, shortness of breath , hypertension, afib (in er) - admitted went into DIC per intensivist 2/11 patient died
COVID19 VACCINE	1026752-1	65-79 years	3 days	Developed vomiting, seizure and cardiac arrest, V Fib
COVID19 VACCINE	1027757-1	65-79 years	3 days	Death
COVID19 VACCINE	1029003-1	80+ years	3 days	I video chatted with her Thursday after receiving the vaccine. My mom was in poor health but she was talking in complete sentences and responded appropriately. She was upright in bed and made eye contact. She smiled and denied pain. By Sunday, she was extremely weak and unable to sip water with a straw. Her health had changed dramatically and rapidly. She moaned in pain and was very fatigued. Her condition continued to deteriorate over the week and she stopped talking and was constantly sleeping. They started antibiotics for the oozing cancer lesion and then morphine for pain and end of life care. She passed away on January 22nd which was 15 days post vaccination.
COVID19 VACCINE	1029511-1	80+ years	3 days	Developed severe shortness of breath.
COVID19 VACCINE	1030586-1	65-79 years	3 days	This individual's employer informed our facility that he passed away at his home on 2/14/2021. Since he was not brought into our hospital, we do not have information regarding other health conditions or active medications. Since this individual received his second covid vaccine three days prior, this was reported to Moderna in addition to this VAERS report being completed. The coroner for County can be contacted.
COVID19 VACCINE	1031544-1	80+ years	3 days	Patient family had been noticing onset confusion for a few weeks prior to vaccine and event. Patient was taken to ED when found unconscious and died of a subdural hemorrhage a few days after vaccine clinic at retirement home.
COVID19 VACCINE	1036460-1	80+ years	3 days	death 2-5-21
COVID19 VACCINE	1049852-1	65-79 years	3 days	When calling to get billing information we were notified that patient had passed away. Patient's daughter said patient was having cvd a/s on 2.1.2021 got vaccine 2.2.2021 and passed away 2.5.2021. Cardiologist said not related
COVID19 VACCINE	1053191-1	65-79 years	3 days	Vaccine administered 02/08/2021 , by Thursday 02/11/2021 patient almost nonverbal, by Monday 02/15/2021 patient went to the hospital with bruising, sores on her stomach and clots reported as thrombocytopenia, deceased by Friday 02/19/2021.

COVID19 VACCINE	1054080-1	65-79 years	3 days	cardiac arrest, death: 2/21/21
COVID19 VACCINE	1055290-1	80+ years	3 days	Death occurred 02/14/2021
COVID19 VACCINE	1056011-1	65-79 years	3 days	My grandpa had a stroke on the 15th of February. He claimed he had been feeling ""off"" for a few days, but didn't say anything. A blood clot had formed in his brain. He was doing better and about to go to rehab to strength his right side of his body. On the 22nd he took a turn for the worst. He was having trouble breathing and they sedated and partially paralyzed him to put a tube in his mouth. I believe another blood clot had formed and oxygen wasn't properly going through his body. They could not stabilize him, and he passed away the same day.""
COVID19 VACCINE	1057853-1	60-64 years	3 days	on 2/218/2021 the patient was at home and developed chest pain. Patient was transported by family to urgent care then to the ED where the patient later died.
COVID19 VACCINE	1062666-1	65-79 years	3 days	2-24-21 patient with development of cough, fatigue, increasing on chronic disability worsening debility and falls. scheduled for office visit 2-25.21 0900 call from spouse 0210 am patient was not breathing and lvad alarming low flow alarm on arrival of ems confirm asystolic not breathing and dead
COVID19 VACCINE	1071138-1	Unknown	3 days	Sudden death; A spontaneous report was received from Pfizer concerning a 60-year old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 05 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 08 Jan 2021, the patient died. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 08 Jan 2021. The cause of death was unknown/not reported. Plans for an autopsy were unknown/not provided.; Reporter's Comments: Very limited information regarding the event has been provided at this time and is insufficient for causality assessment. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1077021-1	65-79 years	3 days	Patient passed away three days after receiving the vaccine.
COVID19 VACCINE	1078352-1	18-29 years	3 days	Developed fatigue, body aches, headache 1 day after vaccination on 3/3. The morning of 3/5 complained of chest pain. Took Tylenol at 8:30 am. At 10:30 am his family found him unresponsive. EMS was called and he was pronounced dead in the home.
COVID19 VACCINE	1081033-1	80+ years	3 days	Patient expired 2 days after receiving the vaccination. Patient had other signs of deterioration over the course of the previous month with worsening edema and difficulty breathing. Unlikely to be related according to our assessments, but wanted to err on the side of caution.
COVID19 VACCINE	1082759-1	65-79 years	3 days	Death
COVID19 VACCINE	1085302-1	65-79 years	3 days	Patient was admitted to Hospital on 3/1/21. Blood Sugar of 758. Patient diagnosis with Acute respiratory failure with hypoxia and acute heart failure and Metabolic encephalopathy. Patient put on ventilator and passed away on 3/2/21 at 17:04.
COVID19 VACCINE	1087763-1	60-64 years	3 days	Difficulty breathing leading to organ failure and death
COVID19 VACCINE	1088184-1	50-59 years	3 days	Pronounced dead on 3/9/21 approximately 72 hours after receiving vaccination. Unknown symptoms prior.
COVID19 VACCINE	1088686-1	65-79 years	3 days	Pt found deceased in home on 03/07/2021
COVID19 VACCINE	1089536-1	80+ years	3 days	Moderna COVID-19 Vaccine EUA Heart attack Death

COVID19 VACCINE	1092214-1	65-79 years	3 days	Patient received his first COVID vaccine on 3/2 and then passed away 3 days after receiving Moderna vaccine. Provider presumed he died from sudden heart attack, this occurred at home.
COVID19 VACCINE	1101959-1	65-79 years	3 days	He passed on 02/06/2021
COVID19 VACCINE	1104257-1	65-79 years	3 days	Death Narrative: 1st Dose of COVID Vaccination
COVID19 VACCINE	1104429-1	65-79 years	3 days	Death Narrative: Patient with medical history significant for malnutrition and end stage COPD. Patient was on 5 to 6 liters/min of oxygen. On 3/10/21, patient received his first COVID-19 vaccination. On 3/12/21, patient was admitted to Hospice for home hospice care due to worsening of COPD. Per medical examiner, patient passed away on 3/13/21.
COVID19 VACCINE	1108595-1	80+ years	3 days	senescence, hypotensive reaction to COVID-19 vaccination, COPD
COVID19 VACCINE	1108959-1	65-79 years	3 days	Stroke resulting in death. Admitted to hospital 2/21/21 as transfer from first Hospital after found collapsed in his hotel room. Left M1 occlusion, thrombectomy performed, then had hemorrhagic transformation. Developed worsening respiratory status after extubation, was reintubated. Given poor neurologic status, was extubated and started on palliative morphine drip. Pt died 0100 3/1/21.
COVID19 VACCINE	1110232-1	65-79 years	3 days	Dizzines, sweating, weak, chilling, diarrhea, shortness of breath, death
COVID19 VACCINE	1110537-1	65-79 years	3 days	Pt was found to be having stroke like symptoms 3/15 in the morning at nursing home. he was evaluated and was transported by ambulance from one hospital to another hospital as the CT scanner was down. patient had an injury on march 1 with a cabinet falling on him breaking his femur and family not sure if at that time he had hit his head. Patient was intubated in the ER CT scan showed a massive cerebral bleed with midline shift and transtentorial herniation
COVID19 VACCINE	1111574-1	65-79 years	3 days	Passed away 4 days after second dose, complained of not being able to breathe in the middle of the night, and passed minutes later.
COVID19 VACCINE	1116099-1	50-59 years	3 days	Cardiac Arrest Narrative: Patient received vaccine at 1209 on 3/13/2021, observed for 15min no reaction noted. Later that evening patient was not feeling well presented to ER where he was admitted. Had cardiac arrest during hospitalization on 3/16/2021 where patient passed away. Had a Hx of CHF, A-Fib, had a cardiac stent placement in 2020..
COVID19 VACCINE	1127444-1	65-79 years	3 days	Sudden onset of shortness of breath early morning 3/15/2021. EMS called, transported patient to Adventist to ER code blue in asystole. Asystole on arrival, no response to resuscitative efforts, pronounced dead in ER.
COVID19 VACCINE	1127466-1	60-64 years	3 days	Received call from his exwife that patient had passed away. Death Certificate states date of death as March 14, 2021. Causes of death are listed a. Cardiac Pulmonary Arrest. b. Myocardial Infarction
COVID19 VACCINE	1134647-1	80+ years	3 days	81 y/o male patient was vaccinated 3/3/21 and died 3/6/21. Patient's wife reported he was having ""some trouble breathing"" but could not remember whether this problem started before or after being vaccinated.""
COVID19 VACCINE	1138065-1	80+ years	3 days	Pt came into Emergency Department with resuscitation efforts in progress. Patient spouse states no known health concerns but was feeling unwell after 2nd dose of vaccine on Monday.

COVID19 VACCINE	1147326-1	65-79 years	3 days	Patient received 1st vaccine on 3/24 with no issues reported. Patient returned on FRiday for routine treatment and was afebrile, BP within normal limits and no compliants. Left the unit stable post treatment. Patient passed away on Saturday morning. There was no hospitalization. Patient went straight from home to the funeral home. Daughter states that patient had been feeling warm since Wednesday.
COVID19 VACCINE	1147848-1	65-79 years	3 days	Approximately 3-4 days after her first immunization, patient became ill. She contacted our triage line 6 days after immunization with report of chills and weakness. She presented to Medical Center Emergency Room where she was admitted for hypoxia. She was subsequently diagnosed with COVID by PCR. She developed respiratory failure, worsening kidney failure necessitating dialysis, c diff colitis, GI bleed, and acute heart failure. Despite maximal efforts by the ICU/hospitalist team and specialists her conditioned worsened. She was made comfort care and died on 2.26.21
COVID19 VACCINE	1152765-1	65-79 years	3 days	The patient has passed away 3 days after receiving the 2nd dose of the Moderna Covid vaccine. They were pronounced dead Friday March 19. The patient lived alone and was on unreachable Thursday March 18th. The patient was found deceased the next day at their residence.
COVID19 VACCINE	1155464-1	80+ years	3 days	Patient passed away 2/23/21
COVID19 VACCINE	1156365-1	65-79 years	3 days	Client has history of COPD and CHF. Three days after the 1st COVID Vaccine, client had some SOB and he called 911. When the ambulance arrived they had to do CPR on him and got him to the hospital and at the hospital they got him breathing on his own. From the ER they transferred him to Facility. He spent 23 days in the hospital and Rehab. He was told he could take the vaccine. He was out of the hospital for one week before his 2nd COVID Vaccine. His friend/neighbor is the historian and she states that since he was out of rehab that he was having a lot of extremity swelling. He then came to the Health Services on 03/29/2021for his 2nd COVID Vaccine. On 3/30/2021 at 5:45 pm, client went to Pharmacy to pick up his medications, and after 9 pm was found by friend deceased in his car at Pharmacy. This information was received from friend/neighbor, no local family available.
COVID19 VACCINE	1157683-1	80+ years	3 days	Patient had his Vaccine on 2-28-2021. Patient passed away on 3-3-2021. Do not know the cause, just found out from our tech and thought we should report it in case.
COVID19 VACCINE	1157805-1	65-79 years	3 days	Patient had the 2nd Vaccine on 3-25-2021 and Passed away on 3-28-2021. our tech found out. No clue if it is related to the vaccine or not.
COVID19 VACCINE	1201226-1	80+ years	3 days	She was taken to the hospital for respiratory distress, she was turning purple. She dies arriving at the hospital.
COVID19 VACCINE	1202968-1	80+ years	3 days	death Narrative: I was told that the patient expired 3 days after his 2nd dose of Moderna vaccine.
COVID19 VACCINE	1205714-1	80+ years	3 days	She was found unresponsive by her husband on 4/11/2021 and pronounced dead at the scene. She had been to the emergency room for recurrent syncope several weeks prior to any vaccinations. No cause was determined.
COVID19 VACCINE	1208579-1	65-79 years	3 days	Developed blood clot in heart -- > went into Atrial Fibrilation with no prior history of A Fib -- > Large clot was thrown from the heart into the brain splitting into two clots, one blocking brain stem and one blocking right hemisphere -- > Death on 2/10/21
COVID19 VACCINE	1209647-1	65-79 years	3 days	Acute brain hemmorrhage
COVID19 VACCINE	1219667-1	60-64 years	3 days	Patient had a Hemorrhagic stoke and passed away.

COVID19 VACCINE	1223040-1	65-79 years	3 days	Admitted 4/5/2021 with severe cdiff pancolitis, severe sepsis, multi-organ failure. DIscharged to hospice on 4/9/2021.
COVID19 VACCINE	1229138-1	65-79 years	3 days	Death reported to Health department from Medical Examiner office, no further details provided
COVID19 VACCINE	1232799-1	50-59 years	3 days	No information really known. Office was notified yesterday by county coroner that patient was found deceased in his home on 4/9/19. Coroner was requesting patient records. Unknown if death related to the Moderna Covie-19 vaccine but reporting this as death occurred 3 days after the vaccine and coroner gave office no information. You can contact the coroner involved with this case.
COVID19 VACCINE	1241639-1	80+ years	3 days	Two days after the 2nd dose, the patient presents the following symptoms: 75% oxigenation, 35% Puls, 153 sugar, HBP 64/44 and vomiting.
COVID19 VACCINE	1242376-1	60-64 years	3 days	Vaccine on 04/10/21.Shortness of breath, dizziness, nausea 04/13/2021. Death on at hospital on 04/14/2021 Autopsy found Bilateral pulmonary thromboembolus
COVID19 VACCINE	1271898-1	50-59 years	3 days	Patient was found unresponsive on 4/15/2021. Patient seemed to pass in his sleep per family member. The coroner deemed myocardial infarction. No autopsy completed.
COVID19 VACCINE	1280622-1	50-59 years	3 days	On 4/13 Patient underwent aortic root replacement with saphenous vein graft reconstruction of the right coronary artery. He had no prior coronary disease. This operation was done for an enlarging aortic root aneurysm in the setting of Marfan syndrome. The right coronary was anomalous and needed vein extension for reimplantation. He recovered very well and was seen in our clinic on 4/23, with no unusual findings. He had a normal echo, EKG and DVT study performed. On 4/28 he had his first Moderna COVID19 dose. on 5/1, he developed malaise, myalgias, painful lymph nodes, chills, and chest pain. He called my clinic and was instructed to go to the ER, but then felt better and didn't go. He was then found unresponsive later that afternoon and was pronounced dead on arrival of EMS.
COVID19 VACCINE	1282788-1	50-59 years	3 days	Vaccine was administered on 04/29/20201 or 04/30/2021. On 05/02/2021 patient was found deceased in residence. Coroner's office will be performing autopsy.
COVID19 VACCINE	1289460-1	60-64 years	3 days	Only information known is what is in the obituary, Obituary states died suddenly on 5/1/21 after an illness.
COVID19 VACCINE	1291385-1	65-79 years	3 days	Three days after vaccination, the patient was working outside when he suddenly died. Specific events are not known as he was alone at his work site. No bodily injuries were found. He was simply passed out and unresponsive when found. He had been deceased for hours upon his discovery.
COVID19 VACCINE	1293909-1	30-39 years	3 days	Per family, pt reported fatigue and elevated glucose, nausea and diarrhea 3-4 days after immunization. She was seen by her PCP following week and again was experiencing elevated blood glucose.
COVID19 VACCINE	1295648-1	65-79 years	3 days	Patient DIED 10 days after 2nd dose of Covid vaccine.

COVID19 VACCINE	1296016-1	80+ years	3 days	My father died, 20 days after his 2nd vaccination. Not sure if it is related to the vaccine, but a sister reported Arthritis pain, 3 times as bad, after the 2nd vaccination and recommended I report this. My father started having severe back pain, 3 days after the second immunization. I took him for an XRay and the hospital said he had Compression Fractures of the vertebrae, but they could not tell if they were new or old, so needed to do an MRI. Said it also looked like he had a Bowel Obstruction, but I told them he had been having normal BM's up to the previous day. He lived until the 17th of April and never had another BM. They said bring him to the ER. The ER decided to do a CAT Scan, but Dad was not interested in any further treatment. He just wanted to go, so we put him on palliative care and he passed away, 20 days after the 2nd vaccination.
COVID19 VACCINE	1296304-1	50-59 years	3 days	History 59-year young lady with history of COPD coronary artery disease CHF was evaluated at a local hospital and transferred with diagnosis of pneumonia. Patient O2 sat was in the 70s she was placed on CPAP. In route patient complained of chest pain abdominal pain and back pain subsequently had a cardiorespiratory arrest. Patient was being bagged after ET intubation in the field by EMS with chest compressions. Breath sounds well equal on arrival. Glucose was greater than 100 on fingerstick. Providers were initially able to obtain a pulse with return of spontaneous circulation but blood pressure was at best 50 systolic. Patient was begun on an epinephrine infusion and norepinephrine ordered. The patient then deteriorated into V-tach, All additional heroic measures failed and the patient expired.
COVID19 VACCINE	1301919-1	65-79 years	3 days	Death; This case was received via FDA VAERS on 04-May-2021 and was forwarded to Moderna on 04-May-2021. This regulatory authority case was reported by an other health care professional (subsequently medically confirmed) and describes the occurrence of DEATH (Death) in a 76-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 008B21A) for COVID-19 vaccination. No Medical History information was reported. On 29-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on 01-Apr-2021 The patient died on 01-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Symptom Text : Death reported to Health department from Medical Examiner office, no further details provided Company comment:This is a 76-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 008B21A) who died 3 days after the second dose of vaccine. No Med history and no concomitant medication were provided. Very limited information has been reported at this time. Further information is not expected.; Sender's Comments: This is a 76-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 008B21A) who died 3 days after the second dose of vaccine. No Med hx and no conmeds were provided. Very limited information has been reported at this time. Further information is not expected.; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1302927-1	65-79 years	3 days	Pt contacted our office at approx 12:30PM on 5/10/21 stating that she thought she was having a reaction to the second vaccine. We received a call from the Deputy Sheriff at approx 4:50 PM to inform us that this pt has passed away approx. 4 hours prior. COD: pending. We have not other information at this time
COVID19 VACCINE	1306986-1	30-39 years	3 days	Patient expired of probable aneurysm at Hospital on 5/10/2021
COVID19 VACCINE	1307897-1	65-79 years	3 days	The decedent experience nausea, headache, and chest pain approximately 72 hours after receiving her second shot. She was found deceased later that day.
COVID19 VACCINE	1317011-1	80+ years	3 days	death
COVID19 VACCINE	1321161-1	50-59 years	3 days	Patient was vaccinated on May 6,2021. On Friday May 14 ,2021 a relative of the patient report that the patient died on May 9,2021..She report that the patient doesn't take the prescriptions needed for a vascular condition he have and was suppose to received medicines by mail on tuesday before vaccination
COVID19 VACCINE	1326284-1	50-59 years	3 days	Pt. passed away 2 days after vaccination. At time of vaccination pt. already in moribund state related to long term diabetes mellitus1 with ESRD, chronic foot wound since 2017, severe osteoarthritis. In March 2021 pt. hospitalized d/t severe pain. Findings were acute encephalopathy likely multifactoral, abnormal EEG and NSTEMI. Pt. refused further diagnostic in the hospital and resumed home hemodiaysis with help of her spouse. Hospice care was considered by the couple shortly before the time of vaccination.
COVID19 VACCINE	1327652-1	50-59 years	3 days	Approximately 48 - 72 hours after vaccine was administered, she was found deceased in am of 05/16/2021
COVID19 VACCINE	1334886-1	65-79 years	3 days	Patient died 72 hours after receiving the vaccine; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Patient died 72 hours after receiving the vaccine) in an 80-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 046a21a) for COVID-19 vaccination. No Medical History information was reported. On 23-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on 26-Apr-2021 The patient died on 26-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant medication was not provided, Treatment medication was not reported. A 79-year-old female patient who received mRNA-1273 died 3 days after the first dose of vaccine. No medical conditions or concomitant medications were reported. Very limited information has been reported at this time. Further information is being followed up.; Sender's Comments: A 79-year-old female patient who received mRNA-1273 died 3 days after the first dose of vaccine. No medical conditions or concomitant medications were reported. Very limited information has been reported at this time. Further information is being followed up.; Reported Cause(s) of Death: Died 72 hours after receiving the vaccine.
COVID19 VACCINE	1357679-1	40-49 years	3 days	3 days after 2nd dose of moderna patient presented to our er in cardiac arrest; lacking extensive cardiac history other than a-fib; he had reported anginal like symptoms to his wife during the day and then collapsed in v-fib and was unrecusitatble; no autopsy or further information; unclear if vaccine is contributory but within 3 days i agreed with patient's wife in that the temporal relation should be reported

COVID19 VACCINE	1368271-1	30-39 years	3 days	<p>On April 15th, the otherwise healthy 30 year old daughter of my cousin passed away in a hospital from a massive stroke and seizures related to encephalitis of unknown cause. She recovered easily from Covid19 back in November of 2020, along with several of her close friends and family members with no lingering effects. On March 30th, she was given a single dose of the Moderna vaccine along with her teaching colleagues at a local high school. She initially complained of mild nausea and vomiting but quickly developed a severe headache prompting her to visit the local ER where she received treatment for a migraine. She returned to the ER at least one more time after no relief from the headache. By April 3rd, Saturday, she no longer recognized her sister nor knew what a mask was for. Her family rushed her again to the same ER and she was subsequently transferred the following day to a Hospital. Due to dangerously high intracranial pressure, she suffered a stroke with paralysis of her left side and a seizure. Multiple lesions were noted on her brain via MRI. A shunt was inserted to relieve the pressure, she was intubated and placed into a deep coma from which she would never awaken. Despite these medical interventions and pharmacological interventions, the pressure did not subside. A craniotomy was performed the following Saturday as a last ditch effort to relieve the unrelenting pressure in her brain. The craniotomy was able to reduce the pressure but it was too late. There was no longer any brain activity and my cousin's daughter was removed from life support after they were able to say their goodbyes. The medical examiner will be examining her brain to attempt to find a cause but that report may take 6 months.</p>
COVID19 VACCINE	1369287-1	18-29 years	3 days	<p>Sudden cardiac death. After vaccine patient experienced headache, chills, fatigue, chest pain and did not seek medical care. He had a witnessed cardiac arrest less than 3 days after vaccine #2.</p>
COVID19 VACCINE	1371420-1	50-59 years	3 days	<p>patient expired 3 days after first vaccination. Did not present to our facility for care after vaccination; did not have any adverse reactions during vaccination waiting period. Per the Medical examiner, patient passed away at his residence, and his death was not related to the COVID vaccine.</p>
COVID19 VACCINE	1376548-1	80+ years	3 days	<p>Pt developed GI upset and weakness on 6/2, followed by chills and emesis 6/3. Was found deceased on the toilet on the morning of 6/4/21.</p>
COVID19 VACCINE	1388011-1	65-79 years	3 days	<p>J18.9 - Atypical pneumonia</p>
COVID19 VACCINE	1390027-1	18-29 years	3 days	<p>The day after the vaccine, reported typical reactions including aches and pains, which improved the following day. The Monday after noted snoring, which was atypical but consistent with the ear infection and seasonal allergies. Sometime on midday Monday 5/24 Pt died. Was found in his bed at approximately 6pm with rigor already set.</p>

COVID19 VACCINE	1394314-1	65-79 years	3 days	75 y.o. female with a past medical history of non insulin requiring diabetes type 2 and recent admission at Hospital (5/31-6/6/2021) who was transferred on 6/9 for chest pain with worsening EF with concerns for ischemic cardiomyopathy. Hospital course by dates 5/31-6/6/2021: Admitted for abdominal pain, nausea and vomiting thought to be secondary to ischemic colitis and severe constipation. Patient was found to be anemic during that hospitalization, but did not require blood transfusion. Patient's hospital course was complicated by aspiration pneumonia requiring PICC placement and norepinephrine. She is no longer requiring supplemental oxygen was discharged home. 6/9: Return to hospital with increasing shortness of breath, confusion and generalized malaise. Repeat TTE with anterior wall motion abnormalities and decreased EF. Patient was transferred to bed for cardiology evaluation 6/10: Cardiac catheterization with moderate three-vessel coronary disease, wall motion abnormality does not correspond to coronary disease. Cardiology thinks findings are related to stress-induced cardiomyopathy. 6/11: Patient continues have downtrending hemoglobin, started to prep for colonoscopy on 6/12. 6/12: Rapid response was called at approximately 4:40 AM, patient ultimately expired at 7:35 AM Patient was transferred from Hospital given new wall motion abnormalities and severe hypokinesia seen on repeat TTE. Fortunately, cardiac catheterization on 6/10 without coronary artery disease that corresponded to these wall motion abnormalities. Ultimately, it was thought to be stress induced cardiomyopathy. Patient was improving, but still complained of epigastric discomfort. Given her recent diagnosis of ischemic colitis and ongoing abdominal pain, GI was consulted for EGD/colonoscopy on 6/12 Rapid response was called at approximately 4:40 AM. They were mottled appearing, hypotensive and cool to touch. Patient was found to be severely hypoglycemic and had wide-complex tachycardia. Multiple amps of D50 were given but remained hypoglycemic. Patient was also found to be hypoxemic and did not tolerate BiPAP. Eventually patient was transition to comfort measures only. After discussion with patient's daughter, patient's last 10 minutes of life consisted of "fluid pouring out of her mouth". Work-up also was positive for elevated lactic acid and elevated D-dimer. Given the abrupt change in patient's clinical status, concern for embolic thrombosis is the most likely cause. Unclear if had pulmonary embolism or ischemia to gut. Interestingly, patient was visiting her from Indiana for her brother's funeral. After discussion with family, patient's brother had a similar unexplained death just a few weeks prior. The
COVID19 VACCINE	1413325-1	30-39 years	3 days	He said he felt bad and fell over and died.
COVID19 VACCINE	1416338-1	65-79 years	3 days	My dad died on February 19th after having been visibly sick immediately after being vaccinated until the day he died, according to his friends. Was told by a friend that he dropped something he was holding while hanging out with friends and they called an ambulance but he refused the ambulance. I do not know that exact date of that incident only that it was following vaccination. Was also told by numerous others that he seemed "sick". No other details are known."
COVID19 VACCINE	1417056-1	80+ years	3 days	Patient's wife reported that patient died a couple of days after second Moderna vaccine. About 2 days after vaccine, patient presented with lumps all around body and doctor's could not figure out what was wrong. His digestive tract started to deteriorate and he passed away at home. Autopsy was performed but could not confirm cause of death.
COVID19 VACCINE	1437464-1	80+ years	3 days	found unresponsive CT of head show large frontotemporal intra-axial hemorrhage
COVID19 VACCINE	0924186-1	80+ years	4 days	Resident expired 1/3/21
COVID19 VACCINE	0937434-1	65-79 years	4 days	Pt expired due to possible cardiac arrest. Unsure if this was vaccine related.

COVID19 VACCINE	0957116-1	65-79 years	4 days	Sudden death without warning symptoms 4 days after vaccine. Many medical problems which most likely explain the outcome but spouse feels it is related and it is a new vaccine. Monitor for pattern?
COVID19 VACCINE	0962995-1	60-64 years	4 days	No immediate reaction. Patient-reported deceased four days later on Jan. 19, 2021. As of this date cause of death is unknown to our clinic.
COVID19 VACCINE	0964401-1	50-59 years	4 days	Pt died 4 days after vaccine, no known reaction to the vaccination
COVID19 VACCINE	0975762-1	50-59 years	4 days	Pt deceased
COVID19 VACCINE	0977358-1	80+ years	4 days	cough congestive heart failure death
COVID19 VACCINE	0982495-1	65-79 years	4 days	Client's sister called crying and said the family just found out yesterday that Client had died some time last week. The last time any family talked to him was on the 19th of January, missed calls show on the phone on the 21st. His last internet search was sternum pain. . She will also call the Agency and report this. The vaccine isn't in Registry at this time, do I don't know the lot number but she said he was due back in one month. She said he was very healthy and ran triathalons.
COVID19 VACCINE	0985715-1	80+ years	4 days	Patient received the vaccine on 12/29/20 and presented at the ER at the Hospital on 12/30/20 stating that he wasn't feeling well. It is stated that his health had declined over the past few weeks and currently on hospice. Visit was unremarkable. Patient stated that wanted to stop dialysis. Patient passed away on 01/02/2021.
COVID19 VACCINE	1006289-1	65-79 years	4 days	death- 2/1/2021
COVID19 VACCINE	1006303-1	65-79 years	4 days	death- 2/1/2021
COVID19 VACCINE	1006633-1	80+ years	4 days	EARLY SUNDAY MORNING THE PATIENT BEGAN VOMITTING AND SHORT OF BREATH AND CHEST AND BACK PAIN. SHE CODED WHEN SHE GOT IN THE ER AND LATER PASSED AWAY THE MONDAY. DIAGNOSIS WAS PNEUMONIA AND HEART FAILURE PER STEP DAUGHTER.
COVID19 VACCINE	1011732-1	80+ years	4 days	patient passed away with in 60 days of receiving COVID vaccine series
COVID19 VACCINE	1018126-1	65-79 years	4 days	Patient received vaccination on 2/4. Patient's wife reported that he felt a slight soreness in his arm the day following the shot, but had no other symptoms. On 2/8 he passed away. Wife reports that it was related to his heart and they never made it to a hospital. The wife also reported that the patient had been in poor health prior to the vaccination
COVID19 VACCINE	1018146-1	80+ years	4 days	Four days later, my father had a severe brain aneurysm.
COVID19 VACCINE	1023840-1	60-64 years	4 days	Pt was administered Moderna Covid-19 Vaccine on 2/4/2021. Pt exhibited no symptoms of an adverse reaction of any sort. Pt was ambulating alert and attentive. Pt was observed for the allotted 15 mins by pharmacist and case worker who had escorted pt to vaccination clinic. It was reported that Either on sunday 2/7/2021 or monday 2/8/2021 pt had passed away. Circumstances revolving patient death is still unknown.
COVID19 VACCINE	1030701-1	65-79 years	4 days	unknown, husband reported hospitalization 02/12 and deceased 02/15
COVID19 VACCINE	1035866-1	65-79 years	4 days	Pt died on 2/15/21. On 2/13/21, pt complained of muscle aches.
COVID19 VACCINE	1036418-1	80+ years	4 days	ER visit 1/25/21 patient walked into a prompt care and collapsed, witnessed and pulseless CPR with ROSC after 6-7mins, no shock no meds. Awake and speaking upon arrival to ER. 2 plus pitting edema ble ER diagnosis Anasarca, cardiac arrest, hypotension, elevated troponin I levels, Acute kidney injury and syncope. ER notes reveal a syncopal episode in the shower prior to collapse at prompt care. Central line placed and plan to ship to another facility, patient continued to decline despite dopamine and dobutamine expired in ER prior to transfer.

COVID19 VACCINE	1039304-1	65-79 years	4 days	Resident getting rehab therapy in the facility and has a long history of Parkinson's Disease. On 01/29/21, he received the COVID vaccine on left deltoid, resident was recently hospitalized due to Pneumonia and was on antibiotic IV and was recently placed on GT feeding due to severe dysphagia from his Parkinson's disease. On 01/31/21, started having increased congestion. On 02/02/21, started having increased temperature and WBC went up >20,000 on 02/03/21, started on Vancomycin IV on 02/04/21 but was transferred to the hospital. Facility was notified today (02/18/21) that resident expired in the hospital.
COVID19 VACCINE	1041333-1	65-79 years	4 days	He developed a fever on 1/8, become unable to swallow and bedbound. He was already end of life and Hospice care at the time of the vaccine.
COVID19 VACCINE	1054966-1	65-79 years	4 days	Mentation has declined since hospital discharger for fall on 2/6/2020. Patient has also had significant poor oral intake. Brought in due to apneic episodes. Abdominal pain - diffuse tenderness (right sided) Elevated liver enzymes - likely secondary to dehydration Increased serum creatine kinase - likely due to dehydration
COVID19 VACCINE	1055791-1	80+ years	4 days	Was given without consent from POA patient got severely sick and never recovered later passed away only live 1 month POA did not allow second vaccine to be given just wanted to report this vaccine was given illegal without POA knowledge
COVID19 VACCINE	1056842-1	65-79 years	4 days	The medical facility did not treat patient as her primary care, but were informed that she passed away on 15 February 2021 of a stroke. I do not have further information on the medical aspect of this as we were not her treating provider but did administer the vaccine on 12 February.
COVID19 VACCINE	1061434-1	80+ years	4 days	I am the patient's daughter as well as an RN-BSN. My mother was given the Moderna vaccine on Feb 11, 2021 and on Feb 15, 2021 she had a CVA and MI. She was found on her apt. floor unconscious. She was transferred to the Hospital by ambulance where a CT scan and other tests were done. It was determined she had a stroke and heart attack. My mother was in great health, took no medications, and lived alone in her apt. before this incident. The medical professionals determined she would not recover so she was admitted to hospice and died on Feb. 21, 2021. I believe there is a relationship between the vaccine and the CVA and MI.
COVID19 VACCINE	1065712-1	65-79 years	4 days	Patient started feeling weak, stomach pain, neck pain, respiratory problems, confusion, low blood pressure which led to death on February 21, 2021, 7 days after the vaccine was given.
COVID19 VACCINE	1065719-1	80+ years	4 days	My grandpa got his second covid vaccine on Thursday. Saturday he complained of stiff neck. Sunday he had low grade fever, nausea and vomiting, chills, and mild headache. He was feeling bad enough to call squad at 3 pm. The paramedics did evaluation and thought he was just experiencing normal side effects from vaccine and felt no need to transport to hospital so my grandpa decided to stay home and just rest. At 2 am that same night he went into cardiac arrest and was not able to be brought back
COVID19 VACCINE	1066852-1	65-79 years	4 days	History of terminal cancer, entered hospice care 1/2021, expired 2/28/2021. No reported adverse events from patient or family after receiving vaccine
COVID19 VACCINE	1069118-1	65-79 years	4 days	Within 10 minutes following the second vaccination, patient reported dizziness and nausea, had an episode of vomiting but recovered within 30 minutes. It was reported to our clinic that the patient was found deceased on March 1, 2021 at approximately 10 pm. Cause of death is not determined at this time.

COVID19 VACCINE	1076162-1	80+ years	4 days	Patient received vaccine on 1/11/2021. Patient passed away 1/15/2021, cause not reported, unaware if related.
COVID19 VACCINE	1088180-1	80+ years	4 days	Patient was admitted to Hospice on 8/11/20. He experienced normal progression of his diseases until his death on 3/9/21.
COVID19 VACCINE	1091560-1	80+ years	4 days	On January 26, patient lost his balance and fell, no injury. On January 28, patient, fell, no injury. In both cases falls were observed and were not to the head. On January 29 patient could not maintain his balance. Taken to hospital. MRI revealed large subdural hematoma. Craniotomy on January 30, by Dr. Approximately 10 days later, Hbg, was down to 7, unexplained internal bleeding.
COVID19 VACCINE	1091894-1	65-79 years	4 days	The patient presented to the off complaining of feeling weak in the legs on Monday, March 1, 2021. She had been moving over the weekend and was over-exerting herself and stated she had fallen on a rug at the old house and then had lain down on the floor to sleep with her dog in the new home, had difficulty getting up and needed help. No symptoms of fever, chills, sweats, headache, myalgias. The next day she passed away at her home, sitting in her chair.
COVID19 VACCINE	1092016-1	80+ years	4 days	Per son and employee, patient's health had been declining since she was hospitalized for a severe UTI in Dec 2020. The evening of 02.09.2021 she vomited, then was found to be unresponsive the morning of 02.10.2021. Patient passed away later in the day on 02.10.2021.
COVID19 VACCINE	1092595-1	65-79 years	4 days	A high risk employee received 1st vaccine dose of Moderna through the Health Center (HC) on 2/1/2021. This patient was seen as an employee only and was not established patient of the HC. The patient reported ""having symptoms of Bronchitis"" on 2/5/2021 prior to being hospitalized for 7 days (2/5/21 to 2/12/21). On 2/12/2021, an ER visit at Medical Center & transported to General Hospital on 2/13/21. On 3/11/2021, we were notified that the patient died on 3/10/21.""
COVID19 VACCINE	1095406-1	65-79 years	4 days	death
COVID19 VACCINE	1098041-1	80+ years	4 days	Death, reported to pharmacy via Coroner's office
COVID19 VACCINE	1102082-1	65-79 years	4 days	Acute Myocardial Infarction due to severe dysphagia, odynophagia, cachexia, fluid and electrolyte abnormalities, due to advanced dementia
COVID19 VACCINE	1105115-1	18-29 years	4 days	Resident did not express having any symptoms, the only thing that the POC observed abscesses in the arm, groin, thigh and knees after the first vaccination. After the second dose, he was hypoactive. On 2/27 at about 3:30 am he asked him to turn on his side, between 4 am and 5 am POC went to the room I notice it strange, because his head was wrapped in the sheet. When the POC removed the sheet, she observed that her mouth and nose were full of secretions. So he turned it and he himself did not react. He called the emergency who certifies that he had no vital signs. (emergency arrives within 5:45 am to 6:00 am)
COVID19 VACCINE	1106834-1	65-79 years	4 days	Patient apparently expired 3/09/2021, no other information known, unknown if linked.
COVID19 VACCINE	1108476-1	80+ years	4 days	Narrative: Dose #1 of vaccine was administered 2/6/21, per daughter's report patient became ill 3 days later (cough) and was taken to local hospital and was discharged with diagnosis of CAP, NSTEMI and acute on chronic CHF exacerbation. Discharged home on hospice where he passed away at home on 2/20/21.
COVID19 VACCINE	1111957-1	65-79 years	4 days	Received vaccine on 3/3/2021 then was found dead in bed by her husband on 3/7/2021.
COVID19 VACCINE	1120493-1	65-79 years	4 days	Cardiac arrest five days after administration of the 2nd dose at 9pm, ambulance was called and EMTs attempted resuscitation, but no pulse was detected after 1 hour of compressions and CPR; time of death was recorded at 10:06pm

COVID19 VACCINE	1123167-1	80+ years	4 days	Stroke
COVID19 VACCINE	1124383-1	65-79 years	4 days	DEATH Narrative: Events surrounding patient's death are unknown- nothing is documented in medical record regarding event. Causality of death is unknown. This event is being reported due to the timing of the death in relation to the receipt of vaccine (4 days).
COVID19 VACCINE	1126015-1	40-49 years	4 days	Unknown adverse event from vaccination. 3/14/21 Informed by caregiver that client was sent by ambulance to ER and diagnosed with bilat pneumonia. She developed difficulty breathing on 3/13/21. She was seen at Walk In on 3/12/21 for toenail eviscerated and INR, and had been giving tylenol for pain control for toe. 3/15/21 Informed by caregiver client was in ICU, septic, bilat pneumonia, and low oxygen levels. 3/16/21 Informed by caregiver client not doing well authorized indwelling cath due to low blood pressure and ventilator. Client transferred by med flight to ICU. 3/17/21 Informed by caregiver client death last night.
COVID19 VACCINE	1132062-1	50-59 years	4 days	Had multiple hospitalizations for COPD prior to COVID-19 infection in December 2020. Had been admitted to Hospice for further decompensation after COVID diagnosis. Limited oral intake and hospice began using morphine and Ativan. Was on comfort medications only prior to 1/26/2021
COVID19 VACCINE	1133604-1	65-79 years	4 days	She was taken to hospital 03/02/2021 where she died at 4 am from a heart attack.
COVID19 VACCINE	1139056-1	60-64 years	4 days	****I want to note that I am submitting on behave of my mother who passed away yesterday. The medical examiner has declined 2x for an autopsy to be done. My mother was healthy and was absolutely fine besides the rash (dr diagnosed her with cellulitis week of March 14). I do not agree with the rule of death being ?natural causes? neither does her doctor.
COVID19 VACCINE	1139599-1	65-79 years	4 days	Patient was found deceased in his own home on Monday, March 15, 2021. He was found on the floor in a sitting position with three fingers of his right hand on his right carotid. It appeared that he was getting ready for church, which was a routine event. Although patient was a diabetic, he never had episodes that were life threatening, and was always able to manage to remediate with insulin or food. Patient last spoke to a neighbor at 2:30 a.m. on Sunday, March 14th, who said he appeared to be just fine and they scheduled a date with their dogs on Sunday afternoon. A sheet of instructions found on the kitchen counter at the home informed us that he had a COVID vaccine at the VA Hospital on Wednesday, March 10th. He was documenting side-effects of very sore right arm and low blood sugars. that was unusual because if he was able to manage he wouldn't have noted it. It was apparent that something sudden happened such that he was unable to get to help and his heart rate must have been of concern. We believe that patient suffered onset of some sort of cardiac event, blood clot, high heart rate, or heart attack, that was associated with the vaccine on Wednesday and 4 days later he was suddenly gone, unable to call for help (he has family close by in this community). We want healthcare providers and individuals to be able to make informed decisions about giving/taking the vaccine when there is another health issue such as diabetes to consider. We lost a brother, a father, a friend and a dedicated veteran unnecessarily.
COVID19 VACCINE	1154290-1	80+ years	4 days	The patient apparently woke up in the morning and told his wife that he was tired and went back to bed and did not wake up.

COVID19 VACCINE	1159101-1	80+ years	4 days	My Father was ill for approx 3-4 days after first vaccine with fatigue and some minor chest pressure, this start approx 3 days after injection and had made a complete recover, he then recieved his 2nd vaccine shot and again 3-4 days later he again stated began having severe fatigue and mobility issues, ( he stated his legs felt like jello ) , no chest pains and no breathing issues were associated. 3 days later he was still feeling the same with symptoms and on the 4 day he was found deceased in his home.
COVID19 VACCINE	1163967-1	65-79 years	4 days	Felt crummy on day one and two better on day three and on day four developed four blood clots on Coumadin with an INR of 4.5 and died the next day on 3/31/2021.
COVID19 VACCINE	1177076-1	50-59 years	4 days	On Saturday, April 3rd, patient told her son she was tired and was going to take a nap. Her son tried to wake her the next morning since she had not come out of her room from the day before. He was unable to wake her.
COVID19 VACCINE	1192987-1	65-79 years	4 days	Death
COVID19 VACCINE	1194540-1	60-64 years	4 days	on 2/8 developed cough on 2/13 to Hospital Emergency Room, diagnosed viral pneumonia on 2/15 back to ER, admitted, diagnosed with pulmonary embolism on 2/20 to ICU, intubated and put on ventilator on 3/3 died from pneumonia due to COVID-19 per death certificate
COVID19 VACCINE	1196968-1	50-59 years	4 days	Patient found unresponsive at home 04/04/21 at 11pm per child. Sent to hospital via 911. Deceased 4/6/2021.
COVID19 VACCINE	1197251-1	65-79 years	4 days	She had trouble breathing within days of the second vaccine. She went to the hospital 9 days after the vaccine. Her breathing continued to decline where she had to be placed on a ventilator. She stayed on that for almost 3 weeks. The doctors had no hope of her recovery and we chose to end life support exactly one month after her second shot.
COVID19 VACCINE	1198737-1	65-79 years	4 days	Patient passed away on 4/1/21. 4 days after getting his second moderna vaccine. He was is good health
COVID19 VACCINE	1201691-1	80+ years	4 days	developed fluid in lungs difficultly breathing.
COVID19 VACCINE	1203732-1	60-64 years	4 days	Patient had history of COPD, MS. Treated for pneumonia in February. Recently discharged from the hospital 2/24/2021 for pneumonia. Seen in the office on 3/1/2021 as a follow up. Given Covid vaccine on 3/15/2021. Patient was reportedly feeling well the day of vaccine. Patient collapsed on 3/19/2021 and died.
COVID19 VACCINE	1204680-1	80+ years	4 days	Suddent Death approximately 75 hours after second dose of Moderna Vaccine
COVID19 VACCINE	1208628-1	65-79 years	4 days	It was reported by the Sheriff's Dept. that patient was found expired on 4/13/21 - sitter reported that patient went to take a nap and the sitter went to check on him and found him unresponsive and called 911; patient was DOA on arrival

COVID19 VACCINE	1221176-1	40-49 years	4 days	he died; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (he died) in a 49-year-old patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No reported medical history). On 30-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on 03-Apr-2021 The patient died on 03-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. No concomitant medications were reported. No treatment medications were reported. Action taken with mRNA-1273 in response to the event was not applicable. Very limited information regarding this event has been provided at this time. Further information has been requested; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1259763-1	40-49 years	4 days	Fever, chills, headache, and tiredness (2nd day of receiving the 2nd dose) Feeling good on the 3rd day Headache, stomach burn, throwing up, and heart attack (4th day of receiving the 2nd dose) Passed away on April 2, 2021
COVID19 VACCINE	1266427-1	80+ years	4 days	Patient presented to the ED and was subsequently hospitalized twice within 6 weeks of receiving COVID vaccination. First visit was 2/23/2021 and second visit was 3/14/2021. Patient died on 4/8/2021
COVID19 VACCINE	1271786-1	50-59 years	4 days	Patient came to pharmacy for 1st Moderna Covid-19 vaccination on 4/21/21. Spouse reported she died on 4/25/21. Our pharmacy does not have information about her medications or health conditions as she wasn't a regular customer of ours.

COVID19 VACCINE	1273324-1	65-79 years	4 days	<p>The day before the first vaccine she was up and acting normal, laundry, housework and knew what to do. She has severe dementia but was doing OK and knew where she was. She got the first vaccine on 1/29/21, and the 3rd and 4th day they noticed she was having hallucinations and saying things that weren't there. She could hear baby's crying but there were no baby's present. Within 7 days she had what the son described as a stroke. He said that she was watching television and he was on a conference call and he noticed she walked into a wall and he asked if she was okay and starting stumbling across the room and when he touched her she felt very heavy and said that one side of her face was drooping. He got her back into the chair and called 9-1-1. She was so agitated at the hospital that the husband does not know what they gave her and they kept her for a week. They finally got her under control. They discharged her from there and she that was all that they could do with her. They brought her home with nurses assistance and her paranoia was evident, hallucinations were very evident. They said that they tried to do a CAT Scan and an MRI and they said that she did not have a stroke. Restless was very adamant, talking strange things and wanting to go to her son's house when she was there. Before that vaccination she knew where she was and after that she did not know where she was thinking she was at one location and just confusion. She then got her 2nd vaccine and then her husband went out of town and took her back home on 2/24/21 as he was able to get her in a car and travel and able to eat and knew somewhat what was going on. On 2/25/21 when he brought her home to a long term care facility. She was chanting constantly, had irritability, anger, cognition completely eroded. She was very agitated, very combative. Drugs would not calm her down, and tried to get CAT scans or MRI's but were unsuccessful due to her combativeness. She was screaming and yelling 24 hours a day to the top of her lungs and gave her Ativan which had the adverse effects of what they were supposed to do. Had biting, hallucinations, paranoia. She had a couple of falls, they had her in a wheelchair and tried to feed her and she would fall down. They took her to the hospital a few times and she progressively got worse. On 4/19/21 she shut down and quit eating, quit drinking, closed her eyes, and lasted a week like that and then she died on 4/24/21 @ 2:30 AM. None of her doctors could figure out what had happened. They were finally able to get a CAT scan and felt that she may have a stroke. Finally they memory care facility told them to come a take her to the hospital and they had moved their hospice patient's as she was screaming and disruptive and they could not</p>
COVID19 VACCINE	1293184-1	65-79 years	4 days	<p>Summary:66-yof with past medical history of ESRD HDD Monday Wednesday Friday, COPD not on home oxygen, hypertension, depression, hyperlipidemia, who comes to the ED with 4 weeks duration of generalized malaise, fatigue, and loose stool. Incidentally she reports her daughter tested positive for Covid on Sunday and she was exposed at that time, but sx pres for several wks. She was noted have a fever of 102.3. Ferritin 1086. Her O2 sats declined to 92 percent the emergency room. She also tested positive for Covid 19.</p>
COVID19 VACCINE	1295072-1	65-79 years	4 days	<p>Acute renal failure, admitted to the hospital on 4/6/21. Underlying source never identified, died on 4/9/21.</p>
COVID19 VACCINE	1296284-1	50-59 years	4 days	<p>Patient had an ED visit and/or hospitalization within 6 weeks of receiving COVID vaccine.</p>
COVID19 VACCINE	1300291-1	80+ years	4 days	<p>Passed away in home days after vaccine, was in perfect health as far as can be expected by 93 year old, before vaccine.</p>

COVID19 VACCINE	1310522-1	50-59 years	4 days	At time of vaccination, patient had a temperature of 98.2 degrees Farenheit. Less than 24 hours later patient caregiver reports temperature of 102 degrees Farenheit. Monday morning, was notified that patient's spouse found the patient unresponsive during the day after complaining about stomach pains on Sunday 5/9/2021.
COVID19 VACCINE	1314135-1	50-59 years	4 days	PATIENT'S SPOUSE REPORTS PATIENT WAS ADMITTED TO HOSPITAL ON 031421 FOR SEVERE SEPSIS WITH ACUTE ORGAN DYSFUNCTION, ACUTE METABOLIC ENCEPHALOPATHY, BILATERAL PNEUMONIA AND ACUTE HYPOXEMIC RESPIRATORY FAILURE THEN PASSED AWAY ON 3/27/21.
COVID19 VACCINE	1323752-1	65-79 years	4 days	Clinic contacted patient date of death: 05/09/2021. No other information on symptoms, signs experienced prior to time of death.
COVID19 VACCINE	1330410-1	65-79 years	4 days	Rash presented several days after 2nd dose of vaccine. Seen in urgent care on 4/28 for this. On 5/8/21, patient had left weakness and numbness, dizziness, and loss of balance. Alteplase given,. Transferred to Medical Center, medical intensive care unit. Transferred to medical/surgical unit 5/9/21. Intermittently Febrile - T-max 39.5. CT for mild lethargy 5/9/21. 5/11 - mild respiratory distress and minimally responsive. Continued decline. TOD 1644 5/13
COVID19 VACCINE	1351018-1	65-79 years	4 days	Loss of apatite, when the time for diaper change arrived, patient was found without vital signs.
COVID19 VACCINE	1352131-1	50-59 years	4 days	death
COVID19 VACCINE	1382262-1	50-59 years	4 days	Patient received first dose of Moderna on 4/15/2021. Patient tested positive on 4/19/2021 for Covid. Patient admitted to hospital on 4/25/2021. Patient expired 5/14/2021
COVID19 VACCINE	1395443-1	80+ years	4 days	Four days post-vaccination, she had a serious spell with a hiatal hernia which resulted in a possible gastric volvulus. Over the course of the episode, she ended up aspirating while vomiting. Within 24 hours she couldn't hold her O2 sats at an acceptable level and was put on a ventilator in ICU. She recovered enough to extubate and go to a regular room but then ended up back on the vent and in ICU a second time. She was extubated again, but still could not maintain her O2 levels without medical intervention. She passed away on April 3, 2021. She did have covid-19 in late November 2020, with a mild case of pneumonia. She had been under the care of her primary doctor, as well as home health care and physical therapy, as part of her recovery. Her death may have been unrelated to the vaccine, but I have been told I should report anyway, as a precaution.
COVID19 VACCINE	1396407-1	65-79 years	4 days	On 6/9/2021 patient was transferred to local Hospital from another Hosptial for chest pain, worsening EF and concerns of ischemic cardiomyopathy. She was visiting from out of town (attending her brother's funeral who also reportedly died after receiving the Covid vaccine). On 5/31 she had been hospitalized with ischemic colitis, was discharged on 6/6/2021 then returned to the the hospital on 6/9/2021 with increasing shortness of breath, confusion. A repeat TTE showed anterior wall mothion abnormalities and decreased EF, resulting in the decision to transfer to another hospital. She had a cardiac cath, was improving, but had a sudden change in condition and expired. A throbotic event was suspected. She is currently awaiting an autopsy.
COVID19 VACCINE	1407818-1	60-64 years	4 days	Patient had an ED visit and/or hospitalization within 6 weeks of receiving COVID vaccine.
COVID19 VACCINE	1415288-1	65-79 years	4 days	client died. Client had other underlining health conditions.
COVID19 VACCINE	1417918-1	80+ years	4 days	Death
COVID19 VACCINE	1430978-1	40-49 years	4 days	03/31/2021 received 1st dose of Moderna COVID-19 vaccine 04/01/2021 104 F fever, dizziness, nausea 04/03/2021 symptoms subsided 04/04/2021 case expired as a result of undetermined natural causes per medical examiner final report

COVID19 VACCINE	1433939-1	50-59 years	4 days	Patient received Moderna #1 on 4/20/21 and Moderna #2 on 6/15/21. Our office was notified on 6/19/21 that this patient was found deceased and appeared to have passed away several days prior due to level of decomposition. The cause of death is unknown at this time and is being evaluated by Medical Examiner due to recent Covid vaccination and recent drug overdose on 6/2/21. No foul play suspected.
COVID19 VACCINE	0914621-1	80+ years	5 days	Resident in our long term care facility who received first dose of Moderna COVID-19 Vaccine on 12/22/2020, only documented side effect was mild fatigue after receiving. She passed away on 12/27/2020 of natural causes per report. Has previously been in & out of hospice care, resided in nursing home for 9+ years, elderly with dementia. Due to proximity of vaccination we felt we should report the death, even though it is not believed to be related.
COVID19 VACCINE	0920815-1	50-59 years	5 days	Found deceased in her home, unknown cause, 6 days after vaccine.
COVID19 VACCINE	0937569-1	60-64 years	5 days	patient reported expired 1/7/2021
COVID19 VACCINE	0953858-1	65-79 years	5 days	patient started to decline 1/10/2021, patient seen at facility by medical professional - patient deceased 1/13/2021
COVID19 VACCINE	0956903-1	80+ years	5 days	mi Narrative: patient with asymptomatic covid 19, covid positive 12/10/2020.
COVID19 VACCINE	0958069-1	80+ years	5 days	Started with cough, mild shortness of breath and feeling terrible in evening of 1/19.
COVID19 VACCINE	0961845-1	65-79 years	5 days	Narrative:
COVID19 VACCINE	0963235-1	80+ years	5 days	Patient diagnosed with COVID on January 9, 2021 after being exposed to family member that was under quarantine in the same household. Admitted to the hospital and was discharged on January 14, 2021 with home hospice. Patient passed away on January 18, 2021
COVID19 VACCINE	0963388-1	80+ years	5 days	Patient died unexpectedly 5 days after receiving vaccine (1/10/2021).
COVID19 VACCINE	0970930-1	80+ years	5 days	Pt developed COVID-19 infection, symptoms starting 7 days after first dose was given. Patient was admitted to hospital on 1/21 after falling (secondary to weakness) and striking head on toilet. Patient expired due to respiratory complications of COVID on 1/25.
COVID19 VACCINE	0974833-1	80+ years	5 days	1/24/21 0445- patient presents to the ED with complaints of neck pain, chest pain, and back pain for about a week. States also feels SOB, intermittent fever with temperature 100.3 on arrival. Patient was worked up for his cardiac type symptoms, found to have elevated WBC and CRP with no explanation. D-Dimer was elevated with CT showing no sign of PE. Patient was sent home from the ED with instructions to follow up with primary care and/or return if s/s worsen. 1/24/21 1705- patient is returned to the ED via ambulance after becoming unresponsive and some seizure like activity. Patient was intubated. Head CT showed large brain bleed that was irreparable and not compatible with life. Patient was also found with positive blood cultures x2 with gram positive cocci in clusters growing after 9 hours.
COVID19 VACCINE	0975918-1	60-64 years	5 days	death Narrative:

COVID19 VACCINE	0981945-1	80+ years	5 days	weakness and fallsNarrative: 95 yo male w/ a PMH significant for Afib, legal blindness, Hx of CVA, cognitive impairment, GERD, HTN, pseudogout, BPH, chronic knee infection, and DJD who received his first dose of the Moderna COVID-19 vaccine on 01/08/21. The pt's COVID-19 screening questionnaire prior to receiving the vaccine was negative. The pt presented to the ED on 01/13/21 for weakness and m PCR test on ultiple recent falls (since receiving his first dose of the COVID-19 vaccine). The pt's COVID-19 01/13/20 was positive and he was admitted. He was started on treatment with remdesivir + dexamethasone on 1/14. The pt initially required supplemental oxygen via low-flow NC, however his oxygen requirements increased to 100% NRB. On 01/16/21 his MPOA elected for hospice care. The pt passed on 01/17/21. Unclear if the COVID-19 vaccine attributed to the patient's hospitalization and eventual death, or whether these events occurred from COVID-19 itself, however this case is being reported the FDA since this vaccine is under an emergency use authorization (EUA).
COVID19 VACCINE	0982218-1	60-64 years	5 days	resident was on hospice, chronically ill w dementia, COPD, HTN, failure to thrive, passed away 1/13/21. Not certain injection related as he was declining already.
COVID19 VACCINE	0983766-1	80+ years	5 days	Pt started complaining of chest heaviness and shortness of breath on the afternoon of 1/21/21. EMS was called to the patients home and she was found to have an O2 sat in the 70's. She was admitted to hospital and found to have a proBNP of 5000. She tested negative for Covid-19. She was determined to be in acute-on-chronic heart failure and was referred for hospice care. She passed away on the evening of 1/24/21.
COVID19 VACCINE	0995224-1	80+ years	5 days	Cardiac arrest; Pain on her upper right chest; Lot of pain in lower abdomen; Pain underneath arm; Thought it was muscle aches; A spontaneous report was received from a nurse concerning a 92-year-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed upper right chest pain and underneath the arm, severe abdominal pain, muscle aches and cardiac arrest. The patient's medical history was not provided Concomitant product use was not provided by the reporter. On 14 Jan 2021, approximately five days prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly in the arm for prophylaxis of COVID-19 infection. On 19 Jan 2021, the patient developed upper right chest pain and pain underneath the arm. They thought it was muscle aches. Sometime later, the patient developed a lot of pain in the lower abdomen. The called emergency services and an ambulance arrived but the patient then suffered cardiac arrest. Treatment for the event included tramadol. Action taken with mRNA-1273 in response to the events was not applicable due to the patient was died. The patient died on 19 Jan 2021. The cause of death was reported as cardiac arrest. Autopsy were not provided.; Reporter's Comments: Company Comment: This case concerns a 92-year-old female patient who experienced unexpected serious events of cardiac arrest, upper right chest pain and underneath the arm, severe abdominal pain, muscle aches. The event occurred 5 days after the administration of the first dose of the vaccine mRNA-1273 vaccine (Lot #: unknown, expiration date-unknown). Although a temporal association exist between the events and the administration of the vaccine, in the absence of critical details such as the patient's medical history, any diagnostic test or autopsy result, adequate evaluation and assessment cannot be established. Main field defaults to 'possibly related' for all events.; Reported Cause(s) of Death: Cardiac arrest
COVID19 VACCINE	0998228-1	65-79 years	5 days	Found unresponsive

COVID19 VACCINE	1006316-1	65-79 years	5 days	death- 2/2/2021
COVID19 VACCINE	1012047-1	50-59 years	5 days	Sudden death 2/7/21 @ 0309 Started acute encephalopathy & required intubation Soon after intubation went into cardiac arrest Likely severe acidosis.
COVID19 VACCINE	1018448-1	80+ years	5 days	2/6/2021 stroke. 2/8/2021 he died
COVID19 VACCINE	1023791-1	65-79 years	5 days	DIED WITHIN 5 DAYS OF RECEIVING THE 2ND DOSE, EXPERIENCED GENERALIZED WEAKNESS.
COVID19 VACCINE	1024626-1	80+ years	5 days	DEATH ON 5TH DAY OF 2ND DOSE.
COVID19 VACCINE	1027300-1	80+ years	5 days	Nausea, vomiting and generalized weakness.
COVID19 VACCINE	1027967-1	65-79 years	5 days	Patient received vaccination on 1/15/2021. Hemorrhagic Stroke on 1/20 , then diagnosed with complicated idiopathic coagulopathy
COVID19 VACCINE	1029335-1	65-79 years	5 days	Cardiopulmonary arrest
COVID19 VACCINE	1042351-1	65-79 years	5 days	death
COVID19 VACCINE	1042967-1	80+ years	5 days	Patient called son around 6:30am on 2/18/21. When son tried to contact patient around 8:30am, he was not able to get a hold of patient. Son sent someone over to check on patient. They found patient on the floor. He was coherent at first but then lost consciousness. It believed he experienced a stroke sometime around 8:30-9:00am of 2/18/21. Patient was taken to hospital and then transferred to another hospital. He was put in a medically induced coma. He passed between 4:00 and 4:30 pm on 02/19/21.
COVID19 VACCINE	1044247-1	80+ years	5 days	Moderna COVID 19 Vaccine: Patient started with symptoms of covid 5 days after first vaccine. She was hospitalized and passed due to COVID 19 on 2/6/21. Patients family informed us when she was due for the second dose.
COVID19 VACCINE	1051263-1	65-79 years	5 days	Passed away; Found unconscious; Coma; Lack of oxygen to the brain; A spontaneous report was received from a consumer, concerning his mother, a 71-year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and passed away, prior to death, patient experienced lack of oxygen to the brain and was found unconscious and went to coma. The patient's medical history reported included seizures. Concomitant medications included phenobarbital, lamotrigine and levetiracetam. On 27 Jan 2021, approximately six days prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (lot number: 030L20A) intramuscularly for prophylaxis of COVID-19 infection. On 01 Feb 2021 at 4 am, the patient was found to be unconscious on the couch, hence she was rushed to the hospital with lack of oxygen to the brain. Later, she went into a coma, hence she was in hospital for 30 hours and then was transferred to a different hospital for a second opinion on 06-Feb-2021, where she was passed away at 02:20 PM. Treatment information was not provided Action taken with mRNA-1273 in response to the events were not applicable. The outcome of events, lack of oxygen to the brain, found unconscious and coma were considered unknown. The outcome of event passed away was fatal as she died on 06 Feb 2021 at 2:20 pm. The cause of death was not provided. Plans for an autopsy were unknown.; Reporter's Comments: This is a case of 71-year-old female subject with a history of seizures who died 6 days after receiving first dose of vaccine. Very limited information has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Passed away
COVID19 VACCINE	1052700-1	65-79 years	5 days	71 year old male patient recived the Moderna vaccine on 12/28/2020 and 1/27/2021. Tested positive for Covid-19 on 2/1/2021 (aysmptomatic). Passed away on 2/23/2021. Report came from facility.

COVID19 VACCINE	1055613-1	80+ years	5 days	Pt tested positive for COVID-19 on 2/10/2021 and was deceased on 2/16/2021 per the caregiver.
COVID19 VACCINE	1071137-1	Unknown	5 days	Unresponsive; A spontaneous report was received from Pfizer concerning a 58-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 30 Dec 2020, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 04 Jan 2021, the patient died. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 04 Jan 2021. The cause of death was unknown/not reported. Plans for an autopsy were unknown/not provided.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1079904-1	60-64 years	5 days	SUBJECT WAS FOUND DECEASED ON 22 FEB 2021 AT AROUND 11:30 PM
COVID19 VACCINE	1088830-1	50-59 years	5 days	Patient died after feeling unwell for about ten minutes.
COVID19 VACCINE	1092328-1	65-79 years	5 days	Patient appeared alert, oriented and completed everyday normal activities 3 days after receiving vaccine on a Wednesday afternoon, Jan 27th 2021 at 4:00 p.m. . Went to bed as usual on Sunday night Jan 31st 2021 at 9:30 p.m., husband found patient on couch sitting upright, unresponsive at 4:00 a.m. Patient's daughter came over to the house approx. 8 minutes later. Performed CPR for 3-5 minutes, pt had a pulse. The ambulance was called prior to daughter arriving at the house. Ambulance arrived at 4:40 a.m. took pt to Hospital by 5:00a.m. Pt declared ""brain dead""
COVID19 VACCINE	1095555-1	80+ years	5 days	Death
COVID19 VACCINE	1098473-1	80+ years	5 days	My mother had the shot on January 25. On the 30th, she became confused and was having trouble swallowing. I took her to the hospital on the 31st (Sunday). She was admitted with pancreatitis and was unable to drink water. She was then admitted to the ICU. She became septic and her mental status declined. By Tuesday, she was placed on a ventilator. She then had renal failure and died on February 18th.
COVID19 VACCINE	1103192-1	65-79 years	5 days	Patient passed in his sleep 5 days after receiving first dose of Moderna
COVID19 VACCINE	1103955-1	60-64 years	5 days	No adverse reactions at the time of vaccine. Was admitted to hospital 5 days later with BLL pneumonia and passed away on 03/10/2021
COVID19 VACCINE	1106719-1	50-59 years	5 days	Her daughter informed pharmacy staff that pt passed away on sunday 3/14/21
COVID19 VACCINE	1107898-1	80+ years	5 days	5 days post-vaccination (1st dose of Moderna), patient started developing lethargy, and difficulty swallowing. 7 days post-vaccination patient looked ""ashen"". 12 days after vaccination patient was improving, but 14 days after vaccination patient was found to have (on lab work) critical hypernatremia (sodium level of 180 mmol/L), patient was re-referred back to hospice, and 17 days post-vaccination patient died.""
COVID19 VACCINE	1109087-1	80+ years	5 days	Pt expired in Community Hospital ED on 3-10-21. This was 5 days after receiving his second Moderna covid vaccination. Hospital nurse says ED report says multiple system problems.
COVID19 VACCINE	1111042-1	65-79 years	5 days	RHC 3/15/21. No significant reaction from vaccine. Had sore arm.

COVID19 VACCINE	1114885-1	80+ years	5 days	Asthenia; Nausea; Vomiting; A spontaneous report was received from a Pharmaceutical Company concerning a 90 Years-old male patient who received Moderna' s COVID-19 vaccine (mRNA-1273) and experienced nausea, vomiting, generalized weakness with a fatal outcome. The patient's medical history is aortic aneurysm, aortic stenosis, coronary artery disease, hypertension, cardiac heart failure, atrial fibrillation, HLD, ischemic heart failure, pacemaker, ventricular fibrillation, peripheral vascular shunt, palpitations, hypotension, and small bowel obstruction. No concomitant medications were provided. On 06 FEB 2021, prior to the onset of the events, the patient received his first of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly in an unknown arm for prophylaxis of COVID-19 infection. On 11 FEB 2021, the patient experienced the events, nausea, vomiting, generalized weakness. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 12 FEB 2021. The cause of death was unknown. Plans for an autopsy were unknown.; Reporter's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1115581-1	65-79 years	5 days	Unattended Death, symptoms and timeframe unknown, death occurred approximately 1 week post vaccination
COVID19 VACCINE	1118964-1	80+ years	5 days	Death Narrative:
COVID19 VACCINE	1130306-1	65-79 years	5 days	It began on 2/3/2021 to present low saturation, pressures rose and fell (unstable). They gave him therapy, since he could not breathe. On 02/04/2021, POC reports that caregivers took their rounds and he was without vital signs. Doctor certifies that it was due to respiratory failure.
COVID19 VACCINE	1130386-1	50-59 years	5 days	syncope event. 911 was then called. Once EMS arrived he was found unresponsive and was in V fib.; transferred to the cath lab where he was found to have a proximal LAD occlusion deceased 3/17/2021
COVID19 VACCINE	1143895-1	50-59 years	5 days	13th of January received first Moderna shot. 18-19th began to have headaches 22nd headaches worsened 25th at the doctor's (tested negative nose swab) home till 28th (28th tested positive for corona after having her first shot at Advent) stroke symptoms at school 28th Advent did CT scan MRI venous thrombosis diagnosis, from front to back, hemorrhage in the northern hemisphere 29th blood thinner administered to attempt to drain clot, seizures 31st passed away
COVID19 VACCINE	1147392-1	65-79 years	5 days	Death--Patient woke up in morning and c/o not feeling well. Died in route to hospital.
COVID19 VACCINE	1168240-1	50-59 years	5 days	Patient deceased 3/23/21 due to suicide.
COVID19 VACCINE	1194290-1	65-79 years	5 days	my mother collapsed in the kitchen she was rushed to hospital via ambulance she passed away, doctor said her heart was having a hard time he said there was a blood clot by lung
COVID19 VACCINE	1197766-1	65-79 years	5 days	Patient was vaccinated at Pharmacy with 2nd dose Moderna 03/28/2021, patient called dialysis clinic that she was coughing up blood and she is going to Hospital in the afternoon. Pt's daughter called the clinic informed staff that pt passed away 4/3/2021 due to internal bleeding.
COVID19 VACCINE	1199543-1	80+ years	5 days	Facility manager informed us that patient had a seizure on 3/17/21, which was 2 days after the vaccine was given (3/15/21) which then lead to a stroke. Patient passed died on 3/17/21.
COVID19 VACCINE	1210317-1	50-59 years	5 days	We both got our shot at the same time on March 17, 2021. Then on March 22, 2021 at 9:20 PM my husband suffered cardiac arrest and a seizure. His heart was revived however, due to lack of oxygen to his brain he suffered brain damage and never regained consciousness and passed on 4/3/21 with acute respiratory failure.

COVID19 VACCINE	1214516-1	60-64 years	5 days	Client was monitored after being Vaccinated for 15 minutes and staff observed no symptoms. DHS CRT was made aware of the death two days prior to 2nd dose Vaccine Clinic.
COVID19 VACCINE	1215095-1	60-64 years	5 days	<p>received her first COVID vaccine on Thursday, March 18. On 3/23/21 she started to have new onset of generalized muscles aches and weakness. She started feeling some pain in her back, which then spread to arms and legs. She is now beginning to feel weakness in her core and extremities. Having difficulty lifting arms above head. She is still able to walk without difficulty but legs do feel weak. Increase in SOB as well. Myalgias and chest pain resolved within a week, however she continued to feel weak, tired, and had DOE. She developed ""brain fog"" and talked to her boss about taking short-term disability as it had been hard to work. No appetite. On 4/1/21, she presented to the ED with 2 weeks of worsening generalized weakness, SOB, lightheadedness, dizziness and found to have acute anemia. Was admitted for further workup. Hgb at admission was 5.4. This admission diagnosed her with a new warm autoantibody hemolytic anemia. This is new since the COVID vaccine was administered. Upon admission there was no thrombocytopenia, so there was low suspicion for microangiopathic hemolytic anemia, TTP/HUS, or DIC. Peripheral blood smear at that time suggested a leukoerythroblastic blood picture (could be Bone Marrow recovery post chemo) but with marked normocytic, normochromic anemia, and with increased circulating erythroid precursors and increased red blood cell regeneration; spherocytes and fragments are present supporting hemolysis. DAT positive (both IgG and C3) along with other hemolysis lab including elevated LDH, Bilirubin, haptoglobin 3, and PBS c/w hemolysis; no evidence of MAHA. So warm autoantibody hemolytic anemia is the most likely explanation. She had negative cold agglutinin antibodies &lt;1:32 on 4/9. Started on methylprednisolone on 4/2/21, but Hgb continued to steadily decline despite treatment. Continued on methylprednisolone 87.5mg daily. Rituxan 375mg/m2 was started on 4/6/21 with plans for weekly infusions for a total of 4 weeks. there was concern for a GI bleed on 4/10-4/11 due to bright red fluid appearing like blood in the toilet after a stool. This led to her receiving roughly 5 units of pRBCs. After these 5 units she started urinating red urine and we became highly concerned for hyperhemolysis. She did not have any further stools so we did not think a GI bleed was likely. She was given 1 dose of Eculizumab (Soliris) (4/12). This treatment is for complement mediated intravascular hyperhemolysis. Unfortunately it did not appear to help her. On 4/14, we were thinking TTP could be contributory with numerous schistocytes on peripheral smear. Her T bili was up to 7.8, and her hemoglobin plasma was trending up, in the 380 -- &gt; 610 and in the 800s today. Cr was worsening. Platelet count was dropping.</p>

COVID19 VACCINE	1233617-1	65-79 years	5 days	<p>5:30 pm 3/29/21 received phone call from aunt that ems had taken dad to hospital because he was feeling unwell. he vomited prior before and just didn't feel right. ems showed up and observed him, glucose was 139..not out of range...vitals stable..2nd moderna vaccine 5 days prior...ems said that is was probably side effects...asked if he really wanted to go in...said yes, took him to hospital...5:45 daughter called hospital to get status check....she is poa for medical...er doc said he was intubated and on vent.....er doc said he was very sick...6:50 pm daughter got to er and room he was on vent and knocked out...he had antibiotics, sleeping meds..meds to rise bp in iv.....er doc came in daughter asked why he was on vent...asked about o2 doc said he was fine just unresponsive...labs were being done at time...had him on dextrose, propofol, dexmedtominine,..asked to have him transferred to own hospital..8:10 dr. comes in with lab results...kidneys and livers were showing multi organ failure...triponin was high as well..red flags were: creatine 9.93, gsr-5, hemoglobin-7, liver lft-500, tripoinin 14, covid test was negative, white count was in range, daughter mentioned vaccine again and doc said nothing nor did she mention heart being in trouble, no answers regarding what the cause of this was...for the record he only had kidney issues due to type 2 diabetes, was not at dialysis level...9:30 ems shows up to take dad to another hospital were not ready from him yet...9:41 dad heart started to drop on monitor withing 15 secodes iit flatlined in front of daughter.....med staff did cpr...brought in epi pens and manual cpr for heart...a little after 10 heart was started it ran for 4 minutes then crashed again..10:05 continued cpr until 10:28, dr showed that walls i heart not squeezing very damaged, brought in echo during process, 10:28 time of death</p>
COVID19 VACCINE	1236415-1	40-49 years	5 days	<p>death Narrative: Patient received Moderna covid vaccine #1 on 3/25/21. No notes entered after this time and date of death is recorded as 3/30/21. No scanned records. No autopsy results available. 5 days from date of vaccine to date of death.</p>
COVID19 VACCINE	1243461-1	60-64 years	5 days	<p>My father passed away on the 5th day and was in pretty good health.</p>

COVID19 VACCINE	1261483-1	65-79 years	5 days	<p>Diagnosed with shingles; passed away suddenly; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DEATH (passed away suddenly) and HERPES ZOSTER (Diagnosed with shingles) in a 75-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No reported medical history). Concomitant products included VALACICLOVIR HYDROCHLORIDE (VALTREX) for an unknown indication. On 28-Dec-2020 at 3:30 PM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-Jan-2021, the patient experienced HERPES ZOSTER (Diagnosed with shingles) (seriousness criterion hospitalization). The patient died on 13-Feb-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, HERPES ZOSTER (Diagnosed with shingles) outcome was unknown. Treatment included antiviral medication valtrex 1 mg. The action taken with mRNA-1273 with events was not applicable. Cause of death was unknown. Plans for an autopsy were not provided. This case concerns a 75-year-old, male patient, who experienced herpes zoster 5 days after and died 1 month 15 days after receiving the first dose of mRNA-1273. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. The cause of death was not reported. It is unknown if an autopsy was performed. Most recent FOLLOW-UP information incorporated above includes: On 11-Apr-2021: Follow-up included fatal event.; Sender's Comments: This case concerns a 75-year-old, male patient, who experienced herpes zoster 5 days after and died 1 month 15 days after receiving the first dose of mRNA-1273. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. The cause of death was not reported. It is unknown if an autopsy was performed.; Reported Cause(s) of Death: Unknown cause of death</p>
-----------------	-----------	-------------	--------	--

COVID19 VACCINE	1261526-1	65-79 years	5 days	Type 2 Diabetes, Hypotension, heart started to drop, Renal failure, This case was received via an unknown source (no reference has been entered for a health authority or license partner) on 20-Apr-2021 and was forwarded to Moderna on 20-Apr-2021. This spontaneous case was reported by a patient family member or friend (subsequently medically confirmed) and describes the occurrence of CARDIAC FAILURE (heart started to drop), RENAL FAILURE (Renal failure), TYPE 2 DIABETES MELLITUS (Type 2 Diabetes) and HYPOTENSION (Hypotension) in a 69-year-old patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Concurrent medical conditions included Multi organ failure (Kidneys and liver are VERY messed up showing multi-organ failure.) and Type 2 diabetes mellitus. On 24-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 29-Mar-2021, the patient experienced CARDIAC FAILURE (heart started to drop) (seriousness criteria death and medically significant) and RENAL FAILURE (Renal failure) (seriousness criteria death and medically significant). On an unknown date, the patient experienced TYPE 2 DIABETES MELLITUS (Type 2 Diabetes) (seriousness criterion death) and HYPOTENSION (Hypotension) (seriousness criterion death). The patient died on 29-Mar-2021. The reported cause of death was Renal failure, type 2 diabetes, Hypotension and heart started to drop. An autopsy was not performed. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Blood creatine: 9.93 (Inconclusive) Inconclusive. On an unknown date, Glomerular filtration rate: 5 (Inconclusive) Inconclusive and 5.0 (Inconclusive) 5.0. On an unknown date, Haemoglobin: 7 (Inconclusive) Inconclusive. On an unknown date, Liver function test: 500 (Inconclusive) Inconclusive. On an unknown date, SARS-CoV-2 test: negative (Negative) Negative and negative (Negative) Negative. On an unknown date, Troponin: 14 (Inconclusive) 14.0. On an unknown date, Troponin increased: 500 (Inconclusive) Inconclusive. On an unknown date, White blood cell count: normal (normal) normal (in range). The action taken with mRNA-1273 in response to the event was not applicable. He was feeling unwell. He had vomited prior and felt sick. His blood sugar was 136 or 139, nothing bad. Treatment details included antibiotics going into him, sleeping meds, meds to rise his blood pressure, Dextrose, Propofol, Dexmedetomidine. Company comment: This is a 69-year-old, patient of unknown gender who received mRNA-1273 Vaccine who experienced cardiac failure and died, 6 days
COVID19 VACCINE	1264618-1	30-39 years	5 days	103 fever 2 days after the vaccine. Then became afebrile. Then found deceased on 4-26-2021
COVID19 VACCINE	1270366-1	30-39 years	5 days	cardiac arrest 5 days post vaccination.
COVID19 VACCINE	1271846-1	65-79 years	5 days	Patient presented to ED on 04/25/2021 with complaints of abdominal pain, abdominal distension, and AMS. Patient was admitted to ICU with following diagnoses: 1) Septic Shock, 2) A/C hypoxic/hypercapnic respiratory failure, 3) Acute metabolic encephalopathy, 4) Palliative care patient, 5) AE COPD, 6) ARF w/ATN on CKD3, 7) CAD, 8) Chronic sys/dia CHF, 9) Malnutrition/Failure to thrive. Patient died on 04/26/2021 at 1826. Patient was also previously admitted to hospital on 03/23/2021-03/29/2021 for sepsis.

COVID19 VACCINE	1284727-1	65-79 years	5 days	heart attack; Bood clot; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of MYOCARDIAL INFARCTION (heart attack) and THROMBOSIS (Bood clot) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 18-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Mar-2021, the patient experienced MYOCARDIAL INFARCTION (heart attack) (seriousness criteria death and medically significant) and THROMBOSIS (Bood clot) (seriousness criterion death). The patient died on 23-Mar-2021. The reported cause of death was Heart attack and Clot blood. It is unknown if an autopsy was performed. Not Provided No concomitant medication were reported. No treatment information was provided.; Reported Cause(s) of Death: Heart attack; Clot blood
COVID19 VACCINE	1285713-1	80+ years	5 days	Died unexpectedly in my arms. On the 15th. Could not breathe We tried to use inhaler and did not work.
COVID19 VACCINE	1287846-1	65-79 years	5 days	The person who received the vaccine got very sick 5 days after the receiving the vaccine. The patient was talking at 2:00 pm on the 28th and he was on a ventilator a few hours later. The doctors were never able to determine why he got so sick suddenly. He passed away on April 6th.
COVID19 VACCINE	1294857-1	80+ years	5 days	Five days after receiving the Covid-19 vaccine, patient suddenly began having trouble breathing. We called 911 right away but, by the time EMS arrived, she was unconscious and didn't appear to be breathing. Patient was not sick at the time this occurred but she was hospitalized in December of 2019 and was diagnosed with pulmonary fibrosis and pulmonary hypertension which required her to go home with and continue on supplemental oxygen. However, she never experienced pulmonary distress after coming home and her SPO2 levels consistently ranged between 96 and 99% with supplemental oxygen. Patient's death was very sudden and unexpected.
COVID19 VACCINE	1310729-1	60-64 years	5 days	Patient stopped breathing five days after the vaccine (5/29/21) He was taken to Hospital by paramedics and was put on ventilator in Intensive Care. They took him off the ventilator and he died 6 days after (5/5/21).
COVID19 VACCINE	1313691-1	50-59 years	5 days	Following the vaccination patient didn't feel well. Fever, chills, cold symptoms, incredibly irritable. 5/1 she awake with a terrible headache which continued all day. Around 9:30 pm she laid down and shortly after was unable to move her body. 5/4/21 at 4:19pm her time of death was called. Cause; brain death due to aneurysm and stroke due to passing blood clot in brain.
COVID19 VACCINE	1354136-1	50-59 years	5 days	Patient had been complaining of worsening LE edema 3 days prior to event. She was seen at the clinic and given medication for it. Patient apparently developed high BP at home (worsening HTN?) and passed away at home 5 days after vaccination (05/11). No further info.
COVID19 VACCINE	1365007-1	18-29 years	5 days	I do not know the individuals medical hx or illness/complications. Due to new information circulating related to mRNA vaccines and myocarditis/pericarditis and being made aware that this person had suffered cardiac arrest after being admit to the hospital following complications with their health it warrants being reported regardless of prior health conditions.
COVID19 VACCINE	1365754-1	80+ years	5 days	PT'S wife reported to the pharmacy that he was very tired after the vaccine on thursday and friday, he did not wake up on saturday, he passed away.
COVID19 VACCINE	1368651-1	65-79 years	5 days	Patient's daughter came to the pharmacy today and said patient died of a heart attack. Patient thought that she was sick from the vaccine. Did not get help until five days after

COVID19 VACCINE	1414045-1	80+ years	5 days	Unstable vital signs.
COVID19 VACCINE	1429713-1	30-39 years	5 days	My son had been complaining of racing heart and became a week after the first dose of Moderna then started vomiting once or twice a week thereafter I tried to get him to go the doctor but he kept saying he was ok. He said he feels like something was wrong but didn't know what. He received his second dose of moderna 6/13/2021, 5 days later on 6/18/2021 he didn't feel well laid down around 9 pm was checked on at 9:21 he was unresponsive no heart beat no breathing 911 was called. They resuscitated him after 45 minutes then he was transported to hospital then to medical center. he was in ICU on a ventilator unresponsive brain swollen , totally unresponsive and organs shutting down. He passed away 9:45 pm June 19
COVID19 VACCINE	1430991-1	65-79 years	5 days	Patient was a 77 year old, resident, past medical history of dementia, hypertension, schizophrenia, hyperlipidemia, Parkinson's disease. Patient presented to the ED with altered mental status and a potential seizure. In the morning of 3/24, patient reportedly had an episode of seizure that lasted 30 seconds, generalized tonic/clonic. It is unknown if she fell or hit her head. Per manager, patient is following Neurology, recent work up for possible syncopal month ago. Patient received her 2nd dose of Moderna Vaccine recently on 3/19. At baseline patient is independent, ambulates by her self. Patient has been ill after receiving a COVID vaccine last week. Patient has progressive weakness of the bilateral lower extremities and progressive difficulties with talking , had had multiple falls.
COVID19 VACCINE	1431322-1	80+ years	5 days	Patient began experiencing Shortness of Breath, which increased until he had to be transported to the ER on 3/26/2021. He was diagnosed with severe Congestive Heart Failure, with an injection fraction of 15% and kidney function below 30%. He was released to hospice care 4/5/2021 with Pleur-Ex drains to both lung areas. He continued to get worse, including TIAs, until he died on 5/31/2021.
COVID19 VACCINE	0917117-1	80+ years	6 days	After vaccination, patient tested positive for COVID-19. Patient was very ill and had numerous chronic health issues prior to vaccination. Facility had a number of patients who had already tested positive for COVID-19. Vaccination continued in an effort to prevent this patient from contracting the virus or to mitigate his risk. This was unsuccessful and patient died.
COVID19 VACCINE	0922977-1	65-79 years	6 days	Fever, RespDepression & COVID positive REMDESIVIR (EUA) 200 mg x1 then 100 mg daily
COVID19 VACCINE	0937127-1	80+ years	6 days	The facility had positive cases of COVID when we were able to begin vaccinating residents. Within about a week of vaccination, patient was tested positive for COVID. He was 91 years old and his immune system did not have the time to allow the vaccine to begin working before exposure. His age was a major contributing factor to his death.
COVID19 VACCINE	0958228-1	80+ years	6 days	Patient has end stage renal disease and rapidly worsening dementia, family could no longer care for him at home, and he was admitted for 14-day quarantine prior to admission to inpatient hospice. Received vaccine on 1/12 without apparent adverse reactions. Patient started refusing oral intake on 1/16, and CMP on 1/17 showed hypernatremia 165 (new issue). His BUN 138 CREAT 6.93 K 5.2 were his baseline. He was found to be deceased on 1/18 at 11:18 pm.
COVID19 VACCINE	0965564-1	50-59 years	6 days	Cardiac arrest Narrative:
COVID19 VACCINE	0992137-1	65-79 years	6 days	6 days after vaccine developed bloody diarrhea. Thought to have ischemic colitis but negative evaluation. became hypotensive bradycardic placed on ventilator. Subsequently was poorly responsive and eventually coded once more and succumbed

COVID19 VACCINE	0994778-1	80+ years	6 days	Resident received the vaccine on 1-22-21 and she was diagnosed with COVID-19 during routine testing on 1-28-21. She didn't have any symptoms except feeling weak and she had a decrease in her appetite. She already had a poor appetite prior. She died on 2-2-21.
COVID19 VACCINE	0995977-1	50-59 years	6 days	Lethargy/altered level of consciousness lead to hospital admission. Multiple interventions during hospitalization. Final hospital diagnoses: Acute respiratory failure with hypercapnia, acute pansinusitis.
COVID19 VACCINE	0996259-1	65-79 years	6 days	Unknown. Was informed that the patient went to E/R on 1/25/21 (6 days after receiving vaccine. Died 1/29/21 ( 10 days after receiving vaccine).
COVID19 VACCINE	0996423-1	80+ years	6 days	Patient had a CVA and passed away suddenly 1/10/21
COVID19 VACCINE	1010114-1	50-59 years	6 days	Patient passed away (Dead on Arrival on presentation to ER) on 02/03/2021
COVID19 VACCINE	1011929-1	80+ years	6 days	Within a few days, my mother started reporting profound fatigue and shortness of breath while conducting routine household activities. She no longer had to energy for her daily exercise walks and became increasingly lethargic. She died in her sleep while taking an afternoon nap on Thursday, February 4th. I am highly concerned this could be a vaccine related.
COVID19 VACCINE	1017176-1	65-79 years	6 days	Patient had Covid-19 in October of 2020. He recovered. He received the vaccination on 12/30/2020 with no complaints. On 01-05-2021 it was noted to he was incontinent of urine and bilateral lower extremity edema. Lab work was completed showed acute kidney injury. He had decreased blood pressure and oxygen saturations on 01-06-2021 He was admitted to the hospital with rapid progression of symptoms and suggested multi-system failure. He had a long cardiac history. On 01-14-2021 he passed away with a diagnosis of Cardiomyopathic CHF, A.Fib contributory.
COVID19 VACCINE	1017339-1	80+ years	6 days	Admitted to hospital with SOB upon exertion that started prior to vaccine. Hx COPD, HTN, CKD, hyperlipidemia, bladder cancer in remission. Stated he has been taking Eliquis and Xarelto between renal doctor and cardiologist Dr. Anticipating going home 2/5/21 but then turned blue and stopped breathing under a DNR. COVID test negative. Labs show acute on chronic renal failure with an elevated troponin likely from demand ischemia.
COVID19 VACCINE	1044352-1	60-64 years	6 days	Stomach upset, sudden heart failure, death
COVID19 VACCINE	1052106-1	50-59 years	6 days	While at counseling appointment on February 17 patient had witnessed sudden cardiac arrest and was not able to be resuscitated. She was pronounced dead at 12:09. At the time of death her glucose was about 500.
COVID19 VACCINE	1056972-1	65-79 years	6 days	5-6 days after receiving first Moderna covid vaccine pt. began not feeling well. On 02/10/2021 she saw a provider in an office for eval of abdominal pain and diarrhea and sent home. On 02/15/2021 she presented to a local ED with continuing symptoms, transferred to Medical Center. She is currently an inpatient there with a diagnosis of multiple blood clots in abdomen and brain and antiphospholipid syndrome.
COVID19 VACCINE	1080434-1	65-79 years	6 days	Death Narrative: Patient passed away on 3-2-21, patient received the vaccine on 2-24-21. Patient was obese and had several co-morbid conditions.
COVID19 VACCINE	1103656-1	65-79 years	6 days	Patient was found deceased in garage. Neighbor who is a nurse did CPR until ambulance got there and took over, started IVs and pushed medicine and did CPR as well. Patient was pronounced deceased over the phone with the JP and Police due to the icy weather conditions on Feb 16th 2021

COVID19 VACCINE	1106733-1	80+ years	6 days	First dose of Moderna COVID-19 vaccine given 1/7/21. Second dose of Moderna COVID-19 vaccine given 3/8/21. No adverse effects noted after vaccination. Resident was on hospice care since 2/27/2021 with poor food and fluid intake prior. Admitted to hospice with hypokalemia, failure to thrive.
COVID19 VACCINE	1109346-1	80+ years	6 days	When patient didn't show up for her second COVID-19 vaccine today 3/17/21, we couldn't reach her so we contacted her Dr. office. They informed us that patient visited the emergency department on 2/22/21 and passed away while in the hospital on 2/23/21.
COVID19 VACCINE	1115715-1	80+ years	6 days	Family, daughter, reports that patient felt ""a little sick"" on 2/24/21 and ""sick"" on 2/25/21. She reports that approximately 1 week later her father had weakness and and frequent falls, was evaluated in the E.D. and ultimately admitted to hospital (3/4-3/15) Patient was discharged to nursing home where he died on 3/16/21.""
COVID19 VACCINE	1132360-1	80+ years	6 days	She was being treated for kidney failure, at one point her body was not responding to the treatments and they put her in Hospice. She was in hospice for some 5 days. She had been dying for days and in one of the rounds around 6 am on 2/2/2021, the caregivers accompanied her until she no longer had vital signs.
COVID19 VACCINE	1137286-1	50-59 years	6 days	Brought in from ED, family concerned for altered mental status, hyperthermia, Tmax in 105. The patient stated that after the covid-19 vaccine on Friday, he experienced acute onset of R shoulder pain, constant, associated with decreased ROM. On PM Monday, he noticed first episode of chills, that lasted a few minutes, accompanied with sweating. This episode recurred 4 times over the week, then the family started noticed the patient was unable to answer questions and was somnolent. Blood Cultures in the ED were positive for MRSA 2:2. He was positive for endocarditis (previous dental work). Acute metabolic encephalopathy due to severe sepsis most likely 2/2 MRSA bacteremia complicated by NSTEMI and AKI in setting of newly diagnosed aortic valve endocarditis complicated by septic emboli to the bilateral cerebral hemispheres
COVID19 VACCINE	1147418-1	65-79 years	6 days	Patient died 6 days after 2nd Moderna vaccine.
COVID19 VACCINE	1161106-1	40-49 years	6 days	CONTRACTED COVID, CONFIRMED 3/17/21, PATIENT DIED ON 3/23/21
COVID19 VACCINE	1173602-1	65-79 years	6 days	Passed away on the sleep; A spontaneous report was received from a pharmacist concerning a 73-years-old male patient who received Moderna's COVID-19 vaccine and passed way on the sleep/death. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (lot number: 024M20A) on 23 Jan 2021. On 23 Mar 2021, patient received second of two planned doses of mRNA-1273 (lot number: 047A21A) intramuscularly for COVID-19 prophylaxis. On an unknown date in Mar 2021, the patient passed away on the sleep. The patient received both scheduled doses of mRNA-1273 prior to the event therefore, action taken with the drug in response to the event was not applicable. The patient died on the sleep on an unspecified date in Mar 2021. The cause of death was unknown. Plans for an autopsy were unknown.; Reporter's Comments: This case concerns a 73-years-old, male patient, who died. The cause of death was unknown. Plans for an autopsy were unknown. Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1180565-1	65-79 years	6 days	04/07/2021 cold hands, alternating hot and cold sweats, arm stiffness, shaking, aphasic and blank stare. Date of death 04/07/2021.
COVID19 VACCINE	1180896-1	80+ years	6 days	Narrative: Patient received second dose of Moderna COVID vaccine on 3/11. per caregiver, was diagnosed with a stroke at hospital ~ 3/17/21. He was transitioned to hospice and expired last week.
COVID19 VACCINE	1218464-1	65-79 years	6 days	EMS was dispatched to patient's home for ""non breathing. "" EMS found patient on the floor in the kitchen with sheet already over her. No pulse, patient cold to the touch, jaw was locked shut. Patient's family members stated the last time they saw the patient alive was around 2:30 am on the same day. Patient pronounced dead on arrival at 6:20 am. No evidence of foul play noted.""
COVID19 VACCINE	1228798-1	80+ years	6 days	a few days after his congestive heart failure got worse and continued on a down ward spiral. He refused to go to hospital and last few days hospice was brought in. He died not being able to breath. Autopsy was not done.
COVID19 VACCINE	1229366-1	65-79 years	6 days	Hospitalization and death within 6 weeks of receiving COVID vaccination.
COVID19 VACCINE	1229797-1	65-79 years	6 days	Paient was vaccinated on 3/29/2021 with dose 1 of Moderna. Patient developed COVID symptoms on 4/4/2021 and passed away on 4/16/2021.
COVID19 VACCINE	1232707-1	50-59 years	6 days	Patient died at home per medical examiner, suspected cardiovascular event
COVID19 VACCINE	1248842-1	65-79 years	6 days	Pt received his 2nd moderna covid vaccine on 4/16/2021. admitted on 4/22/2021 from his long term care facility due to concerns for a chf exacerbation and acute on chronic respiratory failure. Pt was given IV Lasix. chest x ray showed mild pulm vascular congestion. there was no hypoxia, tachycardia and pt was on eliquis so pe was felt to not be a possibility. abg showed acute respiratory acidosis with hypercapnia which improved with bipap administration. His troponins and ekg were negative. vitals on arrival were stable. He was admitted. Labs were otherwise unremarkable. Pt began to have pauses on telemetry and was last seen awake and alert but when nursing staff went back to check on him minutes later he was found deceased
COVID19 VACCINE	1272225-1	65-79 years	6 days	Confusion 6 days after shot. Within a week lost ability to walk, became urinary incontinent. Major chest congestion, slept all the time. Rushed by ambulance at day 12.. Diagnosed with pneumonia amd uti. Cardiac arrest at day 14, never woke up. Taken off life support 3/20/21.
COVID19 VACCINE	1273626-1	60-64 years	6 days	Pt developed symptoms of COVID-19 and was placed on bedrest on 03/28/2021. The patient was sent to local ED on 04/01/2021 and then tested for COVID-19 with a positive result. Patient was intubated and placed on ventilator. Pt. spent 22 days in ICU. Pt expired on 04/22/2021 with cause of death listed as MODS and COVID-19 related PNA. Related causes of death were listed as HTN, DMII, and ARDS.
COVID19 VACCINE	1282517-1	65-79 years	6 days	Patient visited his doctor/pulmonologist on 3/18/21 and had a negative covid test- NO SYMPTOMS Patient became very sick AFTER the Moderna Covid Vaccine was administered on 3/20/21. Within 10 days he developed a serious cough/phlegm, he became weak, disoriented, had a hard time walking/ambulating, lifting his arms and communicating. He was diagnosed with Covid Pneumonia. Patient had underlying conditions (heart, lung and kidney disease)

COVID19 VACCINE	1286114-1	65-79 years	6 days	At 11:30am on April 6th my dad had a type A Aortic Dissection. He was rushed in an ambulance to Hospital. 4 hours later, they evaluated him and sent him by medivac to Hospital for emergency open heart surgery. Dr. performed the surgery which my dad survived. He continued to have additional complications in the ICU including a right brain stroke which may have happened during surgery. While in the ICU, he contracted pneumonia and his lungs and kidneys began declining. 20 days after the aortic dissection he died in the hospital.
COVID19 VACCINE	1321898-1	60-64 years	6 days	patient died aprox 1 week after the 2nd dose . presumed cause of death stated by son was GI bleed. Not confirmed to be caused by the vaccine. Autopsy not performed according to the son.
COVID19 VACCINE	1327985-1	50-59 years	6 days	Patient did not seek medical care following vaccination. Coworkers report patient was feeling ill on 13 May 2021. Coworkers report patient was experiencing difficulty swallowing, difficulty speaking, unable to use hand, and off balance walking. Patient expired between 14-17 May 2021 (coroners report pending).
COVID19 VACCINE	1351301-1	65-79 years	6 days	Resident was given the vaccine on 05/19/21 and has been doing well until 05/25/21 around 10:01 am, he was found very congested, lungs with crackles, O2 saturation went down to 60-70 %, placed on 100% non-rebreather masks. Resident suctioned as ordered. Resident was placed on Hospice care. Resident expired at 11:58am.
COVID19 VACCINE	1354932-1	80+ years	6 days	Patient was hospitalized multiple times and died within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1361723-1	80+ years	6 days	Weaknesses. Dizziness. Headaches. Blurry vision both eyes. Sleepiness. Strokes. Hospitalization. Death
COVID19 VACCINE	1437660-1	80+ years	6 days	Visited Primary Care Provider for regular scheduled appointment 6 days post injection (3/30/2021). When walking to office, seemed a bit out of breath. When nursing staff did vitals prior to MD visit in room, Pulse was at 27 bpm.
COVID19 VACCINE	0917790-1	80+ years	7 days	At the time of vaccination, there was an outbreak of residents who had already tested positive for COVID 19 at the nursing home where patient was a resident. About a week later, patient tested positive for COVID 19. She had a number of chronic, underlying health conditions. The vaccine did not have enough time to prevent COVID 19. There is no evidence that the vaccination caused patient's death. It simply didn't have time to save her life.
COVID19 VACCINE	0917793-1	65-79 years	7 days	Prior to the administration of the COVID 19 vaccine, the nursing home had an outbreak of COVID-19. Patient was vaccinated and about a week later she tested positive for COVID-19. She had underlying thyroid and diabetes disease. She died as a result of COVID-19 and her underlying health conditions and not as a result of the vaccine.
COVID19 VACCINE	0941811-1	50-59 years	7 days	Resident began having fever on 1/11/21 @0600. VS= T-102 B/P- 100/57 P- 112 RR- 24 O2 Sat 92% on RA. MD called. Rapid COVID Test was negative. CBC,CMP, U/A were ordered as well as CXR. Resident's condition declined. At 3:00pm resident started having respiratory distress and hypoxia O2 Sat 89%. Supplemental O2/mask @ 5LPM. Neb TX, EKG, and Rocephin 1 GM ordered. Condition worsened. Resident sent to nearest ER for evaluation. Later in the evening the staff AT Medical Center called to inform staff that resident had expired @ 2230 as a result of Respiratory Failure and Sepsis.
COVID19 VACCINE	0950108-1	50-59 years	7 days	"Moderna COVID-19 Vaccine EUA"" It has been reported to me that pt. had gone into hospital for a heart catheterization on 1/12/2021. It was found during this procedure that pt. had suffered a MI. She was release to home the following day and passed away at her residence on 1/15/2021.""

COVID19 VACCINE	0951518-1	65-79 years	7 days	<p>Narrative: Patient with severe aphasia and only able to say ""hey, hey, hey"" or ""uh huh"" or shake his head no as a way to communicate. Patient previously able to ambulate with significant limp and hyperextension of right knee, but mostly wheelchair bound over last several years as he had had a slow and steady decline in overall health and mobility. Patient developed aggressive behavior of shouting ""hey"" and grabbing of groin in 2016. This was worked up with CT scans, labs, referral to urology, neurology, and referrals to psychiatry. The exact etiology of this action was never able to be affirmed, but thought to be more psychiatrically related. It improved significantly with addition of antipsychotics, worsened when antipsychotics were reduced, and improved again with addition of injectable antipsychotic on 12-10-2020. Patient suffered from falls on occasion given his significantly impaired physical mobility. His last documented fall was 8-31-2019. Patient began utilizing wheelchair most of time following that fall. No significant injuries noted in documentation of the falls. In the last 3 months, patient would often refuse medications. He would sometimes indicate that they would cause dizziness, and other times he would simply refuse. We attempted to hide medications in his food/fluid (with wife's blessing) and when he detected this he would occasionally refuse to eat. Patient previously on DOAC. After pharmacy review in 12/2020 it was recommended to discontinue this as no clear indication to continue use. He was high fall risk and would often refuse this medication as well since 10/2020. Noted to be in NSR on EKGs and decision made to discontinue the DOAC. Patient had no evidence of adverse effects noted after vaccination on December 28th. Patient seen by provider on the morning of his death (1/4/2021) with no noticeable significant change in health condition. Temperature 36.8C on January 4th at 19:45. During routine bedtime cares, patient suddenly collapsed and death was pronounced January 4, 2021 at 20:05. Autopsy was requested from next of kin and no autopsy was granted. Symptoms: &amp; DEATH Treatment: ""</p>
COVID19 VACCINE	0955959-1	80+ years	7 days	<p>Patient died 1 week after vaccination. According to family was having very rapid decline in status in recent weeks and they did not think related to vaccination.</p>
COVID19 VACCINE	0965571-1	80+ years	7 days	<p>1/13/21 pt came into clinic for vaccine. Had difficulty remembering age. Called me Mon. 1/18/21 stating she was sick. When asked what her sx were, she stated fatigue. She was well the night of the shot, Thur. and Fri. but became tired on Sat. and Sun. I went through other sx with her such as h/a, fever, n/v, muscle aches, weakness and she said she experienced none of those. I questioned her about eating and drinking and she said she ate and drank water. She seemed fine so I told her to call her doctor if she was worse or the fatigue persisted or call 911. She agreed. Two staff from clinic called her Mon. and Tues, (1/18 and 1/19). On Tues. she may have had slurred speech. She was found deceased on</p>
COVID19 VACCINE	0979223-1	65-79 years	7 days	<p>Patient developed SOB but reported good O2Sats. Instructed on going to ER if worsening symptoms. Patient eventually expired on 1/22/21</p>
COVID19 VACCINE	0991927-1	80+ years	7 days	<p>Patient was found deceased at Nursing Home in his room 01/12/2021 at 5:25 AM.</p>
COVID19 VACCINE	0995825-1	80+ years	7 days	<p>Client unexpectedly collapsed and passed away on 1/13/21 from suspected sudden cardiac death. Prior to her death, she was in skilled care for rehabilitation following hospitalization from 12/21-12/31/20 for an acute lower GI bleed. Her hospitalization and skilled care stay were complicated by delirium and she was being treated for delirium with olanzapine (Zyprexa) at time of death.</p>
COVID19 VACCINE	1013087-1	65-79 years	7 days	<p>Patient received vaccine on 1/23/2021 and death occurred on 1/30/2021.</p>

COVID19 VACCINE	1022552-1	80+ years	7 days	Patient died of cardiac arrest on 01/21/2021
COVID19 VACCINE	1032327-1	80+ years	7 days	On monitoring for weight loss .
COVID19 VACCINE	1036098-1	65-79 years	7 days	Patient received the vaccine on 1/31/2021. Patient complained of bleeding 2/7/2021. Went to clinic where labs were conducted. Patient had an INR of 12. Previous INR results were normal prior to vaccination. Patient was also diagnosed with UTI and given antibiotics. Patient was encouraged to go to ER. Patient died on 2/12/2021.
COVID19 VACCINE	1036480-1	Unknown	7 days	Patient passed away on 2/2/21 after being admitted on 1/31/21 after receiving COVID19 Moderna Vaccine on 1/26/21. On initial report to the hospital patient reported having a cough for over 2 weeks (starting approx. 1/17/21). He had a positive COVID19 PCR on 1/31/21. Intubated on 1/31/21 and passed away on 2/2/21
COVID19 VACCINE	1038658-1	80+ years	7 days	86yo female alert, stable with ankle abrasion eating 100% prior to vaccine in assisted living facility. On 2/1/2021, received Moderna vaccine. Starting thereafter, eating 50% on 2/2/21. Temperature was 98 tympanic. On 2/3, the leg abrasion started having moderate bleeding. On 2/4, the caregiver noted patient ""not looking good, unable to talk, arms moving aimlessly, grasping"". BP 95/41, temperature 98, oxygen on room air 92-93%. POA did not want hospital transfer. 2/5 Hospice started, oxygen given, morphine given. 2/5-2/8 comfort care given, patient responsive to tactile stimuli, resting, not taking oral medications or food. 2/8/2021 patient expired.""
COVID19 VACCINE	1040170-1	30-39 years	7 days	Received vaccine on 2/6/2021. was a bit off all week per caregivers - low grade temp and reporting pain which they treated with Tylenol. She was pretty much herself on morning of 2/13/2021 - got up, had shower. caregivers noted her extremities were cool and face was red. temp was 97.4. She was placed in wheelchair with book in the living room. caregivers noted she was not turning pages of the book as she usually would. She was tracking, so they don't think she had a seizure. Caregiver moved her back to bed with blanket and noted that her lips were blue and at that point called 911. She was found with agonal breathing, CPR started, intubated by EMS, taken to the ER and diagnosed with cardiac arrest upon arrival. CPR was continued until family could be reached and decision was made to stop resuscitation.
COVID19 VACCINE	1040633-1	50-59 years	7 days	Death due to hemorrhagic stroke.
COVID19 VACCINE	1040927-1	80+ years	7 days	Patient previously had dizzy spells, but about a week after receiving the vaccine her dizzy spells began to get worse. The whole prior she kept saying I am just not right. On the 2/7/21 she a COVID test done, a nurse came to her house and preformed. On the morning of the 8th patient was on the phone with someone else and patient asked this person to call me and go check on her. Within 5 minutes I was over at her house, and I found her on the floor, she on her belly facedown. It looked like she was on the toilet, and it looked like she fall getting her off, she was still wet, she still felt warm. I called the ambulance and immediately began CPR. When EMS arrived they took over the CPR and transported her to the Hospital. The EMS was there for about 40 minutes and used an machine to preform the compressions. She was pronounced deceased at the hospital. No autopsy was done.
COVID19 VACCINE	1041064-1	80+ years	7 days	CLIENT EXPIRED 1 WEEK FOLLOWING THE VACCINE.
COVID19 VACCINE	1047169-1	80+ years	7 days	jaundice->hemolytic anemia-> hemorrhagic shock->multi organ failure->death pt admitted to ICU 2/16 with Hgb=3.4, treated with steroids, supportive care , pressors, pt died 2/20/21

COVID19 VACCINE	1049012-1	65-79 years	7 days	Patient was given vaccine on friday, one week later she passed away. The family called the pharmacy to inform us on Saturday, Feb 20, 2021. After the phone call was over, we saw in her pharmacy profile that she had received the vaccine one week prior
COVID19 VACCINE	1050201-1	65-79 years	7 days	Died 7 days after receiving 2nd dose of Moderna vaccine. Had underlying hx Lung CA w/mets.
COVID19 VACCINE	1050431-1	80+ years	7 days	Since I was not with my husband I can only tell you what was told to me. He walked out of the store toward our car. Someone watched him, concerned, because he was walking very slowly (normally has a slow gait because of leg braces and toe amputations so I don't know if it was unusually slow). The woman saw him fall and she ran to help-administered CPR immediately-and told me he died instantly. Medics tried to resuscitate and failed to bring a pulse. (My husband left our home around 11:15 to drop a package off at store. The store is one mile from our home. At around 12:30 a deputy came to my door and when I saw him my knees buckled. I knew something horrible happened.
COVID19 VACCINE	1051803-1	40-49 years	7 days	unknown, was informed by Health Director that person had passed away
COVID19 VACCINE	1051942-1	80+ years	7 days	Hepatorenal syndrome- Death
COVID19 VACCINE	1054192-1	65-79 years	7 days	Pt's wife reports death 2/23/2021
COVID19 VACCINE	1054859-1	80+ years	7 days	No details - patient died on 1/22/2021
COVID19 VACCINE	1055629-1	80+ years	7 days	Pt tested positive for COVID-19 on 2/10/2021, and deceased on 2/12/2021, per caregiver at.
COVID19 VACCINE	1067177-1	80+ years	7 days	Patient had sudden death 1 week after 2nd COVID vaccine. Had complained of dizziness throughout the week leading up to it.
COVID19 VACCINE	1071117-1	Unknown	7 days	Passed away; UTI; Abnormal bleeding; A spontaneous report was received from a healthcare professional concerning a patient who received the Moderna COVID-19 Vaccine (mRNA-1273) and experienced abnormal bleeding, UTI, and passed away. The patient's medical history included a long term history of anticoagulation therapy. Concomitant product use included anticoagulation therapy. On 31Jan2021 prior to the onset of the events the patient recieved their first dose of mRNA-1273 (Lot number: not reported) intramuscularly for prophylaxis of COVID-19 infection. On 07Feb2021, the patient complained of abnormal bleeding. Patient was seen at clinic on 10Feb2021 and was diagnosed with a UTI and given antibiotics. An INR was also completed that day due to patient having a long term history of anticoagulation therapy. Results of that showed the INR to be 12. Prior to vaccination, patient's INR was normal and no changes to medications and diet were made after vaccination and prior to complaint starting. On 12Feb2021 the patient passed away. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 12Feb2021. The cause of death was unknown. Plans for an autopsy were not provided.; Reporter's Comments: This case concerns an 82 year old male patient, with history of long term anticoagulation therapy (unknown indication), who experienced a fatal event of death and abnormal hemorrhage, 13 days after receiving second dose of mRNA- 1273 (Lot# Unknown). Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death

COVID19 VACCINE	1071128-1	Unknown	7 days	Unresponsive; A spontaneous report was received from Pfizer concerning a 32-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and had a sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 28 DEC 2020, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 04 JAN 2021, at 7:20 am, the patient died. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 04 Jan 2021. The cause of death was not provided/unknown. Plans for an autopsy were unknown/not provided.; Reporter's Comments: This case concerns a 32-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and had a sudden death. The cause of death was unknown. Plans for an autopsy were not provided. Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1071136-1	Unknown	7 days	sepsis; respiratory failure; Fever; Unresponsive; A spontaneous report was received from Pfizer concerning a 56-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced respiratory failure, sepsis, fever and sudden death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 04 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 11 Jan 2021, the patient began to have a fever. She was sent to the emergency room for evaluation. That evening, she died. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 11 Jan 2021. The cause of death was reported as respiratory failure and sepsis. Plans for an autopsy were unknown/not provided.; Reporter's Comments: This is a case of 56-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced sepsis, fever, respiratory failure and sudden death. Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Respiratory Failure; Sepsis
COVID19 VACCINE	1080671-1	65-79 years	7 days	Patient received vaccine 1/26/2021, complained of fever and chills post vaccine. Daughter reported worsening symptoms to confusion, decreased appetite, N/V and chest pain. Dry cough and SOB. Patient admitted to facility for Chest pain, AMS on 2/2/2021. Expired 2/2/2021.
COVID19 VACCINE	1088112-1	65-79 years	7 days	03/05/2021: Increased SOB, DOE, increased HR and RR, pain on inhalation, agitation 3/06/2021: increased work of breathing, using accessory muscles, sweats, low-grade fever 3/07/2021- death
COVID19 VACCINE	1091695-1	65-79 years	7 days	patient expired 2/10/2021. Unknown whether the death was even related to the vaccine. Pt did not have any problems during 15 min observation period and no issues reported to HD after vaccination. reported because the person expired within 7 days of vaccination.
COVID19 VACCINE	1093666-1	65-79 years	7 days	Client Passed away on 1/28/2021
COVID19 VACCINE	1101286-1	80+ years	7 days	Large Stroke

COVID19 VACCINE	1102736-1	65-79 years	7 days	Spouse of an existing client signed up for a COVID-19 vaccination and received his first injection of Moderna on 03/07/21 by ARNP. He denied any symptoms of illness, including COVID-19, on the vaccination date. He was educated re: possible side effects and adverse effects and was asked to report any such effects; no interim contact received. This provider's office called the existing client on 03/15/21 with a routine matter and was advised that this individual had passed away the preceding day. This provider spoke to the existing client, who reported that the cause of death is unknown. The existing client did not believe that her spouse's death and the vaccination were related. She was asked to notify this provider if any further information is discovered and agreed to do so.
COVID19 VACCINE	1104815-1	65-79 years	7 days	Seen in ED for positive COVID symptoms - discharged with instructions. Death 1/26/2021
COVID19 VACCINE	1108472-1	50-59 years	7 days	cardiac arrest Narrative: Per medics, Patient was gardening when he stated he felt dizzy and collapsed. Wife started CPR until medics arrived. Patient arrived at the hospital after 20min of pulseless V tach and 10 min of PEA.
COVID19 VACCINE	1110462-1	80+ years	7 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1122080-1	40-49 years	7 days	Patient's received 2nd dose of Moderna vaccine Friday 3/12. Her husband reported she had not unexpected fatigue, malaise, and fever for 1 day but better after that. On Monday she began complaining of shortness of breath. This progressively worsened and she started having presyncopal episodes. On Saturday she was unable to come down the stairs in the house so husband planned to take her to the hospital but she stood up and passed out and woke up quickly. He decided to call EMS. By the time she presented to our hospital she was cyanotic and agonal breathing. On moving her from EMS stretcher to ED bed she had PEA cardiac arrest. She underwent mechanical device CPR with only brief (<1 min) ROSC x1. She at some point did have a shockable rhythm. Cath lab was notified and she was taken emergently to the cath lab with ongoing mechanical device CPR. Peripheral VA ECMO was placed after about 1.5 hours. Pulmonary angiogram was done which showed massive saddle PE with near complete obliteration of the right pulmonary tree and some filling defects in the left tree as well. At that time she had severe mixed respiratory and metabolic acidosis with a lactate of 24. She also had no gag or corneal reflex, minimally responsive pupils, and no response to noxious stimuli. Mechanical thrombectomy was attempted with some result. She was transferred to the SICU with increasing pressor requirement, and DIC. Ultimately, the venous catheter of the ECMO circuit malfunctioned thought to be secondary propagating IVC thrombosis. Family decided to withdraw care and she passed away.
COVID19 VACCINE	1129005-1	80+ years	7 days	death
COVID19 VACCINE	1130112-1	80+ years	7 days	Patient passed away unrelated to covid vaccination Narrative: The patient had COPD and history of prostate cancer. Patient was placed on hospice care. Patient received his first dose Moderna on 2/9. Patient passed away on 2/16. Cause of death not documented. No indication that death was related to COVID 19 vaccination.
COVID19 VACCINE	1146940-1	65-79 years	7 days	Patient died on March 7th 2021 exactly one week after she received the vaccine. The only symptoms she exhibited was pain at the injection site.

COVID19 VACCINE	1156595-1	65-79 years	7 days	Mandatory EUA Reporting - Patient received Moderna COVID-19 vaccine on 1/4. She was living with someone who was diagnosed with COVID-19 on 1/11. Patient was tested on 1/11 and was negative for COVID-19. Then about 4-5 days later developed symptoms and tested positive. She was admitted to hospital on 1/20/2021 to medical floor, transferred to ICU on 1/27, and died on 2/5/2021.
COVID19 VACCINE	1161011-1	65-79 years	7 days	Immediately following vaccination no adverse reaction noted. April 1, 2021 patient went into cardiac arrest and passed
COVID19 VACCINE	1161042-1	65-79 years	7 days	PATIENT CONTRACTED COVID, DATE OF COLLECTION 3/18/2021, DIED ON 3/21/2021
COVID19 VACCINE	1168254-1	80+ years	7 days	Patient was given vaccine on 03/25/21. On 04/01/21 patient found in yard and brought to ER, then transferred via air to ER. Patient had concussion due to fall, pneumothorax, and PEA episode. Chest tube placed in the ER, Comfort cares then administered per family request with patient passing that day.
COVID19 VACCINE	1172648-1	40-49 years	7 days	Cardiopulmonary arrest, D-Dimer 55,000, TNKase administered, ACLS, needle thoracostomy, persistent PEA arrest, decompensated into asystole, pronounced
COVID19 VACCINE	1186348-1	30-39 years	7 days	Copied from MD discharge note - Patient is a 38 y.o. female with PMH significant for asthma and lupus not on any treatment admitted on 3/27/2021 with progressive shortness of breath and cough for months, found to have hypoxia, bilateral multifocal infiltrate without pulmonary embolism on CTA, leukocytosis, elevated troponin, elevated BNP, normal EF on echocardiogram. COVID-19 tests were negative 4 times in the last 1 week. Blood cultures were negative. Urine and strep antigens are negative. HIV-1 also negative. Rheum consulted for hx of lupus. They did not feel this was lupus pneumonitis. Negative anti-dsDNA/SSA/SSB and RF. Pts resp status continued to decline. She was intubated on 4/3 and transferred to the ICU. Bronch washings were also neg for COVID. Despite neg cultures pt was given multiple rounds of abx including vanc, merrem, azithromycin, cefepime, without benefit. IV steroids added for possible reactive pneumonitis. Pt with shock, likely multifactorial including septic and cardiogenic. Multiple pressors maximized and BP remained low. Nephro following for worsening renal function. CRRT initiated to attempt to correct electrolyte and acidosis. Pt did not tolerate CRRT after several adjustments by nephro, pts electrolytes continued to drift from normal. Hgb dropped and CRRT held. Pt went into cardiac arrest at 1329 on 4/8/21. After several rounds of epinephrine and optimized ACLS, no pulse was recovered and ROSC was not achieved. Family notified of death at 1344 on 4/8/21
COVID19 VACCINE	1188262-1	80+ years	7 days	Patient was stable with ongoing care prior to incident. On 3/2/2021 patient had Covid vaccine number 2. On 3/9/2021, patient started to have dark brown emesis and was transferred to the hospital. On 3/12/2021, patient returned to nursing facility with hematemesis and melena due to GI bleed. Patient was started on comfort care. Had ongoing esophageal cancer with radiation therapy prior to incident. Patient expired on 4/8/2021. Of note, patient was covid positive on 12/14/2020 without any signs of infections. He had covid #1 vaccine on 2/2/2021 and #2 on 3/2/2021. Of note, his wounds worsened after covid vaccines per nursing notes.
COVID19 VACCINE	1189199-1	80+ years	7 days	Stomach cramps, vomiting (coffee ground emesis), diarrhea that started on 04/06/2021 and lasted for 2 days.
COVID19 VACCINE	1198967-1	30-39 years	7 days	Cardiac arrest, death

COVID19 VACCINE	1199382-1	80+ years	7 days	1/30/2021- he was found to be confused by family and taken to the ER where he was found to have bilateral pneumonia, symptoms of decompensated heart failure. he did not improve with interventions and ultimately was placed on comfort care and passed away in the hospital 2/2/2021
COVID19 VACCINE	1203679-1	80+ years	7 days	Pericardial effusion
COVID19 VACCINE	1205982-1	65-79 years	7 days	On 1-27-21 my mother received her first dose of the Moderna COVID-19 vaccine (031L2A). The next day she felt something in the back of her left knee. The following day (2 days) after the injection she saw her primary care physician for the discomfort in the back of her knee. She was treated for what was believed to be a soft tissue injury. She received her second dose of the Moderna COVID-19 (14M20A) vaccine on Friday 2-26-21. The next day the back of her knee started to bother her again. She saw her doctor on Monday 3-1-21 and had an x-ray. On Tuesday the doctor's office called and said her x-ray was clear. Friday morning, 3-5-21 my father heard a loud noise (thud) and found my mother unresponsive on the bathroom floor at approximately 8:30am. He called 911. She was transported to the hospital via ambulance. The emergency room physicians worked on her for over an hour and were unable to get her back. Her time of death was 10:12am. The primary cause of death listed on her death certificate is pulmonary embolism.
COVID19 VACCINE	1221127-1	Unknown	7 days	Died of clots in brain; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BRAIN STEM THROMBOSIS (Died of clots in brain) in a 76-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No medically reported history). On 22-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 29-Jan-2021, the patient experienced BRAIN STEM THROMBOSIS (Died of clots in brain) (seriousness criteria death and medically significant). The patient died on 30-Jan-2021. The reported cause of death was Brain stem thrombosis. It is unknown if an autopsy was performed. This is a 76 year-old, who received mRNA-1273 Vaccine) and died 8 days after receiving first dose of vaccine and subsequently experienced brain stem thrombosis. No medical hx or conmeds were provided. The reported cause of death was brain stem thrombosis. Very limited information has been reported at this time. Further information is expected. This case was linked to MOD21-075103, US-MODERNATX, INC.-MOD-2021-075124 (Linked Report).; Sender's Comments: This is a 76 year-old, who received mRNA-1273 Vaccine) and died 8 days after receiving first dose of vaccine and subsequently experienced brain stem thrombosis. No medical hx or conmeds were provided. The reported cause of death was brain stem thrombosis. Very limited information has been reported at this time. Further information is expected. MOD21-075103: US-MODERNATX, INC.-MOD-2021-075124:Patient's brother in law case; Reported Cause(s) of Death: brain stem thrombosis
COVID19 VACCINE	1225566-1	80+ years	7 days	Patient had a sudden change in status one week after receiving his first Moderna Covid 19 vaccine. He had sudden onset of tachypnea RR = 40/min, apparent severe pain, greatly elevated blood pressure, with normal heart rate (on beta blocker), diaphoresis. had been enrolled in hospice for 14 months prior to this episode, but had experienced only slow decline prior to this acute event. He died at home under hospice care on 2/27/2021.

COVID19 VACCINE	1226135-1	80+ years	7 days	My mother died in the hospital after being in the ICU for a week with severe breathing problems. Her symptoms matched that of a Covid patient but she tested negative for Covid twice (once was the 24 hour test).
COVID19 VACCINE	1241383-1	80+ years	7 days	Death Narrative: 80 yr old metastatic lung cancer, had stopped eating, still wanted vaccine, Died on hospice service. no vaccine complications reported.
COVID19 VACCINE	1241587-1	50-59 years	7 days	She was a healthcare worker. It was reported to me by her immediate supervisor that she tested positive for COVID-19 the day after her first vaccination. She became symptomatic around January 21, 2021. She was scheduled to return to work on January 29, 2021 but did not come in. She died on February 2, 2021.
COVID19 VACCINE	1242079-1	60-64 years	7 days	diarrhea. No fevers. Occasional cough. No loss of taste or smell.
COVID19 VACCINE	1242660-1	80+ years	7 days	Patient has a long standing chronic history of CHF which he was recently hospitalized for, returning from an overnight stay at the hospital as a DNR/DNH/DNI.
COVID19 VACCINE	1247465-1	80+ years	7 days	Patient received vaccine on 4/15/21 2nd dose of 2 dose series. He woke up the morning of 4/22/21 at 6:15am with vomiting. His temperature spiked to 104.2 and his O2 sat dropped to 98%. He developed shaking chills, and a loose wet sounding cough. He had chest xray and labs. Started on treatment for pneumonia with rocephin, zithromax and solumedrol. Declined throughout the day and had increasing requirements for O2 and patient passed away at 1355 on 4/22/21.
COVID19 VACCINE	1262410-1	65-79 years	7 days	Heart Attack 2 days after 2nd dose of moderna vaccine - followed by death
COVID19 VACCINE	1268212-1	60-64 years	7 days	Patient died on 4/23/21
COVID19 VACCINE	1273570-1	50-59 years	7 days	Patient reported dyspnea that began about 1 week post 2nd shot in Covid vaccination series. Patient deceased on 3/18/2021
COVID19 VACCINE	1274396-1	65-79 years	7 days	Patient was not vaccinated at our site however was admitted approximately 7-10 days post vaccination and expired.
COVID19 VACCINE	1274456-1	65-79 years	7 days	received vaccine on 3/24/21 at another site. Was admitted to the hospital thru the ED with worsening shortness of breath.
COVID19 VACCINE	1281531-1	30-39 years	7 days	Received 2nd dose of vaccine, 5 days later his left leg started hurting and swelling. He had severe headache afterwards, dizzy and blurred vision. 04/24/2021 he complained of not feeling right, coughed and passed out. Had fever and chills when he came to. Wife called 911 and was talking and walking. Was awake and talking in ambulance, oxygen level was low. Once arrived at hospital, he became restless and passed away within 3 minutes. Autopsy was performed due to his age - 35 and no pre-existing illnesses - was determined he died of Pulmonary Thrombo Embolism

COVID19 VACCINE	1298885-1	80+ years	7 days	<p>was not eating, Hematuria, became extremely fatigue/ not improving extreme fatigue/he could hardly make it to the grocery store door back to the car without total exhaustion; weak/he could hardly make it to the grocery store door back to the car without total exhaustion; Pancytopenia; father who passed away; This case was received via an unknown source (no reference has been entered for a health authority or license partner) on 28-Apr-2021 and was forwarded to Moderna on 28-Apr-2021. This spontaneous case was reported by a nurse (subsequently medically confirmed) and describes the occurrence of DEATH (father who passed away), PANCYTOPENIA (Pancytopenia), HAEMATURIA (Hematuria), DECREASED APPETITE (Was not eating), FATIGUE (became extremely fatigue/ not improving extreme fatigue/he could hardly make it to the grocery store door back to the car without total exhaustion) and ASTHENIA (weak/he could hardly make it to the grocery store door back to the car without total exhaustion) in an 89-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 048A21A) for COVID-19 vaccination. The patient's past medical history included Atrial fibrillation and Heart failure. Concomitant products included RIVAROXABAN (XARELTO), FUROSEMIDE, PRAVASTATIN and CARVEDILOL for an unknown indication. On 20-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Mar-2021, the patient experienced FATIGUE (became extremely fatigue/ not improving extreme fatigue/he could hardly make it to the grocery store door back to the car without total exhaustion) (seriousness criterion hospitalization) and ASTHENIA (weak/he could hardly make it to the grocery store door back to the car without total exhaustion) (seriousness criterion hospitalization). On 29-Mar-2021, the patient experienced PANCYTOPENIA (Pancytopenia) (seriousness criterion hospitalization). On 01-Apr-2021, the patient experienced HAEMATURIA (Hematuria) (seriousness criterion hospitalization). On 09-Apr-2021, the patient experienced DECREASED APPETITE (Was not eating) (seriousness criterion hospitalization). On 31-Mar-2021, ASTHENIA (weak/he could hardly make it to the grocery store door back to the car without total exhaustion) had resolved. The patient died on 15-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, PANCYTOPENIA (Pancytopenia), HAEMATURIA (Hematuria), DECREASED APPETITE (Was not eating) and FATIGUE (became extremely fatigue/ not improving extreme fatigue/he could hardly make it to the grocery store door back to the</p>
COVID19 VACCINE	1299850-1	65-79 years	7 days	<p>He became very ill and died this past Wednesday because he was told to get the shot even though he wasn't feeling well. There is no excuse for perpetuating the myth that everyone should get the shot no matter what. A negative covid test and thorough physical should be required before people take this vaccine.</p>
COVID19 VACCINE	1303196-1	65-79 years	7 days	<p>per medical report from hospital- ""presented to emergency room at outside facility secondary to worsening shortness of breath. The patient states that about 1 week ago she started feeling ill directly after receiving her first covid vaccine. the patient states her medical issues actually began approximately 2 months ago when she developed sudden onset positional urinary retention as well as urinary incontinence and constipation. She states that she thought maybe her known spinal stenosis had worsened causing her bladder dysfunction. She states she tries to sit on a commode or a toilet and is unable to void however when lying flat she has to wear adult briefs as she has no control over her bladder at all. There is no p""</p>

COVID19 VACCINE	1311143-1	65-79 years	7 days	05/07/2021- Health Department received notification that the patient was deceased. Wife notified Health Department to change phone number on file. Health Department was not given any information of cause of death. NOTE: It is unknown by Health Department if the cause of death had any relation to the vaccination or not.
COVID19 VACCINE	1354336-1	65-79 years	7 days	Patient was hospitalized multiple times and died at home within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1355794-1	80+ years	7 days	My mother has never had any heart issues, and suffered a heart attack on Thursday April 15. She had 2 stints put in late Thur evening. The surgery went well, but there was too much damage to her heart and she passed away on Sat April 17, 2021
COVID19 VACCINE	1371594-1	65-79 years	7 days	cardiac arrest (V fib) treated: with amiodarone, magnesium, 6 doses of epi, calcium, bicarb. Achieved ROSC. outcome: withdrawal of care
COVID19 VACCINE	1408027-1	30-39 years	7 days	Per family, patient reported to have been experiencing fatigue for several days after receiving Covid vaccine. On 6/15/21, patient's significant other discovered patient in bed, not breathing, with ashen appearance, uncertain how long it had been since patient was last breathing. EMS was contacted, CPR was given and patient was transferred to Emergency Department at the hospital. Diagnosis of Cardiologist is cardiac arrest, NSTEMI (suspects type 2). Per cardiologist, patient appears to exhibit cardiomyopathy, etiology difficult to ascertain (patient's family/acquaintances have endorsed periodic use by patient of anabolic steroids in the past, making it more difficult to rule out source of cardiomyopathy. ). Physicians involved are reporting this case in the event that this may be a case of vaccine-induced myocarditis, although no diagnosis as such has been made.
COVID19 VACCINE	1416982-1	80+ years	7 days	Burning sensation in the stomach, died of respiratory problems.
COVID19 VACCINE	1417109-1	50-59 years	7 days	Patient received first dose of Moderna on May 18, 2021. Spouse came to the pharmacy and informed us that the patient passed away in the hospital on June 15, 2021. She was diagnosed with COVID-19 during her stay at the hospital.
COVID19 VACCINE	1419839-1	Unknown	7 days	Stated going downhill; He died; Got a little sick,he stated going downhill; This spontaneous case was reported by a patient family member or friend and describes the occurrence of DEATH (He died) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Surgery (Bladder surgery on 25 Feb.). On 16-Apr-2021, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Apr-2021, the patient experienced ILLNESS (Got a little sick,he stated going downhill). On an unknown date, the patient experienced FEELING ABNORMAL (Stated going downhill). The patient died on 26-May-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, ILLNESS (Got a little sick,he stated going downhill) and FEELING ABNORMAL (Stated going downhill) outcome was unknown. Treatment and concomitant information was not provided by the reporter. Patient had the modera shot on 16-Apr-2021 and he was recovering from a bladder surgery. Very limited information regarding this events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1432862-1	65-79 years	7 days	Small cell carcinoma, cancer of pancreas, Metastasized, Metastases to lungs, Metastases to bone, Metastases to brain; Wheezing; This spontaneous case was reported by a consumer and describes the occurrence of SMALL CELL CARCINOMA (Small cell carcinoma), METASTASES TO PANCREAS (cancer of pancreas / metastasized), METASTASES TO LUNG (Metastases to lungs), METASTASES TO BONE (Metastases to bone), METASTASES TO CENTRAL NERVOUS SYSTEM (Metastases to brain) and WHEEZING (Wheezing) in a 70-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 04-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 01-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 11-Mar-2021, the patient experienced WHEEZING (Wheezing) (seriousness criterion hospitalization). On an unknown date, the patient experienced SMALL CELL CARCINOMA (Small cell carcinoma) (seriousness criteria death, hospitalization and medically significant), METASTASES TO PANCREAS (cancer of pancreas / metastasized) (seriousness criteria death, hospitalization and medically significant), METASTASES TO LUNG (Metastases to lungs) (seriousness criteria death, hospitalization and medically significant), METASTASES TO BONE (Metastases to bone) (seriousness criteria death, hospitalization and medically significant) and METASTASES TO CENTRAL NERVOUS SYSTEM (Metastases to brain) (seriousness criteria death, hospitalization and medically significant). The patient was hospitalized from 25-Apr-2021 to 10-May-2021 due to METASTASES TO BONE, METASTASES TO CENTRAL NERVOUS SYSTEM, METASTASES TO LUNG, METASTASES TO PANCREAS, SMALL CELL CARCINOMA and WHEEZING. The patient died on 10-May-2021. The reported cause of death was Cancer of lung, Bone cancer, Metastases to brain, Pancreas cancer and Small cell carcinoma. It is unknown if an autopsy was performed. At the time of death, WHEEZING (Wheezing) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Concomitant Product use was not provided. LABORATORY / DIAGNOSTIC TEST: Ultrasound, computerized tomography (CAT) scan and numerous other tests; result was not provided. Treatment information was not provided. Action taken with mRNA-1273 (Moderna COVID-19 Vaccine) in response to the event was not applicable. Based on the current available information and temporal association between the use
COVID19 VACCINE	0935222-1	65-79 years	8 days	Patient was reported to be deceased at home by law enforcement on 1/7/21
COVID19 VACCINE	0954780-1	80+ years	8 days	On 1/13/2021, resident had sudden emesis. Immediately following emesis he was noted without a pulse and pronounced deceased. No acute symptoms noted prior to this episode. Resident does have a significant cardiac history.
COVID19 VACCINE	1023673-1	65-79 years	8 days	Patient was vaccinated on 1/14/2021. On 1/22/2021, patient tested positive for COVID-19 and admitted to the hospital for acute hypoxemic respiratory failure, COVID-19 pneumonia, and severe ARDS. Patient was intubated on 1/23/2021 and later died on 2/10/2021 after being extubated and placed on comfort measures.
COVID19 VACCINE	1035845-1	65-79 years	8 days	We were informed by EMS that the patient was found deceased on 2/11/2021 at her home. EMS states she was dead for some time, no medical care given.

COVID19 VACCINE	1036047-1	65-79 years	8 days	Short version The patient has long-standing health issues. The patient received the first dose of Moderna COVID-19 vaccine on 1/16/2021 (unknown location). The patient suffered an event in his home on 1/24/2021. CPR and treatment was begun and he was transported to the ED. He was pronounced dead in the ED at 0846. Long version 70-year-old male with past medical history of CAD with pacemaker, A. fib, COPD, hypertension/hyperlipidemia presenting in cardiac arrest. 911 call at 0724. Per EMS, patient was witnessed by family to have seizure-like activity and then collapsed and became unresponsive. Patient was noted by family to be pulseless and CPR was started right away. Patient received two doses of epi by police were on scene first (AED defibrillation x2) and six doses of epi (plus 6 more AED shocks) by EMS when they arrived. Patient had CPR performed for 45 minutes prior to arriving at the hospital. On route, patient had episodes of paced rhythm and V. fib. Patient received one amp of bicarb and one amp of calcium en route. Patient also received 300 mg of amiodarone en route. Arrived in ED at 0810 Patient received ongoing compressions, shocks and additional medications (epinephrine x6, lidocaine IV, sodium bicarbonate) until time of death called at 0846 in the ED.
COVID19 VACCINE	1040574-1	65-79 years	8 days	Patient collapsed and could not be revived. There was no prior warning. She was otherwise in good condition for her age. The death was listed as probable cardiac arrest but no autopsy was performed. Since it occurred so close to the vaccine shot I thought someone may want to know.
COVID19 VACCINE	1042145-1	80+ years	8 days	Patient reported feeling weak, fatigue, fever (102), and loss of appetite. Patient subsequently went to the ER 2/6/2021 and tested positive for COVID-19 on 2/7/21 (collection date). See following discharge summary from ED: 82 y.o. female who initially presented to the ED with complaint of generalized weakness, fatigue, fever, and loss of appetite x at least 4 days since receiving Covid 19 vaccine. Her workup in the emergency room was significant for hypoxia with O2 saturation 88% on 2LPM (home nocturnal O2 requirement) with improvement to mid-90s on 4LPM. Blood sugar was 47, Cr 1.61. CXR showed extensive R lung and moderate left lung opacities. She was started on empiric ceftriaxone and azithromycin and admitted to the hospitalist service for further workup and mgmt. During her stay in the hospital, pt did test positive for Covid 19. She developed rapidly progressive respiratory failure, felt to be secondary to ARDS. There was also question of contributing pulmonary edema, however this was refractory to lasix and thus ARDS was felt to be the most significant factor. She had requested DNR/DNI status, thus as her O2 requirement escalated she was transitioned to 15LPM NRB and then to BiPAP support. Unfortunately, she continued to suffer greatly with the BiPAP in place, and therefore made the decision to transition herself to comfort measures only after visitation from her family. Her other medical issues were supported as appropriate during her stay, with dextrose infusion for hypoglycemia and AKI, also hyponatremia felt to be due to IVVF. Unfortunately, am unable to find any documentation regarding how pt was feeling when she received the vaccine compared to her baseline state of health. thus am unable to say whether the severity of her illness represents vaccine° enhanced disease or the much more common cytokine release syndrome leading to ARDS. Regardless, she developed ARDS as result of her Covid 19 illness. Time of death: 1408 on 2/9/21. Cause of death: ARDS due to Covid 19 pneumonia.
COVID19 VACCINE	1047197-1	80+ years	8 days	death

COVID19 VACCINE	1063681-1	65-79 years	8 days	Pt got his vaccine 1/27 and was found dead at his residence on 2/7/21. I heard from our county health officer who talked to the coroner who said that they estimated that the patient had been deceased for 2-3 days prior to when they were found. No apparent cause of death was found.
COVID19 VACCINE	1070038-1	65-79 years	8 days	Client passed away 8 days after being vaccinated. It is unknown if it occurred from the vaccine or other comorbidities.
COVID19 VACCINE	1080033-1	80+ years	8 days	COVID symptoms started within 8-9 days of vaccination. No fever, general not feeling, chills. Turned into very difficult breathing, low oxygen levels and pneumonia. Tested positive for COVID at Hospital ER on Wednesday, January 27. Died in the hospital Saturday morning, January 30, 2021.
COVID19 VACCINE	1091269-1	80+ years	8 days	A home dialysis patient who received his first COVID-19 (Moderna) vaccine on 2/4/2021. He was screened prior to admission into the clinic and reported no signs of symptom of COVID-19. This patient was diagnosed with COVID-19 on 2/12/2021 and hospitalized on 2/16/2021 with COVID pneumonia. The patient's spouse and son (who lives with them) also tested positive for COVID-19. This patient developed COVID-19 complications while inpatient including stroke and mechanical ventilation was required. The patient was made a DNR by family and removed from mechanical ventilation and expired on 2/26/2021.
COVID19 VACCINE	1097283-1	80+ years	8 days	Death within 7 days of vaccine
COVID19 VACCINE	1102800-1	80+ years	8 days	Patient received a covid vaccine on 03/05/2021. Daughter reports there were no side effects that night or the following days. The next Saturday, March 13, 2021, the daughter was at her parents house checking up on them. Her father was in the bathroom as she passed in the hall. He came out of the bathroom and proceeded to the living room, she stated dad are you ok? He said he couldn't breath. Giving his history of COPD and being short of breath sometimes, she didn't think anything of it. She proceeded to follow him to his chair and was checking his oxygen tank that he had been using with ambulation. It still had some in the tank. She raised her head to tell him he still had some in the tank and saw that he had started ""agonal breathing"". Daughter is a nurse and knew he needed help. She phone for an ambulance and with the help of her mother got patient to the floor and started CPR. Paramedics arrived on scene, continued CPR and administered meds and also intubated, but were unsuccessful in their efforts. ""
COVID19 VACCINE	1108471-1	65-79 years	8 days	death Narrative: Pt received 1st moderna covid vaccine 2/12/2021 and passed away of unknown causes 2/12/2021 Pt 76 year old with AAA,HTN,CKD,COPD
COVID19 VACCINE	1112136-1	80+ years	8 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1116408-1	65-79 years	8 days	severe internal bleeding fluid build up around lungs/heart high heart rate low blood pressure low oxygen liver failure death
COVID19 VACCINE	1118953-1	80+ years	8 days	Patient passed away unrelated to covid vaccine Narrative: The patient had end stage COPD and placed in hospice care. Patient received first dose of Moderna vaccine on 1/20 and second dose of Moderna vaccine on 2/16. No adverse reaction was reported. Patient passed away at home on 2/24/2021. Cause of death not documented. No indication that death was related to COVID 19 vaccination.

COVID19 VACCINE	1124307-1	65-79 years	8 days	The patient was found dead in his home on 3/18/2021, 8 days after vaccination. Due to the remoteness of where the individual lives and his lack of housemate, it is unknown how long he had been dead, but it is not believe that he was dead for more than 1-2 days. He had no adverse reactions in the 15-30 minutes that he was observed post-injection. He also reported only a sore arm to the public health nurse in an email a few days after his vaccination.
COVID19 VACCINE	1125891-1	60-64 years	8 days	Patient died with an unknown cause. He was found on the kitchen floor with no blood present. We requested an autopsy but because the County Coroner said there was no foul play suspected, that they would not perform an autopsy on the body to determine the cause of death even though the family had requested an autopsy. The Funeral Home stated to us that it had the looks of a heart attack, but he was not qualified to make that determination. He stated that the way the blood had stopped and purpled in his neck, gave him the indication that the heart was unable to pump all the way.
COVID19 VACCINE	1129117-1	50-59 years	8 days	Patient passed away in her sleep 8 days after receiving 2nd dose of Moderna vaccine. Patient's family reports they believe it was a massive heart attack. They do not believe this was related to the vaccine.
COVID19 VACCINE	1133940-1	65-79 years	8 days	Patient was found deceased at home on 2/20/2021, 8 days after receiving the 1st dose of COVID-19 vaccine.
COVID19 VACCINE	1152759-1	40-49 years	8 days	7 AM 3/25/2021 - Patient called out to husband from the bathroom where she experienced a syncopal event, then passed out. An ambulance was called and she was revived for a short period of time. She was taken to Hospital where she coded 3 times. She was then life-flighted to second Hospital. According to the hospital records, tests conducted over the course of several days determined that she had no neurological activity. Initial reports in the records indicate pulmonary embolism, cardiac and respiratory arrest. She was on life support for the remainder of her time. Organ donation is being pursued at present and results of this are pending at time of this report submission. Date of death is unknown until organ retrieval is accomplished. Family will be contacted in the next few days to ask further questions about any other kinds of vaccine-related reactions that may have happened more immediately to days after the vaccination on 3/17/2021. A co-worker thought that she had shortness of breath for 3-4 days before this critical event occurred on 3/25/2021.
COVID19 VACCINE	1176010-1	30-39 years	8 days	He got his vaccine, and mother had talked to his girlfriend said that he felt fine other than a sore arm. He called his mother and told her that he was sick to his stomach with cramps and that he was throwing up blood. The girlfriend found him on the floor on the 21st dead on the floor in his hotel room at 8:00 AM. The girlfriend said she had spoken with him around 10:00 PM and that he said he was going to sleep on the floor in the bathroom as he was throwing up and the floor was cool. She subsequently found out that he was throwing up blood, and autopsy report showed that his stomach was full of blood and further testing is being done to see what has caused the bleeding.

COVID19 VACCINE	1176374-1	50-59 years	8 days	sore arm, lethargy, chronic fatigue, fever, fluid on lungs, lack of oxygen, death Husband received first dose of MODERNA vaccine on 1/30/21. Mild side effects. Received second dose on 2/24/21. For the first week after the second dose, the side effects seemed normal. By the second week he was gasping for air. Rused to ER via ambulance on 3/9/21. High heart rate, poor oxygen. Received numerous blood transfusions over 3-days (typical treatment for his blood disorder), yet body would not retain the transfused products. Died on 3/12/21 at 4:35 am from cardia arrest caused by respiratory failure.
COVID19 VACCINE	1182018-1	65-79 years	8 days	Death from cardiac arrest
COVID19 VACCINE	1197016-1	80+ years	8 days	patient was hospitalized with COVID-19 on April 6, 2021
COVID19 VACCINE	1201114-1	30-39 years	8 days	Due date 4/18/2021. Pt presented in labor on 4/10/21. Her labor was uncomplicated and progressing appropriately. She had sudden onset of coughing following by loss of consciousness. Code blue was called. Emergency bedside C/S was performed. Despite resuscitative efforts of 1 hour and 15 minutes, the patient expired.
COVID19 VACCINE	1213289-1	80+ years	8 days	death Narrative: Patient received Moderna COVID #1 on 2/4/21 and #2 on 3/4/21. He was seen by his PCP via telephone visit on 3/2/21 for a routine follow up, no acute issues noted and follow up was planned for 6 months. On 3/12/21, he passed away, no notes in medical records or scanned records to indicate what happened. No autopsy results available. 8 days from date of last vaccine and date of death.
COVID19 VACCINE	1229053-1	80+ years	8 days	PATIENT RECEIVED FIRST MODERNA DOSE ON 03/04/2021 AND PASSED AWAY 03/12/2021
COVID19 VACCINE	1229917-1	65-79 years	8 days	4/3/21 at 0052 during Q15 rounds the patient was found laying awake on the floor next to his bed. He denied falling. Vitals showed BP 95/57, Temp 96, O2 sat 77%. He was evaluated and transferred to an acute care hospital with cardiac specialty. He was found to have elevated triponin and chest x-ray showed lung infiltrates; COVID test was negative. Diagnosis was MI and pnuemonia. He received a right coronary artery stent. The patient was intubated on full ventilation support. On 4/4/21 the patient went into cardiac arrest 3 times and was resuscitated. On 4/5/21 his condition declined and he went into cardiac arrest again and was resuscitated around noon. The patient died in acute care on 4/7/21 at 0608.
COVID19 VACCINE	1256000-1	80+ years	8 days	Pallor, Fatigue, loss of vitality, diarrhea, profuse rectal bleeding, coughing up blood, death 25 days after vaccine
COVID19 VACCINE	1257197-1	65-79 years	8 days	Patient died sometime between Sunday evening, April 4 and Monday morning, April 5. I looked at the browser history in her cellphone and on the night of April 4, she googled ""Heart attack symptoms in women"" and ""Moderna vaccination side effects."" I think she didn't go to the doctor because she figured her symptoms were related to her vaccine -- even though it had been a week. I wanted to report her death because I don't trust her doctor to do it. It took him two weeks and a call from me to complain before he signed her death certificate. He listed April 9, 2021 as the official date of death because that's when she was found, even though the deputy coroner told me she died on either the 4th or the 5th.""
COVID19 VACCINE	1303175-1	60-64 years	8 days	This 60 year old black male received the Covid shot on 4/15/21 and went to the ED on 4/23/21 with the following diagnoses listed below and died on 4/27/21. K92.2 - Gastrointestinal hemorrhage, unspecified

COVID19 VACCINE	1321140-1	65-79 years	8 days	My mom, got her first Moderna shot on Feb. 4th, 2021 and developed trombosis in the legs about a week later. She went to the doctor, who at first didn't want to see her and told her to elevate her leg. Pt. had a scheduled eye appointment on Feb. 12th with an other doctor and when she asked if she had any other issues, pt. showed her her leg. The eye doctor immediately told her to go to urgent care. When she did she received blood thinners and started injections in her stomach for 5 days. Feb. 18th pt. suffered a mini stroke and went to the hospital emergency room. She was transferred over to another facility in the afternoon and kept overnight. She had a phone appointment with the Dr. on Feb. 24th and on the 26th she received a heart monitor to wear for 2 weeks. She also had a check up about her leg, which was still swollen. On March 4, pt. received her second Moderna shot and she was feverish and very tired for days and weeks after. By March 18th her condition didn't improve at all and in fact she was felling really bad over night, so on March 19th she was admitted again to the hospital. She was monitored and kept over night, but during the early morning she suffered a stroke and a heart attack and passed way the next day.
COVID19 VACCINE	1322292-1	60-64 years	8 days	Complained of chest pain at 3:50 pm may 15th. He went and layed down across his bed was coherent and talking, suddenly passed out. 911 was called and chest compressions were started. Ambulance arrived his condition was 60/40 bp and heart rate of 40. Taken to hospital where he never recovered and passed away.
COVID19 VACCINE	1344055-1	80+ years	8 days	one week after 1st vaccine shot, mom started to feel sick around lunch. Took mom to hospital she had a heart attack. They dissolved the blood clot and found out she also had pneumonia with no symptoms. She died 2 weeks later. She had dementia but health was fine until she received the covid 19 vaccine.
COVID19 VACCINE	1347808-1	40-49 years	8 days	started with c/o ""feels weird in my chest like a pulled muscle"", few days later slight short of breath with fatigue, May 2 11:45 cardiac arrest when paramedics placed O2, rounds of CPR and med's, pronounced dead at hospital after attempts of CPR. Out come on death certificate Bilateral Pulmonary Thromboemboli. Coroner stated there were multiple PE's in bilateral lungs. Positive for Covid 19 (Had in Feb, vaccine in April 20)""
COVID19 VACCINE	1358542-1	60-64 years	8 days	The spouse reported onset of symptoms on 5/20/21 including lethargy. He reported that on 5/27/21, her speech became slurred and she died. Per spouse, an autopsy is pending.
COVID19 VACCINE	1407929-1	18-29 years	8 days	Decedent passed away from causes not yet determined

COVID19 VACCINE	1429240-1	60-64 years	8 days	<p>Death; Dysarthria; Lethargy; This case was received via FDA VAERS (Reference number: 1358542) on 15-Jun-2021 and was forwarded to Moderna on 15-Jun-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of DEATH (Death), DYSARTHRIA (Dysarthria) and LETHARGY (Lethargy) in a 64-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007C21A) for COVID-19 vaccination. The patient's past medical history included Back surgery (History of multiple back surgeries including a rod placement.). On 19-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-May-2021, the patient experienced DEATH (Death) (seriousness criteria death and medically significant), DYSARTHRIA (Dysarthria) (seriousness criterion death) and LETHARGY (Lethargy) (seriousness criterion death). The patient died on 27-May-2021. The cause of death was not reported. An autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant medications were not provided. Treatment information was not reported. On 27 May 2021, autopsy was performed. As per the spouse, the autopsy results were pending. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Very limited information regarding the events have been provided at this time.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Very limited information regarding the events have been provided at this time.; Reported Cause(s) of Death: Unknown cause of death</p>
-----------------	-----------	-------------	--------	---

COVID19 VACCINE	1435934-1	80+ years	8 days	<p>She had a non traumatic intracerebral hemorrhage; Never regained consciousness after the stroke/unresponsiveness; Stroke; This spontaneous case was reported by a patient family member or friend and describes the occurrence of CEREBRAL HAEMORRHAGE (She had a non traumatic intracerebral hemorrhage), LOSS OF CONSCIOUSNESS (Never regained consciousness after the stroke/unresponsiveness) and CEREBROVASCULAR ACCIDENT (Stroke) in an 82-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included Type 2 diabetes mellitus on 21-Jan-2021. On 08-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 16-Jan-2021, the patient experienced CEREBRAL HAEMORRHAGE (She had a non traumatic intracerebral hemorrhage) (seriousness criteria death, hospitalization and medically significant), LOSS OF CONSCIOUSNESS (Never regained consciousness after the stroke/unresponsiveness) (seriousness criteria death, hospitalization and medically significant) and CEREBROVASCULAR ACCIDENT (Stroke) (seriousness criteria death, hospitalization and medically significant). The patient died on 21-Jan-2021. The cause of death was not reported. It is unknown if an autopsy was performed. The concomitant medications include unspecified medications for diabetes and low pressure. Reporter further explained the event as non traumatic intracerebral hemorrhage. Patient was hospitalized for some days and died one or two days after coming back to home. The treatment information was not provided. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Company Comment Very limited information regarding this events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death</p>
-----------------	-----------	-----------	--------	---

COVID19 VACCINE	1435941-1	18-29 years	8 days	Myocarditis, complications from heart transplant, heart failure, condition worsening, dizziness, she was kind of stuffy; Voice wasn't exactly the same; This spontaneous case was reported by a non-health professional and describes the occurrence of MYOCARDITIS (Myocarditis), COMPLICATIONS OF TRANSPLANT SURGERY (Complications from heart transplant), CONDITION AGGRAVATED (Condition Worsening) and CARDIAC FAILURE (heart failure) in a 19-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 01-May-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 09-May-2021, the patient experienced NASAL CONGESTION (She was kind of stuffy). 09-May-2021, the patient experienced DYSPHONIA (Voice wasn't exactly the same). On 11-May-2021, the patient experienced CONDITION AGGRAVATED (Condition Worsening) (seriousness criteria death and hospitalization). On 16-May-2021, the patient experienced DIZZINESS (Dizziness). On an unknown date, the patient experienced MYOCARDITIS (Myocarditis) (seriousness criteria death, hospitalization and medically significant), COMPLICATIONS OF TRANSPLANT SURGERY (Complications from heart transplant) (seriousness criteria death, hospitalization and medically significant) and CARDIAC FAILURE (heart failure) (seriousness criteria death and hospitalization). The patient was hospitalized until 11-Jun-2021 due to CARDIAC FAILURE, COMPLICATIONS OF TRANSPLANT SURGERY, CONDITION AGGRAVATED and MYOCARDITIS. The patient was treated with Transplant for Myocarditis and Transplant for Cardiac failure. The patient died on 11-Jun-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, NASAL CONGESTION (She was kind of stuffy), DYSPHONIA (Voice wasn't exactly the same) and DIZZINESS (Dizziness) outcome was unknown. Concomitant product use was not provided. On an unknown date, the patient tested negative for COVID-19. Treatment included cardiopulmonary resuscitation, intubation, transplant, and extracorporeal membrane oxygenation. Based on the current available information and temporal association between the use of the product, and the start date of the events, a causal relationship cannot be excluded. Limited information regarding the events has been provided at this time. Further
COVID19 VACCINE	0927260-1	80+ years	9 days	No adverse effects noted after vaccination. Patient with cardiac history was found unresponsive at 16:45 on 1/6/21. Abnormal breathing patterns, eyes partially closed SPO2 was 41%, pulseless with no cardiac sounds upon auscultation. CPR and pulse was regained and patient was breathing. Patient sent to Hospital ER where she remained in an unstable condition had multiple cardiac arrest and severe bradycardia and in the end the hospital was unable to bring her back.
COVID19 VACCINE	0953129-1	65-79 years	9 days	Patient presented to our Emergency Department via EMS in full code status; asystole. Patient expired. Per nursing, husband stated patient awoke this AM and reported pain in back between shoulders and in bilateral shoulders. Patient then went unresponsive and husband called EMS.
COVID19 VACCINE	0953785-1	65-79 years	9 days	Death
COVID19 VACCINE	0959591-1	65-79 years	9 days	Resident has increase weakness and lethargy with abnormal labs. He was transferred to the ER. He was admitted to the hospital and treated for worsening AKI and hypotension.

COVID19 VACCINE	0974794-1	80+ years	9 days	Patient presented to Vaccine clinic 1/12/21 to receive COVID vaccination. Patient denied any ill feeling, no fever, cleared for vaccination. Is chronically SOB due to COPD, but patient reported no different than usual. Presented to the ED the next day c/o SOB and weakness for the last week. Patients condition ultimately declined over the next few days and died 01/21/21 from pneumonia (not COVID). Patient did admit she lied about her symptoms on the day of vaccination to get the shot.
COVID19 VACCINE	0974960-1	50-59 years	9 days	ON 1/14/2021 TYPICAL UTI SYMPTOMS FOR RESIDENT DEVELOPED INCLUDING FEVER AND RIGIDITY. RESIDENT IS NON-VERBAL. IV ANTIBIOTICS WERE STARTED. FREQUENT UTI'S ARE COMMON FOR THIS RESIDENT.
COVID19 VACCINE	0991080-1	65-79 years	9 days	Patient sudden death reported by family. No further details available at this time.
COVID19 VACCINE	0991677-1	60-64 years	9 days	got up in the night and stated that she couldn't breath, ambulance was called, pt expired in route to hospital. *relayed to me by Facility staff RN.
COVID19 VACCINE	0992342-1	65-79 years	9 days	Shortness of Breath, decreased oxygen saturation, irregular heart rhythm, hypertension, Positive for COVID, bilateral pneumonia
COVID19 VACCINE	0995146-1	65-79 years	9 days	Narrative: Patient experienced cardiac arrest with PEA and a witnessed collapse upon arrival to the emergency department on 1/24/21. Patient received his first dose of the COVID vaccine on 01/15/2021 and felt poorly thereafter. He was describing shortness of breath to his wife and requiring 5L of O2 at home to maintain saturations in 80s, while he usually was on 3L to maintain saturations in the mid 90s. He had been oriented but more fatigued than normal and described bilateral shoulder pain (which was not new for him) as well as indigestion. Took Tylenol with some relief. He had decreased PO intake and less appetite. The patient's wife encouraged him to come to the hospital daily for a week prior to admission, but the patient did not want to because he felt his side effects were secondary to the vaccine. Symptoms: RespDepression, Palpitations, Syncope & cardiac arrest Treatment: EPINEPHRINE 1 MG ONCE 3 rounds given ,CALCIUM CHLORIDE 1000 MG ONCE
COVID19 VACCINE	1020830-1	80+ years	9 days	This resident of the assisted living facility received his Covid-19 Moderna (1st) vaccination and he has a leaking Aortic Aneurysm which resulted in hospitalization and he entered into Hospice care on 1.30.2021 and passed away on 1.30.2021.
COVID19 VACCINE	1022440-1	65-79 years	9 days	The decedent experienced severe chest pain and dyspnea approximately nine days following the first series of the vaccine. He reported to family members that he was having a ""severe reaction"" to the vaccine and believed it was acute pericarditis due to the same symptoms he experienced prior. He reported that on 2/1/21 around 0300 hours, the symptoms were the most severe and he was going to seek medical attention, but did not. He waited till the convenient store opened and purchased OTC Tylenol for relief of symptoms. He continued to have dyspnea and chest pain up until 2/9/21, when he called 911 complaining of chest pain and was found to have a STEMI; subsequently died at Hospital in the ER.""
COVID19 VACCINE	1023061-1	65-79 years	9 days	Pt received the vaccine on 1/30/21 Pt reported symptoms of left armpit pain to wife on 2/7/21, went to work 4 am 2/8/21 and found face down, dead at work later that morning. Pt worked at a pet store, per wife he did complete his tasks and generally comes home by 7:30 am. Wife called when pt did not come back home and he was found dead.
COVID19 VACCINE	1023979-1	65-79 years	9 days	Moderna administered 02/01/21. Patient expired 02/10/2020 unexpectedly

COVID19 VACCINE	1024853-1	65-79 years	9 days	Feb 8 states she had a cold. Feb 9 added stomach ache and nausea. Feb 9 visited urgent care facility for exam and Covid-19 test. Rapid test results were negative. Appeared tired but fine. Told to go home and rest. Feb 10 at 9:00 am found dead on the floor in pool of blood and aspirated. Excessive blood in toilet, pooled on floor and hallway rug.
COVID19 VACCINE	1036881-1	65-79 years	9 days	Myocardial Infarction
COVID19 VACCINE	1043123-1	65-79 years	9 days	Death
COVID19 VACCINE	1046795-1	60-64 years	9 days	Per ED note: Brought in ED by EMS at 1945 for acute shortness of breath and hypotension. Patient was placed on supplemental oxygen and covid test completed. Patient was placed on BiPAP to maintain oxygen greater than 90%. Found to be in metabolic acidosis. Patient became unresponsive and pulse could not be palpated. Chest compressions were initiated. ACLS medications given and pulses regained. Patient lost pulse 30 mins later and never regained pulse. Per ED noted; likely developed a PE. Passed away at 2127
COVID19 VACCINE	1053694-1	60-64 years	9 days	Sudden Death on 2/17/2021
COVID19 VACCINE	1055418-1	65-79 years	9 days	Patient suffered a stroke and passed away
COVID19 VACCINE	1068814-1	65-79 years	9 days	9 days after vaccination, the patient was found deceased in his home, sitting on his couch. Determined to be due to pulmonary embolism.
COVID19 VACCINE	1069009-1	80+ years	9 days	Several days after vaccination his left arm turned red. He was taken to the hospital where he was evaluated and admitted with a diagnosis of left axillary vein thrombosis. A chest X-ray was taken and he presented bibasilar atelectasis and pneumonia with pleural effusions.
COVID19 VACCINE	1069316-1	50-59 years	9 days	death
COVID19 VACCINE	1074753-1	65-79 years	9 days	Pt. had a cardiac arrest and expired on 2/20/21.
COVID19 VACCINE	1080425-1	65-79 years	9 days	Narrative: Patient with h/o ESRD on HD MWF, HTN presented to ER on 2/20/21 with worsening dyspnea and GI symptoms; tested positive for COVID-19. Patient had received first COVID vaccination approx. 9 days prior. Patient admitted to ICU for treatment of COVID+ PNA. During admission, patient often could not tolerate removal of fluid during HD d/t tachycardia. He received dexamethasone, convalescent plasma for COVID. Patient underwent TTE which was notable for septal wall motion abnormalities and grossly reduced EF. Admission also c/b acute liver injury, possible cholecystitis, thrombocytopenia, SVT, encephalopathy. Patient then developed progressive shock and hemodynamic instability on 3/2 and passed away on 3/2/21.
COVID19 VACCINE	1081304-1	80+ years	9 days	patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1105300-1	80+ years	9 days	He went to the hospital for cardiovascular problems and cholecystitis and was under treatment after the first dose. 2/26/2021 at around 11:00 pm she was complaining of high blood pressure, uncontrolled vital signs, uncontrolled sugar, at 6:00 am she has passed away. They certify respiratory failure.
COVID19 VACCINE	1107923-1	80+ years	9 days	Patient died 2/6/21
COVID19 VACCINE	1111389-1	80+ years	9 days	Cough started on 3/5. Hospitalization on 3/7, Expired 3/16. Doctor's Death Diagnosis: acute on chronic respiratory failure.
COVID19 VACCINE	1137579-1	60-64 years	9 days	? Moderna vaccine #1 on 3/16 at clinic ? Provider visit 3/22 dx bronchitis due to COVID-19, z pak and steroids ? ED 3/25 syncope, full arrest and patient expired patient states she had COVID in February

COVID19 VACCINE	1142999-1	65-79 years	9 days	Patient have generalized weakness for the last few months, she stop chewing. On 3/4/2021 he stopped reacting to stimuli and had dilated pupils. Certified Alzheimer's deseases, cerebral aneurysm.
COVID19 VACCINE	1143040-1	80+ years	9 days	During the last month she was losing weight, reflux due to having PEG, low blood pressure, lack of tension. They notified relatives and hospice, she lost mobility, stopped urinating. Respiratory cardiac arrest and end-stage Alzheimer's certified
COVID19 VACCINE	1143334-1	80+ years	9 days	The doctor diagnosed the death as aspiration pneumonia.
COVID19 VACCINE	1167042-1	80+ years	9 days	Severe tiredness/lethargy started on 01/28/2021. Died at home around noon on 01/29/2021.
COVID19 VACCINE	1178537-1	50-59 years	9 days	Pt was found deceased at home on 3/10/21. He had had a cough prior to, recent hospitalization for pneumonia/acute on chronic resp. failure.
COVID19 VACCINE	1208360-1	80+ years	9 days	Patient was hospitalized X 5 and died within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1216355-1	80+ years	9 days	At 5 AM on 3/21/2021 my father was in bed sleeping and started to gurgle, he was unresponsive, 911 was called he was unresponsive and taken to the Hospital and died at 3:22 PM on 3/21/2021. from a CV A.
COVID19 VACCINE	1228010-1	30-39 years	9 days	Death Narrative: Patient was not previously Covid positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient died of a drug overdose and had a UDS positive for fentanyl and alcohol on 3/8/21 patient tested positive for Chlamydia due to high risk sexual behavior and substance use disorder. Patient was admitted to facility on 2/26/21 to detox from alcohol.
COVID19 VACCINE	1228018-1	65-79 years	9 days	Deceased 3/28/21 ""natural causes"" Narrative: Per notes ""Pathologist was informed that he died of natural causes"". PCP indicated that death cert will only show HTN as cause of death. ""
COVID19 VACCINE	1238566-1	40-49 years	9 days	On April 18, 2021, nine days after the person got his second dose of Moderna vaccine, he committed suicide using a gun in the presence of his family.
COVID19 VACCINE	1264244-1	80+ years	9 days	Expired in between Dose 1 and 2. Non-vaccine related. Death Certificate indicates, COPD, Type 2 Diabetes & hypertension
COVID19 VACCINE	1267593-1	65-79 years	9 days	Headache, Increasing fatigue and difficulty breathing over two weeks before 2nd dose -- exacerbated by 2nd dose. Worsening condition led to visit to Primary Care In office tests indicated presence of blood clots and need for emergency hospital treatment. Emergency surgery to remove blood clots throughout her body and attempt to put her on ECMO were unsuccessful and patient succumbed at 12:06 AM 3/3/21.

COVID19 VACCINE	1290195-1	65-79 years	9 days	Covid19 vaccine: The patient received her second dosage of Moderna on 3/23. Patient called family medicine triage on 4/1 regarding arm/shoulder pain from her vaccine site that was not improving. Pain started out near injection site but last couple days has been spreading to shoulder, some possible swelling, per patient. Finding it hard to sleep. Denies redness, warmth. Feels warm but no chills, doesn't have thermometer at home. The patient refused to call the COVID hotline. She was calling for an in-person appointment and was triaged for her symptoms. The next in-person appointment was not until Saturday 4/3, and it was given to the patient. She did not want to go to the ED. She suffered a witnessed massive heart attack the same day in her home and her partner called 911. Per partner's report, walked around a little that day, in discomfort. Then came home and laid down with more arm pain. She had acute L arm pain and then agonal breathing - passed in order of 2-3 minutes. Likely cardiac arrest after MI for few days. She was BIBA the EMTs continued CPR for ~20 minutes but was unable to revive patient. She was pronounced dead on 2023.
COVID19 VACCINE	1293944-1	65-79 years	9 days	Patient suffered cardiac arrest today
COVID19 VACCINE	1330914-1	80+ years	9 days	PT deceased on 1/6/21 from ""complications of CHF"" Unknow if it is in fact related to the vaccine. ""
COVID19 VACCINE	1343436-1	80+ years	9 days	2-27-21 Heart pain, transported to ER 2x in 2 days. Within 2 days, her Liver and Kidney function failed. and Acute Hypoxic Respiratory Failure and Cardiogenic Shock were listed as cause of death on 3-3-21
COVID19 VACCINE	1362271-1	65-79 years	9 days	Death
COVID19 VACCINE	1371720-1	50-59 years	9 days	Death, cardiac arrest. Patient was found deceased in home, no hospitalization, no autopsy
COVID19 VACCINE	1407804-1	40-49 years	9 days	As per wife's account, patient died approximately 9 days after receiving vaccine on 4/21 of massive, unknown (suspected cardiac) event. Wife explained that patient was diagnosed with Wolff-Parkinson-White (WPW) syndrome prior to being vaccinated. PCP unaware of diagnosis, and patient did not disclose that on vaccine consent form. Patient reported to his wife that he was feeling unwell after receiving vaccine including unable to move legs well. Patient later diagnosed with thrush and supposedly treated by physician. Patient did not discuss concerns regarding vaccine or WPW with physician. Patient called his wife the day of death and asked her to bring him to the doctor the following day. Wife reported that patient experienced seizures but not concerned as it was similar to childhood seizure. Wife was done at work and drove home after phone call, arriving at house approximately 10-15 minutes after call. Patient supposedly dead when wife arrived. Wife performed CPR for ~15 minutes until EMS arrived, and EMS attempted for another 40 minutes for any electrical activity. Wife declined full autopsy from ME, suspecting that it was massive MI or clot. Wife and patient unaware that WCW could place patient at risk of clots and wondering if the vaccine was partially responsible.
COVID19 VACCINE	1429777-1	65-79 years	9 days	Found dead 9 days after vaccine
COVID19 VACCINE	0952713-1	60-64 years	10-14 days	Weakness, Low O2, death. Positive for COVID on 1/12/21, dies on 1/16/21
COVID19 VACCINE	0955425-1	80+ years	10-14 days	resident had a pressure ulcer to RT hip, was getting treatment on. Was scheduled to have wound debrided and wound vac applied on 1-19-2021. Appetite was poor, not wanting to get out of bed, and decline in alertness. Passed away on 1-16-2021
COVID19 VACCINE	0963269-1	80+ years	10-14 days	Patient passed away on 01/18/2021

COVID19 VACCINE	0972890-1	80+ years	10-14 days	On the evening of 10JAN2021, patient experienced a low grade fever, decreased oxygen saturation of 38%, heart rate of 124, confusion. Patient received oxygen via face mask, morphine and ativan. By 11JAN2021, patient was no longer verbal, able to eat or communicate and was kept on comfort measure only. On the morning of 17JAN2021, the patient passed away.
COVID19 VACCINE	0974033-1	65-79 years	10-14 days	Resident deceased on 1/26 at 445am. No signs ahead of time.
COVID19 VACCINE	0975689-1	80+ years	10-14 days	Resident vaccinated on 01/06/21 she acquired COVID 19 on 01/10/2021. Resident had multiple co morbidities and was declining prior to the vaccine. Resident expired on 01/20/2021
COVID19 VACCINE	0976146-1	80+ years	10-14 days	Resident is asymptomatic
COVID19 VACCINE	0976166-1	80+ years	10-14 days	ASYMPTOMATIC
COVID19 VACCINE	0978567-1	80+ years	10-14 days	Resident received the first dose of Moderna Vaccine on 01/12/2021 and Tested for COVID-19 on 01/12/2021. Resident tested positive on 01/13/2021. Resident was transferred to acute hospital on 01/19/2021 due to desaturation. Resident expired at Hospital on 01/24/2021.
COVID19 VACCINE	0982517-1	65-79 years	10-14 days	patient received COVID vaccine on 1/11/2021 and passed away on 1/25/2021
COVID19 VACCINE	0983428-1	65-79 years	10-14 days	Pt. was admitted to hospital on 1/6/21 with fatigue, weakness. Pt. was Covid positive in November of 2020. Impression upon admission was fatigue may be due to her aortic stenosis and some hypertensive issues with blood pressure changes. She was anemic. WBC was elevated to 19.2, HBG 10.5, NA-131, K+ - 3.1, Rule out bacterial infection. Potential source could be her heart valve. Also noted to have acute renal failure with BUN of 47 and Creatinine of 2.2 noted. Pt. was transferred to Hospital on 1/8/2021 with dx of aortic stenosis, bacteremia, ARF, Dehydration and anemia. Discharged with dx. of sepsis. Pt. expired on 1/18/21 with dx. of severe sepsis, complete heart block, staphylococcus epidermidis bacteremia.
COVID19 VACCINE	0983721-1	65-79 years	10-14 days	Death Narrative: Patient with Severe Dementia and on Hospice for end of life care.
COVID19 VACCINE	0987877-1	80+ years	10-14 days	REC'D CALL FROM PT'S SON, PT HAS BEEN ON HOSPICE CARE AND PASSED 1/26/21. DOES NOT BELIEVE THIS IS RELATED TO VACCINE ADMINISTRATION, BUT WANTED TO REPORT TO US.
COVID19 VACCINE	0990034-1	65-79 years	10-14 days	I helped facilitate scheduling for his COVID vaccine and received notification from his wife that he passed away unexpectedly this morning. She reported he had been experiencing a rheumatoid arthritis flare and was on steroids. His diabetes was not well controlled as a result. He did not have any reactions in the days immediately after the vaccine.
COVID19 VACCINE	0992154-1	80+ years	10-14 days	No adverse events reported post vaccine. 1 st dose on 1/11/21 by public health. Death 1/31/21 Patient was on hospice for gradual decline.
COVID19 VACCINE	0997145-1	80+ years	10-14 days	85 year old patient with multiple medical problems. PEA/asystolic arrest 5 days after receiving vaccine, hospitalized. Patient died on 2/1/2021. It is not clear whether the vaccine administration led to the patient's death or not. ""...healthcare professionals are encouraged to report any clinically significant or unexpected events (even if not certain the vaccine caused the event)""
COVID19 VACCINE	0997297-1	80+ years	10-14 days	Death on 1/17/21. Death certificate reports: Septic Shock, UTI, Pneumonia, Chronic Renal Failure
COVID19 VACCINE	0997642-1	60-64 years	10-14 days	We were notified 02/02/2021 of patient's death. Unknown cause at this time.
COVID19 VACCINE	0998463-1	80+ years	10-14 days	Resident passed away unexpectedly on 01/19/21 after developing acute hypoxic respiratory failure on morning of 01/19/21. She was transferred to hospital via EMS where she was intubated, coded, and ultimately expired with uncertain underlying cause, potentially ACS.
COVID19 VACCINE	0998544-1	80+ years	10-14 days	Patient had heart attack. Spoke with spouse on 2/3/2021 stated had multiple health issues including heart and lung issues.

COVID19 VACCINE	1002229-1	65-79 years	10-14 days	spontaneous death, found unresponsive in cell after normal morning activities
COVID19 VACCINE	1004811-1	60-64 years	10-14 days	On 1/23/21 the patient had a single-car accident, slid off icy road into snowbank. She was seen in our ER, diagnosed w/ trauma and L4 compression fracture. She was transported to Hospital for further trauma workup. We believe she was treated and released. On 1/31/21 the patient had a headache but did not seek medical attention. In the morning of 2/1 she became unresponsive and was pronounced dead on the scene when EMS arrived. Autopsy showed a left temporal subdural hematoma.
COVID19 VACCINE	1007033-1	65-79 years	10-14 days	Patient presented to emergency room on 2/1/2021 with a chief complaint of having a chronic headache and fatigue following receipt of the Moderna vaccine 10 days prior. Following examination by the physician, the patient was diagnosed with an acute subdural hematoma. The patient subsequently underwent decompressive surgery, however demonstrated worsening neurologic status over the next several days and ultimately expired on 2/4/2021.
COVID19 VACCINE	1011834-1	60-64 years	10-14 days	patient passed away within 60 days of receiving COVID vaccine series
COVID19 VACCINE	1012894-1	80+ years	10-14 days	1-2 days after vaccine, pt developed weakness, fatigue, body aches, nausea, headache and poor appetite. Pt was admitted to the hospital on 2/5/21 and death occurred on 2/6/21
COVID19 VACCINE	1014865-1	65-79 years	10-14 days	He had not been feeling well after his second Covid vaccination (on 01/23/2021) and was found unresponsive in his room at the nursing home (late evening on 02/02/2021). He was taken to a hospital where they did tests and he had pneumonia and kidney failure, but he was being transferred to a larger hospital when he arrested and died (02/03/2021)
COVID19 VACCINE	1020724-1	80+ years	10-14 days	Patient sent to the ED or sudden onset of shortness of breath on 02/02/2021. Per documentation by the MD, the patient had COVID19 ""several weeks ago"" and the nursing facility felt like he had recovered. A rapid test done in the ED was negative. When the patient worsened and seemed to be following the same path as other COVID patients, a send out PCR test was done, which was positive. The patient worsened and passed away that same day (02/05/2021) I was not made aware that the patient had the vaccine on 01/21/2021 until Monday 02/08/2021. ""

COVID19 VACCINE	1021919-1	80+ years	10-14 days	Death; kidney failure (unable to urinate); shortness of breath; required oxygen; A spontaneous report was received from consumer concerning an 87-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced shortness of breath, kidney failure and death. The patient's medical history included advanced kidney and heart disease. No relevant concomitant medications were reported. On 06 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 17 Jan 2021, the husband reported that the patient experienced adverse events. Symptoms included shortness of breath and kidney failure (unable to urinate). The patient was admitted to the hospital and discharged to hospice. Oxygen was administered for shortness of breath. Action taken with mRNA-1273 in response to the events was not applicable. On 20 Jan 2021, the patient died. The cause of death was unknown. Autopsy details were unknown.; Reporter's Comments: This case concerns a 87-year-old, female patient with the medical history of advanced kidney and heart disease, who experienced fatal unexpected event of dyspnea, renal failure and death. The events of dyspnea and renal failure occurred 12 days and the event of death occurred 15 days after the first dose of mRNA-1273 (Lot: unknown). The patient was admitted to the hospital and discharged to hospice. Oxygen was administered for shortness of breath. The cause of death was unknown. Autopsy details were unknown. Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However, the history of advanced kidney and heart disease may remain as confounder. Additional information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1024539-1	65-79 years	10-14 days	patient tested positive for covid on 1/29/21. was hospitalized on 2/8/21 for shortness of breath, generalized weakness, nausea.
COVID19 VACCINE	1024788-1	80+ years	10-14 days	Pt had passed away before second dose given.
COVID19 VACCINE	1024790-1	80+ years	10-14 days	Pt had passed away before second dose given.
COVID19 VACCINE	1024795-1	80+ years	10-14 days	Pt had passed away before second dose given.
COVID19 VACCINE	1031176-1	65-79 years	10-14 days	Death Narrative: Patient received Covid vaccine on 2/2/21, person reports his legs were more rigid with some sweating the day of the vaccination with leg rigidity that was slowly improving. No other adverse effects reported for following 7 days. Person states he had vomiting episode earlier this week, person states he had no other symptoms before or after the vomiting episodes. On morning of 2/12/21, person reports patient got up ready for breakfast with no issues. She says he asked for chorizo and oatmeal but she laughed and said don't you mean chorizo and eggs. He said yes. They got him into W/C and he was rolling himself into dining room got stuck in hallway. She says he took several breaths then 3 very deep breaths and passed away. She called 911 they took his VS but he has passed. She told them to leave him along no resuscitation.
COVID19 VACCINE	1032321-1	80+ years	10-14 days	Resident has shortness of breath on 1/19/2021 and was transferred to Hospital 1/20/2021
COVID19 VACCINE	1036440-1	65-79 years	10-14 days	Patient died at home in hospice care from complications of stage 4 bladder cancer
COVID19 VACCINE	1037124-1	50-59 years	10-14 days	Patient was at a gym watching his daughter. He slumped over unconscious. EMS was called. He was found to be in fine ventricular fibrillation and resuscitation efforts failed. He was brought to Hospital ED where he was pronounced dead. He had underlying cardiac disease but his family requested I report this event as possibly related to the recent COVID vaccination.

COVID19 VACCINE	1038517-1	65-79 years	10-14 days	Pt. received vaccine on 2/3/2021. Coded at home on 2/17/2021.
COVID19 VACCINE	1048882-1	65-79 years	10-14 days	Vaccine was administered 2/1/2021 at approximately 9am. Due to self reporting of allergic reaction (hives) to Augmentin, patient was monitored on site for 30 minutes. After the monitoring period, she was cleared to go with no issues reported at the time. We were later informed that the patient passed away from a pulmonary embolism on 2/12/2021.
COVID19 VACCINE	1049389-1	65-79 years	10-14 days	Patient passed away Saturday at 14:04pm. Patient's wife reports his death was sudden, he passed away sitting in his chair his heart just stopped she said. They tried to perform CPR, 911 was called and paramedics arrived at the scene and he was given medication but never had any return of vital signs and so his death was called at the scene. Wife reports he was not ill, did not have any symptoms prior to the event. They are not going to be doing a autopsy. She wanted us to know based on timing that there may be some possible correlation with his COVID19 vaccine. He obtained the vaccine on 02/09/2021 - wife reports he had no symptoms, not even arm soreness after the vaccine. Had no fever, shortness of breath. Did not complain of chest pain. We can update chart to reflect the patient is deceased and lets make a card for the family.
COVID19 VACCINE	1049963-1	50-59 years	10-14 days	Found lying face down without respiration or pulse, believed to be within 5 minutes of event. ACLS procedures unsuccessful. Unable to get autopsy. Believed to be heart attack secondary to COVID infection, but unconfirmed. Relative contribution of recent vaccination unknown.
COVID19 VACCINE	1052045-1	80+ years	10-14 days	Patient passed away with in 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1053788-1	80+ years	10-14 days	Received call that patient is now deceased
COVID19 VACCINE	1055563-1	80+ years	10-14 days	Pt tested positive for COVID-19 on 2/10/2021 and died from illness related to COVID-19 on hospice at home on 2/18/2021, per care facility.
COVID19 VACCINE	1055588-1	80+ years	10-14 days	Pt tested positive for COVID-19 on 2/10/2021 and was hospitalized on 2/15/2021 and deceased on 2/18/2021 at the hospital of admission, per caregiver.
COVID19 VACCINE	1055618-1	80+ years	10-14 days	Pt tested positive for COVID-19 on 2/10/2021, and was deceased on 2/16/2021 at.
COVID19 VACCINE	1057281-1	65-79 years	10-14 days	patient's husband reported her death that happened after first COVID-19 vaccine
COVID19 VACCINE	1057802-1	80+ years	10-14 days	Patient was transferred from hospital for further evaluation and care by pulmonologist. He started having symptoms a week before with fatigue, emesis, decreased p.o. intake, shortness of breath, vomiting and diarrhea. The two previous takes before death required increasing oxygen and family wanted everything done including intubation. He was transferred to ICU.
COVID19 VACCINE	1057828-1	65-79 years	10-14 days	Patient unexpectedly died on 2/17 after 14 days of receiving first dose of COVID-19 vaccine. EMS presumed it could be from possible myocardial infarction.
COVID19 VACCINE	1058160-1	80+ years	10-14 days	Resident expired on 2-25-21
COVID19 VACCINE	1058976-1	65-79 years	10-14 days	Unknown the exact event, but patient has passed away.
COVID19 VACCINE	1059360-1	80+ years	10-14 days	Cardiac arrhythmia, EMS on site within minutes, outcome of death.
COVID19 VACCINE	1068931-1	80+ years	10-14 days	Case passed away on 2/28/21. During post vaccination monitoring, case did not have any adverse reactions. When writer spoke to him on 2/26/21 to schedule his second dose, he sounded well.
COVID19 VACCINE	1070040-1	65-79 years	10-14 days	Admitted to hospital 2/22/21
COVID19 VACCINE	1070937-1	80+ years	10-14 days	Unwitnessed Cardiac arrest. ACLS protocols were performed. Cessation of resuscitation was called in the field by Dr.
COVID19 VACCINE	1080433-1	80+ years	10-14 days	unknown cardiovascular event

COVID19 VACCINE	1080932-1	80+ years	10-14 days	DIAGNOSED WITH COVID 1/21/21; RECIEVED BAMLANIVUBAM INFUSION; HOSPITAL ADMISION 1/23/21 WITH ACUT RESPIRATORY FAILURE DUE TO COVID. INTUBATED X 10 DAYS
COVID19 VACCINE	1082787-1	80+ years	10-14 days	Death on 3/7/21
COVID19 VACCINE	1088539-1	50-59 years	10-14 days	He was found unresponsive, cold and with rigor mortis present after family requested welfare check. He had not been seen for 36 hours.
COVID19 VACCINE	1088956-1	65-79 years	10-14 days	Tested positive and had symptoms for Covid-19 . Admitted to hospital on 2/14/21 in the icu and died in 2/28/21
COVID19 VACCINE	1089759-1	80+ years	10-14 days	Death
COVID19 VACCINE	1091158-1	80+ years	10-14 days	patient passed away with in 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1091337-1	65-79 years	10-14 days	This is a hospice patient. She died on 2/13/2021 from her underlying medical conditions. I just received notification of the death 3/11/2021 and am reporting this immediately.
COVID19 VACCINE	1092168-1	80+ years	10-14 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1092737-1	65-79 years	10-14 days	Sudden death. Alone at home, found on floor 4 hours after last phone contact
COVID19 VACCINE	1094197-1	80+ years	10-14 days	DEATH - PT'S WIFE CALLED 3-11 TO TELL US PATIENT WAS FEELING BAD, AND TO ASK WHAT TO DO. WE SENT A PULSEOXIMETER, AND ADVISED TO CONTACT DR. - ON MORNING OF 3-12, PT'S WIFE CALLED TO TELL US HE HAD PASSED AWAY DURING THE NIGHT.
COVID19 VACCINE	1094208-1	65-79 years	10-14 days	ALTERED MENTAL STATUS Death
COVID19 VACCINE	1095435-1	50-59 years	10-14 days	Headache, nausea on 1/25 progressed to SOB 1/26 and death 1/27
COVID19 VACCINE	1096913-1	80+ years	10-14 days	My father passed away on February 10th, 2021. On Monday, January 25th 2021, he said he is feeling very uncomfortable in his chest area. He thought it was severe acid reflux. He took Gas X for Acid Reflux and told us that he does not want to go to the hospital. On Tuesday, January 26th, he felt that his Acid Reflux symptoms got worse, he still did not want to go to the hospital. He took Tums. On that evening, he started having shortness of breath. We took his BP at home and it was very low. We begged him to go to the hospital, he still did not want to go. On Wednesday, January 27th, his shortness of breath got worse and we convinced him that he has to go to the hospital. We took him to ER. Doctor said that he had a heart attack on Monday morning and that is why he was not feeling well since Monday morning. While at the hospital, while the cardiologists were monitoring him, his heart condition got worse. By Friday, February 5th, cardiologists said that he is very fragile, his heart condition is very fragile and he won't survive any procedure. They said that something triggered the heart attack. We told them about the vaccination on 1/13/2021. They sent him home on hospice on Friday, February 5th, 2021. He was on supplemental oxygen when he came home. He passed away due to a heart attack on February 10th, 2021 around 9pm.
COVID19 VACCINE	1098119-1	50-59 years	10-14 days	in the early am she had bad diarrhea , she went to work and then started having really bad stomach pains and before noon she had to go home because she started puking. She laid down to take a nap around 3:30pm and never woke up.
COVID19 VACCINE	1102722-1	80+ years	10-14 days	Patient presented to Hospital ED on 3/14/21 with respiratory distress. Patient was tested for COVID-19 and found to be positive on 3/14/21 in the hospital ED. Patient was a DNR. Hospice was consulted (this writer is employed by Hospice). The patient passed away on 3/15/2021. Per family patient had recently received COVID-19 vaccine. Vaccine information verified in portal.
COVID19 VACCINE	1103943-1	65-79 years	10-14 days	unexplained death
COVID19 VACCINE	1107656-1	65-79 years	10-14 days	Patient was found dead on 3/15/2021

COVID19 VACCINE	1109535-1	65-79 years	10-14 days	My Father had a hemorrhagic stroke. He passed away 13 days after receiving the second Moderna's vaccine.
COVID19 VACCINE	1110160-1	65-79 years	10-14 days	Phone call from patient's 2 daughters on 3/10/2021. Patient was found dead in bed with a remote in his hand. He had not been sick. He had received Moderna SARS vaccine 2/27/2021= 11 days earlier, but did not have any adverse reactions. He had recovered from lumbar spine surgery several months earlier. He was pronounced dead by the fire chief.
COVID19 VACCINE	1110437-1	65-79 years	10-14 days	Since the vaccine was administered on 1/30/2021 the resident was complaining of tiredness. On 2/9/2021 she complains more than usual with fatigue, a lot of fatigue so they make the decision to transfer her to the hospital. In the hospital she was informed that the pain was from a gallbladder stone, also that she has a lung condition and a compromised kidney. A Dr. from Hospital tells POC that the patient was not responding to treatments and was compromised thus prolonging the hospital stay.
COVID19 VACCINE	1112104-1	80+ years	10-14 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1112420-1	80+ years	10-14 days	Patient was contacted about coming in to receive second dose and family member had informed us that she had passed away from COVID two weeks after vaccine was given.
COVID19 VACCINE	1114454-1	80+ years	10-14 days	On 2/1/2021 he vomited and his pulse began to drop. A doctor from the hospice visited him days before and found him in good health and pressure. Patient was in the Home Care hospice.
COVID19 VACCINE	1116006-1	80+ years	10-14 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1116097-1	80+ years	10-14 days	Death Narrative:
COVID19 VACCINE	1116102-1	80+ years	10-14 days	Death Narrative:
COVID19 VACCINE	1116107-1	80+ years	10-14 days	Death Narrative:
COVID19 VACCINE	1124363-1	65-79 years	10-14 days	patient died at home. apparently he awoke in the middle of the night and asked for help, then collapsed. CPR failed. patient and family did not want an autopsy. suspect sudden cardiac death
COVID19 VACCINE	1125469-1	80+ years	10-14 days	PER FAMILY PATIENT PASSED AWAY 2/28/2021
COVID19 VACCINE	1126293-1	65-79 years	10-14 days	Death 10 days after receiving first moderna covid vaccination. Was not told by patients family cause of death, unclear if there is a link between vaccination or not.
COVID19 VACCINE	1127148-1	80+ years	10-14 days	Death
COVID19 VACCINE	1129993-1	65-79 years	10-14 days	Family stated she felt fine after shot. Had upset stomach night before her death. Took turns. Died in sleep.
COVID19 VACCINE	1130340-1	60-64 years	10-14 days	2/25/2021 She was taken to the hospital for aspiration. 03/09/2021 was discharged, but relatives were informed that she was unwell. 3/13/2021 When they went to take the rounds she was without signs, she was sleeping. He refers that the patient died of Aspiration Pneumonia and was tested at the Hospital with negative results. They certify death due to cardiovascular arrest
COVID19 VACCINE	1132299-1	80+ years	10-14 days	Unstable vitals
COVID19 VACCINE	1132713-1	65-79 years	10-14 days	2/16/2021 He was transferred to the Regional Hospital of due to low pressure (systole), received CPR in the ambulance on the way to the hospital. He died on 2/19/2021 due to various complications, including pneumonia.
COVID19 VACCINE	1133564-1	60-64 years	10-14 days	It was sent for low pressure on 02/12/2021 to the Hospital Medical Center. He died of respiratory arrest.

COVID19 VACCINE	1136004-1	65-79 years	10-14 days	Patients representative notified pharmacy today to cancel patients second appointment as the patient had died this morning due to a staff infection in hospital. Representative did state they did not believe it was related to vaccination as patient has been having difficult time with underlying conditions (pulmonary fibrosis and atrial fibrillation).
COVID19 VACCINE	1141569-1	60-64 years	10-14 days	patient experienced heart attack and subsequently passed away approximately 2 weeks following vaccination. it is not believed to be related to the vaccination.
COVID19 VACCINE	1143356-1	80+ years	10-14 days	Breathing difficulties, not taken to hospital, managed at home. Certifies respiratory arrest.
COVID19 VACCINE	1143393-1	80+ years	10-14 days	Before receiving the vaccine, she was deteriorating, but relatives agreed to vaccinate her. Last week she began to have swallowing problems, she was not eating. They started with serum, supplements, and nasogastric.
COVID19 VACCINE	1145423-1	80+ years	10-14 days	3/26/21 ER to Inpt Admission: Patient was admitted to the hospital for comfort measures after patient suffered MI and did not want any life-prolonging therapies. Patient was started on comfort medications and symptoms were monitored closely. The patient passed peacefully before she could be fully assessed
COVID19 VACCINE	1145531-1	65-79 years	10-14 days	Pt diagnosed with COVID-19 despite 2 COVID vaccines (first given 1/15/2021. Pt developed respiratory symptoms, including dyspnea, which progressed over 3.5 weeks and then systemic symptoms of myalgias, malaise. He was admitted 3/21/2021 and had positive NP swab for SARS-CoV-2 x 2. He required admission to ICU and died of respiratory failure on 3/28/2021.
COVID19 VACCINE	1146789-1	65-79 years	10-14 days	death Narrative: Pt received COVID vaccine dose #1 on 2/27 at facility. Pt admitted to Hospital d/t COPD exacerbation and severe hypoxia. Pt with longstanding hx respiratory complications including air hunger, use of continuous oxygen, panic attacks and pain requiring narcotics (also impacted respiratory drive). Pt evaluated by palliative care/hospice services at Hospital and was deemed appropriate for end-of-life care. Pt unable to discharge home for home hospice services, therefore remained at Hospital where he later passed away. Pt's wife called facility 3/29 to report the death of patient, exact date of death was 3/13. Anticipated cause of death includes respiratory failure d/t severe COPD, hypoxia and narcotic use. Was pt previously covid positive? No Are there any predisposing factors (i.e. PMH, HPI, allergy history etc) for patient experiencing adverse drug event? No Any occurrence of an ADR at time of administration or during time of observation? No Was there and ADR between observation period and date of death? No Was patient hospitalized prior to vaccination? No Was patient hospitalized between vaccination and date of death? Yes - d/t severe hypoxia and COPD exacerbation Was hospitalization attributable to ADE ? No Was patient hospitalized prior to death Yes What are the possible cause of death? severe COPD, hypoxia, reduced respiratory drive d/t narcotic use (chronic pain)
COVID19 VACCINE	1147469-1	80+ years	10-14 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1147527-1	65-79 years	10-14 days	Pt. died due to natural causes at home
COVID19 VACCINE	1149492-1	65-79 years	10-14 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1151679-1	80+ years	10-14 days	Patient received 2nd Moderna Covid-19 vaccine on 3/4/21. Patient was admitted to hospital on 3/14/21 with a stroke. The patient fell the night before and laid on the floor until family found him and then was taken to the ER. Prior to falling he experienced left arm weakness.

COVID19 VACCINE	1151700-1	80+ years	10-14 days	Narrative: Patient received dose 1 of Moderna COVID-19 vaccine on 3/11/21 from clinic. Vaccine was administered to patient without complications and patient was observed for 15 minutes post-vaccination without any adverse effects. No documentation as to any adverse effects following the 15 minutes post-vaccination. 11 days later on 3/22/21, EMS was dispatched to patient's home and patient was found lying supine, unconscious, and unresponsive to stimuli. Patient was noted to have shallow breathing per EMS staff, and was subsequently brought to the hospital. Per family, patient lives alone and was feeling well - they had spoken to her two days prior to the event. Per family patient did not have recent fevers, vomiting, diarrhea, or cough. Also no recent medication changes or trauma. PMH includes stroke approx. 8 years ago, gout, HLD, HTN, and RLS. BP upon admission was 126/93, HR 123, temp 37.1 degrees Celcius, RR 28. Patient noted to smell of urine. CT showed large completed right sided infarct consistent with MCA stroke. Per neurology the lesion was not recoverable and patient would be unlikely to regain any function. Family was notified and poor prognosis was discussed. Patient has been very clear in the past that she would prefer ""to go when her time came"". She had a DNR And DNI as well. Daughter requested to pursue comfort measures for patient, therefore she was transferred to hospice care. Patient passed away the following day on 3/23/21. Death very unlikely due to COVID-19 vaccination since CT imaging clearly showed cerebral infarct and patient had a PMH of stroke. ""
COVID19 VACCINE	1156266-1	40-49 years	10-14 days	pt presented in ER 3/17/21 with SOB and back pain; felt bad since vaccine given; UTI diagnosis-given keflex 500 tid and rocephin shot pt presented to clinic 3/19/21 with continuing back pain dx low back pain and candidia given methocarbamol, diflucan, and ibuprofen pt presented to clinic 3/26/21 with continuing back pain, difficulty urination. given ceftin and rocephin shot pt presented to ER 3/27/21 renal failure and expired within 10 min of arrival no fever documented at any visit
COVID19 VACCINE	1156392-1	80+ years	10-14 days	.Mandatory EUA Reporting - Received 2nd Moderna Covid vaccine on 2/26. Admitted to hospital on 3/10 with pneumonia and COVID positive. Patient's son was living with him and Covid positive. Failed treatment with abx, steroids, oxygen. Transitioned to comfort care and passed away on day 8 of hospitalization.
COVID19 VACCINE	1159900-1	80+ years	10-14 days	CVA (stroke) around 2:00 p.m., was immediately transported to hospital. Meds were given (I believe Alteplase, but would need to confirm.) 3 brain bleeds after medications. Patient passed away at 5:40 p.m.
COVID19 VACCINE	1160361-1	65-79 years	10-14 days	Respiratory distress, led to heart failure, and ultimately death of patient
COVID19 VACCINE	1160874-1	50-59 years	10-14 days	Patient was seen in ED on 03/12/2021. Symptoms included fatigue and weakness, she was flown out to hospital. She passed away on 03/14/2021 in hospital.
COVID19 VACCINE	1163843-1	65-79 years	10-14 days	It was reported that patient died on 3/14/2021. This may have had nothing to do with the vaccine.
COVID19 VACCINE	1168645-1	65-79 years	10-14 days	Patient death within 60 days of receiving the COVID vaccine series

COVID19 VACCINE	1169796-1	80+ years	10-14 days	4/2020 presumed COVID-19 (not formally diagnosed, not hospitalized) 2/07/21 Moderna vaccine #1 (date per pt's daughter) 2/21/21 onset SOB/DOE, fever 2/24/21 Seen at Urgent Care: RML crackles and infiltrate on CXR, given azithromycin and Augmentin 2/27/21 Presented to ED with progression of SOB/DOE, fatigue, diarrhea. Hypoxemic requiring low-flow NC, B/L basilar crackles noted; started on CTX/azithro (2/27-3/3) for presumed CAP 3/08/21 Required HFNC; first seen by me personally: diffuse, distinct velcro crackles, lower > upper fields 3/12/21 Started on high-dose steroids without improvement; unable to wean from HFNC with progressively worsening hypoxemia; pt declined intubation. 03/22/21 Patient died in Palliative Care Unit Diagnosis: Interstitial lung disease of uncertain etiology, acute interstitial pneumonitis vs. undiagnosed connective tissue disease
COVID19 VACCINE	1169913-1	65-79 years	10-14 days	none noted or reported after the injection
COVID19 VACCINE	1172620-1	80+ years	10-14 days	My father, who at 80 was walking 2 miles a day and had just had a check up within the month consisting of an MRI, cardiac monitor and lab work which gave him essentially a clean bill of health felt fatigued after his second Moderna shot. 11 days after his second dose he took an afternoon nap and was found dead by my mother and myself. We are devastated. The time frame so close to his second moderna shot can not be ignored. We want no one to suffer a loss such as this if the vaccine was a catalyst. Full autopsy is ongoing, no know cause with initial results.
COVID19 VACCINE	1176274-1	40-49 years	10-14 days	Patient became SOB 911 called patient arrested in ambulance and died
COVID19 VACCINE	1179974-1	65-79 years	10-14 days	pt was diagnosed with covid on 3-29-21 , hospitalized for pneumonia and respiratory failure and expired on 4-6-21 at Hospital
COVID19 VACCINE	1180533-1	60-64 years	10-14 days	wife of the patient called came in for her COVID-19 vaccine appointment on 4/8/2021 and explained that her husband passed away in his sleep suddenly after a wonderful evening on 3/25/2021. She expressed that physician said it was not COVID related. Wife did not want to discuss the death of her husband at this time so the information is limited for this report.
COVID19 VACCINE	1197393-1	80+ years	10-14 days	Died Narrative: Pt has a diagnosis of: Parkinson's Disease, severe AS, heart failure Symptoms include: dysphagia, aphagia, excessive secretions. Agency patient has been referred to: Hospice Code Status:DNR/DNI 90M with PMH notable for Afib, chronic aspiration, and dysarthria, severe aortic stenosis who presents 3/5 with 2 weeks of generalized weakness and in ED noted to be in AFib w/ RVR to 130s, CT findings suggestive of volume overload with exam supporting this at time of admission, and also noting nonspecific generalized weakness. DC Home 3/9 Hospice
COVID19 VACCINE	1197795-1	80+ years	10-14 days	Patient expired at some point after infection; not in the immediate time period of injection
COVID19 VACCINE	1198102-1	80+ years	10-14 days	Nausea ,shortness of breath during the day . Heart stopped 7:45 pm. Death declared at 12:45 am March 09 2021.
COVID19 VACCINE	1199446-1	60-64 years	10-14 days	admitted to the hospital with recurrent hypoxemic and hypercarbic respiratory failure. discharged home. passed away at home after discharge.
COVID19 VACCINE	1201283-1	80+ years	10-14 days	Had a fatal heart attack
COVID19 VACCINE	1202257-1	40-49 years	10-14 days	Brother called pharmacy on 04.13.2021 at approximately 10am and informed pharmacist that his sister had passed away due to a pulmonary embolism about 2 weeks after receiving her first dose of the Moderna COVID vaccination at our pharmacy. He mentioned that healthcare provider was looking at possible gene mutation in family that may have contributed.
COVID19 VACCINE	1202463-1	80+ years	10-14 days	Patient was hospitalized x 2 within 60 days of receiving a COVID vaccine series

COVID19 VACCINE	1202683-1	65-79 years	10-14 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1205036-1	65-79 years	10-14 days	On March 30th started with headaches then progressed to shortness of breath while moving. Then on April 4th transport to hospital via EMT was tested for Covid 19 results was negative. It was determined that blood clots were found in Right leg & Left leg and both lungs and now blood clot was found in heart. PT has low platelets, low blood pressure. While in the hospital pt was given herapin . Patient has remained in ICU since the 4th to present time.
COVID19 VACCINE	1207395-1	80+ years	10-14 days	On 1/24/2021 the patient was discharged from the hospital due to swelling in the body, when they proceeded to infuse medications. She herself had passed away.
COVID19 VACCINE	1207869-1	50-59 years	10-14 days	Presented to the ER on 3/19 at 23:57 with 2 days of worsening shortness of breath. HR 60, Pulse Ox: 85% on Room air. Placed on BiPAP. could not maintain oxygen, intubated. The patient rapidly decompensated and went into cardiac arrest with PEA. ACLS performed for 35 minutes without the ability to reverse. Patient expired at 0222 on 3/20/21.
COVID19 VACCINE	1208477-1	80+ years	10-14 days	Received Moderna vaccine on 2/29/21 and 3/19/2021. Health began declining 2 weeks later and died on 4/13/2021 (26 days post vaccination) with heart failure listed as cause of death.
COVID19 VACCINE	1208807-1	80+ years	10-14 days	Death Anasarca Hyperammonemia Altered mental status Pulmonary edema Hypermagnesemia ARF (acute renal failure) Anemia
COVID19 VACCINE	1209441-1	65-79 years	10-14 days	My mother and I received the Moderna vaccine on January 20th. About two weeks later on January 31st, she complained about her leg. It was swollen. Later on that day, she collapsed, was rushed to the hospital. Died on February 4th due to anoxic brain injury due to DVT that caused a massive pulmonary embolism.
COVID19 VACCINE	1211110-1	65-79 years	10-14 days	Death
COVID19 VACCINE	1213285-1	80+ years	10-14 days	Death Narrative: Patient received his first COVID-19 vaccination 2/27/2021 and received his second COVID-19 vaccination 03/27/2021. Patient had not been tested for COVID per chart review and had no contraindications to receiving the vaccine. Patient did not experience any adverse events to the COVID-19 vaccine between time of vaccination and the time of death 12 days later. Of note, patient was receiving home hospice at the time of his death (04/08/2021) for his advanced acute myeloid leukemia.
COVID19 VACCINE	1213304-1	60-64 years	10-14 days	death Narrative: Patient received Moderna Covid #1 on 3/11/21 in his home by nurse. On 3/25/21, a note was entered to indicate that his wife had called EMS the day before as ""his heart stopped"" and he passed en route to the hospital. No further details available. No autopsy results available. 13 days between date of vaccination and date of death. ""
COVID19 VACCINE	1215882-1	50-59 years	10-14 days	fatal pulmonary embolism from RLE DVT

COVID19 VACCINE	1221106-1	Unknown	10-14 days	Eleven days after receiving the dose, he died; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Eleven days after receiving the dose, he died) in a 79-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 011L20A) for COVID-19 vaccination. The patient's past medical history included COVID-19. On 10-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on 21-Feb-2021 The patient died on 21-Feb-2021. The cause of death was not reported. It is unknown if an autopsy was performed. Unknown Action taken with mRNA-1273 in response to the event was not applicable. Prior to the patient's receiving his first dose of the Moderna Covid-19 vaccine series, wife reported that he was hospitalized for Covid-19 infection for three weeks. While hospitalized, he was treated for Covid-19 infection with medications unknown to her and was very sick on a ventilator in the ICU. He was then discharged to a rehab facility for several weeks and moved to a nursing home for additional rehab. Eleven days after receiving the dose, he died on 21 Feb 2021. He had been getting along well and working on coming home prior to receiving the first dose. Limited information regarding the patient's death has been provided at this time and a causal relationship cannot be excluded; Sender's Comments: Limited information regarding the patient's death has been provided at this time and a causal relationship cannot be excluded; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1222390-1	65-79 years	10-14 days	Patient's wife presented for her 2nd dose of Moderna today. She reported to us that her husband died between his 1st dose of Moderna and now (date not reported). His death was NOT related to COVID.
COVID19 VACCINE	1223371-1	80+ years	10-14 days	Patients First dose 01/13/2021 and second dose of Moderna Covid 19 vaccine was administered on February 11th. Patient developed pulmonary embolism in both lungs and hospitalized February 25th. Patient later developed PCP Pneumonia and died March 23rd.
COVID19 VACCINE	1226364-1	80+ years	10-14 days	Patient developed unspecified pneumonia which led to extremely high troponin levels. Patient died due to cardio pulmonary disease due to complications from COVID vaccine.
COVID19 VACCINE	1228019-1	80+ years	10-14 days	Narrative: 2/8/2021 UTI, sepsis, hyperglycemia, staphylococcus, MRSA infection-discharged to hospice care from Medical Center 2/9, passed 2/11.
COVID19 VACCINE	1232138-1	80+ years	10-14 days	Resident began coughing then complained of abdominal pain and was taken to the Hospital. He began to vomit and breathed in. Had a heart attack
COVID19 VACCINE	1233769-1	50-59 years	10-14 days	According to death certificate patient died of ""blunt force injuries from a motorcycle accident""
COVID19 VACCINE	1238170-1	60-64 years	10-14 days	Found dead at home 10 days post vaccine administration. Unclear correlation.
COVID19 VACCINE	1241394-1	80+ years	10-14 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 90 but not receiving frequent care from facility and circumstances regarding his cause of death not certain. His comorbidities include advanced age, afib, cardiac pacemaker, HTN, Barrett's esophagus, HTN, and hypothyroidism.

COVID19 VACCINE	1241396-1	80+ years	10-14 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 81 and brought to the Hospital ER on 3/4/21 w/ a STEMI. He did not recover and later passed away there on 3/10/21. Comorbidities include diabetes, HLD, HTN, cardiac murmur.
COVID19 VACCINE	1241405-1	65-79 years	10-14 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Circumstances surrounding his death are not documented in chart. Comorbidities include Hepatitis C, HTN, T2DM.
COVID19 VACCINE	1242118-1	65-79 years	10-14 days	Patient presented after being found down next to toilet found to have COVID-pneumonia and sepsis needing intubation for ARDS and CRRT for hyperkalemia and oliguria. Hospitalization complicated by GIB s/p rectal artery embolization by IR and GNR bacteremia requiring cefepime. Due to worsening hypoxia and shock, patient was made comfort care/hospice by family and passed away on 4/9.
COVID19 VACCINE	1243301-1	80+ years	10-14 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1243596-1	65-79 years	10-14 days	Called to verify coming in for second dose on 4/21/21, family member confirmed death a few weeks ago (a few weeks after first covid dose). Cause of death unknown
COVID19 VACCINE	1247865-1	65-79 years	10-14 days	One week and 6 days after second vaccine fatal heart attack
COVID19 VACCINE	1248554-1	60-64 years	10-14 days	PATIENT RECEIVED THE VACCINE ON 3/15, HE PASSED AWAY ON 3/29
COVID19 VACCINE	1258483-1	80+ years	10-14 days	Death on 4/4/2021 from subdural hematoma
COVID19 VACCINE	1267822-1	60-64 years	10-14 days	Admitted to hospital on 9/30/2020 and discharged on 10/28/2020.
COVID19 VACCINE	1269178-1	80+ years	10-14 days	Received Moderna Dose #2 on 3/10/2021. About 1-2 weeks after, he started experiencing swollen leg (unsure if left or right), had shortness of breath, and looked pale on 4/22 he was seen by a provider and was prescribed oxygen, later that night he passed.
COVID19 VACCINE	1269804-1	80+ years	10-14 days	nose bleeds, black and blue marks weeks later,
COVID19 VACCINE	1271212-1	18-29 years	10-14 days	PATIENT DEVELOP CARDIOGENIC SHOCK AFTER RECEIVED FIRST DOSE OF MODERNA VACCINE ON THURSDAY 29 2021 PATIENT DIED
COVID19 VACCINE	1273804-1	65-79 years	10-14 days	GI Hemorrhage Covid + Respiratory Failure
COVID19 VACCINE	1274247-1	80+ years	10-14 days	This 86 year old white male received the Covid shot on 4/10/21 and died on 4/22/21. Please refer to the other details submitted within this report and contact the person who submitted this report via email for additional follow up details and investigation.

COVID19 VACCINE	1275915-1	80+ years	10-14 days	On 3/25/21, patient presented to the ED with several days history of nausea, vomiting, and upper abdominal pain, and 1 day history of shortness of breath and wheeze. Patient recently received her first dose of Moderna COVID vaccination on March 10. Patient's daughter first developed COVID symptoms approximately 1-2 weeks prior, and was tested positive. Patient developed nausea, vomiting, and upper abdominal pain 6 days prior on March 19. She was tested positive for COVID several days prior to admission (either the 22 or 23rd, patient not sure). On the morning admission, patient had significant worsening of shortness of breath and wheeze. Patient also became significantly more weak and fatigued, and was eventually brought to ED. Patient reported chills, but denied headaches, chest pain, or diarrhea. Patient admitted to the hospital on 3/25/21 with main diagnosis COVID-19 pneumonia and patient expired on 4/13/21.
COVID19 VACCINE	1282776-1	65-79 years	10-14 days	March 22 had a stroke, admitted, respiratory entire time, then rec'd death certificated Death Certificate
COVID19 VACCINE	1284937-1	80+ years	10-14 days	passed away(death); temperature 99.7F; tired; left arm swelling; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DEATH (passed away(death)) in an 81-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 012L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Diabetic and Asthma ((but everything was under control).). On 18-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 31-Jan-2021, the patient experienced PERIPHERAL SWELLING (left arm swelling) and FATIGUE (tired). On 31-Jan-2021 at 10:30 AM, the patient experienced PYREXIA (temperature 99.7F). The patient died on 25-Feb-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, PERIPHERAL SWELLING (left arm swelling), PYREXIA (temperature 99.7F) and FATIGUE (tired) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 31-Jan-2021, Body temperature: 99.7 f (abnormal) elevated. On 31 Jan 2021, the patient was tired and went to bed early. At 10:30 pm, the patient's wife reported the patient's temperature as 99.7 degrees Fahrenheit and was given acetaminophen. The patient's left arm had swelling. The patient's son (doctor) prescribed antibiotic for treatment. On 01 Feb 2021, the patient was taken by ambulance to hospital. He was at hospital for 24 days and was on a ventilator. Treatment included Tylenol antibiotic. Company comment: Very limited information regarding the events has been provided at this time. Further information has been requested..; Sender's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested..; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1286341-1	80+ years	10-14 days	Patient was very ill and homebound. Her son has to physically carry her to move her from one place to another and she is considered homebound.

COVID19 VACCINE	1290096-1	50-59 years	10-14 days	4/20/21: patient arrived to ER per EMS status post PEA arrest. Per ER records, patient became unresponsive while sitting in bed witnessed by husband at home. According to husband, they had come home, she sat on the bed and complained she was not feeling good. She then fell back on the bed and began to seize. Subsequently she had intermittent episodes of alertness and was able to speak to the husband followed by unresponsiveness. At time of EMS arrival pt. was unresponsive. EMS noted BS 120s, SBP 50s. En route to hospital, pt. had a CP arrest for which epinephrine was given, CPR initiated with ROSC. Pt. arrived to the ER on a NRB mask attempting to speak. Subsequently, pt. had several CP arrests with asystole, and
COVID19 VACCINE	1293409-1	80+ years	10-14 days	Started feeling sick day of 2nd dose of the Moderna vaccine. never felt good. personal journal entries testify of this. never felt good before she died. Had a massive thrombophlebotic stroke 10 days later causing death.
COVID19 VACCINE	1294370-1	65-79 years	10-14 days	Patient received the COVID-19 vaccine on Thursday, March 25, 2021. On Tuesday April 6, 2021 he had a massive stroke, blood clot to left side of his brain. On Friday morning April 9, 2021 doctor's advised he had another stroke due to bleeding in the brain (paralysis on right side and racing heart beat). He died on Saturday, April 10, 2021 @ 5:45 AM.
COVID19 VACCINE	1296384-1	60-64 years	10-14 days	Client admitted to the hospital on 4/26/2021 with Covid symptoms, body aches, SOB and chest pain. Diagnosed with Covid -19 pneumonia. Antigen test positive for Covid-19 on 4/26/2021. Subsequent admission on 5/4/2021 with cardiac arrest secondary to hypovolemic shock from UGI bleed, likely variceal. Client died 5/5/2021.
COVID19 VACCINE	1296415-1	65-79 years	10-14 days	The nurse was called by the family letting us know that the patient had passed away at home. No further details were provided,
COVID19 VACCINE	1307636-1	60-64 years	10-14 days	diabetic ketoacidosis on 5/8/21
COVID19 VACCINE	1313888-1	80+ years	10-14 days	Health Department was notified of patient death. Health Department was not informed of cause of death. VAERS report completed.

COVID19 VACCINE	1313931-1	65-79 years	10-14 days	<p>ED Discharged 4/7/2021 (11 hours) Hospital Emergency Department Last attending ? Treatment team Generalized weakness +4 more Clinical impression Weakness - Generalized ? Chills Chief complaint ED Provider Notes Emergency Medicine Expand All Collapse All HPI Chief Complaint Patient presents with ? Weakness - Generalized ? Chills HPI 79-year-old female, history of COPD for which she wears oxygen at night and as needed, also with a history of leukemia and obesity who presents to the ED complaining of generalized body aches, fevers up to 103, feeling generally unwell and weak, poor sleep, onset 3 to 4 days ago. Patient reports that she received her second COVID-19 vaccine approximately 1 week ago. Tolerated this without any particular symptoms. She has had 2 days of watery/nonbloody diarrhea. Does admit to nausea with several episodes of vomiting earlier today. She is denying any particular abdominal pain. Does believe she felt her urine burning earlier today but has had no gross hematuria. Denies any flank pain. No ill contacts although her husband has been at home with a slight cough. Patient does have a cough presently but it is nonproductive. She is denying any particular chest pain or subjective shortness of breath. No rash or unusual lower extremity pain, swelling, or redness. ED to Hosp-Admission Discharged 4/6/2021 - 4/17/2021 (11 days) Hospital Last attending ? Treatment team Severe sepsis (CMS/HCC) Principal problem Discharge Summary Internal Medicine Inpatient Death Summary BRIEF OVERVIEW Admission Date: 4/6/2021 Discharge Date: 4/17/2021 DETAILS OF HOSPITAL STAY Presenting Problem/History of Present Illness/Reason for Admission Patient is an 79 y.o. female morbidly obese with past medical history of chronic lymphocytic leukemia follow-up that was initially scheduled oncology follow-up for April 7 now postponed to the next 2 weeks, COPD on 2 L oxygen support at home, GERD, depression and anxiety. She was recently seen in the ED on April 4, 2021 with complaint of shortness of breath, nonproductive cough, fever, chills, nonbloody diarrhea, vomiting and weakness and subsequently diagnosed with COVID-19. She had however received a second dose of COVID-19 a week before and was discharged home due to lack of significant findings on imaging chest x-ray and lack of requirement for higher oxygen support. She presented to the emergency via EMS for evaluation of progressive shortness of breath with associated with fever, chills, headache, persistent shortness of breath, cough productive of thick clear sputum, nausea, vomiting and diarrhea. She denies abdominal pain, chest pain, or dizziness. Denies recent antibiotic usage or recent travel. Apparently, she thought she was getting</p>
COVID19 VACCINE	1320726-1	80+ years	10-14 days	One week after receiving the injection, patient went into complete kidney failure. Patient died on May 14, 2021
COVID19 VACCINE	1323260-1	50-59 years	10-14 days	Patient did not show for 2nd dose appointment scheduled for 5/15/21. Clinic staff contacted caregiver who notified that patient had expired 10 days after her first dose of Moderna.
COVID19 VACCINE	1323599-1	80+ years	10-14 days	Sudden death due to heart failure (patient without any underlying heart conditions or experiencing any symptoms prior to death). Called 911 when family noticing patient being unconscious; 911 arrived detecting weak heart beats and took the patients to the nearest emergency room. Heart stopped beating when arriving at emergency room.

COVID19 VACCINE	1323719-1	40-49 years	10-14 days	Patient is a 41 y.o. female, reported history of asthma, obesity, polysubstance use, is transferred to the hospital via EMS in cardiac arrest. Per EMS report, the patient was found in an apartment complex by a neighbor unconscious. The initial report was that she was breathing however EMS was called back and then told that she was not breathing and not responsive. Estimated downtime was between 5 and 8 minutes before paramedics arrived and initiated CPR. Due to the patient's body habitus, it did take approximately 15 minutes to get the patient transported to the hospital. 3 rounds of epinephrine were given in the field. Her rhythm has been asystole prior to getting to the emergency department. Intraosseous access is obtained. There is an OPA in place.
COVID19 VACCINE	1329933-1	80+ years	10-14 days	Deterioration of condition.
COVID19 VACCINE	1334174-1	40-49 years	10-14 days	Health department received notification that patient expired unexpectedly while operating a vehicle. No known link to vaccination at this time, but reported as it occurred on day 13 post-vaccination.
COVID19 VACCINE	1343387-1	65-79 years	10-14 days	Patient died of a myocardial infarction.
COVID19 VACCINE	1347105-1	18-29 years	10-14 days	Found dead on May 3, 2021. Question day of death 05/01/2021. Medical examiners case. Cause pending, possible SUDEP.
COVID19 VACCINE	1351091-1	65-79 years	10-14 days	Onset urticaria 3/12/21. ED visit 3/14/21. Syncopal episode in context of rash 3/17/21 leading to hospitalization 3/17-8/21. Benadryl, loratadine, famotidine, cephalexin for UTI. 2nd Moderna shot 3/27/21. 4/2 Office visit dizzy, weak, headaches, nausea, loss of appetite since 2nd vaccine Na 127. 4/16 Office visit for Headache, neck pain. 4/25 ED visit for dizziness. MRI head NL, labs mild hyponatremia. Given meclizine. 4/27-8 Hospitalization for dizziness, orthostasis, URI symptoms. OC43 Coronavirus, orthostasis. Alb 2.7 Globulin 5. New cervical and axillary Lymph adenopathy. 5/8/21 admitted to hospital w/ new diagnosis of lymphoma (pathologic diagnosis Nodal peripheral T cell lymphoma w/ follicular helper phenotype. Large axillary lymphadenopathy, thrombocytopenia, elevated total protein, acute kidney injury, anemia. 5/15/21 patient passed away from acute hypoxic respiratory failure in the setting of new lymphoma diagnosis.
COVID19 VACCINE	1351527-1	80+ years	10-14 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1351564-1	60-64 years	10-14 days	Pulmonary embolism that resulted in death
COVID19 VACCINE	1358130-1	80+ years	10-14 days	Made home visit for the 2nd dose of the Moderna COVID Vaccine and the daughter reported patient had died on 5/9/2021. No other information was given.
COVID19 VACCINE	1359313-1	65-79 years	10-14 days	My husband had a stroke on 01/25/2021, with one large blood clot and many small blood clots. He was put on a ventilator until 02/06/2021 when I asked to have it removed. I died within 5 minutes after it being removed.
COVID19 VACCINE	1362251-1	65-79 years	10-14 days	Upset stomach and vomiting. Shortness of breath. Pressure in chest. Heart attack and DEATH.
COVID19 VACCINE	1365932-1	40-49 years	10-14 days	Patient passed away on April 27, 2021, which was two weeks after receiving second dose of Moderna Covid-19 vaccine.
COVID19 VACCINE	1371354-1	50-59 years	10-14 days	Patient developed dizziness, chills, fever, body ache, sore throat, difficulty breathing, and stopped eating beginning April 26, The adverse effect is the belief that a breakthrough case of Covid-19 will be less severe if you had the shots. A false sense of security.
COVID19 VACCINE	1371745-1	80+ years	10-14 days	Was informed by the husband on Thursday May 27, 2021 that his wife had passed away 10 days after the first moderna vaccine and that her physician said it was contributing factor to her death. The husband was waiting for the death certificate.

COVID19 VACCINE	1385984-1	80+ years	10-14 days	Second dose of Moderna COVID-19 vaccine administered 5/25/2021 at ~1300 h. Was last seen alive later that day and seemed to be in her usual state of health. Was then found dead at home on 5/28/2021. Unknown when death actually occurred.
COVID19 VACCINE	1387512-1	60-64 years	10-14 days	Dizziness; Aches; Weak; Fever; Nausea; DIED; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (DIED) in a 62-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 06-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced DIZZINESS (Dizziness), PAIN (Aches), ASTHENIA (Weak), PYREXIA (Fever) and NAUSEA (Nausea). The patient died on 18-Feb-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, DIZZINESS (Dizziness), PAIN (Aches), ASTHENIA (Weak), PYREXIA (Fever) and NAUSEA (Nausea) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. It was reported that the vaccine was not the cause, he had other medical issues too. This is a case of sudden death in a 62-year-old male patient with unknown medical, who died 12 days after receiving first dose of vaccine. Very limited information has been provided at this time. Most recent FOLLOW-UP information incorporated above includes: On 03-Jun-2021: New event (death) and narrative was updated.; Sender's Comments: This is a case of sudden death in a 62-year-old male patient with unknown medical, who died 12 days after receiving first dose of vaccine. Very limited information has been provided at this time.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1388182-1	65-79 years	10-14 days	Two weeks after receiving the final injection, my father was admitted to the hospital with pneumonia. He had poor oxygen saturation which prompted a visit to the ER. Upon x-ray he was found to have a large pneumonia in his left lung. After 10 days at the local hospital, and being placed on a ventilator, he became septic and was air lifted to one of our area's larger hospitals. There, he was diagnosed with necrotizing pneumonia caused by pseudomonas aeruginosa. He also had heart rate accelerations that would climb into the 150s and they could never figure out why. He was treated aggressively with antibiotics and was successfully weaned off the vent. However, his body was unable to fight off the infection and he ended up passing away from necrotizing pneumonia that caused his respiratory system to fail. My father had underlying COPD that was well-managed at home and he did not require oxygen. I was questioned several times as to whether he'd gotten into or been around anyone or anything different from his usual, but he had not. The only thing out of the ordinary he had was the Moderna injections.

COVID19 VACCINE	1388528-1	65-79 years	10-14 days	Only reporting to VAERS as patient received covid-19 vaccination under EUA and was hospitalized and is now deceased from illness deemed UNRELATED to prior covid-19 vaccination. She was a 69 yr old female who was transferred to hospital on 6/8 at 0141 from outside hospital with severe shock, acute hypoxemic respiratory failure, who had a cardiac arrest on arrival here for 5 mins, during arrest CPR was done and 2 doses of epinephrine were administered prior to ROSC and targeted temperature management was initiated. She was found to have a massive PE, alteplase was given and a heparin continuous infusion was started on 6/8 at 0154 and 0345, respectively. She later underwent a thrombectomy on 6/8 at 1640. She showed signs of poor neurological status. Went into MSOF despite aggressive supportive care. Family requested to make her comfortable and the patient expired on 6/10 at 0449.
COVID19 VACCINE	1392054-1	65-79 years	10-14 days	He died after being diagnosed with Lymphoma. Double hit , B cell. He was fatigued a couple weeks after vaccine, fatigue worsened, then developed severe pain. Diagnosis to death was 11 days.
COVID19 VACCINE	1414703-1	80+ years	10-14 days	High blood pressure, low oxidation, urine infection. cardiac arrest.
COVID19 VACCINE	1417642-1	30-39 years	10-14 days	Patient father reported he passed away in his sleep the night of 06-07-21 and was pronounced diseased on 6-8-21
COVID19 VACCINE	1417870-1	80+ years	10-14 days	Profuse rectal hemorrhaging and blood clots

COVID19 VACCINE	1423055-1	50-59 years	10-14 days	suffered a massive heart attack; Feeling of faintness; Palpitations; Shortness of Breath; This spontaneous case was reported by a consumer and describes the occurrence of MYOCARDIAL INFARCTION (suffered a massive heart attack), SYNCOPE (Feeling of faintness), PALPITATIONS (Palpitations) and DYSPNOEA (Shortness of Breath) in a 59-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 13-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-May-2021, the patient experienced SYNCOPE (Feeling of faintness) (seriousness criterion medically significant), PALPITATIONS (Palpitations) (seriousness criterion medically significant) and DYSPNOEA (Shortness of Breath) (seriousness criterion medically significant). On 09-Jun-2021, the patient experienced MYOCARDIAL INFARCTION (suffered a massive heart attack) (seriousness criteria death and medically significant). The patient died on 09-Jun-2021. The reported cause of death was suffered a massive heart attack. It is unknown if an autopsy was performed. At the time of death, SYNCOPE (Feeling of faintness), PALPITATIONS (Palpitations) and DYSPNOEA (Shortness of Breath) outcome was unknown. No concomitant information was reported. No treatment information was reported. Action taken with mRNA-1273 was not applicable. A Patient called to report that two weeks after the first dose of the Moderna Covid-19 vaccine on 27-May-2021, his boyfriend began to experience palpitations, shortness of breath and feeling of faintness. The caller stated that her boyfriend did not want to go to the emergency room and only set an appointment with his Health Care Provider, but on the 09-Jun-2021, the day that he was going to the appointment, he suffered a massive heart attack and passed away. This is a case of sudden death in a 59-year-old male subject, who died 23 days after receiving first dose of vaccine. Very limited information has been provided at this time. Patient medical history was not provided.; Sender's Comments: This is a case of sudden death in a 59-year-old male subject, who died 23 days after receiving first dose of vaccine. Very limited information has been provided at this time. Patient medical history was not provided.; Reported Cause(s) of Death: suffered a massive heart attack
COVID19 VACCINE	1424120-1	80+ years	10-14 days	Death 04/23/2021 Causes of death listed on death certificate: 1. hypoxic respiratory failure 2. covid 19 3. diabetes mellitus 4. hypertension
COVID19 VACCINE	1425847-1	80+ years	10-14 days	Death 04/23/2021 Causes of death listed on death certificate: 1) End Stage Renal Disease 2) Diabetes Type 2 with nephropathy 3) Hypertension 4) Coronary Artery Disease
COVID19 VACCINE	1428887-1	50-59 years	10-14 days	Sudden Brain Aneurysm on May 11, 2021, Revived and kept alive on machines until taken off life support and subsequently died on May 21, 2021
COVID19 VACCINE	1437580-1	65-79 years	10-14 days	Was found on the floor, snoring with foam forming out of his mouth. Was sent to the emergency room suffered a heart attack, passed away June 21, 2021.
COVID19 VACCINE	1438057-1	30-39 years	10-14 days	Patient died on March 27, 2021. Coroner ruled it Acute Asthma Exacerbation. Because it was only a short time after his shot, his family wants to rule that out as a possible cause of death.
COVID19 VACCINE	1441115-1	65-79 years	10-14 days	Patient found down at home unresponsive on the floor. EMS was summoned the patient was found to be in asystole. EMS was able to get a heartbeat. Pt intubated and transferred to hospital. Shortly admission to ICU patient began having severe myoclonic jerking and seizures. Patient was extubated and made no respiratory attempts. Patient expired
COVID19 VACCINE	0918487-1	80+ years	Over 120 days	Two days post vaccine patient went into cardiac arrest and passed away.

COVID19 VACCINE	0974138-1	65-79 years	Over 120 days	DEATH- NO OTHER INFORMATION KNOWN
COVID19 VACCINE	1038719-1	80+ years	Over 120 days	death attributed to unknown cause
COVID19 VACCINE	1085019-1	65-79 years	Over 120 days	Had vaccine on 3/3/2021 at approximately 1 PM. She was found on her couch deceased on 3/8/2021. Possible death on 3/5/2021. She called her sister and told sister that back hurt worse than usual and she would lay on the couch and rest. This is where she was found. Unknown if from vaccine, but due to vaccination on Wednesday proceeding her death, report is being filed.
COVID19 VACCINE	1099326-1	80+ years	Over 120 days	A few days after vaccination patient had an unusual dry cough/ and then a pain in his chest, He called our Doctor she said call your cardiologist now, patient called Dr and told him he wanted to go to his office, explained the pain he was experiencing - the doctor told him said he couldn't see him wanted to do a telemed exam. and proceeded to tell patient to see an gastro entomologist, take Tums, no tomatoes, no coffee and a few other foods and that patient was suffering from Acid Reflux and to call him back net week.
COVID19 VACCINE	1315815-1	65-79 years	Over 120 days	Dysphonia, intentional product use issue, dyspnea on exertion, pulmonary edema, immune-mediated pneumonitis; right ventricular failure; atrial fibrillation; hyperdynamic left ventricle; mitral valve incompetence; Interstitial lung disease; Tricuspid valve incompetence; Pulmonary fibrosis; Hypoxia; Hypotension; Unevaluable event; Headache; Therapeutic product effect incomplete; Drug ineffective; Vomiting; Asthenia; Diarrhoea; Nausea; pneumonia; Right atrial dilatation; Aortic valve sclerosis; Coronary artery disease; Malaise; Muscular weakness; Fatigue; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of HYPOXIA (Hypoxia), DYSPNOEA EXERTIONAL (dyspnea on exertion), PULMONARY OEDEMA (pulmonary edema), IMMUNE-MEDIATED LUNG DISEASE (immune mediated pneumonitis), RIGHT VENTRICULAR FAILURE (right ventricular failure), ATRIAL FIBRILLATION (atrial fibrillation), HYPERDYNAMIC LEFT VENTRICLE (hyperdynamic left ventricle), MITRAL VALVE INCOMPETENCE (mitral valve incompetence), INTERSTITIAL LUNG DISEASE (Interstitial lung disease), TRICUSPID VALVE INCOMPETENCE (Tricuspid valve incompetence), PULMONARY FIBROSIS (Pulmonary fibrosis), INTENTIONAL PRODUCT USE ISSUE (Intentional product use issue), DYSPHONIA (Dysphonia) and HYPOTENSION (Hypotension) in a 74-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Co-suspect product included non-company product AMIFAMPRIDINE PHOSPHATE (FIRDAPSE) for Myasthenic syndrome. The patient's past medical history included Pulmonary arterial pressure abnormal on 03-Jul-2018, Migraine (Ever since he was a kid), Headache, Small cell lung cancer metastatic (In liver and lymph nodes; brain metastases; right-sided pulmonary nodules), Metastases to liver, Metastases to lymph nodes (One measurable mediastinal lymph node; lymphadenopathy), Gait disturbance, Metastases to central nervous system, Muscular weakness and Radiotherapy (of his head and lung for his cancer). Concurrent medical conditions included Myasthenic syndrome (Cannot walk without FIRDAPSE). Concomitant products included PANTOPRAZOLE, ACETYLSALICYLIC ACID (ASPIRIN 81) and FUROSEMIDE for an unknown indication. On 18-Sep-2020, the patient started AMIFAMPRIDINE PHOSPHATE (FIRDAPSE) (Oral) 10 milligram three times a day. In January 2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Jan-2021, the patient experienced HYPOXIA (Hypoxia)

COVID19 VACCINE	1323699-1	80+ years	Over 120 days	My uncle, died on February 17, 2021. He was admitted on February 2, 2021 6 days after taking the COVID-19 Moderna vaccine (1/28/2021). After the shot was administered, he developed all the COVID-19 symptoms (loss of taste, smell, high temperature, and had trouble breathing). He was deprived of oxygen and had labored breathing and was acting confused. The home health nurse contacted his primary care physician and was instructed to bring him into the ER.
COVID19 VACCINE	1399352-1	65-79 years	Over 120 days	Patient had cataract surgery in mid May, developed shortness of breath after, was seen in ER and admitted. Found to have stage 4 small cell lung cancer (not a smoker to my knowledge). Stayed in hospital until June 3rd when he was transferred home to medical center for end of life care. Died June 7th.
COVID19 VACCINE	1431502-1	80+ years	Over 120 days	Patient died of complications due to COVID-19 illness, which was 4 months after receiving his second dose of vaccine. He was a breakthrough case that died with full vaccination status for COVID-19. No one is indicating that the vaccine had anything to do with this persons' death.
COVID19 VACCINE	1437505-1	80+ years	Over 120 days	Death 6-28-2021
COVID19 VACCINE	0928933-1	50-59 years	15-30 days	Patient had been diagnosed with COVID-19 on Dec. 11th, 2020. Symptoms were thought to have started on 12/5/2020. Received Moderna vaccine on 12/23. Unexpected death on 1/8/2021. Resuscitation attempts unsuccessful
COVID19 VACCINE	0936805-1	18-29 years	15-30 days	Patient received the vaccine on 12/22/20 without complication. It was reported today that the patient was found unresponsive and subsequently expired at home on 1/11/21.
COVID19 VACCINE	0951688-1	60-64 years	15-30 days	Resident expired 1/17/21
COVID19 VACCINE	0962318-1	80+ years	15-30 days	Called to schedule second vaccine and daughter reports that he died on 01/19/2021 with ""COVID""
COVID19 VACCINE	0965256-1	30-39 years	15-30 days	Found deceased, presumed while exercising
COVID19 VACCINE	0973820-1	65-79 years	15-30 days	Narrative: Symptoms: & DEATH DUE TO COVID 01/13/21 Treatment:
COVID19 VACCINE	0974454-1	65-79 years	15-30 days	Patient passed away 23 days after receiving COVID vaccine
COVID19 VACCINE	0974573-1	80+ years	15-30 days	ON 1/21/2020 RESIDENT WAS EXPERINCING CHILLS AND LOOSE STOOLS. FOLLOWING THIS EPISODE BECAME UNRESPONSIVE, PALE, DIAPHORETIC AND BRADYCARDIC. PALLIATIVE CARE WAS PROVIDED. RESIDENT PASSED AWAY APPROX. 10 HOURS LATER.
COVID19 VACCINE	0975735-1	80+ years	15-30 days	VACCINE ADMINISTERED 01/06/21 ACQUIRED COVID 19 01/10/21 RESIDENT HAD MULTIPLE CO MORBIDITIES AND WAS DECLINING PRIOR TO VACCINE. RESIDENT EXPIRED ON 01/25/2021
COVID19 VACCINE	0977319-1	40-49 years	15-30 days	Notified by patient's sister on 1/26/2021 that patient died in his sleep on 1/25/2021. She did not know cause of death.
COVID19 VACCINE	0978529-1	80+ years	15-30 days	Patient developed Covid pneumonia dx 1/15/21, patient expired
COVID19 VACCINE	0979773-1	65-79 years	15-30 days	Not sure if it has to do with the COVID vaccine but her caregiver reported to me today (1/27/2021) that she passed away on 01/16/2021 from a pulmonary embolism that was 18 days after vaccine
COVID19 VACCINE	0982354-1	80+ years	15-30 days	patient received COVID vaccine on 12/29/2020 and passed away on 1/23/2021
COVID19 VACCINE	0983720-1	65-79 years	15-30 days	Death Narrative: Patient had Parkinson's and advanced Dementia. He was on a palliative care unit and a DNR.

COVID19 VACCINE	0985004-1	50-59 years	15-30 days	The week of 1/18/2021 The patient complained of Abdominal pain and called off work (we are also her employer) She was seen for constipation on 1/20/2021. Employee returned to work on 1/25/2021 Had occasional episodes during work where she would sweat and become tired but would rest until she felt better. On the Night of 1/27/2021 she was feeling fine no issues, later in the shift a co worker found her unresponsive, CPR was initiated but unsuccessful.
COVID19 VACCINE	0988270-1	80+ years	15-30 days	Narrative: Symptoms: & death Treatment:
COVID19 VACCINE	0995147-1	80+ years	15-30 days	Death Narrative: Patient received the first COVID-19 dose on 12/23. Afterwards, patient complained of localized pain on L deltoid area where the vaccine was administered; his temperature was 98.1 F. On 12/26-27, staff reported that patient appeared more fatigued than usual and was shivering on 12/27, which seized after blanket was given. On 12/28, patient presented with fever (Tmax 100.2 F) and acetaminophen was administered for alleviation of fever. ADR was reported for the fever on 12/29. Patient continued to decline and was placed back on hospice care on 12/29; on 12/30. the symptoms reported on nursing note include erythema and pain on whole L arm. Lidocaine was applied. Patient's family and provider mutually agreed not to administer the second dose of vaccine. He continued to decline and was started on end-of-life care around 1/4 and passed on 1/20 1417.
COVID19 VACCINE	0998421-1	80+ years	15-30 days	Resident passed away unexpectedly on 1/27/21 from presumed sudden cardiac death.
COVID19 VACCINE	1002636-1	80+ years	15-30 days	On 1/17/2021 patient woke and began her day as usual, was found down by family member 1 hour later conscious but unable to speak and unable to move her R side. She was admitted to the hospital - Initial NIHSS was 26 and CT imaging showed no acute hemorrhage but mild hypodensity of greater than 1/3 of the MCA territory (TPA not recommended). CTA did show distal L M1/M2 occlusion and she was transferred to larger facility for thrombectomy. Unfortunately the patient had persistent severe neurological deficits after thrombectomy. Was discharged home on hospice care and expired on 1/23/21.
COVID19 VACCINE	1004956-1	80+ years	15-30 days	Wife reported patient expired on 2/3/2021
COVID19 VACCINE	1005130-1	80+ years	15-30 days	Report of patient expired on 2/3/2021
COVID19 VACCINE	1006416-1	50-59 years	15-30 days	Patient died of a heart attack on 1/31/21, 2.5 weeks after vaccination
COVID19 VACCINE	1006577-1	80+ years	15-30 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1009813-1	80+ years	15-30 days	Patient became immobile on 1/25/21 (4 days after receiving Moderna COVID-19 vaccine). He died on 1/27/21
COVID19 VACCINE	1012604-1	65-79 years	15-30 days	Death
COVID19 VACCINE	1013041-1	80+ years	15-30 days	Vaccine was administered on 1/15/2021 and death occurred on 1/31/2021.
COVID19 VACCINE	1015465-1	65-79 years	15-30 days	DISCOVERED UNRESPONSIVE WITHOUT PULSE, RESPIRATIONS, HEART BEAT ON 2/7/21 AT 0435 A.M. RESIDENT WAS DNR STATUS.
COVID19 VACCINE	1016097-1	65-79 years	15-30 days	Patient died 02/08/21
COVID19 VACCINE	1017960-1	80+ years	15-30 days	Pt was deceased when we came for second dose. COD unknown to pharmacy.
COVID19 VACCINE	1017971-1	80+ years	15-30 days	Pt was deceased when we came for second dose. COD unknown to pharmacy
COVID19 VACCINE	1017974-1	80+ years	15-30 days	Pt was deceased when we came for second dose. COD unknown to pharmacy
COVID19 VACCINE	1017978-1	65-79 years	15-30 days	Pt was deceased when we came for second dose. COD unknown to pharmacy

COVID19 VACCINE	1020002-1	65-79 years	15-30 days	Given First Moderna covid vacc 1/19/2021. Doing well on multiple contacts from health care providers, then 2/5/2021 was driving, pulled over to the side of the road into a yard, got out of the car and told an observer that he could not breathe, collapsed face down in the snow, EMS called, unable to revive him.
COVID19 VACCINE	1020079-1	65-79 years	15-30 days	Received Moderna covid vaccination 1/14/2021. 1/16/2021 received report of cough and difficulty breathing. Proceeded to hospital and was diagnosed Covid+ on testing. Continued to decline, died 1/31/2021.
COVID19 VACCINE	1020702-1	40-49 years	15-30 days	Passed away the morning of 2/9/21.
COVID19 VACCINE	1021045-1	80+ years	15-30 days	Patient had passed since the first dose was given.
COVID19 VACCINE	1021052-1	80+ years	15-30 days	Patient had passed since the first dose was given.
COVID19 VACCINE	1021058-1	65-79 years	15-30 days	Patient had passed since the first dose was given.
COVID19 VACCINE	1026233-1	80+ years	15-30 days	patient developed autoimmune thrombocytopenia
COVID19 VACCINE	1026581-1	65-79 years	15-30 days	He had sudden death on Feb 4th. Unclear if this could be related to vaccination but since it was close in timing report has been filed. No known immediate reaction to vaccination.
COVID19 VACCINE	1029554-1	65-79 years	15-30 days	Patient died suddenly on 2/1/21 from unknown causes according to his son.
COVID19 VACCINE	1032252-1	80+ years	15-30 days	Resident tested COVID-19 confirmed positive a few days after covid vaccination.
COVID19 VACCINE	1032265-1	80+ years	15-30 days	Resident tested NEGATIVE for COVID-19 last 1/25/2021. She was on monitoring for desaturation and low blood pressure on Jan. 27,2021
COVID19 VACCINE	1032279-1	80+ years	15-30 days	Resident tested NEGATIVE for COVID-19 on 1/25/2021. She was on monitoring for declining in condition on 1/29/2021.
COVID19 VACCINE	1032303-1	80+ years	15-30 days	On monitoring for declining in condition, loss of appetite and generalized body weakness on 2/1/2021. Was confirmed COVID-19 positive 4/23/2020.
COVID19 VACCINE	1033263-1	65-79 years	15-30 days	patient passed away within 60 days of receiving COVID vaccine
COVID19 VACCINE	1036437-1	80+ years	15-30 days	Patient is deceased. Family called the pharmacy on 2-17-21 to let us know he would not be coming for his second appointment. When the pharmacist tried to call the family back for more info, the phone number on file doesn't work.
COVID19 VACCINE	1036770-1	80+ years	15-30 days	Feb 10th died in her sleep. No apparent reason.
COVID19 VACCINE	1045894-1	80+ years	15-30 days	COVID infection, death
COVID19 VACCINE	1046230-1	65-79 years	15-30 days	Death. My father-in-law was found unexpectedly deceased in his home Saturday morning. He worked the previous day.
COVID19 VACCINE	1046613-1	65-79 years	15-30 days	patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1046698-1	60-64 years	15-30 days	patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1047634-1	80+ years	15-30 days	Patient was admitted to hospital on 2-9-21 for urinary tract infection and tested positive for Covid. Developed pneumonia and expired on 2-12-21.
COVID19 VACCINE	1049406-1	80+ years	15-30 days	Patient rcvd 1st covid 19 vaccine on 1/26/2021. Patient had house guests on 1/30/21. Those house guests tested positive for covid on 2/1/2021. Patient started getting symptoms on 02/2/2021. Patient tested postivie on 2/4/2021. Patient was hospitalized 2/7/2021. Patient passed away on 2/21/21.
COVID19 VACCINE	1049648-1	80+ years	15-30 days	I was notified on 2/22/21 that this patient passed away over the weekend. I do not know the details, nor can I confirm anything beyond what I was told. I believe the death occurred on 2/20/21 due to a massive stroke.

COVID19 VACCINE	1051923-1	80+ years	15-30 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1052108-1	80+ years	15-30 days	Patient passed away within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1052138-1	65-79 years	15-30 days	Received Moderna 1st dose on 12/29/2020. Was in the hospital on 1/17/21-1/21/21 for severe hypotension and removal and replacement of hemodialysis shunt.
COVID19 VACCINE	1052179-1	65-79 years	15-30 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1054813-1	80+ years	15-30 days	Chest clear - Hospitalized for a UTI
COVID19 VACCINE	1056518-1	80+ years	15-30 days	The coroner said it was some type of heart attack; A spontaneous Report Received from a Health care professional concerning a 84 year old male patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and who experienced a heart attack / myocardial infarction. The patient's had undergone triple bypass surgery years ago. Concomitant medications were vitamins. On 18-Jan-2021 prior to onset of events the patient received his first of first two planned doses of (mRNA-1273) COVID-19 vaccine of unknown batch no, unknown route and unknown site of administration for prophylaxis of COVID-19 infection. On 13-Feb-2021 the patient experienced death 27 days after the first dose of the vaccine. The coroner said it was some type of heart attack and think he expired sometime Saturday 13-Feb-2021. On 16-Feb-2021 the patient was supposed to have his second dose of (mRNA-1273) COVID-19 vaccine. The event, heart attack, was fatal.; Reporter's Comments: This is a case of death to heart attack in a 84-year-old female subject with a hx of triple bypass surgery, who died 27 days after receiving first dose of vaccine. Very limited information has been provided at this time. No death certificate provided. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of Death



COVID19 VACCINE	1065078-1	Unknown	15-30 days	Unresponsive; A spontaneous report was received from a Reporter concerning a 25 Years-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273). The patient's medical history was not provided. No relevant concomitant medications were reported. On 22-DEC-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 01-JAN-2021, The patient became unresponsive and died which is serious. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. On 01-JAN-2021, the outcome of the event unresponsive became fatal. patient died.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1065543-1	65-79 years	15-30 days	It was reported to staff that this gentleman suffered thrombocytopenia following his vaccine, a platelet infusion was done and he expired on 2-14-21
COVID19 VACCINE	1066199-1	80+ years	15-30 days	Patient had gotten up to the bathroom and collapsed in the hallway after using the restroom. Patient was unresponsive upon EMS arrival with vomitus coming out of the mouth per the report when they rolled patient over onto his side the emesis was pouring out of his mouth. ER course: Examination. Epinephrine 1 mg IO x4 CBC, CMP, cardiac panel MDM: 1447 patient arrival, per EMS report patient had been sick and vomiting all morning. Bradycardia noted at arrival with rates in the 30s, CPR was initiated patient had received 3 rounds of epi prior to arrival. 1450 CPR continues via the Lucas device, 1 mg epinephrine given IV push 1451 CPR pause rhythm check. CPR resumes 1453 CPR paused for rhythm check. No central pulses, CPR resumed, glucose of 99 per fingerstick 1454 King tube removed. Oral airway placed respirations by BVM. 1 mg epinephrine IV push 1455 CPR pause for both pulse and rhythm check. No central pulses noted. CPR resumes via Lucas 1456 pupils are fixed and dilated bilaterally 1457 CPR pause for pulse and rhythm check. No central pulses noted. CPR resumed via Lucas. 1 mg epinephrine IV push 1459 warm blankets applied. CPR pause for pulse and rhythm check. No central pulses noted. CPR resumed 1501 CPR pause for pulse and rhythm check. No central pulses. CPR resumes 1502 1 mg epinephrine given IV push 1503 CPR pause for pulse and rhythm check. No central pulses noted. CPR resumed via the Lucas device 1506 resuscitation is ceased at this time. Time of death recorded at 1506
COVID19 VACCINE	1066715-1	80+ years	15-30 days	epistaxis.
COVID19 VACCINE	1066770-1	80+ years	15-30 days	died
COVID19 VACCINE	1068882-1	80+ years	15-30 days	DEATH Narrative: Son stated that patient was doing well, still working and driving places. He stated that he called his son and stated that he wasn't feeling well and died shortly after that.
COVID19 VACCINE	1068890-1	65-79 years	15-30 days	death Narrative: unclear of details, s/p spine surgery on 2/2/21 and discharged on 2/6/21
COVID19 VACCINE	1068901-1	65-79 years	15-30 days	ER admit for CP and Jaw pain, exhaustion, Aortic arteritis normal SED rate found on CT scan hospital admit IV medications required Solumedrol and Actemra questionable how much medications received d/t IV's not working. Released from care on 2/19 with prednisone . Symptoms still present off and on. 2/21 922pm CP Jaw Pain severe EMT's called EKG done reported no heart attack, pain better, EMTs left. 10/15 severe Pain collapsed with no pulse and no breathing, EMTs returned unable to obtain a shock-able rhythm time of death pronounced. reason for death on certificate Aortitis - hospitalist thinks aortic dissection d/t severe inflammation
COVID19 VACCINE	1068993-1	40-49 years	15-30 days	Spontaneous intracerebral hemorrhage and death on 2/20/2021

COVID19 VACCINE	1069026-1	65-79 years	15-30 days	Death Narrative: Family was able to be present at bedside shortly after patient was extubated. Fentanyl bolus given 10-15 minutes prior. Patient passed away soon after endotracheal tube removed. Time of death 10:14am.
COVID19 VACCINE	1069830-1	80+ years	15-30 days	From CT Scan in ED at 7:40 pm on 1/25/2021 -- There is a large intraparenchymal hemorrhage with Surrounding vasogenic edema within the left occipital lobe. There is additional subdural hemorrhage layering along the left frontal, temporal and parietal convexity which may be decompressing from the area of intraparenchymal hematoma. No visualized intraventricular hemorrhage. There is some trace hemorrhage layering along the left tentorium cerebelli. Severe associated mass effect with left-to-right midline shift of 2.1 cm. There is subfalcine and downward transtentorial herniation with complete effacement of the basilar cisterns. Evaluation of the craniocervical junction is limited due to beam hardening artifact. Near-complete effacement of the left lateral ventricle. No head trauma or fall. Deceased 1/26/2021
COVID19 VACCINE	1069938-1	80+ years	15-30 days	expired at Hospital
COVID19 VACCINE	1071134-1	Unknown	15-30 days	Death; A spontaneous report was received from a reporter concerning a 56-year old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and had experienced death. The patient's medical history was not provided. No relevant concomitant medications were reported. On 23 Dec 2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) for prophylaxis of COVID-19 infection. On 08 Jan 2021, the patient died. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 08 Jan 2021. The cause of death was not provided. Plans for an autopsy were not provided.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1073225-1	65-79 years	15-30 days	Death within 30 days: Admit 2/8/21-2/13/21 s/p fall with left hip fracture (repaired), severe debility with recurrent falls discharged to SNF. Not doing well postop at the SNF, brought to ED due to failed foley insertion with bright red blood upon arrival to ER febrile, hypotensive, tachycardic, severe sepsis. Gran negative bacteremia likely from chronic ascites, family decided on comfort care and he expired within hours of admission.
COVID19 VACCINE	1073344-1	80+ years	15-30 days	patient died.
COVID19 VACCINE	1073361-1	80+ years	15-30 days	passed away
COVID19 VACCINE	1073895-1	65-79 years	15-30 days	Patient passed away after getting the 1st dose of COVID vaccine. He seemed otherwise very healthy.
COVID19 VACCINE	1073902-1	80+ years	15-30 days	Patient seemed otherwise healthy before the vaccination. Patient was hospitalized then shortly passed after getting the 1st dose.
COVID19 VACCINE	1075057-1	80+ years	15-30 days	death
COVID19 VACCINE	1075090-1	80+ years	15-30 days	death
COVID19 VACCINE	1080430-1	50-59 years	15-30 days	Death Narrative: Death was not determined to be related to COVID vaccination. COVID vaccination (dose 1) occurred on 1/27/21 with no noted side effects. Death occurred on 2/14/21.
COVID19 VACCINE	1081132-1	50-59 years	15-30 days	Severe thrombocytopenia approx. 10 days after vaccine administration.
COVID19 VACCINE	1081155-1	80+ years	15-30 days	Pt died on 3/6/2021. Received Vaccine on 2/12/2021. Unknown cause of death.

COVID19 VACCINE	1082345-1	80+ years	15-30 days	This patient developed a severe pneumonia, clinically diagnosed as COVID-19 pneumonia, with hypercapnic and hypoxemic respiratory failure, and expired. I am not sure if it was related to the vaccine, but the rapid antigen for Sars-CoV2 was positive and the PCR was negative. I am reporting this event because of the lack of clarity on this issue and the positivity of the Sars-CoV2 was beyond the parameters of 14 days in the phase three trials.
COVID19 VACCINE	1082467-1	60-64 years	15-30 days	Pt passed away on 3/6/21.
COVID19 VACCINE	1085375-1	50-59 years	15-30 days	Patient presented to medical center emergency room on 02/21/2020 at 19:00, patient complained of shortness of breath and feeling fullness of her throat. Patient stated that she had Motrin 800 mg TID and Flexeril PRN due to her back pain. Patient also stated that she ate a banana after she took her medications. Her systolic blood pressure was 50, and her HR was 109, patient also stated that she had her 2 shots of Moderna Vaccine, her first shot was on 01/06 and her second shot was on 02/02. Patient was treated with: 1 Duoneb, 0.3 ML IM of epinephrine, Solumedrol 125 mg, Benadryl IV 50 mg, Normal Saline infusion IV 1000 ml/hr, and Pepcid IV 20 mg. Patient lactic acid was 10.6, WBC 24.2 and Temp 97 F, patient was diagnosed as sepsis shock and patient received: Piperacillin-tazobactam 3.375 g in D5W 50 ml IVPB (3.375 g once) Vancomycin 1 g in D5W 200 ml IVPB (1 g once). Patient pH was < 6.780 and PCO2 was 55 and bicarbonate level was 5.0, patient received Sodium bicarbonate IV 50 mEq once. Patient was not stable as her BP and HR were fluctuating patient received DilTlazem IV 2.5 mg for 2 doses. Patient received Levophed 16 mg /NS 250 ml IV. At 23:13 patient was intubated, patient received a local anesthesia through a central line of lidocaine 2% without epinephrine, and patient was transferred to the ICU to be monitored. At 00:33 CODE BLUE was called and patient became unresponsive and lost pulse while patient was brought to ICU. Patient was coded twice before ROSC, during intubation patient patient noted to have coffee-ground drainage.
COVID19 VACCINE	1086868-1	65-79 years	15-30 days	Passed away; Severe hypotension; Hemodialysis shunt bleeding; A spontaneous report was received from other health professional concerning a 72 years old, male patient who experienced hypotension, removal and replacement of hemodialysis shunt (procedure), hemodialysis shunt bleeding and death. The patient's medical history was not provided. Concomitant product use was not provided/unknown by the reporter. On 29-DEC-2020, the patient received their first of two planned doses of mRNA-1273 (Batch number [LOT/BATCH: 039K208] intramuscularly in the right arm for prophylaxis of COVID-19 infection. The patient was hospitalized for severe hypotension and Removal and Replacement of hemodialysis shunt from 17-JAN-2021 to 21-Jan-2021. On 26-01-2021 the patient was sent to hospital due to his hemodialysis shunt bleeding. On 27-01-2021, the patient passed away at the hospital. Treatment information was unknown. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 27 Jan 2021. The cause of death was unknown. Plans for an autopsy were unknown.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1088287-1	80+ years	15-30 days	The caregiver on duty tells the nurse in charge that on 5/3/2021 she proceeds to bathe the resident and he was disoriented, so she goes to bed at around 5:00 a.m. The resident expresses that he feels bad, when the caregiver goes to look for things to take vital, when he returns she finds him without vital signs and was presenting respiratory problems.
COVID19 VACCINE	1088367-1	80+ years	15-30 days	Person of contact spent around 10 minutes in the room, spoke with the resident, left the room. When the caregiver came into the room with the resident lunch the resident was without vital signs. Dxn: Atherosclerotic Heart Diseases
COVID19 VACCINE	1089441-1	65-79 years	15-30 days	Sunday, Feb 21, 2021. Patient told her husband she didn't feel well and she lay down next to him. She was tossing and looked like she was trying to get up. He was talking to her and she wasn't answering him. She was having trouble breathing. Took her to the hospital right away at 7:30 pm. They put her into a comma with a respirator. Finally went from emergency room to ICU on Monday. Then on Wednesday they took the respirator out and I spoke to her ? told her we all love her and she could only say hoarsely ?terrible, terrible.? They said she might get moved to regular floor. But then Wednesday night couldn't breathe again and put the respirator back in. Thursday morning husband had it removed and she died that evening at 10:51 on February 25.
COVID19 VACCINE	1091928-1	80+ years	15-30 days	Pt was given Moderna COVID-19 vaccine on 2/11/21 with no adverse reactions. Pt later died on 3/08/2021 with lung cancer being cause of death.
COVID19 VACCINE	1092110-1	65-79 years	15-30 days	Patient passed away within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1093418-1	80+ years	15-30 days	After pt received first dose of Moderna on January 27, 2021, he experienced continuous increased decline in his health , with symptoms of increased difficulty swallowing, increased coughing, at least one episode of choking with expulsion of food; increased difficulty walking with walker, increased shortness of breath. On Wednesday, Feb. 24, at 7:50 a.m. , Pt was in wheelchair exiting home, on way to detached garage, being pushed by his daughter, when he slumped over, stated that he couldn't breathe, and went unconscious. Pt. did not have a detectable pulse . EMT was called and upon arrival performed CPR and obtained a pulse. Pt was transported to local hospital, where, again he lost pulse and was resuscitated again with mechanical CPR. Pt was supported with blood pressure medicine and ventilator until 7:53 p.m. when his heart stopped again. Pt. passed at that time.
COVID19 VACCINE	1094290-1	65-79 years	15-30 days	Patient died on March 10th 2021 and received the vaccine on February 23 2021. Patient had health issues. Spoke with coroner and patient did die at home. Patient was taken straight the the funeral home afterwards.
COVID19 VACCINE	1094300-1	60-64 years	15-30 days	death
COVID19 VACCINE	1094402-1	80+ years	15-30 days	death
COVID19 VACCINE	1094468-1	80+ years	15-30 days	Hospitalization after a fall resulting in femoral neck fracture. Patient deceased 3/4/21.
COVID19 VACCINE	1094990-1	80+ years	15-30 days	Death within 60 days of COVID vaccine administration
COVID19 VACCINE	1095081-1	80+ years	15-30 days	Death
COVID19 VACCINE	1095160-1	80+ years	15-30 days	death
COVID19 VACCINE	1095456-1	80+ years	15-30 days	date of injection 01/30/2021 CARDIAC ARREST 1/30/2021 Death 1/30/2021
COVID19 VACCINE	1095596-1	65-79 years	15-30 days	cardiac arrest death
COVID19 VACCINE	1095725-1	65-79 years	15-30 days	death
COVID19 VACCINE	1095737-1	65-79 years	15-30 days	Shortness of breath Acute on chronic renal failure Abnormal LFTs Death

COVID19 VACCINE	1096952-1	65-79 years	15-30 days	Patients cancer progressed quicker than expected. Resulting in his passing
COVID19 VACCINE	1098680-1	65-79 years	15-30 days	Pt completed 2 covid vaccine morderna doses Feb 18, 2021. Pt with increasing weakness and short of breath for 3 days PTA on 3/6/2021.
COVID19 VACCINE	1098902-1	50-59 years	15-30 days	Death
COVID19 VACCINE	1099216-1	80+ years	15-30 days	PATIENT'S SISTER REPORTED PATIENT PASSED AWAY 03/07/2021
COVID19 VACCINE	1102443-1	80+ years	15-30 days	On 2/18/2021 the resident spiked a fever of 101.7 and had decrease oxygen saturation down to 86% with a cough. The resident was transferred to the ER for evaluation. Per Advanced Directives resident was not treated with antibiotics and returned to the Nursing Home on 2/19/2021. The resident had several episodes of emesis and was placed on comfort measures. He dised on 2/25/2021.
COVID19 VACCINE	1103876-1	65-79 years	15-30 days	shortness of breath, cough, nausea, diarrhea death
COVID19 VACCINE	1103885-1	80+ years	15-30 days	death
COVID19 VACCINE	1105261-1	80+ years	15-30 days	The patient was admitted to hospice because she stopped eating and deteriorated. He was being given food through the tube and then he has no vital signs.
COVID19 VACCINE	1105749-1	65-79 years	15-30 days	Patient died on 2/28/2021
COVID19 VACCINE	1107735-1	80+ years	15-30 days	Death on March 8 due to a large blood clot at the base of his brain. This was 16 days after innoculation.
COVID19 VACCINE	1108262-1	80+ years	15-30 days	Patient passed away unrelated to covid vaccine Narrative: The patient had hypertension, diabetes, hyperlipidemia and sleep apnea. Patient received first dose of Moderna vaccine 1/15/2021 and no adverse reaction was recorded. Clinical staff called to review patient's intent for second dose, patient is not interested and has elected to not receive second dose following clinical discussion of the risks and benefits of the COVID-19 vaccination. Patient was called on 2/17/2021 and his son stated patient passed away on 2/6/2021. Cause of death not documented. No indication that death was related to COVID 19 vaccination.
COVID19 VACCINE	1108475-1	65-79 years	15-30 days	death Narrative: Patient received COVID vaccine # 1 on 1/6/2021, on 1/23/21 his wife reported to the facility that he passed away. Notes in database do not mention cause of death or where death occurred. There are no scanned records in database with any detail either.
COVID19 VACCINE	1108477-1	80+ years	15-30 days	Patient died unrelated to covid vaccine Narrative: The patient had advanced Alzheimer's disease and severe dementia. Patient received the first dose of Moderna vaccine on 1/7/2021 and no adverse reaction was reported. Placed in hospice care and passed away on 1/29/2021. Cause of death not documented. No indication that death was related to COVID 19 vaccination.
COVID19 VACCINE	1108766-1	65-79 years	15-30 days	Family reported today 3/17/2021 that patient passed away 3/12/2021, they did not indicate that it had anything to do with the vaccination or give medical history.
COVID19 VACCINE	1110311-1	80+ years	15-30 days	patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1110696-1	65-79 years	15-30 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1111726-1	80+ years	15-30 days	Patient was reported by adult care home to have passed away 3/12/21
COVID19 VACCINE	1112185-1	80+ years	15-30 days	Patient passed away within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1112585-1	65-79 years	15-30 days	patient diagnosed with covid on 2.18.2021 and died of covid 3.6.2021
COVID19 VACCINE	1113647-1	80+ years	15-30 days	Patient died 3 days after vaccination

COVID19 VACCINE	1114448-1	80+ years	15-30 days	He was sent to the hospital two weeks earlier for Pulmonary Edema, he was discharged and sent to hospice. When the caregiver takes her rounds, she finds the resident without vital signs, prior to that he had not manifested any symptoms. Certification of cardio-respiratory failure secondary to Alzheimer's disease
COVID19 VACCINE	1114511-1	80+ years	15-30 days	Chills, presenting discomfort . Then they give him a bath. When they went to report to the nurse of each of the residents, they found him without vital signs.
COVID19 VACCINE	1114735-1	80+ years	15-30 days	Acute mesenteric ischemia; shock secondary to necrotic bowel.
COVID19 VACCINE	1115126-1	65-79 years	15-30 days	His breathing problem worsened on 02/23/2021, short of breath and tired. He died of a pulmonary embolism and heart attack in the hospital on 3/9/21 after being there for 9 days.
COVID19 VACCINE	1116096-1	80+ years	15-30 days	Death Narrative:
COVID19 VACCINE	1116098-1	60-64 years	15-30 days	Death Narrative:
COVID19 VACCINE	1116100-1	65-79 years	15-30 days	extreme fatigue then patient passed away while asleep Narrative: Unclear if the vaccine is connected to his death. Chart reviewed. He has medical conditions which could have caused his death. Unclear who completed his death certificate. Death was close to a month ago. Whether he had an autopsy or not is unclear. We can report as a suspicious death after vaccination.
COVID19 VACCINE	1116101-1	80+ years	15-30 days	Death Narrative:
COVID19 VACCINE	1116104-1	80+ years	15-30 days	Death Narrative:
COVID19 VACCINE	1116105-1	80+ years	15-30 days	Death Narrative:
COVID19 VACCINE	1116236-1	60-64 years	15-30 days	Hospice patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1118956-1	80+ years	15-30 days	Patient passed away unrelated to COVID vaccine Narrative: The patient has COPD and congestive heart failure. Patient received first dose of Moderna vaccine on 1/11/2021 and no adverse reaction was reported. Patient's son reported patient had a minor car accident and was taken to ER where he was tested positive for COVID pneumonia and he passed away in his sleep on the morning of 2/4/2021. Patient's son stated due to his COPD, he was not able to survive the COVID pneumonia. No indication that death was related to COVID 19 vaccination.
COVID19 VACCINE	1118957-1	65-79 years	15-30 days	DEATH Narrative: Patient passed away approximately 1 month after receiving first COVID-19 vaccination. No report of a significant reaction to this vaccine, so unlikely a correlation.
COVID19 VACCINE	1118959-1	80+ years	15-30 days	Death Narrative:
COVID19 VACCINE	1118960-1	80+ years	15-30 days	Death Narrative:
COVID19 VACCINE	1118961-1	65-79 years	15-30 days	Death Narrative:
COVID19 VACCINE	1118962-1	80+ years	15-30 days	Death Narrative:
COVID19 VACCINE	1118966-1	80+ years	15-30 days	Patient passed away unrelated to covid vaccination Narrative: The patient had hx of chronic heart failure on palliative milrinone with hospice. Patient received his first dose of Moderna on 1/11 and patient had a prior positive PCR on 1/12/2021. Patient passed away on 1/27/2021. Family member stated patient didn't seem to be struggling for breath, any pain or other discomfort. Cause of death is not related to COVID 19 vaccination.
COVID19 VACCINE	1118967-1	80+ years	15-30 days	Patient passed away unrelated to covid vaccine Narrative: The patient had worsening COPD and cognitive deficits. Patient's last hospital visit is 2/2021 for COPD exacerbation. Patient received his first dose of Moderna on 1/13 and second dose of Moderna on 2/9. Patient passed away at home on 3/3. No indication that death was related to COVID 19 vaccination.

COVID19 VACCINE	1122392-1	65-79 years	15-30 days	Patient passed away related to covid vaccination Narrative: The patient had CHF, cardiomyopathy, A-fib and COPD. Patient received his first dose of Moderna on 1/20. No adverse reaction was reported. Patient was found unresponsive and confirmed dead by Sheriff on 2/10. Cardiologist was notified of his death and suspect patient's death is related to ventricular arrhythmia. He also has a history of noncompliance. Cause of death is not related to COVID 19 vaccination.
COVID19 VACCINE	1122393-1	65-79 years	15-30 days	Death Narrative: Around the end of January 2021, patient was admitted to a home hospice program due to worsening of patient's Parkinson's Disease and Dementia. It was noted on the hospice programs Plan of Care that patient had severe, progressive dysphagia due to disease. Patient lost 20 pounds over the last 2 months prior to admission to hospice program. Patient had severe tremors, dystonia, and was dyspneic with minimal exertion. Patient received Moderna's Covid vaccine on 3/3/21. On 3/13/21, patient got progressively worse. He stopped eating and drinking and started to exhibit Cheyne-Stokes breathing. Hospice nurse noted that patient only had a few days remaining. On 3/18/21, patient passed away.
COVID19 VACCINE	1123405-1	80+ years	15-30 days	None stated.
COVID19 VACCINE	1123737-1	80+ years	15-30 days	PATIENT PASSED AWAY ON 3.20.2021
COVID19 VACCINE	1123768-1	80+ years	15-30 days	PATIENT DIED AT HOME ON 03/19/2021
COVID19 VACCINE	1125079-1	Unknown	15-30 days	Patient passed away; Found him non-responsive; A spontaneous report was received from a consumer concerning a male patient of an unknown age who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced unresponsiveness to stimulus. The event was followed by his death. The patient's medical history included Covid-19 and experienced dehydration prior to testing positive for Covid-19. Concomitant product use was not provided by the reporter. The patient was diagnosed with COVID-19 at the skilled facility after becoming dehydrated. He was transported to Hospital on 23 Dec 2020 then discharged to skilled facility on 03 Jan 2021 for physical therapy. On 02 Feb 2021, the patient received their first of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 02 Mar 2021, the patient received their second of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly for prophylaxis of COVID-19 infection. The anatomical location were not reported. On 03 Mar 2021, the patient was found non-responsive and the staff at skilled rehabilitation tried to resuscitate. Death was the outcome. Treatment information was not provided. Action taken with mRNA-1273 in response to the event(s) was not applicable. The outcome of the event non responsive to stimuli was fatal. The patient died-on 03 Mar 2021 and the cause of death was not provided. It is not known whether autopsy done on this individual. No results were provided.; Reporter's Comments: This is a case of death in an unknown aged male subject with unknown medical history of recently recovered covid-19 infection before first dose, who died one day after receiving second dose of vaccine. Very limited information has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1125300-1	80+ years	15-30 days	Patient had no known ill effects or complaints directly after receiving his first COVID-19 vaccine on 02/19/2021. However, on 03/21/2021, he was found deceased on his bedroom floor due to a suspected cardiac arrhythmia. It is unknown if there is any correlation.
COVID19 VACCINE	1126004-1	80+ years	15-30 days	When attempting to schedule dose #2, was advised by the family that the patient passed away on 3/13/2021.

COVID19 VACCINE	1126681-1	60-64 years	15-30 days	Family notified facility of death when we contacted to confirm second dose appointment
COVID19 VACCINE	1127175-1	50-59 years	15-30 days	Death
COVID19 VACCINE	1127653-1	80+ years	15-30 days	Death by Hemorrhagic Stroke
COVID19 VACCINE	1129951-1	65-79 years	15-30 days	72 y/o with hx of HTN, Aortic valve replacement, venous stasis and venous insufficiency of both lower extremities, CAD, AAA, and s/p squamous cell carcinoma excision in 2019 Upon reviewing the history, here is what we found. 1. 2/27 -- Received send-out covid swabbing/testing- Patient did not disclose this information when screened for his covid vaccination at the clinic. 2. 3/2, 10:00 AM ? Presented to Covid Vaccination Clinic and received 1st dose of Moderna. Results of pending covid test were not back at this time, nor did he disclose this information when screened by nurse prior to vaccination. 3. 3/2, 10:30 PM ? Covid result came back to lab as positive SARS Co-V 2019 4. 3/3 ? patient called and notified of result per ED nurse 5. 3/3 ? Pharmacy recommended patient for mAB infusion (patient did not receive it) 6. 3/6 ? patient presents to ED in severe respiratory distress, DX of Covid-19 pneumonia & transferred to ICU 7. 3/21 ? patient dies after 15 day hospitalization in ICU (pt. had received convalescent plasma x 2 and remdesivir there)
COVID19 VACCINE	1130105-1	80+ years	15-30 days	Kidney failure and death. Patient heart labs were good.
COVID19 VACCINE	1130111-1	80+ years	15-30 days	Patient passed away unrelated to covid vaccine Narrative: The patient received his first dose of Moderna on 1/14 and he was rushed to the hospital at 4 am on 1/15. The patient tested positive for COVID and is hospitalized in the hospital. The patient passed away on 2/8. Cause of death not documented, possibly due to COVID complication. No indication that death was related to COVID 19 vaccination.
COVID19 VACCINE	1130250-1	65-79 years	15-30 days	Patient tested positive for Covid on 3/12/21 per hospital admission notes. Patient was admitted to the hospital on 3/16/2021 with Covid pneumonia. She passed away on 3/22/21.
COVID19 VACCINE	1131280-1	65-79 years	15-30 days	On 3/23/2021, Patient became ill, vomiting uncontrollably, throughout the day. On 3/24/2021, he continued his vomiting episodes, and developed a fever with chills. At about 2100 hrs, patient was extremely weak, he went to the bathroom, urinated, and attempted to crawl back to his bedroom, less than 10 steps away. His wife, called 911, and went down stairs to allow entry for the fire department, The fire department, found patient unresponsive, not breathing, and no pulse. He was pronounced dead in his home.
COVID19 VACCINE	1131556-1	65-79 years	15-30 days	Diagnosis?s with TTP on March 12. Passes away on March 19 2021
COVID19 VACCINE	1132327-1	65-79 years	15-30 days	They proceed to take the round and at that moment they realize that she was not breathing, she was already compromised . He dies of heart failure.
COVID19 VACCINE	1132667-1	80+ years	15-30 days	She was transferred to the hospital on 3/4/2021 due to low blood pressure, she understands that due to heart failure. The death certification information is unknown.
COVID19 VACCINE	1134021-1	65-79 years	15-30 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1135351-1	65-79 years	15-30 days	2/03/2021 Death. No treatment. Deceased.
COVID19 VACCINE	1136547-1	80+ years	15-30 days	92 y/o - Severe dementia. Hospice
COVID19 VACCINE	1136657-1	65-79 years	15-30 days	NA 74 y/o several comorbidities. Stroke
COVID19 VACCINE	1136716-1	80+ years	15-30 days	The patient referred that has no symptoms. POC was with her, until she died. She died of Alzheimer's, diabetes and a sacral ulcer that she brought when she was admitted.

COVID19 VACCINE	1137449-1	65-79 years	15-30 days	He returned from the hospital through a PEG tube, he was stable. On 7/3/2021, caregivers give a round of vitals at 7:30 am, he was stable, when he was going to receive food he was without vital signs. Cause of death respiratory cardiac arrest.
COVID19 VACCINE	1137461-1	80+ years	15-30 days	Pt received first Moderna COVID shot 2/25/2021. Pt developed acute on chronic respiratory failure with hypoxia, presented to local hospital ED on 3/25 and transferred to our facility for higher level of care. Currently in ICU with covid related hypoxia and pneumonia.
COVID19 VACCINE	1137529-1	80+ years	15-30 days	See started having shortness of breath on the night of 8/2/2021. He sends her to do tests, and she was taken to the hospital. She died in the hospital due to kidney and heart failure.
COVID19 VACCINE	1139999-1	80+ years	15-30 days	Daughter-in-law called earlier this week to report that has passed away on March 10, 2021.
COVID19 VACCINE	1141968-1	50-59 years	15-30 days	My husband died of a sudden massive heart attack. He was one of two teachers who died after the moderna vaccine, second dose. A third teacher had a stroke.
COVID19 VACCINE	1143239-1	80+ years	15-30 days	He was taken to hospital 2/27/2021 for respiratory problems, diagnosed with pneumonia and died in hospital.
COVID19 VACCINE	1144499-1	65-79 years	15-30 days	pts arm was bothering her after taking the covid vax. On 3/10/2021 pt went to Hospital to have a Echocardiogram procedure. Pt was sent home. The next day pt was vomiting and heaving. Her blood pressure was high and she was having symptoms of a heart attack. 911 was called. First Responder was first to arrive so pt was put on gurney and put on a flight to Hospital. Pt was loaded for the heart flight but perished in flight to the hospital due to cardiac arrest.
COVID19 VACCINE	1146282-1	80+ years	15-30 days	On 3/23/2021 he had respiratory problems and high blood pressure, for which he was transferred to the hospital and days later he died.
COVID19 VACCINE	1147393-1	80+ years	15-30 days	Died 20 days after first vaccine.
COVID19 VACCINE	1147518-1	65-79 years	15-30 days	Patient death within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1148285-1	65-79 years	15-30 days	Death
COVID19 VACCINE	1149493-1	65-79 years	15-30 days	WHEN CALLED TO SCHEDULE 2ND DOSE, FAMILY STATES HE IS DECEASED.
COVID19 VACCINE	1149835-1	65-79 years	15-30 days	Patient received her first Moderna COVID-19 vaccination on 03/11/2021. She did not have any ill effects directly afterwards. However, starting on 03/27/2021, she began complaining of left arm pain in the area of the injection. She continued to complain of pain in the injection site on 03/28/2021. On 03/29/2021, her roommate found her deceased on her bed due to a probable cardiac event.
COVID19 VACCINE	1151270-1	80+ years	15-30 days	Unknown what if any adverse event may have occurred. This report is being submitted following a periodic review of death certificates. Death certificate for this individual indicates ""recent COVID vaccine"" in ""PART II. OTHER SIGNIFICANT CONDITIONS contributing to death but not resulting in the underlying cause""
COVID19 VACCINE	1151697-1	65-79 years	15-30 days	DEATH Narrative: No information about patient's death in record, patient received most of his care outside the clinic with only 2 ambulatory care notes in clinic total. Had diagnosis of CLL and was no longer on chemo. No documentation of: prior COVID infection, immediate ADR to COVID vaccine, prior hospitalizations for covid or anything else, death note, autopsy Unlikely that covid vaccine resulted in this patient's death, but was due to advanced age and diagnosis of CLL.

COVID19 VACCINE	1151699-1	65-79 years	15-30 days	DEATH Narrative: NO INFORMATION AVAILABLE IN RECORD OTHER THAN DATE OF DEATH VACCINE GIVEN 02/10/2021 DATE OF DEATH 03/11/2021 PT DID NOT RECEIVE CARE AT CLINIC SINCE 2013 (AUDIOLOGY ONLY AT THAT TIME) NO DOCUMENTATION OF PREVIOUS COVID INFECTION NO IMMEDIATE ADR FOLLOWING VACCINE NO DOCUMENTATION OF HOSPITALIZATIONS (RECENT OR AFTER VACCINE) NO DEATH NOTE OR AUTOPSY Likely that vaccine did not contribute to this patient's death.
COVID19 VACCINE	1151915-1	65-79 years	15-30 days	presents to the ED via EMS in cardiac arrest. EMS report patient was in agonal respiration upon arrival and has had no pulse since 2109. Patient had a syncopal episode on the toilet prior to EMS call. EMS notes they gave patient 4 epinephrine, 1 bicarbonate, and 1 Narcan. Patient arrived with a lucas machine in place and intubated. Patient's intubation was verified to be a 7.0 ETT and 23 cm at the lip. Cardiac Activity noted in ED at 2150. See nurses notes for times medications were administered. Further history limited due to unstable vital signs. Pt hypotensive, started and maxed on levophed, epinephrine infusions and additional push dose epi given. Right femoral central line placed. Pt began to brady down, was given atropine, ultimately again became pulseless and CPR resumed. After 2 further rounds of ACLS, total down time approached 1 hour without return of pulse. On echo, there were occasional agonal beats, but no organized cardiac activity. EKG and case had been discussed with Dr. Friday and decision was to attempt therapeutic hypothermia prior to second cardiac arrest as EKG showed inferolateral STEMI
COVID19 VACCINE	1151937-1	80+ years	15-30 days	Unknown what if any adverse event may have occurred. This report is being submitted following a periodic review of death certificates. Death certificate for this individual indicates ""recent COVID vaccine"" in ""PART II. OTHER SIGNIFICANT CONDITIONS contributing to death but not resulting in the underlying cause""
COVID19 VACCINE	1152693-1	65-79 years	15-30 days	Patient received dose #1 of Moderna COVID-19 vaccine 2/13/2021. Family member reported patient death 3/12/2021

COVID19 VACCINE	1153162-1	65-79 years	15-30 days	<p>Death; Trouble in breathing; chills; sweating; his body was really cold; A spontaneous report was received from a consumer concerning a 79 years old, male patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events death, trouble in breathing/dyspnoea, chills, sweating/hyperhidrosis and his body was really cold/hypothermia. The patient's medical history included blood clotting, blood pressure and diabetes. The relevant concomitant medications reported were provided as medications for blood thinner, blood pressure medication and diabetes medication. On 03 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA (Lot number: unknown) through intramuscular route of administration for prophylaxis of COVID-19 infection. On 03 Mar 2021, prior to the onset of the events, the patient received their second of two planned doses of mRNA (Lot number: unknown) through unknown route of administration for prophylaxis of COVID-19 infection. On 04 Mar 2021, after second dose patient experienced sweating, his body was really cold. His wife called ambulance and paramedics had quoted that these were usual symptoms of second shot and if they want, they can take him to hospital for monitoring. The patient doesn't want to go hospital and wanted to take rest in bed. On 05 Mar 2021, at 2am, four hours after first ambulance call, his wife noticed that he was still sweating, had chills and also had trouble in breathing. She called the ambulance second time and while it arrived at home it was too late and he was already passed. All the events were provided as intervention/medically important. No laboratory data was provided. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The events trouble in breathing, chills, sweating and body was really cold were not recovered. The patient died on 05 Mar 2021, due to unknown cause of death but On 19 Mar 2021, his wife talked with primary care physician and he mentioned that vaccine is one of the contributing factors to his death and it is noted on his death certificate. Plans for autopsy was unknown.; Reporter's Comments: This is a case of sudden death in a 79-year-old female patient with a history of blood clotting, abnormal blood pressure and diabetes, who died 2 days after receiving second dose of vaccine. Very limited information has been provided at this time.; Reported Cause(s) of Death: unknown cause of death</p>
COVID19 VACCINE	1154140-1	80+ years	15-30 days	<p>DEATH Narrative: LIMITED INFORMATION PROVIDED IN MEDICAL RECORD OTHER THAN SON CALLED TO REPORT PATIENT HAD BEEN TRANSFERRED OUT OF ICU TO HOSPICE CARE ON 03/02/21. No documentation regarding hospital admission or ICU care. Son called on 3/3/21 to report patient passed away peacefully and without pain. No previous COVID infection, no recent hospitalizations known, no immediate acute reaction to COVID vaccine. Unlikely that vaccine contributed to death, as patient was on hospice with advanced age of 91 years.</p>
COVID19 VACCINE	1154142-1	65-79 years	15-30 days	<p>cardia arrest Narrative: 76 yo with CAD, carotid artery stenosis, abdominal aortic aneurism, history of MI, DM. Patient was given both COVID vaccinations with the 2nd and most recent on 2/27. On 3/20, patient was admitted to an outside local emergency room with cardiac arrest and passed away at the facility. They were unsure if this had anything to do with his covid vaccinations but thought we should at least report it.</p>

COVID19 VACCINE	1154145-1	80+ years	15-30 days	NASAL CONGESTION, COUGH, FATIGUED, WEAK, NO APPETITE, DEATH Narrative: 02/02-VACCINE GIVEN 02/22-pt not feeling well, dry cough, nasal congestion, weakness, loss of appetite, fatigued and weak; pt was exposed to ""non-covid"" virus through caregiver 02/23-caregiver called telecare to report pt with 3 days fatigue, admitted to hospital 02/25-alerted that pt passed away; they thought he might have been having a mild MI and later placed him on a ventilator and was told he had Pneumonia. He passed away on 2/24/21 at 1030AM confirmed by Daughter; no record of autopsy or death note no documentation of prior covid infection, acute adr to covid vaccine, teste negative to covid on 12/28 (exposed to daughter who have covid) hospitalized 09/23-09/29/2020 due to vomiting and diarrhea, found to have elevated troponins and abnormal kidney function, discharged home; was result of working in the sun and getting dehydrated not likely that covid vaccine contributed to patient's death, but death d/t advanced age and potential exposure to non-COVID virus shortly prior to death""
COVID19 VACCINE	1154150-1	80+ years	15-30 days	DEATH Narrative: NO INFORMATION AVAILABLE AS PATIENT DID NOT RECEIVE CARE AT THE FACILITY ALL EXCEPT AUDIOLOGY CLINIC WITH THE LAST VISIT IN 2019 NO DEATH NOTE, NO AUTOPSY NOTED, PT HAD ONE AMBULATORY CARE NOTE IN 2012 NO DOCUMENTATION OF PREVIOUS COVID INFECTION, NO HOSPITALIZATIONS, NO ACUTE REACTION AFTER VACCINE. Most likely cause of death was advanced age, not related to vaccine.
COVID19 VACCINE	1154154-1	80+ years	15-30 days	death Narrative: 88 yo male with PMH CAD, aortic valve stenosis, sensorineural hearing loss, impaired fasting glucose, thrombocytopenia, obesity, GERD, and mixed hyperlipidemia was found to have passed away when staff did an outreach on 3/8/2021 for patient to come back for his second vaccine dose. Per family member, patient passed away on 2/24/2021. Patient has no prior positive for COVID19, no recent hospitalization (none found within the facilities record). Patient received the vaccine on 2/8/2021 with no complications. We have no other records to review. Pt was not hospitalized prior to vaccination or post vaccination. Possible cause of death unknown, no death note found in chart.
COVID19 VACCINE	1154501-1	80+ years	15-30 days	Within days symptoms of likely CVA. Within one week diagnosis of shingles.
COVID19 VACCINE	1156284-1	80+ years	15-30 days	Cerebral stroke on 3/23/21
COVID19 VACCINE	1156328-1	65-79 years	15-30 days	Death on 03/29/2021
COVID19 VACCINE	1156579-1	65-79 years	15-30 days	Per Hospital medical records patient was admitted to hospital 3/14/2021 at 1021. Notes from 3/14/21 indicate patient presented with 1 week of nonproductive cough. Received chemotherapy 4 days ago. 3 days ago developed fever, chills, dyspnea, anorexia.

COVID19 VACCINE	1160235-1	80+ years	15-30 days	Death Narrative: Pt passed away ~3 weeks after dose 1 of COVID vaccine (Moderna). Daughter was home with pt and after he went to the bathroom she reports pt was out of breath, however that has been chronic/ongoing for him due to his diagnosis of COPD, pulmonary HTN and metastatic lung cancer. After sitting and resting in a chair, she states patient became unresponsive. She called 911 who told her he had no pulse and was not breathing. She states that they were not able to resuscitate him. Pt had been suspected to be positive for COVID as he had symptoms of increased cough, congestion and rhinitis. Daughter (that is primary caregiver and lives in home with patient) tested positive for COVID on 1/31/21. She started having symptoms on 1/25/21. Patient started having symptoms on 1/31/21. No COVID test confirmed prior to pt's death. Patient had a definitive diagnosis of metastatic adenocarcinoma in October 2020. History of multimorbidity. He did have a 60 pack year history of smoking. Most likely cause of death from available records is metastatic lung cancer, with other serious diagnoses contributing.
COVID19 VACCINE	1160237-1	80+ years	15-30 days	COVID+ Narrative: Patient administered COVID-19 vaccine (Moderna) dose #1 2/18/2021. On 3/17/2021, Patient developed a cough and fever and was brought by ambulance to tertiary care facility with diagnosis of COVID-19. Patient on BIPAP as of 3/22/2021. On 3/26/2021, Patient was initiated on morphine drip for comfort care and BIPAP was discontinued. Patient passed away 3/26/2021.
COVID19 VACCINE	1160722-1	80+ years	15-30 days	Patient diagnosed with COVID on 2/21/2021 and subsequently expired
COVID19 VACCINE	1161015-1	50-59 years	15-30 days	Per RN at Group Home where patient worked, on 3/19/21 he called the RN with complaints of a "low grade" fever (99-100 degrees) but otherwise reportedly felt fine. He was advised to stay home, was offered Covid testing but refused. On 3/22/21 the RN received an email from patient's supervisor that he still felt unwell and reported vomiting and diarrhea. Was offered a Covid test but refused. -Per patient's friend (a nurse who informed us of the case) various friends spoke with patient up until the morning of 3/25 and he reportedly had no respiratory or cardiac complaints. They were unable to reach him the evening of 3/25, nor the morning of 3/26 so sent the police for a well check and patient was found dead. He lived alone. -Per OSME. Patient did not receive an autopsy but did have an "inspection" which includes an external exam, toxicology and other testing including Covid testing which was positive. The specimen has been sent for sequencing. -Of note, Patient worked in a group home that had an outbreak of Covid in Jan/early Feb. His last exposure to a + person was likely 2/8/21 but possibly 2/10/21. He had a Covid test 2/15/21 that was "inconclusive". The test was re-run (same assay) and was also "inconclusive"
COVID19 VACCINE	1163428-1	50-59 years	15-30 days	Began with weakness of March 24th and stroke- like symptoms despite a clear CT Scan and EKG. Trouble walking or staying awake. Heart stopped on March 28th. Deceased.

COVID19 VACCINE	1168978-1	65-79 years	15-30 days	hypertrophic cardiomyopathy; he just suddenly fell; lost his sense of taste; excruciating pains all over his body; General body aches like he got ran over by a truck/excruciating pains all over his body; Headache; Chills; Fever; Nausea; Pain; Based on the current available information which includes a strong temporal association between the use of the product and onset of the events, and excluding other etiologies, causal relationship cannot be excluded..This spontaneous case was reported by a consumer and describes the occurrence of hypertrophic cardiomyopathy in a 74-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030M20A and 007M20A) for COVID-19 vaccination. The patient's past medical history included Angiogram (Was told they had an excellent heart and no surgery was needed) Concomitant products included acetylsalicylic (E.C.) for an unknown indication. On 28-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 23-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 23-Feb-2021, the patient experienced pain, headache, chills, fever and nausea. On 24-Feb-2021, the patient experienced lost his sense of taste, excruciating pains all over his body and myalgia (general body aches like he got ran over by a truck/excruciating pains all over his body). On 06-Mar-2021, the patient experienced hypertrophic cardiomyopathy (seriousness criterion death) and he just suddenly fell.. An autopsy was performed. Consumer reported on behalf of spouse. Ambulance was called and patient was pronounced dead. Awaiting toxicology report. Most recent FOLLOW-UP information incorporated above includes: On 26-Mar-2021: Major narrative update - outcome of events, additional events reported; Sender's Comments: Based on the current available information which includes a strong temporal association between the use of the product and onset of pain, headache, chills, fever , nausea, loss of sense of taste, excruciating pains all over his body and myalgia and excluding other etiologies, causal relationship cannot be excluded. There is not enough details to assess the fatal event of hypertrophic cardiomyopathy and the administration of the product. Additional information has been requested.; Reported Cause(s) of Death: hypertrophic cardiomyopathy
COVID19 VACCINE	1176372-1	80+ years	15-30 days	Narrative: Per law enforcement report, patient's death appears to be natural causes. Wife found 91 yo patient on the floor having seizures. Patient was treated for seizure disorder and had recent Primary Care visit with updated labs. Seizure medication lab monitoring was monitored with no concerns.
COVID19 VACCINE	1176373-1	60-64 years	15-30 days	Death Narrative: Patient with gastric cancer received COVID-19 vaccine, first dose on 2/8/2021 and second dose on 3/9/2021. Chart note indicates that patient passed away on 3/26/2021 while on home hospice. Patient has never tested positive for COVID. Patient had metastatic cancer and was referred to hospice on 3/5/2021, note from provider indicates patient likely had only weeks to live. Patient had no documented reaction from COVID vaccine administration. Patient had no hospitalization around time of COVID vaccination. The patients most likely cause of death was the metastatic cancer, with date of death closely aligning with cancer providers' estimations of remaining life span on 3/5.
COVID19 VACCINE	1176896-1	60-64 years	15-30 days	Patient died of an apparent Cardiac Arrest.
COVID19 VACCINE	1178571-1	50-59 years	15-30 days	Pt was found deceased at home, 4/2/2021.

COVID19 VACCINE	1179434-1	65-79 years	15-30 days	She felt. Ad the evening of her 2nd vaccine. The morning after she felt worse. Nauseous, pale, achy. She said she had not ever felt that bad. I read possible side effects. It said flu like symptoms, so we thought it would pass. Then around 4 she called for me & when I got there she had an event that caused her to be unable to speak & her eyes widened & pupils were dilated. I called 911. They got here quick. She had at least three of those stiffening wide eyed events. The emt said they thought it was her blood sugar. When checked it was 350 even though she had taken her insulin that day. They said she had a massive heart attack on the way to the hospital.
COVID19 VACCINE	1183418-1	65-79 years	15-30 days	Vaccine breakthrough hospitalization - SOB with O2 sat 50% when EMS arrived. On non-rebreather satting 70%. Chills, fever, cough, and chest pain. BP 152/79, HR 93, RR 20, SpO2 91%. Had been scheduled to receive COVID mAb day of admission, but clinical course worsened. Admitted to Medical ICU for acute respiratory failure with hypoxia and ARDS secondary to COVID-19. Placed on BIPAP and Rx with Remdesivir, dexamethasone, & tocilizumab. Treated for presumed pulmonary embolism with full-dose anticoagulation. Pt expressed wishes to remain DNR/DNI, ultimately she elected to transition to comfort measures only given worsening hypoxia.
COVID19 VACCINE	1188345-1	80+ years	15-30 days	Patient's wife came into our clinic today for her second Moderna dose and reported to us that her husband (the patient) had died on March 28, 2021 of a NON-COVID cause. She did not specify how he died. She gave us his vaccine card in case we needed to do anything with it. This RN is reporting as the client died roughly two weeks after administration of the 1st dose and it was reported directly to the facility, although the death is not COVID related according to the patient's wife.
COVID19 VACCINE	1197395-1	80+ years	15-30 days	Death Narrative: Patient received his first dose of the Moderna COVID-19 vaccination on 3/4/2021. He presented to facility 03/05/2021 for shortness of breath. He was originally treated for COPD exacerbation and COVID-19 was ruled out by negative testing. He was then found to have blood cultures positive for E. Faecalis. He was treated with broad spectrum antibiotics. His lack of improvement in respiratory status was the cause of discharge to hospice after which he died on 3/30/2021.
COVID19 VACCINE	1197396-1	65-79 years	15-30 days	Death Narrative: Patient received the first dose of Moderna COVID-19 vaccination on 3/11/2021. He had not received any vaccines within 4 weeks prior and did not have any contraindications to the vaccine listed in his chart. He did not have a positive COVID-19 test within the facility system. Cause of death: Patient was transported to facility on 4/3/21 after complaining of shortness of breath. It was noted that he had some GI bleeding and was hypertensive. The documentation from facility indicates that death was of natural causes.

COVID19 VACCINE	1197611-1	Unknown	15-30 days	Massive heart attack; Death; vomiting; Stroke; This spontaneous case was reported by a consumer and describes the occurrence of MYOCARDIAL INFARCTION (Massive heart attack), CEREBROVASCULAR ACCIDENT (Stroke) and DEATH (Death) in a 73-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 011m20a and 013a21a) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. Concomitant products included LOSARTAN POTASSIUM (COZAAR) for an unknown indication. On 05-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 05-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 11-Mar-2021, the patient experienced DEATH (Death) (seriousness criterion death) and VOMITING (vomiting). In March 2021, the patient experienced MYOCARDIAL INFARCTION (Massive heart attack) (seriousness criteria hospitalization and life threatening) and CEREBROVASCULAR ACCIDENT (Stroke) (seriousness criterion medically significant). On 11-Mar-2021, MYOCARDIAL INFARCTION (Massive heart attack), CEREBROVASCULAR ACCIDENT (Stroke) and VOMITING (vomiting) had resolved. The patient died on 11-Mar-2021. The cause of death was not reported. It is unknown if an autopsy was performed. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 05-Mar-2021, Echocardiogram: unknown (Inconclusive) unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant medication information also included inhalers, non specified and eye drops non specified. No treatment information was reported. Based on the current available information and temporal association between the use of the product and the start dates of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start dates of the events, a causal relationship cannot be excluded.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1199402-1	80+ years	15-30 days	She was found deceased after likely sudden cardiac death
COVID19 VACCINE	1199642-1	80+ years	15-30 days	Patient was not present for 2nd dose clinic today. Manager of facility reported that patient died in his sleep on 4/6/21
COVID19 VACCINE	1200923-1	65-79 years	15-30 days	Patient died of a heart attack
COVID19 VACCINE	1202478-1	60-64 years	15-30 days	This is a 61 year old female, with history of hypertension, who presents to the ED via EMS for evaluation of cardiac arrest prior to arrival. Patient's husband came from another [sic] room and found patient take a big gasp then suddenly became unresponsive. EMS gave patient a total of 4 rounds of Epi, 1 Narcan, and 2 shocks en route. EMS reports with glucose level of 92. Unknown if patient is on any anticoagulation. Patient presents in asystole. Epi and bicarb given. Compressions performed. Lungs equal with bagging. Bedside US performed which did not reveal any meaningful cardiac activity. Code called. Discussed with family, they state she had been having some cardiac issues and her daughter died of cardiac problems in her 30s.
COVID19 VACCINE	1202649-1	65-79 years	15-30 days	Blood clots then death
COVID19 VACCINE	1203711-1	80+ years	15-30 days	patient did not show up for dose 2 - we called her and family informed us she had entered hospice and passed away since we last saw her for the covid vaccine

COVID19 VACCINE	1204272-1	65-79 years	15-30 days	Per EMS patient's husband reports she was using the push mower in the front yard and suddenly collapsed. EMS brought the patient in with active CPR in progress and the patient was pronounced deceased in the Emergency Department.
COVID19 VACCINE	1204502-1	65-79 years	15-30 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1205863-1	65-79 years	15-30 days	Died from Pulmonary Embolism. No leg pain, no leg swelling to indicate DVT in leg. Also was thrombocytopenic at the time of emergency/ER visit/treatment. He suddenly complained of very bad chest pain, could hardly speak to tell symptoms. Immediate resuscitation was started by family member and 911 was called. Ambulance detected tech, tried to electroconvert, but was not successful. Chest compression and bagging was done until patient got the hospital. There full resuscitation effort. Unsuccessful. Troponin normal, D-dimer sky high.
COVID19 VACCINE	1207198-1	80+ years	15-30 days	Death Anemia GI bleed Lactate blood increased CKD (chronic kidney disease) Jefferson fracture
COVID19 VACCINE	1207773-1	65-79 years	15-30 days	2nd moderna vaccine was given to my dad on 02/26/2021 and on 03/15/2021 my dad was visiting me all day and he acted fine and normal. At the end of our visit between 8 & 9 pm we went to the store where he started to gasp for breath. He had to keep stopping and said he couldn't breath. I had him sit several times because I didn't know how bad it was. By the time we reached the doors to leave after a short trip he almost fell over and he became confused and said he couldn't breath. I had another customer get my dad a wheel chair close by while I called 911. The ambulance came quickly but at the hospital my dad went into cardiac arrest and his heart stopped 2 or 3 times and it had to be restarted. When I was able to get to the hospital my dad was on a ventilator and sedated. They had put him on medicine to blast the blood clots they had found. They said he had 2 very large blood clots with one on each lung. Later his kidneys started failing him and they said he would need to go on dialysis as soon as the next day. Later that night they told me my dads heart was shutting down and he had developed pneumonia. My dad died that night and I had to watch him take his last breath. If you want further information please contact Medical center would be the ones to contact for all information and my dad was in the critical care unit.
COVID19 VACCINE	1208718-1	65-79 years	15-30 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1208762-1	80+ years	15-30 days	Death
COVID19 VACCINE	1209139-1	80+ years	15-30 days	Death Shortness of breath Sepsis

COVID19 VACCINE	1209906-1	65-79 years	15-30 days	On March 4 patient experienced vomiting. Early morning March 5 he fell and landed on his hip after being disoriented and experienced aches, weakness, and nausea without vomiting throughout the day. On March 6 he experienced excruciating pain in his left hip and went to the local emergency room following guidance from his primary care physician. He was diagnosed with fluid near his hip joint at the hospital and was discharged the same day. The next day, March 7 he was still in pain but able to walk with assistance. On March 8 he got an x-ray from an orthopedic physician and severe arthritis was found. March 10 the severe pain persisted, but he was able to walk with a walker. On March 12 he received a cortisone shot and required emergency medical assistance to get into a personal vehicle with a family member who drove to the appointment. The next few days, the pain persisted, became worse, and spread throughout his body. On March 16 he was transported by emergency medical services to the local emergency room for treatment and was diagnosed with sepsis and pneumonia. On March 18 he was still being treated when he experienced cardiac arrest while being intubated. He was resuscitated and was on a ventilator being treated for a few more days but ultimately succumbed to sepsis on March 30.
COVID19 VACCINE	1211145-1	80+ years	15-30 days	Deceased unexpectedly. From day of second dose 3/18/21, patient reported feeling tired ( no fever, no shortness of breath) but was able to walk 3 flights of stairs on 4/11/21 and felt slightly better. Went to church that Sunday 4/11. Was not seen after that, then found deceased at home 4/14/21 with blood in mouth, no other signs such as lacerations or incontinence or other vomitus.
COVID19 VACCINE	1212227-1	80+ years	15-30 days	death Narrative: Patient received COVID vaccine #1 on 1/13/2021. On 1/19/2021, notes from primary care indicate advancing dementia and a urinalysis suggestive of a UTI, he was ordered a course of cefdinir and PCP at that time suggested long term care. On 2/1/2021, he was admitted to a facility for acute kidney failure and was also noted to have frequent falls at home, no scanned records from that hospitalization are available. On 2/7/2021, he discharged from that facility with home hospice. On 2/11/2021 at 0140, Patient passed away at home. No autopsy results available.
COVID19 VACCINE	1213217-1	65-79 years	15-30 days	Death - no symptoms, signs or treatment provided
COVID19 VACCINE	1213286-1	80+ years	15-30 days	death Narrative: Patient received Moderna COVID vaccine #1 on 1/10/21, he was seen by his PCP for a routine 6 month check up on 1/14/21. Notes at that time indicate he had a left great toe, he wound and was receiving home health and IV daptomycin through a PICC line. On 2/7/21, he received vaccine #2. Notes then indicate that on 3/9/21, he was found passed away in his home by family. No autopsy results available. 30 days form date of vaccine #2 to date of death.
COVID19 VACCINE	1213287-1	80+ years	15-30 days	Death. Narrative: Patient received Moderna COVID vaccine #1 on 3/3/21. He is noted to be a dialysis patient. On 3/24/21, his wife took him to a facility ER due to intermittent shortness of breath over the previous week. He was admitted for fluid overload. On 3/27/21, he was found unresponsive and CPR was initiated and a code blue was called. He received defibrillation, epinephrine, IV calcium, sodium bicarb and amiodarone and was intubated; however he did not survive and time of death is recorded as 3/27/21 at 0138. No autopsy results available. 24 days from time of vaccine to date of death.
COVID19 VACCINE	1213290-1	65-79 years	15-30 days	Was informed at the time the client was to be seen for booster dose of COVID vaccine that he had recently passed away. Unable to contact family for more information.
COVID19 VACCINE	1213291-1	80+ years	15-30 days	Was informed at the time the client was to be seen for booster dose of COVID vaccine that he had recently passed away. Unable to contact family for more information.

COVID19 VACCINE	1213364-1	65-79 years	15-30 days	death Narrative: Patient received Moderna COVID #1 vaccine on 1/28/21. On 2/3/21, he was admitted to a facility for fever, weakness, chills and rigor. Noted history of B cell lymphoma not on chemotherapy at the time. He also had reports of productive cough with thick brown/green sputum. He was admitted to the hospital and given 1 round of methotrexate and Rituxan. Hospital course was complicated with bacteremia (given vancomycin and cefepime), A fib, AKI, HTN, neutropenia (received Neupogen), acute popliteal VT (unable to anticoagulated due to thrombocytopenia - platelets as low as 20). No bleeding issues noted. On 2/18/21, family opted to change his status to DNR with hospice/comfort care and he passed on 2/19/21. No autopsy results available. 22 days from date of vaccine to date of death.
COVID19 VACCINE	1213567-1	80+ years	15-30 days	Narrative: On 1/11/21, patient received Moderna COVID vaccine #1 and on 2/8/21, she received dose #2. No notes record any adverse events to vaccine. There is a scanned document from 2/24/21 where patient agreed to home hospice care. Date of death is recorded as 3/1/21. No documentation of any events from time of vaccines to date of death. No autopsy results reported. 21 days from date of vaccine #2 and date of death.
COVID19 VACCINE	1213568-1	65-79 years	15-30 days	death Narrative: Patient received Moderna covid vaccine # 1 on 2/26/21. Per scanned records on 3/18/21, he presented to the ER with reports of shortness of breath and was subsequently admitted and treated for acute CHF, NSTEMI and sepsis (ceftriaxone and azithromycin). He later developed AKI and surgery was consulted for placement of a Trialysis catheter. After placement of this catheter, he developed increasing respiratory distress and confusion and was transferred to the ICU where he received vasopressors, intubation and unsuccessful resuscitation after a code blue. Autopsy reports not available. 22 days from date of vaccine to date of death.
COVID19 VACCINE	1213569-1	80+ years	15-30 days	death Narrative: Patient received COVID vaccine #1 on 2/4/21. On 3/1/21, it was reported to the facility that patient had passed away on 2/24/21. No notes on file with respect to what happened around the time of his passing. No autopsy results available. 20 days from time of vaccine to date of death.
COVID19 VACCINE	1213571-1	65-79 years	15-30 days	Death. Narrative: Patient received Moderna COVID vaccine #1 on 3/1/21. On 3/17/21, he was admitted to a facility for a CABG. Per notes, after his CABG, he developed Pseudomonas pneumonia, AKI requiring dialysis and ultimately became oliguric. He required epinephrine, dobutamine, dopamine, amiodarone and went through two code blues prior to pronouncement of death on 3/25/21 at 2305. No autopsy reports available. 24 days from time of vaccine to date of death.
COVID19 VACCINE	1213572-1	80+ years	15-30 days	death Narrative: Patient received COVID vaccine #1 on 12/30/20 and #2 on 2/1/21. He was an inpatient in the facility and had been under hospice care since 12/9/20. No adverse events to vaccine found per notes. On 2/27/21, he began to have short and rapid respirations and was unresponsive. He was given morphine, atropine sublingual, lorazepam and nebulizers per hospice care orders and was determined to be imminent. On 2/28/21 at 2230, he passed. No autopsy results available. 27 days from date of vaccination to date of death.
COVID19 VACCINE	1214882-1	80+ years	15-30 days	unknown
COVID19 VACCINE	1215373-1	50-59 years	15-30 days	The pt missed her scheduled appointment for COVID vaccine #2, so I called her to reschedule. Today I reached her mother, who informed me that pt passed away last Tuesday. I did not ask for any details of her death at this time.

COVID19 VACCINE	1218454-1	50-59 years	15-30 days	Patient's sister, spoke to Public Health staff to say that he passed away suddenly on 4/3/21 from a cardiac arrest, he had no underlying health conditions she states but did take some medications, she believes for blood pressure.
COVID19 VACCINE	1219000-1	80+ years	15-30 days	Patient was alert and verbally responsive in usual state of health on 1/11/2021 received Moderna vaccination dose 1. Patient seemed stable until 2/6/21. Then on 2/6/21, patient was noted with slight elevated temp of 99.2, pulse 100, spo2 94%RA at 2:15am. By 5:20am, patient was pronounced dead.
COVID19 VACCINE	1219229-1	80+ years	15-30 days	Pt. c/o symptoms of fatigue and dizziness on 3/2. On 3/3 pt. presents to ER, afebrile, c/o fatigue, feeling of being lightheaded, reports syncope and falling x's 2. Pt. according to MD documentation was in good health. Denies any recent illness. Pt. was found to be bradycardic, sick sinus syndrome, r/o MI. Pt. was transferred to higher level of care hospital on 3/3. Pt. had emergency pacemaker insertion. She became hypotensive and hypoxic post-op and was found to in lactic acidosis. Pt. expired on 3/3/21.
COVID19 VACCINE	1220264-1	65-79 years	15-30 days	Patient was scheduled for second dose on 4/14/21. Wife called that morning to say that patient passed away on 4/6/21. Wife Callie stated he saw the neurologist on 4/1/21. On 4/6 he was doing very well in the am and pm. She put him to bed, he woke up and called to her, gasped and passed away. She reports he tolerated the 3/17 vaccination well. I called the doctor on 4/16/21 for more information but he has not returned my call as of yet.
COVID19 VACCINE	1220532-1	65-79 years	15-30 days	On 4/16/2021 I received a phone call from public health informing us that the patient died on 3/31/2021.

COVID19 VACCINE	1221916-1	80+ years	15-30 days	<p>blood clot in his brain; Patient collapsed on the floor at night 2 days after receiving 2nd dose; brain was dead; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BRAIN DEATH (brain was dead), CEREBRAL THROMBOSIS (blood clot in his brain) and LOSS OF CONSCIOUSNESS (Patient collapsed on the floor at night 2 days after receiving 2nd dose) in an 83-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 0021B21A and 001821A) for COVID-19 vaccination. The patient's past medical history included No adverse event (no medical history reported). On 27-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 29-Mar-2021, the patient experienced LOSS OF CONSCIOUSNESS (Patient collapsed on the floor at night 2 days after receiving 2nd dose) (seriousness criterion hospitalization prolonged). On 30-Mar-2021, the patient experienced CEREBRAL THROMBOSIS (blood clot in his brain) (seriousness criteria death and hospitalization prolonged). The patient died on 08-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, LOSS OF CONSCIOUSNESS (Patient collapsed on the floor at night 2 days after receiving 2nd dose) outcome was unknown. Not Provided DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 30-Mar-2021, X-ray: blood clot (Positive) x-rays revealed blood clot in his brain. No concomitant medications were reported. After the 2nd dose, On 29Mar2021, at night, he collapsed on the floor and was taken at the hospital on same night by ambulance. So he was hospitalized on 30Mar2021 and upon doing tests and x-rays, they found blood clot in his brain. He stayed in hospital through out and transferred to hospice center on 06Apr2021 where he passed away on 08Apr2021. His brain was dead and never recovered from the clot. Unknown treatment medications were given at the hospital. Very limited information regarding these events have been provided at this time. No further information is expected.; Sender's Comments: Very limited information regarding these events have been provided at this time. No further information is expected.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1222324-1	80+ years	15-30 days	<p>From 3/11/2021 until 3/29/2021 the patient was in the hospital due to lack of appetite and kidney failure. The doctor certifies that the cause was more natural</p>
COVID19 VACCINE	1222399-1	65-79 years	15-30 days	<p>POC alleges that she observed that resident began to swell and retain fluids and the nurse noticed that he was not urinating, felt a lot of tiredness and had swollen legs. He was evaluated by the doctor and sent for several studies (EKG) and his heart was weakened. He was sent to do another study, because snoring was heard. He was transferred to the hospital to the ER, he had the fluid in his lungs. He is placed intensive and dies on 3/23/2021 from heart failure.</p>
COVID19 VACCINE	1222837-1	65-79 years	15-30 days	<p>On 3/25/2021 POC alleges that the resident begin to develop fever and urine infection. He was transferred to the hospital on 3/26/2021 where he had white secretions in his mouth. On 3/28/2021 he died in the hospital from respiratory cardio failure.</p>
COVID19 VACCINE	1223056-1	60-64 years	15-30 days	<p>My wife started to fall and pass out had no strength to get up this happened two to three times cinch she got the shot the last time she past out in the shower and i rushed her to hospital were she pasted away from blood clots to the right side of the neck and stated bleed on the brain</p>

COVID19 VACCINE	1223167-1	65-79 years	15-30 days	My father received the first dose on 2/13, and started to rapidly decline thereafter. He started having neurological issues, memory issues, and balance issues and eventually collapsed and was hospitalized on 3/5, intubated twice in two weeks, with his death occurring on 3/31/21.
COVID19 VACCINE	1223867-1	80+ years	15-30 days	Approximately 1800, nursing staff reported patient had facial drooping and slurred speech. Patient vitals were stable. Symptoms resolved. 2/1/2021 Resident observed in the bedroom, unresponsive. No heartbeat or lung sounds upon auscultation. Pupils mid-dilated and fixated, no reaction to light. Carotid pulses were not palpable. Pronounced dead at 1422 by nurse practitioner.
COVID19 VACCINE	1223971-1	80+ years	15-30 days	4/4/21 at 11:30 pm the patient started to make snoring-like sounds in her sleep and could not be woken up. 911 was called and in the hospital a CT scan identified extensive large right-sided intraparenchymal hemorrhage within the frontal, parietal and temporal regions, extending into the ventricular system. The patient was put on the ventilator and administered blood pressure medication. A-line was inserted to read blood pressure. 4/11/21 at 8:11 pm the patient passed away due to cardiac arrest
COVID19 VACCINE	1228009-1	65-79 years	15-30 days	respiratory and cardiac arrest Narrative: Patient with PMH of esophageal cancer, larynx cancer, liver cancer, PTSD, A. fib, and alcohol abuse. He received his COVID-19 vaccines on 2/14/21 and 3/14/21. Both vaccines were administered without complications and patient was observed for 15 minutes post-vaccination without adverse effects. No other adverse events noted between time of last COVID-19 vaccinations and death. On 4/11/21, patient's wife called 911 in which EMS found patient unresponsive with abnormal breathing. Wife reported that patient was breathing up until 5 minutes prior to EMA arrival, but had been unresponsive. Wife reports that patient suffered from multiple forms of cancer, PTSD, and alcohol abuse. Wife believed that patient quit smoking and drinking but the morning of death found vodka and cigarettes in his coat. Wife reports that patient asked for help getting up from the stairs and then laid down in the bed, and went unresponsive afterwards. EMS attempted to revive the patient with CPR but were unsuccessful. Per EMS note patient suffered from respiratory arrest, cardiac arrest, then cardiac death. Patient was not brought to the hospital prior to death. It is very unlikely that the COVID-19 vaccinations contributed to this patient's death due to his extensive PMH with substance use disorder and cancer.
COVID19 VACCINE	1228974-1	50-59 years	15-30 days	PATIENT GOT FIRST DOSE OF MODERNA ON 03/11/21 AND PASSED AWAY ON 03/28/2021
COVID19 VACCINE	1228976-1	65-79 years	15-30 days	Death SHORTNESS OF BREATH
COVID19 VACCINE	1231384-1	65-79 years	15-30 days	Sharp Chest Pain resulting in Death 2 hours later, 03/13/2021 @ 12:08
COVID19 VACCINE	1232096-1	65-79 years	15-30 days	2/17/2021 He was transferred to the hospital because he was having respiratory problems and died in the hospital due to respiratory arrest.
COVID19 VACCINE	1232109-1	65-79 years	15-30 days	On 2/28/2021 while having lunch at noon he suffered an apparent heart attack.
COVID19 VACCINE	1232447-1	80+ years	15-30 days	Dies at long term care facility due to a stroke.
COVID19 VACCINE	1232936-1	80+ years	15-30 days	Taken to the Hospital due to a fracture, severe UTI and sepsis. Dies at the Hospital.
COVID19 VACCINE	1232988-1	80+ years	15-30 days	Taken to the Hospital due to COVID-like symptoms (strong cough). At the Hospital she is diagnosed with COVID-19, problems with kidney and hemoglobin levels. Dies at the Hospital due to COVID-19.

COVID19 VACCINE	1233587-1	80+ years	15-30 days	Patient received two dose Moderna series of vaccinations for COVID 19 (1/21/2021 and 2/18/2021). Patient reported to ED feeling weak on 2/20/2021, but was not tested for COVID at that time. Reportedly, patients family were all tested for COVID and were positive on or about 2/21/2021. The patient was later admitted to the hospital on 4/13 with COVID. She subsequently expired on 4/14.
COVID19 VACCINE	1233672-1	80+ years	15-30 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1236405-1	80+ years	15-30 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 82 and had a PMH significant for parkinsonism w/ dementia, difficulty walking and performing daily tasks, CAD, afib, and osteomyelitis. Patient was authorized for home health aide on 3/18/21 after wife overwhelmed with his care. Listed cause of death on death certificate says ""unknown-history of dementia and heart conditions""
COVID19 VACCINE	1236410-1	65-79 years	15-30 days	Death Narrative: Patient was not previously Covid positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient found decreased at home on 3/3/21. No apparent cause of death. Telephone appt on 2/10/21 was unremarkable other than patient having mild shortness of breath and chest discomfort. Comorbidities include COPD, HTN, HLD, and age of 74.
COVID19 VACCINE	1236413-1	65-79 years	15-30 days	Death Narrative: Patient was not previously Covid positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was hospitalized in 02/2021 at facility for unknown reason until his passing on 3/7/2021. He had dx of HCV in 01/2021 that was cured but left him with cirrhosis s/p TIPS procedure. Was not liver transplant candidate due to home O2 needs. Other major comorbidities include COPD and diabetes.
COVID19 VACCINE	1236417-1	50-59 years	15-30 days	death Narrative: Patient with noted history of ALS was given Moderna covid vaccine #1 on 2/27/21. On 3/5/21, notes were entered in system for family requesting a specialty bed as he was having difficulty sleeping as it was hard to breath when he laid down. He was sleeping sitting up in his wheelchair. On 3/8/21, a note was placed that he was planned to have a trach placed on 3/12/21 and that he was now under hospice care. No further notes entered and a date of death was recorded as 3/17/21. No autopsy results available. 18 days from date of vaccine to date of death.
COVID19 VACCINE	1236418-1	80+ years	15-30 days	death Narrative: Patient received Moderna covid #1 on 1/14/21. On 1/29/21, a social worker note was placed that indicated that patient was now under home hospice care. No scanned records on file. No further notes regarding events from this time to date of death on 2/10/21. No autopsy results available. 27 days from date of vaccine to date of death.

COVID19 VACCINE	1236419-1	65-79 years	15-30 days	death Narrative: Patient, that is a facility resident, received his Moderna covid vaccine #1 on 12/28/20. On 1/14/21 due a continued decline in status, he was changed to hospice care. On 1/25/21, he received covid #2. He was noted to have a decline in oral intake and increase in somnolence over a few weeks prior to his date of death on 2/9/21. No autopsy results available. 15 days from date of second vaccine to date of death.
COVID19 VACCINE	1237069-1	65-79 years	15-30 days	Spouse reported that patient was taken to The Hospital after unresponsive in the home on 4/2/2021. States was told that cause of death was heart failure.
COVID19 VACCINE	1238280-1	65-79 years	15-30 days	The decedent was visiting family. There are no reported adverse effects known.
COVID19 VACCINE	1238843-1	80+ years	15-30 days	per patient's family report: patient complained severe leg pain a few days before she was found dead in her apartment on 2/18./2021. It was likely she had sudden death as she did not activate her neck alert or call button in her apartment. Family request we report the incident, she was last seen on 12/15/2020 for pacemaker check, she also had medical message communication with me on 2/8 to request refill on her Percocet that she takes occ for her joint pain only at bed time. family suspect possible DVT with PE after getting more informed about vaccine side effects. however no autopsy was done.
COVID19 VACCINE	1241391-1	80+ years	15-30 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 86 but did not have a lot of history of receiving medical care in the system. There is note mentioned his death in the chart. His possible contributing comorbidities are advanced age, HTN, HLD, DM, mitral valve insufficiency.
COVID19 VACCINE	1241393-1	80+ years	15-30 days	Death Narrative: The patient did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. Patient transported to ER on 1/14/21 after receiving first COVID-19 vaccine earlier that day. He was reported to have a reaction to the vaccine including diaphoresis, new onset afib, and hypotension(vasovagal reaction). He was discharged the next day with no signs of afib. Patient was later hospitalized around 1/28/21 for COVID pneumonia. He later passed away on 2/5/21 due to hypoxic respiratory failure secondary to COVID-19. Comorbidities include advanced age, obesity, HLD, atherosclerosis, DM2, HTN.
COVID19 VACCINE	1243358-1	80+ years	15-30 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1244814-1	65-79 years	15-30 days	Dizziness off and on for 2 weeks along with muscle weakness and developed a cough about a week after this injection. My mother passed away.
COVID19 VACCINE	1247180-1	50-59 years	15-30 days	Patient passed away suddenly and unexpectedly at home the morning of April 4, 2021. The ER doctor was unable to ascertain a cause. The preliminary autopsy conducted by the medical examiner within 24 hours of death was inconclusive, but I'm told tests of samples are ongoing.
COVID19 VACCINE	1256806-1	50-59 years	15-30 days	My Sister was found dead on 4/27/2021. She had been dead aprx. One week. She received her 1st Moderna shot on March 25th.

COVID19 VACCINE	1257204-1	30-39 years	15-30 days	Patient began experiencing pain and difficulty walking on Tuesday, March 23. Later that afternoon she was taken to an Urgent care, who sent her to the ER for evaluation. She was diagnosed with a very large blood clot in her leg, spanning from just above the knee to her groin area. They admitted her and began treating her with blood thinners. While undergoing that treatment, her heart stopped 3 times and she had to be resuscitated. They discovered a pulmonary embolism. While removing a large clot from her lungs, the doctor found that her lungs were riddled with hundreds of tiny blood clots. They also said that she was bleeding internally, very heavily, from an unknown location. In all, they gave her 20 units of blood, and none of it stayed in her veins. The doctor said it seemed to just disintegrate. At that point, her brain and organs had begun shutting down and family made the decision to remove her from life support. She passed away Thursday evening, March 25, 2021.
COVID19 VACCINE	1258524-1	65-79 years	15-30 days	Patient passed away in between dose 1 and 2. Cause unknown.
COVID19 VACCINE	1258858-1	65-79 years	15-30 days	Patient died on 4/22/21. Vaccinated with 2nd dose of Moderna on 3/31/21. Vaccinated with Shingrix on 4/15/21.
COVID19 VACCINE	1259240-1	65-79 years	15-30 days	PATIENT DID NOT SHOW FOR SECOND DOSE OF VACCINE WHEN CALLED WE WERE TOLD BY HIS WIFE THAT HE HAD A HEARTATTACK AND PASSED AWAY ON 04/13/2021
COVID19 VACCINE	1262349-1	60-64 years	15-30 days	Pt came in with positive D-dimer, coded and passed
COVID19 VACCINE	1262580-1	80+ years	15-30 days	Patient died on April 12th 2021. Not sure exactly what the cause of death but that he was losing blood in in his somewhere. He resided in a nursing home, and was taken to the hospital where he later died
COVID19 VACCINE	1264171-1	80+ years	15-30 days	Pt Deceased prior to dose 2. Reported by home health agency as unrelated to vaccination.
COVID19 VACCINE	1264528-1	65-79 years	15-30 days	My mom was very ill with fever like symptoms following her first vaccination on January 26th. The symptoms were even worse after her second vaccination March 2nd and included muscle cramping in her legs. Once she was recovered she only had a persistent cough which she attributed to allergies as the pollen count had been high. In the early morning hours of March 19th she was having difficulty breathing and chest pains. She was rushed to the emergency room where she subsequently died of cardio pulmonary embolism which the coroner indicated began within three weeks of her death.
COVID19 VACCINE	1264707-1	65-79 years	15-30 days	death; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DEATH (death) in a 65-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Concurrent medical conditions included Cirrhosis of liver. On 25-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on 17-Apr-2021 The patient died on 17-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. Limited information regarding the patient's death has been provided at this time and a causal relationship cannot be excluded. It is not clear if the patient was hospitalized at the time of their death, only that they died in hospital; Sender's Comments: Limited information regarding the patient's death has been provided at this time and a causal relationship cannot be excluded. It is not clear if the patient was hospitalized at the time of their death, only that they died in hospital; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1267794-1	40-49 years	15-30 days	Approximately 3 weeks after Moderna Covid-19 vaccine administration, patient began to experience dizziness, transferred to Hospital, diagnosed with ischemic stroke, discharged, returned within days with worsening, diagnosed with new ischemic stroke (contralateral side), transferred to Medical Center, patient's condition worsened, presumably additional new ischemic stroke, patient ultimately died on 3/5/2021. Diagnosis was acute infarction of the brainstem/pons as well as acute bilateral cerebellar/occipital infarctions.
COVID19 VACCINE	1267803-1	80+ years	15-30 days	Patient developed COVID-19 with complaints of increased cough on 4/6. Was found to be COVID positive on 4/12. Received combo Bamlanivimab/etesevimab treatment for infusion on 4/14. Patient had initial recovery to baseline period on 4/22. Rapidly declined shortly after and died 4/25.
COVID19 VACCINE	1268049-1	80+ years	15-30 days	Fall Death
COVID19 VACCINE	1268440-1	50-59 years	15-30 days	Death due to cardiac arrest on 4/26/2021
COVID19 VACCINE	1269852-1	80+ years	15-30 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 93 and receiving home based palliative care. On 3/30/21 his home nurse reported he was having bilateral lung wheezing. On 4/16/21 patient's wife stated he passed away at home after suffering an ""asthma attack."" PMH significant for dementia, malnutrition, reduced mobility, bedbound, Alzheimer's, DM, afib, CAD, NSTEMI""
COVID19 VACCINE	1269854-1	65-79 years	15-30 days	death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient has a PMH significant for T2DM, CAD, hyperlipidemia, Parkinson's disease, HTN, Diffuse interstitial Pulmonary fibrosis. No cause of death listed or any notation. Patient deceased on 4/10/202. 2nd dose of Pfizer given 3/13
COVID19 VACCINE	1269855-1	80+ years	15-30 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug adverse event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was admitted on 2/27/21 with acute encephalopathy and suffering progressively worsening mental status. He was admitted for over a month through 3/31/21 where he was eventually discharged on hospice before passing on 4/5/21. His hospital course consisted of treating community acquired pneumonia/bacteremia from hemodialysis catheter placement. Patient continued to have positive cultures despite antibiotics due to a found vegetation on the aortic valve. He experienced functional and cognitive decline over his admission. Comorbidities include vascular dementia, h/o stroke, ESRD on HD, HTN, DM2, HLD
COVID19 VACCINE	1271382-1	60-64 years	15-30 days	Patient was admitted to facility 2/25 and passed away 3/4.
COVID19 VACCINE	1271737-1	80+ years	15-30 days	Patient presented to the ED and was subsequently hospitalized with sepsis, respiratory failure and pneumonia on 3/2/2021. Patient presented to the ED and was subsequently hospitalized with pneumonia on 3/22/2021. Patient presented to the ED and was subsequently hospitalized with sepsis on 3/31/2021. He died on 4/4/2021.
COVID19 VACCINE	1271827-1	80+ years	15-30 days	lungs shut down from 95 to 0 in a blink of an eye

COVID19 VACCINE	1272201-1	80+ years	15-30 days	<p>Pulmonary embolism; died - autopsy showed multiple blood clots all over his body - pelvic area, hearts,arteries, lungs; This spontaneous case was reported by a consumer and describes the occurrence of THROMBOSIS (died - autopsy showed multiple blood clots all over his body - pelvic area, hearts,arteries, lungs) and PULMONARY EMBOLISM (Pulmonary embolism) in an 83-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 039A21A and 003A21A) for COVID-19 vaccination. Concurrent medical conditions included Diabetes, Prostate cancer and Memory loss. Concomitant products included METFORMIN for Diabetes. On 05-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 04-Apr-2021, the patient experienced THROMBOSIS (died - autopsy showed multiple blood clots all over his body - pelvic area, hearts,arteries, lungs) (seriousness criterion death). On an unknown date, the patient experienced PULMONARY EMBOLISM (Pulmonary embolism) (seriousness criterion death). The patient died on 04-Apr-2021. The reported cause of death was Pulmonary embolism. An autopsy was performed. The autopsy-determined cause of death was multiple blood clots. Action taken with mRNA-1273 in response to the event was not applicable Other concomitant medications were reported included unspecified medications for memory loss and diabetes. No treatment information was provided.; Sender's Comments: This is an 83-year-old, male patient who received mRNA-1273 Vaccine who experienced multiple thrombosis and died, 2 days after receiving second dose of vaccine. Medical history includes Diabetes, and Prostate cancer. Conmeds including some unspecified medications for memory loss and diabetes. The autopsy-determined cause of death was multiple blood clots. Very limited information has been reported at this time. Further information is expected;; Reported Cause(s) of Death: Pulmonary embolism; Autopsy-determined Cause(s) of Death: multiple blood clots</p>
COVID19 VACCINE	1273174-1	65-79 years	15-30 days	<p>From one of the nurse vaccinators: the man who had a laryngectomy who gave me a hard time about an id when we first started..I was so happy to see his name on my list this morning. I saw that no one could contact him..I got into the building ..no answer at the door ..phone disconnected ..found the super..he died 3 weeks ago..he didn't know cause..just emergent situation to hospital and passed.</p>
COVID19 VACCINE	1273511-1	80+ years	15-30 days	<p>Patient recieved Moderna dose 1 02/23/2021, dose 2 03/25/2021. Nausea and vomitting after 2nd dose, found unresponsive by son on 04/17/2021, taken to ER and diagnosed with new onset Afib with RVR, sepsis with shock. Deceased 04/18/2021</p>
COVID19 VACCINE	1274296-1	65-79 years	15-30 days	<p>This 68 year old white female received the Covid shot on 3/3/21 and went to the ED on 3/22/21 and was admitted on 3/22/21 with shortness of breath, pneumonia and died on 4/10/21 . Please refer to the other details submitted within this report and contact the person who submitted this report via email for additional follow up details and investigation.</p>
COVID19 VACCINE	1286108-1	65-79 years	15-30 days	<p>Hospitalization 4/8/2021-4/16/2021 with discharge home on hospice and death 4/28/2021. Admitting diagnosis: Acute respiratory distress, COPD, acute hypercapnic hypoxic respiratory failure, Hypomagnesemia; HTN; probable UTI with concerns for Severe Sepsis; Altered mental status with concerns for metabolic encephalopathy along with dementia.</p>

COVID19 VACCINE	1286213-1	80+ years	15-30 days	Presented to ED on 4/23/21 with weakness, malaise, poor appetite and nausea; elevated temperature, tachycardia, lactic acidosis, chest XRAY patchy infiltrates. COVID test positive. Respiratory failure and COVID19 pneumonia. Patient referred to hospice.
COVID19 VACCINE	1286431-1	65-79 years	15-30 days	Patient reported to ER on 4/23/21 with complaint of chest pain. Symptoms started that morning. Felt fine the evening before. No fevers, chills or productive cough. He also had associated shortness of breath.
COVID19 VACCINE	1289201-1	65-79 years	15-30 days	Patient is a 66-year-old female with complicated past medical history including uncontrolled diabetes, colovaginal fistula status post resection with end ileostomy in 2017, open cholecystectomy 2019, chronic pain, CAD status post stents on Plavix and COPD that presents to the hospital today complaining of abdominal pain. Patient states that her abdominal pain began a few days ago. Is been in the middle of her abdomen. Is worsened over time. She states that all her operations were done by the Dr. Postoperatively she had no complications. She was told that she could not have her ostomy reversed and has been doing with the end ileostomy since then. She states that she just emptied her bag again this morning. She has been having trouble eating secondary to the abdominal pain. This prompted her visit to the emergency room today. Upon evaluation by the ED physician she underwent a CAT scan which showed a small bowel obstruction. For this were consulted. Of note patient was also found to have a UTI and was made a septic alert by the ED. I met the patient upon my arrival into the emergency room. Upon my arrival into the emergency room patient was sitting upright in bed. She is squirming around in the bed stating that she is having abdominal pain. States that she does not know her medications. Her husband usually takes care of this for her. She is able to relate her surgical history to me. ED physician spoke with the Dr. He is unavailable to come see this patient. According to the ED physician the Dr. asked us to take care of the patient while he is away.
COVID19 VACCINE	1289756-1	80+ years	15-30 days	Patient passed away before receiving second dose, husband states not COVID related death.
COVID19 VACCINE	1290733-1	80+ years	15-30 days	Found unresponsive but still breathing at assisted living. Sent by ambulance to the hospital
COVID19 VACCINE	1290894-1	65-79 years	15-30 days	My sister died on 4-28-2021
COVID19 VACCINE	1308207-1	40-49 years	15-30 days	#2 Moderna Vaccine given on 4/20/21 On 5/7/21 patient became SOB before syncope to cardiac arrest, event was witnessed and CPR started immediately. Patient expired 45 min later at Medical Center.
COVID19 VACCINE	1310557-1	65-79 years	15-30 days	Cardio respiratory arrest. During rounds, patient was found without vital signs
COVID19 VACCINE	1310681-1	80+ years	15-30 days	Cardiac arrest.
COVID19 VACCINE	1311196-1	65-79 years	15-30 days	FEVER COUGH FATIGUE HEADACHES
COVID19 VACCINE	1314511-1	65-79 years	15-30 days	had severe headaches that started a week after his 2nd covid shot., he was seen by NP on 2/25/21, was instructed to take ibuprofen short term, labs were drawn and were normal. On 3/8/21 suffered tonic clonic seizures, was unresponsive and taken to ER by EMS. remained unresponsive following the seizures and was placed on hospice care and died on 3/12/21.
COVID19 VACCINE	1314513-1	80+ years	15-30 days	Low arterial pressure, low saturation pressure.
COVID19 VACCINE	1316583-1	65-79 years	15-30 days	Couldn't Breath, Died due to Blood Clots on Lungs, Bilateral Pulmonary Embolism, Bleeding on the Brain.
COVID19 VACCINE	1317164-1	80+ years	15-30 days	Upon reviewing patient's need for 2nd dose, we learned that patient died on 4/25/21.
COVID19 VACCINE	1323208-1	65-79 years	15-30 days	SYNCOPE FATIGUE

COVID19 VACCINE	1326587-1	65-79 years	15-30 days	Wife came in for second dose appointment and handed over husbands vaccination card. Wife reported patient died on Saturday after waking up in the morning and deciding to sleep in for a bit longer. She reported getting out of bed and he was breathing and when she went back to wake him up he wouldn't wake. She called 911 and he was pulseless, she reported emergency aid ""Shocked him"" and worked on him for 45 minutes before asking her for permission to stop. Site will destroy vaccine card as the wife did not wish to keep it.""
COVID19 VACCINE	1326764-1	50-59 years	15-30 days	First vaccine dose administered on 4/20/21. Patient was admitted on 4/29/21 with shortness of breath and pleuritic chest pain. CT scan revealed pulmonary embolism and doppler showed vascular access (Hero graft) thrombosis. Patient was treated with heparin and warfarin, and was discharged on 5/5/2021 after being converted to apixaban. Patient missed scheduled dialysis treatment (no call/no show) on 5/8/21 and 5/11/21. Subsequent welfare check found the patient expired at home.
COVID19 VACCINE	1329905-1	65-79 years	15-30 days	Died due to respiratory cardiac arrest.
COVID19 VACCINE	1330155-1	80+ years	15-30 days	Difficulty to breath, pain in the lungs, patient was rushed to the hospital and after addition, patient goes to cardiac arrest.

COVID19 VACCINE	1333192-1	65-79 years	15-30 days	<p>Acute kidney injury, acute myocardial infarction, cardiac failure congestive, Confusional state, dyspnea; Respiratory distress; Sepsis; cardio-respiratory arrest; This case was received via VAERS (Reference number: 1213568) on 11-May-2021 and was forwarded to Moderna on 11-May-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of CARDIO-RESPIRATORY ARREST (cardio-respiratory arrest), ACUTE KIDNEY INJURY (Acute kidney injury), ACUTE MYOCARDIAL INFARCTION (acute myocardial infarction), CARDIAC FAILURE CONGESTIVE (cardiac failure congestive), CONFUSIONAL STATE (Confusional state), DYSPNOEA (dyspnea), RESPIRATORY DISTRESS (Respiratory distress) and SEPSIS (Sepsis) in a 76-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 022M20A) for COVID-19 vaccination. No Medical History information was reported. On 26-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 20-Mar-2021, the patient experienced CARDIO-RESPIRATORY ARREST (cardio-respiratory arrest) (seriousness criteria death and medically significant), ACUTE KIDNEY INJURY (Acute kidney injury) (seriousness criteria hospitalization and medically significant), ACUTE MYOCARDIAL INFARCTION (acute myocardial infarction) (seriousness criteria hospitalization and medically significant), CARDIAC FAILURE CONGESTIVE (cardiac failure congestive) (seriousness criteria hospitalization and medically significant), CONFUSIONAL STATE (Confusional state) (seriousness criterion hospitalization), DYSPNOEA (dyspnea) (seriousness criterion hospitalization), RESPIRATORY DISTRESS (Respiratory distress) (seriousness criteria hospitalization and medically significant) and SEPSIS (Sepsis) (seriousness criteria hospitalization and medically significant). The patient died on 20-Mar-2021. The cause of death was not reported. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The patient presented to the ER and was treated for acute CHF, NSTEMI and sepsis with ceftriaxone and azithromycin. After placement of Trialysis catheter, he developed increasing respiratory distress and confusion and was transferred to the ICU where he received vasopressors, intubation and unsuccessful resuscitation after a code blue on 20-Mar-2020. Company comment: This is a case of death in a 76-year-old male subject with unknown medical history, who died 22 days after receiving the second dose of vaccine. Very limited information has been provided at this time. No follow up is possible.</p>
-----------------	-----------	-------------	------------	---

COVID19 VACCINE	1334884-1	80+ years	15-30 days	Dad had been feeling dizzy and tired much of the time when he first knew something was not right and went to his primary doctor and his heart doctor. From the date of 02/13/2021, the first COVID-19 vaccine shot, Dad's condition worsened but once he was administered the second dose of the COVID-19 vaccine it quickly accelerated. One month and one day after the second vaccination shot he was dead from internal bleeding, an accelerated decrease in hemoglobin, red blood cells, platelets, and the complications this caused after surgery which removed a portion of his colon to stop the bleeding. Following is a chronological list of occurrences to the best of my recollection: 1) 2/25/2021 NP, received lab results which she had ordered earlier. Red blood cells 2.21 MIL/uL, hemoglobin 6.7 GM/DL, platelets 92 THOUS/uL. 2) 2/28/2021 admitted to the hospital to receive 3 units of blood and a bone marrow biopsy. Discharged 3/2/2021. 3) 3/3/2021 diagnosis: anemia, unspecified Melena, and occult blood in stools. 4) 3/5/2021 Dr. with lab results: red blood cells 2.7 MIL/uL, hemoglobin 8.6 GM/DL, platelets 56 THOUS/uL. 5) 3/10/2021 Video Capsule Endoscopy. 6) 3/12/2021 Outpatient blood transfusion. 7) 3/15/2021 Dr. with bone marrow report. Diagnosed with Myelodysplastic Syndromes. Received first shot of ARANESP with orders to receive the ARANESP shot every two weeks and see a specialist at Hospital. 8) 3/16/21 transported to ER by ambulance with GI bleed. Received blood transfusions and admitted. Received several more tests and blood transfusions. Diagnosis: Arteriovenous Malformation in descending colon. Treatment: 4 clamps in bleeding veins. Discharged: 3/19/2021. 9) 3/29/2021 Dr. office visit, labs, and second ARANESP shot. Ordered transfusion, no blood match. 10) 3/29/2021 Taken from Dr. office to ER and admitted to Hospital. Transfusions and additional tests performed. Test showed additional bleeding in colon. A colonoscopy was performed and several areas in the colon were sealed. 11) 4/2/2021 Discharged 12) 4/4/2021 Hemorrhaging from colon. Transported by ambulance to Hospital. More transfusions and tests. 13) 4/5/2021 Performed surgery to remove part of colon. My dad continued to worsen over the next 9 days. 14) 4/14/2021 My dad died.
COVID19 VACCINE	1336767-1	18-29 years	15-30 days	Patient presented 5/16/2021 with 1 week dizziness, fever and sore throat, found to have acute myopericarditis c/b cardiogenic shock and bradycardic arrest.
COVID19 VACCINE	1337689-1	65-79 years	15-30 days	Health district notified by Police Dept. that a homebound resident who received first dose of Moderna on 4/26/21 and was due for second dose moderna on 5/24/21 was found deceased at home on 5/21/21.
COVID19 VACCINE	1339062-1	80+ years	15-30 days	Patient appeared to have had suffered a stroke. Admitted to hospital, tests determined no stroke. Patient had pneumonia, and severe inflammatory response. Sepsis.
COVID19 VACCINE	1339098-1	65-79 years	15-30 days	Massive stroke from huge clot right of brain. Never regained con..

COVID19 VACCINE	1340758-1	65-79 years	15-30 days	My dad started having breathing problems and heart fluttering shortly after getting his first covid vaccination on April 9, 2021. He had contracted Covid back in October 2020. He never told us he was getting the vaccination until we got a call on his cell phone from Public Health the day after he died of a pulmonary embolism. When he started complaining of symptoms, his doctor referred him to a cardiologist at a Clinic. He had an appointment with them a few days before he died. Apparently, they didn't find any blood clots, possibly because they were looking for heart issues. Either way, I believe that my dad died from side effects of the Moderna vaccine. My dad died on May 1, 2021 of a pulmonary embolism. The coroner and County Sheriff both said it was one of the biggest blood clots they had ever seen. Since he had no history of blood clots, I thought it important that I report it.
COVID19 VACCINE	1343266-1	50-59 years	15-30 days	On 4-18-21, 17 days after 1st dose of Moderna, he developed upper abdomen pain, chest discomfort. He thought it was indigestion and treated it as such. When he got no relief he went to Emergency room where a cardiac alert was initiated. After he died I was told he had developed myocarditis,/pericarditis and they had to remove a liter of blood from the sac around his heart, but that his heart had gone into cardiogenic shock and that he died. They were prepared to insert a stint thinking he had a blocked coronary artery, but his arteries were clear and they had no idea what had caused this to happen. When he died so soon after the vaccine there were people who wanted to blame the vaccine but I checked into it and there were NO links between the vaccine and myocarditis, pericarditis or cardiogenic shock. Within a few weeks of his death, there began to be possible links between the vaccine and myocarditis. I know 55 is older than what is being looked at, but he had absolutely no previous cardiac history prior to this and this case should e looked at as well
COVID19 VACCINE	1347211-1	80+ years	15-30 days	Dies at the Hospital do to a respiratory arrest.
COVID19 VACCINE	1349127-1	18-29 years	15-30 days	found dead; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (found dead) in a 22-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 032m20a) for COVID-19 vaccination. Concurrent medical conditions included Traumatic brain injury, Movement disorder, Seizures (since she was a baby at 11 months old) and Speech loss. Concomitant products included CLONAZEPAM, OXCARBAZEPINE (TRILEPTAL) and GABAPENTIN for an unknown indication. On 19-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on 04-Apr-2021 The patient died on 04-Apr-2021. The cause of death was not reported. An autopsy was not performed. Reporter stated that death certificate said the cause of death was natural causes. She did have her yearly physical exam after her first dose with her physician prior to her death and no other health issues were noted at the time of the exam. Very limited information regarding this event has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Natural causes
COVID19 VACCINE	1349711-1	65-79 years	15-30 days	Symptoms: & cardiopulmonary arrest Treatment: EPINEPHRINE 8 MG Unknown during code
COVID19 VACCINE	1350953-1	65-79 years	15-30 days	During vital sign inspection, patient presented low saturation, and was taken to the Hospital.
COVID19 VACCINE	1351475-1	65-79 years	15-30 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1354616-1	65-79 years	15-30 days	Difficulty breathing, coughing, congestion, dies of cardiac arrest.

COVID19 VACCINE	1354811-1	65-79 years	15-30 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1354978-1	65-79 years	15-30 days	He received the vaccine and had a heart attack on May 3, 2021 and passed away on May 4th. They did an full autopsy
COVID19 VACCINE	1359916-1	80+ years	15-30 days	Death; This case was received via VAERS on 18-May-2021 and was forwarded to Moderna on 18-May-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of DEATH (Death) in a 92-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 13L20A) for COVID-19 vaccination. No Medical History information was reported. On 14-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on 10-Feb-2021 The patient died on 10-Feb-2021. The cause of death was not reported. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant product use was not provided. It was reported that Patient had no scanned records on file and no further noted regarding events from this time to date of death. No autopsy results were available. 27 days from date of vaccine to date of death. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was not applicable. Very limited information regarding this event has been provided at this time. Further information cannot be requested.; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information cannot be requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1362130-1	60-64 years	15-30 days	Acute onset stroke symptoms the afternoon of 4/13/21 after returning home from room. EMS transported pt to local hospital. Dx with aortic arch/proximal subclavian artery thrombus, migration into axillary artery. Treated at local hospital with TNK for aortic arch clot & ischemic stroke. Transferred to tertiary medical center. Pt had massive stroke (left & right side) with brain stem herniation. Pt CMO after 16hrs and expired on 4/14, <32 hrs after symptom onset.
COVID19 VACCINE	1362539-1	40-49 years	15-30 days	Pt presented to the hospital with abdominal pain and shortness of breath May 28, 2021 Noted to be thrombocytopenic - had normal platelet 20 days prior Had bruising, melena
COVID19 VACCINE	1364886-1	65-79 years	15-30 days	Death after fall and hospitalization.
COVID19 VACCINE	1365410-1	50-59 years	15-30 days	ON 3/15/21 patient was found unresponsive by spouse. EMS was called. Patient was found to have cardiac arrest Was given Epinephrine, Amiodarone and External Ventricular defibrillation Patient passed away on 3/15/21
COVID19 VACCINE	1368648-1	65-79 years	15-30 days	Died on 1/31/2021.
COVID19 VACCINE	1371740-1	80+ years	15-30 days	Resident was found in his bed to be passed away. He had been on Hospice.
COVID19 VACCINE	1372049-1	65-79 years	15-30 days	PASSED AWAY 06/01/21
COVID19 VACCINE	1372112-1	30-39 years	15-30 days	Pt died of massive pontine hemorrhage and then cardiac arrest two weeks after vaccination.
COVID19 VACCINE	1374141-1	80+ years	15-30 days	death N17.9 - Acute renal failure (ARF) (CMS/HCC) R31.9 Hematuria, unspecified type
COVID19 VACCINE	1376795-1	40-49 years	15-30 days	On June 3 he developed a sore throat. His voice sounded like he had a frog in it. Early on June 4 he had to urinate about 10 - 15 times overnight in about a 6 hour timeframe. Later on Friday he left home and a short time later called 911 saying he couldn't breath. When the paramedics arrived they couldn't revive him and he died.

COVID19 VACCINE	1382641-1	65-79 years	15-30 days	Pt had an occipital stroke on the 13th of March. She lost half of her vision in both eyes. We went to the hospital after the eye doctor told her she had had a stroke. Eventually, after 4 trips to the hospital, 2 trips to rehab, we discovered the strokes apparently triggered non-convulsive seizures which they could never end up getting under control. She passed away on 31 May 2021.
COVID19 VACCINE	1386054-1	18-29 years	15-30 days	DEATH FROM BLOOD CLOT
COVID19 VACCINE	1391995-1	50-59 years	15-30 days	Died of unknown cause 2 weeks after receiving vaccine.
COVID19 VACCINE	1394685-1	65-79 years	15-30 days	He died suddenly on May 13th. Had just had thorough physical prior to vaccines. Perfect health, weight perfect. No prior health concerns. Heart attack or stroke in his yard. After his first dose on March 16, 2021 he ceased his several mile walk each day stating he was tired and lethargic. He was a military man that rose each day of his life to that walk. His second dose was 04/16/21 he still did not continue the walks and on May 13, 2021 died suddenly of heart attack or stroke.
COVID19 VACCINE	1395420-1	80+ years	15-30 days	Patient presented to emergency department for increasing trouble breathing on 4/23/2021. She was previously diagnosed with COVID-19 infection on 3/3/2021. She was admitted to a different facility from 4/8/2021 to 4/20/2021 for management of COVID-19 infection where she also tested positive for COVID-19. She was admitted for further management of COVID-19 infection. Her symptoms did not improve and she was placed on comfort measures on 5/4/2021. Patient expired on 5/5/2021 due to complications from COVID-19 infection.
COVID19 VACCINE	1395442-1	60-64 years	15-30 days	stroke and MI came in with symptoms of stroke but symptoms for 24 hours so did not receive tPa. MRI showed brainstem infarct. Statin was increased and started on plavix 75 mg daily for 3 weeks due to small stroke with low NIH. Patient came back in 3 days later due to STEMI and went into cardiac arrest. patient died after 1 hour of resuscitation
COVID19 VACCINE	1395663-1	65-79 years	15-30 days	Massive heart attack and death
COVID19 VACCINE	1396396-1	80+ years	15-30 days	Patient passed away on 5/12/2021 at assisted living facility
COVID19 VACCINE	1397246-1	18-29 years	15-30 days	HISTORY OF PRESENT ILLNESS: This is a 20-year-old male with past medical history of asthma, who was brought to ED by ambulance for nausea, vomiting, generalized weakness, and fever. The patient received his second dose of Moderna vaccine 10 days ago. The patient is experiencing symptoms of nausea, vomiting, fatigue, poor p.o. intake for the last few days. He was at ED 4 days ago and had a negative workup. The patient had a fever with T-max of 103 at home. He also had 2 episodes of emesis in the last few days. He denies any diarrhea, chest pain, abdominal pain. He complains of headache. He denies any blurred vision or neck stiffness. At hospital, the patient was given 4 L of fluid and had multiple blood tests. Even echocardiograms were unremarkable. The patient is unable to ambulate because of generalized weakness and dizziness.

COVID19 VACCINE	1398476-1	65-79 years	15-30 days	Death, Felt like he was dying, Can't move, Hurting pain over the whole body, Weak, This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Death), FEELING ABNORMAL (Felt like he was dying), MOVEMENT DISORDER (Can't move), PAIN (Hurting pain over the whole body) and ASTHENIA (Weak) in a 74-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 016M20A and 028L20A) for COVID-19 vaccination. The patient's past medical history included Coronary artery disease in 2000 and Stroke (recovered) in 1992. Concurrent medical conditions included Diabetes since 2000, Blood pressure high (stable) since 1964, Atherosclerosis since 2016 and Heart attack (recovered) since 2019. Concomitant products included PANTOPRAZOLE for Acid reflux (oesophageal), METOPROLOL for Blood pressure, DULOXETINE for Depression, METFORMIN HYDROCHLORIDE for Diabetes, FERROUS SULFATE HEPTAHYDRATE (FERROUS SULFATE [FERROUS SULFATE HEPTAHYDRATE]) for Iron deficiency, LAMOTRIGINE for Seizure, ACETYLSALICYLIC ACID (ASPIRIN 81) from 18-Jul-2017 to an unknown date, CALCITRIOL, CLOPIDOGREL, FUROSEMIDE, ISOSORBIDE, VITAMIN B12 NOS, COLECALCIFEROL (VITAMIN D3 1000), INSULIN GLARGINE (LANTUS), ACITRETIN, ATORVASTATIN, LOSARTAN POTASSIUM (COZAAR), DULAGLUTIDE (TRULICITY), METFORMIN HYDROCHLORIDE (METFORMINE HCL) and LAMOTRIGINE for an unknown indication. On 17-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 14-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 15-Feb-2021, the patient experienced FEELING ABNORMAL (Felt like he was dying) (seriousness criteria death and hospitalization), MOVEMENT DISORDER (Can't move) (seriousness criteria death and hospitalization), PAIN (Hurting pain over the whole body) (seriousness criteria death and hospitalization) and ASTHENIA (Weak) (seriousness criteria death and hospitalization). The patient was treated with TRAMADOL for Pain, at a dose of 50 mg; LORAZEPAM for Anxiety, at a dose of 0.5 mg and MECLIZINE [MECLOZINE] for Dizziness, at a dose of 25 mg. The patient died on 05-Mar-2021. The reported cause of death was heart and kidney failure and Kidney failure. An autopsy was not performed. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Vital signs measurement: unknown (Inconclusive) Inconclusive. This is a case of sudden death in a 74-year-old male patient with a history of Coronary artery disease and Stroke, who
COVID19 VACCINE	1399375-1	40-49 years	15-30 days	Coroner stated that 3 weeks after patient received 2nd dose of COVID-19 Moderna vaccine, patient collapsed from cardiac arrest, which lead to death.
COVID19 VACCINE	1400093-1	50-59 years	15-30 days	Died suddenly, autopsy pending
COVID19 VACCINE	1400218-1	60-64 years	15-30 days	Patient CTB

COVID19 VACCINE	1401732-1	50-59 years	15-30 days	Seizures, blood clots, struggling to breathe, struggling to walk, ARDS, Acute hypoxic respiratory failure, Acute exacerbation of heart failure and sepsis; Acute exacerbation of heart failure and sepsis; Cardiac arrest; Blood infection; Fever; This spontaneous case was reported by a patient family member or friend (subsequently medically confirmed) and describes the occurrence of ACUTE RESPIRATORY DISTRESS SYNDROME (ARDS), ACUTE RESPIRATORY FAILURE (Acute hypoxic respiratory failure), SEPSIS (Acute exacerbation of heart failure and sepsis), CARDIAC FAILURE ACUTE (Acute exacerbation of heart failure and sepsis), CARDIAC ARREST (Cardiac arrest), SEIZURE (Seizures), THROMBOSIS (Blood clots), DYSPNOEA (Struggling to breathe) and GAIT DISTURBANCE (Struggling to walk) in a 53-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Obesity. On 16-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 15-May-2021 at 2:00 PM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 15-May-2021, the patient experienced ACUTE RESPIRATORY DISTRESS SYNDROME (ARDS) (seriousness criteria death and medically significant), ACUTE RESPIRATORY FAILURE (Acute hypoxic respiratory failure) (seriousness criteria death and medically significant), DYSPNOEA (Struggling to breathe) (seriousness criterion hospitalization prolonged) and GAIT DISTURBANCE (Struggling to walk) (seriousness criterion hospitalization prolonged). In May 2021, the patient experienced SEPSIS (Acute exacerbation of heart failure and sepsis) (seriousness criteria death and medically significant), CARDIAC FAILURE ACUTE (Acute exacerbation of heart failure and sepsis) (seriousness criteria death and medically significant), CARDIAC ARREST (Cardiac arrest) (seriousness criteria death and medically significant), INFECTION (Blood infection) and PYREXIA (Fever). On 17-May-2021, the patient experienced SEIZURE (Seizures) (seriousness criteria hospitalization prolonged and medically significant) and THROMBOSIS (Blood clots) (seriousness criteria hospitalization prolonged and medically significant). The patient was hospitalized from 15-May-2021 to 25-May-2021 due to DYSPNOEA, GAIT DISTURBANCE, SEIZURE and THROMBOSIS. The patient died on 25-May-2021. The reported cause of death was Cardiac arrest, Acute hypoxic respiratory failure, ards and acute exacerbation of heart failure and sepsis. It is unknown if an autopsy was performed. At the time of
COVID19 VACCINE	1403521-1	80+ years	15-30 days	weak, loss of appetite, pneumonia, ARDS
COVID19 VACCINE	1409932-1	60-64 years	15-30 days	The evening of his second shot, he collapsed. He said he became light headed, but I believe he may have lost consciousness briefly. He had a low fever for 12 hours. Afterwards, he complained that he had ""not felt right"" since the second shot. He died of a heart attack on May 27, roughly one month after his second shot.""
COVID19 VACCINE	1410986-1	80+ years	15-30 days	Pt was admitted to hospital from hospice care with UTI on 4/16/21 after receiving 2nd dose of vaccine on 4/1/21. Patient passed on 4/21/21. Per guidelines, all hospitalizations are reported.
COVID19 VACCINE	1414259-1	80+ years	15-30 days	Low heart activity and low oxygenation.

COVID19 VACCINE	1414988-1	50-59 years	15-30 days	After receiving the 2nd vaccine on 5/15/21, on 5/16 patient had a ""stomach ache"", on 5/17 he went to work. At 9:30am, the camera's show him going into the women's restroom to service it, a lady tried to go into the restroom and could not go in, she called the supervisor, when the supervisor arrived there was no pulse. Report source believes he goes into work around 7:00AM. Report sources states she was told "" his blood sugar was not elevated"". Report source states that the death certificate states he had a cardiac arrest.""
COVID19 VACCINE	1416476-1	60-64 years	15-30 days	Patient died at home 3 weeks after receiving first dose of vaccine.
COVID19 VACCINE	1417063-1	65-79 years	15-30 days	Patient passed away on 6/20/2021. Cause of death unknown.
COVID19 VACCINE	1417223-1	80+ years	15-30 days	I am the epidemiologist reporting on behalf of patient who tested positive for COVID-19 via PCR on 5/14/21 after the completion of a full Moderna vaccine series (Dose 1 on 4/1 and Dose 2 on 4/29). The patient later died on 6/5/21 . Cause of Death is listed as cardiac arrest; hypoxic RF; Extensive PAD and ischemic leg/foot ulcers s/p bypass surgery. Pre-existing conditions listed as: OTHER CHRONIC DISEASES, CARDIOVASCULAR DISEASE, DIABETES MELLITUS, CHRONIC LUNG DISEASE (ASTHMA/EMPHYSEMA/COPD)
COVID19 VACCINE	1420192-1	80+ years	15-30 days	Died do to unknown reasons, did not present symptomology.
COVID19 VACCINE	1423631-1	40-49 years	15-30 days	FAMILY PRACTICE was notified by a County coroner that the patient died on 12 June 2021. It is unknown to us if this is related to the Moderna vaccine received 19 May 2021. Dr. had seen this patient one time as a new patient of FAMILY PRACTICE to establish a primary care provider 25 May 2021 FAMILY PRACTICE provided the 1st dose Moderna vaccination 19 May 2021
COVID19 VACCINE	1424014-1	80+ years	15-30 days	Death 4/18/2021 Causes of death listed on patient's death certificate: 1) Sequelae of SARS-Coronavirus 2019 Other: Rheumatoid Arthritis, Insulin Dependent Diabetes, Chronic Hypoxic Respiratory Failure, Morbid Obesity
COVID19 VACCINE	1424095-1	80+ years	15-30 days	Death 3/23/2021 Cause of death listed on death certificate: Myocardial Infarction
COVID19 VACCINE	1425926-1	30-39 years	15-30 days	Death: 5/7/2021 Causes of death listed on death certificate: 1) COVID-19 2) Sepsis 3) Sarcoidosis 4) End stage renal disease Other: Hypertension, Congestive heart failure
COVID19 VACCINE	1427108-1	65-79 years	15-30 days	COVID symptoms began 3/16, positive test 3/19, hospital admission 3/22, death 4/1
COVID19 VACCINE	1427448-1	40-49 years	15-30 days	Notified on 6/16 /2021 patient died. Death by PE 1 month after prime dose of Moderna-since unexpected- reported to VAERS
COVID19 VACCINE	1430563-1	50-59 years	15-30 days	On April 2, 2021, person went to the ED at 10:15 AM, where she complained of shortness of breath, fatigue, mild headache and nausea. Patient symptoms were going on for about 3 days. She also reported feeling a bit achy and decreased appetite. She was treated and discharged home the same day. It was later reported by a family member that this person was found unconscious on floor of her bedroom by family members and taken to hospital where she passed away. It was reported hat Doctors were thinking that this was caused by a rare blood disorder (Thrombotic thrombocytopenic purpura, a disease which causes small blood clots and interrupts the blood's ability to deliver oxygen properly).
COVID19 VACCINE	1431198-1	80+ years	15-30 days	death E87.1 - Hypo-osmolality and hyponatremia N17.9 - Acute kidney failure, unspecified
COVID19 VACCINE	1431351-1	65-79 years	15-30 days	3/7/2021: dysregulated taste, dyspnea, Myalgia, pneumonia, hospitalized, treated but died
COVID19 VACCINE	1433744-1	80+ years	15-30 days	Patient passed away on 05/02/2021.

COVID19 VACCINE	1437053-1	50-59 years	15-30 days	Site: Bruising at Injection Site-Mild, Site: Itching at Injection Site-Mild, Site: Pain at Injection Site-Mild, Site: Redness at Injection Site-Mild, Site: Swelling at Injection Site-Mild, Systemic: Body Aches Generalized-Severe, Systemic: Chills-Severe, Systemic: Confusion-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Fever-Severe, Systemic: severe flu-like symptoms-Severe, Systemic: Headache-Severe, Systemic: Weakness-Severe, Additional Details: husband reported patient had severe flu-like symptoms
COVID19 VACCINE	1437654-1	60-64 years	15-30 days	03/19/2021 wife had severe stomach pain, went to urgent care, referred to hospital for cat-scan, admitted to hospital for observation and tests, tests inconclusive, Monday, 03/22/2021 @ 02:42 wife declared dead.
COVID19 VACCINE	1440737-1	80+ years	15-30 days	Patient presented to the ED and was subsequently hospitalized for DVT within 6 weeks of receiving COVID vaccination. Patient died on 6/23/2021.
COVID19 VACCINE	1441060-1	65-79 years	15-30 days	Blood clots in heart with extremely low blood pressure and shortness of breath. Symptoms suddenly appeared on 04/02/21. Hospitalization and rehabilitation Until discharge of 05/03/2021. Extremely low blood pressure, weakness and shortness of breath continued until he was hospitalized again 06/02/2021 He passed away 06/09/2021. He was labeled as Covid 19
COVID19 VACCINE	1441553-1	80+ years	15-30 days	Severe anemia, low hemoglobin, low body temp, weakness, confusion, shakiness, all blood levels abnormal. Meningitis due to varicella zoster virus. Died on June 13 2021
COVID19 VACCINE	1011894-1	65-79 years	31-60 days	patient passed away within 60 days of receiving COVID vaccine
COVID19 VACCINE	1029514-1	65-79 years	31-60 days	patient deceased
COVID19 VACCINE	1046542-1	80+ years	31-60 days	patient passed away with in 60 days of receiving a COVID vaccine
COVID19 VACCINE	1051975-1	80+ years	31-60 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1053322-1	65-79 years	31-60 days	Pt had passed away before second dose
COVID19 VACCINE	1057795-1	80+ years	31-60 days	Death 02/22/2021.
COVID19 VACCINE	1062895-1	80+ years	31-60 days	patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1063000-1	65-79 years	31-60 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1063561-1	80+ years	31-60 days	Patient was a Resident on our LTC wing. Per the LTC Manager: Resident had hx of CVA with deficits in speech and extremities. Hx of decreased circulation to BLE's which resulted in wounds to bilateral feet on and off that needed treatment. Average meal consumption 25-50% of meals, started refusing more often in December and January. Would consume small amounts 60-120mL of fluids here or there. Vaccinated on 1/7/21. Stopped eating 1/18/21. Attempted bolus NS fluid 1/25/21. Resident refused all treatment afterwards. Went hospice on 2/3/21 and passed away on 2/7/21.
COVID19 VACCINE	1063727-1	65-79 years	31-60 days	Called pt for Dose 2 appt. Pt had passed away.
COVID19 VACCINE	1063863-1	80+ years	31-60 days	Resident had Hx of DM T2, Hx of prostate CA. Started having swallowing difficulties in November. Increased c/o nausea and decreased appetite. 25% per meal average. Decreased energy to participate in activities and refused getting out of bed or meals. Was vaccinated on 1/13/21. Hospice care started on 1/25/21. Resident passed away 2/23/21.
COVID19 VACCINE	1063903-1	65-79 years	31-60 days	NO SPECIFIC ADVERSE EVENT DUE TO THE VACCINE BUT THE PATIENT PASSED AWAY 02/10/2021 DUE TO COVID
COVID19 VACCINE	1065979-1	60-64 years	31-60 days	No known side effects; postmortem Covid-19 test negative Date of death: 02/12/2021

COVID19 VACCINE	1068885-1	80+ years	31-60 days	DEATH Narrative: PRIOR TO DEATH, spoke with pt's daughter and she reported that pt is unable to keep his appt for the second Covid vaccine appt because is sick today. Per daughter, pt has been lethargic, not enough sleep last night because of frequent urination at least every 30 to 45 minutes looks exhausted and with poor appetite. Pt has not been drinking fluids at least 6 to 8 glasses a day and daughter tries to make sure pt drinks fluids, the best he can. Per daughter, pt's vitals signs are as follows: BP: 93/48mmhg PR: 93/min. Temp: 98.1 F and O2 sat: 95%.
COVID19 VACCINE	1068887-1	80+ years	31-60 days	DEATH Narrative: UNSURE DETAILS OF EVENT, NO DOCUMENTATION IN PROGRESS NOTES
COVID19 VACCINE	1073813-1	80+ years	31-60 days	DEATH Narrative: UNCLEAR WHY PATIENT WAS HOSPITALIZED AS LIMITED INFORMATION IN RECORD
COVID19 VACCINE	1075017-1	80+ years	31-60 days	death
COVID19 VACCINE	1075042-1	80+ years	31-60 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1075349-1	80+ years	31-60 days	death
COVID19 VACCINE	1075354-1	80+ years	31-60 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1084145-1	80+ years	31-60 days	At home Care Hospice Patient
COVID19 VACCINE	1091957-1	65-79 years	31-60 days	I'm still not sure which COVID19 vaccine my dad received (It made me fill it out--I'm not sure if he got Moderna or Pfizer). Nursing home would know. He received his 2nd shot on Jan 19. On Feb 17 all was fine and they were planning on getting him crowns at the dentist. On Feb. 19 everything went poorly. He started to suddenly have seizures and was not responsive. When I arrived on Feb 21 he didn't say much and had seizures that night. On Feb 22, he responded a little bit and had a big black eye from a seizure the night before. On Feb 22 he had at least 4 seizures and he passed that afternoon around 1:20 pm
COVID19 VACCINE	1092047-1	80+ years	31-60 days	patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1094164-1	80+ years	31-60 days	deceased
COVID19 VACCINE	1094868-1	80+ years	31-60 days	Started having confusion at 3#0 a.m. Sunday morning. Unstable gait and hypoxia at home. More congested than usual. Had 2nd COVID vaccine 4 weeks ago. Had visual hallucinations with seeing ""bugs"" Admitted with positive COVID and Influenza B diagnosis.""
COVID19 VACCINE	1095798-1	80+ years	31-60 days	death
COVID19 VACCINE	1103826-1	80+ years	31-60 days	chest pain, acute heart failure death
COVID19 VACCINE	1104177-1	65-79 years	31-60 days	first vaccine (Moderna) was injected on 02/03/2021, second vaccine (pfizer) was injected on 03/02/2021, my Mother was dead on 03/08/2021. with no symptoms on 03/07/2021.
COVID19 VACCINE	1105408-1	80+ years	31-60 days	Death
COVID19 VACCINE	1107648-1	80+ years	31-60 days	Developed leukemia and kidney failure. Died in 6 days.
COVID19 VACCINE	1108264-1	80+ years	31-60 days	DEATH Narrative: No information available in the record other than date of vaccine on 1/7/2021 with no adverse effects or complications noted during observation period. Patient was not known to have had COVID infection prior to death. Had last received medical care at facility in 2012 except received audiology care up to 12/2/2020. No recent hospitalizations known. No death note or autopsy noted. Only indication of death is the updated banner/date of death in demographics. Death most likely due to advanced age (84 y/o) in addition to comorbidities.

COVID19 VACCINE	1108265-1	80+ years	31-60 days	Death Narrative: 83 y.o. male with pmh of heart failure admitted on 3/9 for shortness of breath and weight gain. Had Vfib arrest on 3/12 and was intubated/xfer to ICU. Continued to require increasing levels of pressors. He suffered VF arrest in the setting of metabolic, septic and cardiogenic shock. He had end stage heart failure and required 4 pressors. Was made CMO and passed away. Noted to have not received 2nd does of Moderna likely due to hospitalization at the time that the second dose would have been due. Patients history of adverse drug reactions included: lisinopril, dabigatran, and penicillin.
COVID19 VACCINE	1110641-1	80+ years	31-60 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1111645-1	80+ years	31-60 days	Patient was a resident on a LTC wing. Received Covid-19 vaccine on 1/13/21 & 2/10/21. Pt stated she felt phlegm in her throat 3/14/21. On 3/15/21 patient started having trouble swallowing, and started needing supplemental oxygen for low oxygen saturation and needing suctioned for c/o being unable to swallow.. ST eval showed no gag reflex and inability to swallow effectively or safely. Pt needed 5L/O2 and unable to hold saturations above 90%. Patient became ?comfort care?, and passed away 3/18/21.
COVID19 VACCINE	1112223-1	80+ years	31-60 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1114257-1	Unknown	31-60 days	fever; chills; headaches; excruciating generalized body aches like he had just be ran over by a truck; nausea; patient has passed away; A spontaneous report from was received from a Consumer concerning a 74 Years-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced nausea, headaches, chills, fever, excruciating generalized body aches like he had just be ran over by a truck, patient has passed away. The patient's medical history was not provided. No relevant concomitant medications were reported. On 23-02-2021, prior to the onset of the events, the patient received the second of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On an unknown date, The patient experienced nausea, headaches, chills, fever, excruciating generalized body aches like he had just be ran over by a truck. The patient had a cardiac angiography on 24-02-2021. The result was unknown. The patient was found dead on 06-03-2021. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the events nausea, headaches, chills, fever, excruciating generalized body aches like he had just be ran over by a truck was recovering. The patient died on 06-03-2021. The information about the autopsy was unknown. The cause of the death was unknown.; Reporter's Comments: Very limited information regarding this events has been provided at this time. The patient must have been in some form of cardiac issues before death, that's reason why cardiac angiography was done. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1115216-1	80+ years	31-60 days	NA Patient hx COPD,CAD,
COVID19 VACCINE	1116073-1	80+ years	31-60 days	Patient passed away within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1116103-1	80+ years	31-60 days	Death Narrative:

COVID19 VACCINE	1116108-1	80+ years	31-60 days	Death Narrative: Patient received dose 1 of COVID vaccine on 1/27/21. Was observed x15 minutes, no reactions noted. Later that day patient's spouse reports patient has been acting out (reports behaviors the night before) and that she cannot care for him any longer. Patient falls sometime in the 48 hours after vaccine and is admitted to the hospital with an unknown diagnosis. Not certain of patient's history after this hospitalization until 2/9 when patient is admitted again to the hospital with hepatic encephalopathy. Patient is switched to hospice status by 2/12, and passes on 2/21/21.
COVID19 VACCINE	1116400-1	80+ years	31-60 days	Patient passed away within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1116436-1	80+ years	31-60 days	Patient passed away within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1118958-1	80+ years	31-60 days	Death Narrative:
COVID19 VACCINE	1118963-1	60-64 years	31-60 days	Death Narrative:
COVID19 VACCINE	1123229-1	80+ years	31-60 days	Patient received Moderna Dose #1-01/08/2021 and Dose #2-02/05/2021. He was admitted to Medical Center on 03/08/2021 with confusion and decreased O2 sats; date of death was 03/12/2021.
COVID19 VACCINE	1125070-1	Unknown	31-60 days	He past away on 28Feb2021 from a heart attack; A spontaneous report was received from a consumer concerning a 80 year old male patient who received Moderna's COVID-19 vaccine and the patient died due to heart attack. The patient's medical history, as provided by the reporter, included diabetes, congestive heart failure, hypertension and high cholesterol. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Batch number: 025L20A) intramuscularly in the right arm on 21 Jan 2021. On 26 Feb 2021, the patient received their second of two planned doses of mRNA-1273 (Batch number: 024M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 28 Feb 2021 the patient passed away due to heart attack. No treatment information was provided. The seriousness criteria for the event passed away from a heart attack were death and medically significant. Action taken with mRNA-1273 in response to the event was not applicable. The outcome for the event, he passed away from a heart attack was fatal.; Reporter's Comments: This case concerns a 80 year old, male patient. who died due to myocardial infarction. Very limited information regarding this event has been provided at this time. The patient's medical history of diabetes, congestive heart failure, hypertension and high cholesterol remains the risk factor for myocardial infarction. Further information has been requested. The cause of death is Myocardial infarction.; Reported Cause(s) of Death: Heart Attack
COVID19 VACCINE	1126012-1	60-64 years	31-60 days	Death within 60 days of vaccination

COVID19 VACCINE	1126550-1	65-79 years	31-60 days	Death; A spontaneous report was received from a consumer concerning a 66-year-old, female patient, who received Moderna's covid-19 vaccine (mRNA-1273) and died. The patient's medical history included covid-19 infection on 04 Nov 2020. No relevant concomitant medications were mentioned. On 28 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Batch number:unknown) intramuscularly for prophylaxis of COVID-19 infection. On 09 Mar 2021, the patient died. CT was done and did not find any atherosclerosis but found her lungs were whited out,heavily filled with fluid which he described could've been pulmonary edema. She had tested Covid positive back on 04 Nov 2020. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was not applicable. The outcome of the event was fatal. The patient died on 09 Mar 2021 and the cause of death was unknown. An autopsy was planned on 11 Mar 2021.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1126683-1	80+ years	31-60 days	Death within 60 days of vaccination. Tested positive for COVID-19 2/8/2021, admitted outpatient to Hospital 2/8-2/10 readmitted 2/13-2/14 with transfer to Medical Center in with death on 3/2/2021.
COVID19 VACCINE	1127157-1	65-79 years	31-60 days	Death
COVID19 VACCINE	1130110-1	80+ years	31-60 days	Patient passed away unrelated to covid vaccination Narrative: The patient had diabetes, hypertension and coronary atherosclerosis. Patient received his first dose of Moderna on 1/7/2021. Patient elected to not receive 2nd dose vaccination following clinical discussion with provider. Patient was diagnosed with pancreatic cancer and ws place on hospice care. Patient passed away on 2/21.No indication that death was related to COVID 19 vaccination.
COVID19 VACCINE	1132458-1	80+ years	31-60 days	He was in Hospice. He died as a veteran. He had a constant lack of appetite. Has no additional information
COVID19 VACCINE	1134070-1	80+ years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1134376-1	65-79 years	31-60 days	Patient passed away from cardiogenic shock after a CABG
COVID19 VACCINE	1143063-1	65-79 years	31-60 days	POC alleges that the resident was eating days before but, on 3/24/2021 he did not want to eat in the afternoon, he took a Pediasure around 4 pm, at 6 pm, caregivers on their rounds found him foaming at the mouth. It was heard with phlegm. They refer him to the hospital, they take a chest plate and indicate that everything was fine. Dies by aspiration, due to cardiac respiratory arrest.
COVID19 VACCINE	1143266-1	65-79 years	31-60 days	Death
COVID19 VACCINE	1144818-1	80+ years	31-60 days	Patient death within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1147303-1	65-79 years	31-60 days	Patient death within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1149497-1	80+ years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1152051-1	80+ years	31-60 days	Unknown what if any adverse event may have occurred. This report is being submitted following a periodic review of death certificates. Death certificate for this individual indicates ""COPD - Decline Acutely After COVID Vaccine 1st Dose"" in ""PART II. OTHER SIGNIFICANT CONDITIONS contributing to death but not resulting in the underlying cause""
COVID19 VACCINE	1156029-1	65-79 years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1158952-1	50-59 years	31-60 days	Death of patient reported to have happened on 3/30/2021
COVID19 VACCINE	1160180-1	60-64 years	31-60 days	Long term care patient death within 60 days of receiving a COVID vaccine

COVID19 VACCINE	1160236-1	80+ years	31-60 days	covid+ Narrative: Patient with diagnosis of chronic respiratory failure with hypoxia secondary to COPD, dependent on oxygen/steroid, GERD, Rosacea secondary to long term steroid use, CAD, HLD, HTN, Diet controlled DM, Granulomatous disease of the lungs, Hx Abnormality Imaging of the lungs early 1990's- further imaging resolved without treatment, Vitamin D/B12 deficiency, Chronic rhinitis, Adjustment disorder with anxiety, Osteoarthritis of multiple joints. Patient admitted 3/19/21 with +COVID symptoms/test. Transferred to facility 3/27/21 with new onset Afib/further respiratory decompensation requiring NRB/Amiodarone gtt. Was made comfort care for Patient request and placed on MSO4 gtt. Patient passed away 3/31/21 at 1640 of Acute on Chronic respiratory failure secondary to COPD/COVID with daughter at side.
COVID19 VACCINE	1167899-1	65-79 years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1167930-1	80+ years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1168503-1	80+ years	31-60 days	reports death due to age and dementia
COVID19 VACCINE	1175952-1	40-49 years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1176121-1	80+ years	31-60 days	Patient death within 60 days of receiving a COVID vaccine
COVID19 VACCINE	1176215-1	65-79 years	31-60 days	Patient was admitted to the hospital on 03/27/2021. He was symptomatic and died at the hospital on 04/06/2021.
COVID19 VACCINE	1176234-1	80+ years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1176278-1	80+ years	31-60 days	Patient within 60 days of receiving a COVID vaccine death
COVID19 VACCINE	1177616-1	65-79 years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1180189-1	80+ years	31-60 days	Hospitalization within 30 days of vaccination. Death within 60 days of vaccination
COVID19 VACCINE	1188126-1	80+ years	31-60 days	Patient was on hospice for general debility for about 2 years. Patient was eating 100% and propelling self in wheel chair while living in nursing home. Received Covid vaccine #1 on 2/2/21 and #2 on 3/2/21. No other significant events occurred until starting 4/7/21 when patient started vomiting food. Then on 4/8/21 patient vomited large amount of coffee ground emesis. Then on 4/9/21 patient expired.
COVID19 VACCINE	1197095-1	80+ years	31-60 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1197398-1	65-79 years	31-60 days	Death Narrative: Patient with h/o metastatic lung CA-he was already on hospice at time of 1st and second COVID-19 vaccines.

COVID19 VACCINE	1197556-1	65-79 years	31-60 days	cardiac arrest Narrative: Patient received dose 2 series of Moderna COVID-19 vaccine. First dose was received on 1/17/21 and second dose received 2/14/21. After both doses patient was observed for 15 minutes and did not have any adverse reaction per administering RN. No data in database or database as to any other adverse events occurring 15 minutes post-vaccination. On 3/20/21, EMS was called to patient's home who was discovered on the floor with an unknown breathing status and pulse. AED was attached to the patient. A very weak pulse was found and patient had agonal respirations. Cardiac monitor was attached to patient with a HR of 32. 1mg of atropine was administered and patient's rhythm changed to PEA with no respirations or pulse. Per patient's wife and son, he was a DNR, therefore all resuscitation attempts were stopped (patient was never admitted to the hospital). Patient was never known to be previously positive to COVID. PMH that may have predisposed patient to this adverse event leading to death include h/o DVT on chronic anticoagulation, COPD, and abdominal aortic aneurysm. There is insufficient information to determine the exact cause of death or what led to the cardiac arrest given that the time from last vaccination to the adverse event was almost a month apart.
COVID19 VACCINE	1197557-1	80+ years	31-60 days	Death Narrative: already reported VAER for hospitalization on 3/3; the patient subsequently died once transferred to SNF
COVID19 VACCINE	1198157-1	30-39 years	31-60 days	Hospice patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1199415-1	80+ years	31-60 days	she was found unresponsive by family and taken to the ER on 4/1 where she was found to have a massive subdural hematoma. she was placed on comfort measures and passed away at the hospital. she had had a fall out of bed in the week before her ER admission.
COVID19 VACCINE	1201182-1	65-79 years	31-60 days	Sudden death - found by paramedics
COVID19 VACCINE	1202616-1	80+ years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1202725-1	80+ years	31-60 days	Advanced age, Hospice
COVID19 VACCINE	1203159-1	65-79 years	31-60 days	Metastatic Lung cancer
COVID19 VACCINE	1203534-1	80+ years	31-60 days	NA Hospice Care
COVID19 VACCINE	1203976-1	80+ years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1204227-1	50-59 years	31-60 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1207863-1	65-79 years	31-60 days	Patient death within 60 days of receiving the COVID vaccine series
COVID19 VACCINE	1207928-1	65-79 years	31-60 days	Shortness of breath
COVID19 VACCINE	1208670-1	80+ years	31-60 days	death
COVID19 VACCINE	1209096-1	60-64 years	31-60 days	Death
COVID19 VACCINE	1212418-1	80+ years	31-60 days	death Narrative: Patient received his COVID #1 vaccine on 1/4/2021. He is noted to be a dialysis patient and on 1/21/2021 was given a RX for treatment of a UTI. On 1/24/2021, he was admitted to a facility with a syncopal episode. He remained there until 2/2/2021 when he discharged to home. On 2/4/2021, notes indicate that he passed away in his sleep that night. No autopsy reports available. 31 days from time of vaccine #1 and date of death, does not appear that he received vaccine #2.

COVID19 VACCINE	1213566-1	65-79 years	31-60 days	death Narrative: Patient received his COVID #1 Moderna vaccine on 2/3/2021. On 2/9/21, he reported to our ER with severe upper back pain x 2 weeks, notes indicate that he fell 12/2020 and sustained a fracture to T5, he denied shortness of breath but did report a cough. He was given morphine 10mg IM x 1 dose, ondansetron 4mg SL x 1 dose and an outpatient RX for Norco and discharged. On 2/11/21, his wife reported that he fell out of bed and he was taken to a facility via EMS. No records from that visit are available. On 3/9/2021. it was reported that he passed away. No autopsy reports available. 34 days from time of vaccine to date of death.
COVID19 VACCINE	1213570-1	80+ years	31-60 days	death Narrative: Patient received Moderna Covid vaccine #1 on 2/12/21. On 2/17/21, his son contacted the clinic social worker to inquire about home health services as he thought Patient had had a stroke (no longer able to walk and slurred speech). Patient refused to go to the hospital and son agreed to not have him admitted for fear that he would die alone in a hospital. Patient receives primary care from a provider and social worker suggested that he contact his PCP regarding home hospice services. No further notes of what occurred after that conversation and his date of death is reported as 3/21/21. No autopsy results available. 37 days from date vaccine to date of death.
COVID19 VACCINE	1221163-1	65-79 years	31-60 days	heart attack; couldnt walk; couldnt get out of bed; body ache and pains; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of MYOCARDIAL INFARCTION (heart attack) in a 72-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030M20A and 033A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Neurological disorder NOS, Diabetes, peripheral artery disease, Disabled spouse (100% disable) and COPD. Concomitant products included GABAPENTIN for an unknown indication. On 13-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 20-Mar-2021, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 2 dosage form. On 21-Mar-2021, the patient experienced MYOCARDIAL INFARCTION (heart attack) (seriousness criterion death), GAIT DISTURBANCE (couldnt walk), BEDRIDDEN (couldnt get out of bed) and PAIN (body ache and pains). The patient died on 21-Mar-2021. The reported cause of death was Heart attack. It is unknown if an autopsy was performed. At the time of death, GAIT DISTURBANCE (couldnt walk), BEDRIDDEN (couldnt get out of bed) and PAIN (body ache and pains) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The patient had a medical condition of ""agent orange"". The patient was a veteran. Treatment included for the events was acetaminophen (Tylenol). Based on the current available information and the temporal association between the product use and the start date of the events a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-075051 (Linked Report).; Sender's Comments: Based on the current available information and the temporal association between the product use and the start date of the events a causal relationship cannot be excluded. US-MODERNATX, INC.-MOD-2021-075051:Case for second dose; Reported Cause(s) of Death: Heart attack""
COVID19 VACCINE	1222366-1	65-79 years	31-60 days	Died a natural death

COVID19 VACCINE	1228011-1	80+ years	31-60 days	Death Narrative: Patient was not previously Covid positive and did not have any predisposing factors (PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 90 yo and admitted on 2/10/21 for SOB and a fall resulting in a femur fracture. Patient was on Eliquis and has h/o CABG x5, dementia, bradycardia s/p pacemaker. Patient was discharged to a rehab facility where his condition declined ultimately resulting in transfer to inpatient hospice. He eventually required care in ICU where he eventually deceased.
COVID19 VACCINE	1228012-1	65-79 years	31-60 days	Death Narrative: Patient was not previously Covid positive and did not have any predisposing factors (PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 78 and receiving home based primary care prior to COVID vaccination for multiple conditions including CKD, T2DM, w/ complications, and CHF.
COVID19 VACCINE	1229092-1	60-64 years	31-60 days	PATIENT GOT FIRST MODERNA DOSE 03/11/2021 AND SECOND DOSE 04/08/2021 AND PASSED AWAY ON 04/14/2021
COVID19 VACCINE	1229390-1	60-64 years	31-60 days	Pt found unresponsive in hospital room with large amount of vomit. Patient pronounced dead shortly after with cause of death noted to be aspiration pneumonia with hypoxemia leading to cardiac arrest. Pt received vaccine 1 month prior so I wanted to report this.
COVID19 VACCINE	1230079-1	65-79 years	31-60 days	My husband passed away two weeks and one day after getting his last vaccine
COVID19 VACCINE	1232115-1	80+ years	31-60 days	Resident was in Hospice and was presenting with an infection. On the morning of 3/14/2021 in the round of caregivers they found him without vital signs.
COVID19 VACCINE	1232416-1	80+ years	31-60 days	Loss of apatite to the point of no ingestion through mouth. During hospitalization, the medical staff identified a mass at the abdomen.
COVID19 VACCINE	1232938-1	80+ years	31-60 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1232970-1	65-79 years	31-60 days	Patient passed away.
COVID19 VACCINE	1233604-1	80+ years	31-60 days	Patient was in ED x 2 and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1235191-1	40-49 years	31-60 days	my sister had a ruptured brain aneurysm on 3/25/2021
COVID19 VACCINE	1236407-1	80+ years	31-60 days	Death Narrative: Patient was not previously Covid positive and did not have any predisposing factors (PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 81 and presented to the ED w/ altered mental status on 2/18/21 after receiving COVID vaccine on 2/16/21. Patient was also previously admitted earlier that month for a retroperitoneal hemorrhage that had similar presentation of altered mental status. CT this admission showed a new CVA. He was eventually transferred to the ICU for nonconvulsive status epilepticus and eventually transitioned to hospice care after further decline in status. Wife elected to stop dialysis and he passed away on 3/23/21. Comorbidities include ESRD on dialysis, CVA, DM, prostate cancer.

COVID19 VACCINE	1236408-1	65-79 years	31-60 days	Death Narrative: Patient was not previously Covid positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was hospitalized in early 02/2021 at Medical Center in the ICU for a bleeding ulcer. Was inpatient for over a month, but do not have records due to it being outside facility. Received a colonoscopy report which showed. diverticulosis and CT of abdomen showing pleural effusion, umbilical hernia and gallstones. Notable comorbidities include emphysema, CKD, CAD, ICM, and T2DM.
COVID19 VACCINE	1236409-1	80+ years	31-60 days	Death Narrative: Patient was not previously COVID positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 97 and admitted to Hospital on around 2/20/2021 due to a fall at home. He later passed away on 3/5/21.
COVID19 VACCINE	1236414-1	80+ years	31-60 days	death Narrative: Patient received Moderna covid #1 on 1/9/21 and #2 on 2/8/21. On 2/24/21, he was sent to the ER at a facility from a nursing home where he was admitted for skilled nursing care. He was sent to the ER due to fever, decreased mental status, renal failure, possible UTI and possible pneumonia. He was admitted and received IV fluids, Zosyn and Solu Medrol. On 2/26/21, a consult was placed for hospice care and he was accepted for hospice care at a contract nursing home. Upon review of scanned records, it appears he had a stroke/intercranial hemorrhage on 2/10/21 and that is why he was admitted to the nursing home for skilled nursing services. A date of death of 3/18/21 is recorded. No autopsy results recorded. 38 days from vaccine #2 and date of death.
COVID19 VACCINE	1236416-1	65-79 years	31-60 days	death Narrative: Patient received Moderna covid vaccine #1 on 1/22/21 and #2 on 2/24/21. On 3/4/21, he was admitted to a facility for shortness of breath x 1 week. Upon admission, he was found to be in heart block and was admitted to the ICU and placed on pressors. He did have a negative COVID PCR test on 3/4/21. He has a noted history of COPD, CHF and OSA. On 3/6/21, he underwent a new pacemaker placement. His course was complicated by the development of AKI, paroxysmal V tach and new aflutter and was initiated on apixaban. He was discharged on 3/18/21. No further records available and a date of death was recorded as 4/3/21. No autopsy results available. 38 days from time of second vaccine to date of death.
COVID19 VACCINE	1238188-1	60-64 years	31-60 days	The decedent suffered fever and malaise after the second dose on 04/13/2021.
COVID19 VACCINE	1238254-1	80+ years	31-60 days	This 85 year old male received the Covid shot on 2/23/21 and subsequently died on 4/15/21. Please refer to the other details submitted within this report and contact the person who submitted this report via email for additional follow up details and investigation.
COVID19 VACCINE	1238316-1	80+ years	31-60 days	Suffered a fall, stopped eating, on February 28, 2021 was found without vital signs.
COVID19 VACCINE	1241384-1	80+ years	31-60 days	Death Narrative: Patient was 96 yr old, prostate cancer, peg tube placed, Died on Hospice service, No vaccine complication reported.
COVID19 VACCINE	1241386-1	80+ years	31-60 days	EXPIRED Narrative: 86 y/o male who received first dose of COVID-19 vaccine (Moderna) 1/22/21 and never returned for second dose. COVID-19 clinic alerted the pharmacist that patient expired prior to receiving second dose. Unknown reason.

COVID19 VACCINE	1241389-1	65-79 years	31-60 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient presented to the ER on 3/8/21 after being sick the prior 2 weeks with loose, bloody/tarry stools, frequent falls, and hypotension. Hospital course progressed to worsening encephalopathy secondary to decompensated alcoholic cirrhosis. Developed pneumonia that did not improve with antibiotics and progressed to palliative care with him passing away on 3/24/21. Comorbidities include COPD, alcoholism, Takotsubo cardiomyopathy, HTN, cirrhosis, HLD, former smoker.
COVID19 VACCINE	1241390-1	80+ years	31-60 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 94 and receiving hospice care for end life care in the months leading up to his passing on 3/9/21. In addition to his advanced age, the patient had chronic afib on anticoagulation, hypothyroidism, HTN, HLD, COPD, depression, and increasing cognitive and memory issues towards the end of his life.
COVID19 VACCINE	1241399-1	80+ years	31-60 days	Death Narrative: 95 yr old Renal failure, renal anemia, Died on Hospice service. No vaccine complications reported.
COVID19 VACCINE	1241676-1	80+ years	31-60 days	The patient was with respiratory difficulties, low pressure and low pulse.
COVID19 VACCINE	1242520-1	30-39 years	31-60 days	35 y/o with asthma (on alvesco and singulair), GERD, morbid obesity (BMI 45) and RA (on prednisone and MTX, SZA.) Vaccinated for COVID 2.12. and 3.10 Recent lab 3/17- normal, including negative CRP. Code continued for 50 minutes, no shock advised. PEA, gave Epi X 4. Normal BS. Considered narcan. Over the weekend- 4/17 Chest pain that started with eating. Labile blood pressure. EKG showed NSR rate 64. Treated with ASA 325, clear liquid diet and rest. Treated with toradol and Zofran. Improved. At f/u on Monday, discussed chronic knee pain was overall better. Normal for her exam. BP 136/79. Felt dizzy and then passed out, hitting her head, became pulseless an apneic and was coded for over an hour.
COVID19 VACCINE	1242654-1	80+ years	31-60 days	NA Comfort Cares-acute hypoxic respiratory failure in the setting of bilateral pulmonary extensive infiltrates due to ARDS, pneumonia and possible component of CHF exacerbation. Non-ST elevation myocardial infarction.
COVID19 VACCINE	1243206-1	80+ years	31-60 days	Patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1248086-1	40-49 years	31-60 days	Moderna COVID-19 Vaccine EUA: patient underwent L1-2 corpectomy, pedicle subtraction osteotomy, and extension of fusion from T4 to the pelvis two months after vaccination. During surgery patient became thrombocytopenic and required massive transfusion. Thirteen days after surgery found to have bilateral pulmonary embolisms and deep vein thromboses and placed on anticoagulation. Patient subsequently suffered cardiac arrest and was unable to be resuscitated.

COVID19 VACCINE	1249681-1	65-79 years	31-60 days	<p>Found dead; Felt crappy; Wasn't feeling well; This spontaneous case was reported by a health care professional (subsequently medically confirmed) and describes the occurrence of DEATH (Found dead) in a 75-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 047B21A and 040A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Blood pressure abnormal ("Patient was on blood pressure medications for the last 20 years") and Anticoagulant therapy ("Patient started on a blood thinner in January 2021"). On 09-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 15-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 17-Apr-2021, the patient experienced FEELING ABNORMAL (Felt crappy) and MALAISE (Wasn't feeling well). On 18-Apr-2021, FEELING ABNORMAL (Felt crappy) and MALAISE (Wasn't feeling well) outcome was unknown. The patient died on 18-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. Not Provided For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant product use was not provided by the reporter. The patient was on blood pressure medications (unspecified) for the last 20 years. She was started on blood thinner (unspecified) in January 2021. Treatment information leading up to the patient's death was not reported. Action taken with mRNA-1273 in response to the events was not applicable. A case of death of a 75-year-old, female patient 3 days after the second dose of mRNA-1273 (Lot # 040A21A). Patient had developed abnormal feeling and malaise 2 days after vaccine use and based on temporal association cannot be excluded. However, causality cannot be established for the death as cause of death is unknown. Further information is being requested.; Sender's Comments: A case of death of a 75-year-old, female patient 3 days after the second dose of mRNA-1273 (Lot # 040A21A). Patient had developed abnormal feeling and malaise 2 days after vaccine use and based on temporal association cannot be excluded. However, causality cannot be established for the death as cause of death is unknown. Further information is being requested.; Reported Cause(s) of Death: Found dead"</p>
COVID19 VACCINE	1257832-1	60-64 years	31-60 days	Hospitalized +Covid post vaccination with decreased mental status
COVID19 VACCINE	1259351-1	80+ years	31-60 days	This 84 year old male was a hospice patient and received the Covid shot on 2/24/21. The patient died on 4/1/21. Please refer to the other details submitted within this report and contact the person who submitted this report via email for additional follow up details and investigation.
COVID19 VACCINE	1268019-1	80+ years	31-60 days	This 83 year old female received the vaccine on 2/26/21 and went to the ED on 4/22/21 and was admitted with Thrombocytopenia, acute renal failure, fall with subdural hematoma, clavicle fracture, anemia, head injury, anascara, hyperkalemia and died on 4/27/2021. Please refer to the other details submitted within this report and contact the person who submitted this report via email for additional follow up details and investigation.
COVID19 VACCINE	1269219-1	80+ years	31-60 days	The Patients leg gave out and he fell. Per doctors at hospital, he did not hit his head. He could not get up and he vomited. Ambulance was called and he was taken to the Hospital. The family was told that he had a brain bleed near the thalamus. A few hours later the patient was unresponsive. He was intubated and taken to neuro ICU. Within less then 24 hours from first symptom the patient died.

COVID19 VACCINE	1269850-1	65-79 years	31-60 days	death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there and ADR that occurred between the observation period and the date of death. Patient has PMH significant for neoplasm of liver, stage 4 esophageal adenocarcinoma congestive cardiomyopathy, AF, htn. Seen 3/22, per not ""states that for the past three days he has had constant chest heaviness and shortness of breath along with productive cough with dark sputum."" Discharged 3/24. Deceased 4/2/2021 however no notation or death certificate noted.""
COVID19 VACCINE	1271305-1	65-79 years	31-60 days	Death within 60 days of vaccine
COVID19 VACCINE	1274273-1	80+ years	31-60 days	This 86 year old white male received the Covid shot on 03/06/21 and died on 04/26/21 . Please refer to the other details submitted within this report and contact the person who submitted this report via email for additional follow up details and investigation.
COVID19 VACCINE	1279801-1	40-49 years	31-60 days	Death. Autopsy was done. Awaiting results
COVID19 VACCINE	1286158-1	65-79 years	31-60 days	Pt had an appointment with her cardiologist 4/15/2021 and no changes in patient's health noted states daughter. Patient performed yard work at noon 4/16/2021 and developed chest tightness that was relieved by rest. After patient's nap at noon no more chest discomfort occurred. Patient went to bed that night and husband noted she was sleeping comfortably with no breathing difficulties at midnight. At 3 am husband found patient cold and she had expired.
COVID19 VACCINE	1296113-1	80+ years	31-60 days	Stroke lead to death
COVID19 VACCINE	1296253-1	80+ years	31-60 days	ACUTE HYPOXIC RESPIRATORY FAILURE, ATYPICAL PNEUMONIA, MULTIPLE MYELOMA
COVID19 VACCINE	1303069-1	65-79 years	31-60 days	This 75 year old female hospice patient received the Covid shot on 3/24/21 died on 5/6/21.
COVID19 VACCINE	1307384-1	40-49 years	31-60 days	Was feeling fine the day before, went to sleep around midnight and passed away during the night while sleeping.
COVID19 VACCINE	1307637-1	65-79 years	31-60 days	Patient received dose 1 on 2/12/2021 and dose 2 on 3/15/2021 from community pharmacy. Tested positive on 4/7/2021. Hospitalized for COVID on 4/19/2021. Discharged on 4/29/2021 to hospice. Passed away on 5/1/2021.
COVID19 VACCINE	1310651-1	65-79 years	31-60 days	Patient received Moderna vaccine 3/2/2021 0.5 ml LD IM Lot: 029L20A and Moderna vaccine 3/30/2021 0.5 ml LD IM Lot: 019B21A. The patient was exposed to an infected person with Covid about 1 week after her second vaccine. She was admitted to the ICU with severe covid on 4/13/21. She was eventually transitioned to comfort care and died on 5/6/2021.
COVID19 VACCINE	1310855-1	80+ years	31-60 days	Pneumonia.
COVID19 VACCINE	1314214-1	80+ years	31-60 days	after first dose of the Moderna vaccine she became very ill and was hospitalized on 3/13 - 3/23. After 2nd dose of the vaccine she seemed to be doing ok but gradually declining and less and less to be able to do for herself, it slowed down greatly after the vaccine. There was a gradual decline, but on May 2 she woke up and was semi conscious and said she thought she was dyeing and was in pain and discomfort and was taken into the ER and she was DC'd and started hospice and two days before she passed she got the hospice care. My mother was in a semi coma and could not communicate properly. Many test were done at the hospital during her stay even though they never identified what the cause was. At the last ER visit they diagnosed her with pneumonia
COVID19 VACCINE	1314308-1	80+ years	31-60 days	Fever and respiratory problems.

COVID19 VACCINE	1317043-1	65-79 years	31-60 days	Spontaneous Cortical Non aneurysmal subarachnoid hemorrhage with diagnostic suspicion but not confirmation of cortical venous thrombosis, and spontaneous ventricular tachycardia.
COVID19 VACCINE	1317367-1	80+ years	31-60 days	U07.1, J12.82 - Pneumonia due to COVID-19 virus U07.1, J96.00 - Acute respiratory failure due to COVID-19
COVID19 VACCINE	1317401-1	80+ years	31-60 days	Upon reviewing patient's need for 2nd dose of Moderna, patient's power of attorney informed me that the patient passed away on 5/11/21 without any further information disclosed.
COVID19 VACCINE	1322807-1	80+ years	31-60 days	Patient was seen by an outpatient provided and was referred to emergency department due to hypoxis and respiratory distress on 4/27/21. He was found to be COVID-19 positive at that time. He was admitted to the hospital for further management. on 4/28/21, his condition declined. He was intubated and transferred to the ICU. Patient went into severe acute kidney injury and eventually into multi-system organ failure. He was placed on comfort measures on and was pronounced dead on 5/15/21.
COVID19 VACCINE	1323120-1	80+ years	31-60 days	Death Acute Kidney Failure E87.5 - Hyperkalemia M54.9, G89.29 - Chronic back pain N17.9, N18.9 - Acute on chronic renal failure VOMITING DIARRHEA BACK PAIN DIZZINESS LEG SWELLING
COVID19 VACCINE	1330030-1	80+ years	31-60 days	Loss of appetite.
COVID19 VACCINE	1330206-1	80+ years	31-60 days	Died of massive heart attack.
COVID19 VACCINE	1330231-1	80+ years	31-60 days	Decay, irregular pulse, cardiorespiratory failure are observed.
COVID19 VACCINE	1334600-1	65-79 years	31-60 days	Patient passed away on 4/30/21. Wife reports that on 4/29/21, she found him in the garage in a "pool of blood, face down" after a fall. Upon finding him on 4/29/21, she took him to the emergency room where he had a CT scan. Patient was diagnosed with a "concussion" and sent back home, and was instructed to follow-up with his primary care provider on 4/30/21. On 4/30/21, patient was "sleepy all day." On his way out of the house around 3:30, he suddenly put his hand on his wife and proceeded to collapse. The wife also fell, and by the time she gathered herself and went to check on her husband, he had passed away. An ambulance came to the house; CPR was performed for 40 minutes but "they could not get him back." He was not transported to a medical center. An autopsy was not done, but the coroner informed patient's wife that he likely died from a "clot, maybe a PE." Wife wonders how this could be, since he was on Plavix for 5 years. Wife does not feel that the COVID vaccine is to blame, but thought she should report the issue just in case. This writer is assisting wife of patient to fill out electronic report.
COVID19 VACCINE	1336774-1	50-59 years	31-60 days	Patient developed fever, dyspnea and headache on 5/12/2021; tested positive for COVID-19 on 5/12/2021; patient died on 5/20/21
COVID19 VACCINE	1337019-1	65-79 years	31-60 days	unknown
COVID19 VACCINE	1337701-1	60-64 years	31-60 days	64 y.o. female who presented with SOB. She has a history of CAD, diabetes, CHF, CKD and DVT presents to the ED in respiratory distress. Patient was brought in by EMS from nursing home. Patient had reported onset of shortness of breath and respiratory distress over the last 6-7 hours. Patient has O2 sat of 90% on 6 L. Patient only uses 2 L nasal cannula oxygen all day long. Patient is coherent and initially was placed on BIPAP but then stated she wanted to go back, now after ER doc spoke to her she is ok with being admitted but does not want BIPAP or to be placed in the ICU. She is DNR/DNI. She is working hard to breathe currently. Patient is unsure if she is making urine at this time. Workup in the ER revealed AKI on CKD and covid + pneumonia. Patient elected hospice and expired 5/20/2021. It was reported that patient had received vaccines at Walmart.

COVID19 VACCINE	1337918-1	65-79 years	31-60 days	Unaware of any adverse events between administration and death. Reporting agency became aware of patient's expiration on 05/14/2021.
COVID19 VACCINE	1338590-1	65-79 years	31-60 days	Death Thrombocytopenia Subdural bleeding HEADACHE DIZZINESS
COVID19 VACCINE	1343514-1	80+ years	31-60 days	Death within 90 Days
COVID19 VACCINE	1343527-1	80+ years	31-60 days	Death within 90 days
COVID19 VACCINE	1343543-1	80+ years	31-60 days	Death within 90 Days
COVID19 VACCINE	1345049-1	65-79 years	31-60 days	Venous thrombosis leading to strokes.
COVID19 VACCINE	1350509-1	65-79 years	31-60 days	unknown
COVID19 VACCINE	1351511-1	80+ years	31-60 days	dead two weeks later, is that good enough for your ""adverse event""? Are you using the data to be sure it's killing like you want? What do you want from me here?""
COVID19 VACCINE	1354172-1	65-79 years	31-60 days	PATIENT REPORTED DIFFICULTY BREATHING UPON EXERTION AND CHEST PAIN STARTING AROUND 05/08/2021. PATIENT WENT TO MD ON 05/12/2021 WHERE MD FOUND EKG ABNORMAL. PATIENT PASSED AWAY THAT EVENING
COVID19 VACCINE	1355126-1	65-79 years	31-60 days	Difficulty breathing and pain in the chest.
COVID19 VACCINE	1355185-1	80+ years	31-60 days	Patient found dead
COVID19 VACCINE	1355384-1	65-79 years	31-60 days	Admitted to the hospital with weakness, fever on 4/14/2021. Transferred to ICU on 4/17/21 requiring bipap. Intubated 4/25/2021. covid + 4/2/21. Last vaccine dose completed 3/3/2021. Pt died on 5/15/2021
COVID19 VACCINE	1357112-1	65-79 years	31-60 days	Patient developed COVID after vaccination; She is now deceased; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (She is now deceased) in a 73-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 013M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Cancer (previously had cancer twice). Concomitant products included ATORVASTATIN CALCIUM (LIPITOR), NIFEDIPINE (PROCARDIA [NIFEDIPINE]), TICLOPIDINE HYDROCHLORIDE (TICLID), OMEPRAZOLE (PRILOSEC [OMEPRAZOLE]) and CLOPIDOGREL BISULFATE (PLAVIX) for an unknown indication. On 22-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced COVID-19 (Patient developed COVID after vaccination). The patient died on 23-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, COVID-19 (Patient developed COVID after vaccination) outcome was unknown. It was reported that the patient previously had cancer twice, and her immune system was not what it should have been. The patient got really, really sick and had COVID at some point after receiving the vaccine. No corrective treatment was provided. Action taken with the drug in response to the events was not applicable. Company comment: Very limited information regarding this event has been provided at this time. Noting the subject had received 1st dose of vaccine prior to COVID. However, based on the mechanism of action of mRNA1273, the event COVID is unlikely related to vaccine.; Sender's Comments: Very limited information regarding this event has been provided at this time. Noting the subject had received 1st dose of vaccine prior to COVID. However, based on the mechanism of action of mRNA1273, the event COVID is unlikely related to vaccine.; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1358578-1	60-64 years	31-60 days	CLIENT HAD FEVER AND BLUE/GRAY SKIN TONE FEW DAYS PRIOR TO DEATH. MISSED DOCTORS APPOINTMENT ON 5/14/21, FOUND DESEASED AT HOME ON 5/15/21.
COVID19 VACCINE	1361764-1	65-79 years	31-60 days	I happened to counsel patient's husband about his prescription 2 days ago and hear that his wife died of stroke approximately a month after the second dose of Moderna vaccine. I could not ask him further about exact date when she was admitted at the hospital because he was sick. I am not sure whether moderna vaccine caused her stroke, or not. Her husband said his wife had high blood pressure. They got Moderna vaccine on the same date. Her husband thought her high blood pressure caused the stroke. I don't have any info about her medical progress at the hospital.
COVID19 VACCINE	1363989-1	65-79 years	31-60 days	Liver cancer (It was in his ducts & everything)/ had the cancer, but this vaccine accelerated it; This spontaneous case was reported by a consumer and describes the occurrence of HEPATIC CANCER (Liver cancer (It was in his ducts & everything)/ had the cancer, but this vaccine accelerated it) in a 71-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 007M20A and 013A21A) for COVID-19 vaccination. No Medical History information was reported. On 29-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 26-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 03-Mar-2021, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced HEPATIC CANCER (Liver cancer (It was in his ducts & everything)/ had the cancer, but this vaccine accelerated it) (seriousness criteria death and medically significant). The patient died on 17-May-2021. The reported cause of death was liver cancer. It is unknown if an autopsy was performed. No concomitant medications was reported. No treatment medications was provided. 03-Mar-2021: Husband was diagnosed with liver cancer. It was in his ducts and everything. He had cancer at the time we took both vaccines. He died 10 weeks after being diagnosed with liver cancer. Caller felt the vaccine escalated the process. Company comment: Very limited information regarding the event has been provided at this time. Further information has been requested. This case was linked to MODERNATX, INC.-MOD-2021-019697 (E2B Linked Report).; Sender's Comments: Very limited information regarding the event has been provided at this time. Further information has been requested. MODERNATX, INC.-MOD-2021-019697:Wife's case; Reported Cause(s) of Death: Liver cancer
COVID19 VACCINE	1364724-1	80+ years	31-60 days	Patient received second COVID 19 vaccine on 4/9/21 @ Health Department. Was admitted to hospital on 5/18/2021 with SOB, Nausea, Vomiting, and Headache. Diagnosed with COVID 19 infection and COVID 19 Pneumonia. Patient expired on 5/19/2021 at hospital.

COVID19 VACCINE	1366902-1	60-64 years	31-60 days	<p>After the 2nd shot they started bleeding a few days later/body changed/started bleeding, I don't know where, may be the toilet; sweating; started feeling weak I thought their heart gave up since they were diagnosed with heart failure in 2013; started walking slow; sleeping a lot; they were leaking out; got real sick; could not drive; what used to be daily life ended; arm hurting; my husband died in the hospita at 4:30 AM""; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (my husband died in the hospita at 4:30 AM""") in a 63-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 026B21A and 027A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Heart failure since 2013. On 03-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 31-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced HAEMORRHAGE (After the 2nd shot they started bleeding a few days later/body changed/started bleeding, I don't know where, may be the toilet), HYPERHIDROSIS (sweating), ASTHENIA (started feeling weak I thought their heart gave up since they were diagnosed with heart failure in 2013), GAIT DISTURBANCE (started walking slow), SOMNOLENCE (sleeping a lot), URINARY INCONTINENCE (they were leaking out), VACCINATION COMPLICATION (got real sick), IMPAIRED DRIVING ABILITY (could not drive), LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (what used to be daily life ended) and VACCINATION SITE PAIN (arm hurting). The patient died on an unknown date. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, HAEMORRHAGE (After the 2nd shot they started bleeding a few days later/body changed/started bleeding, I don't know where, may be the toilet), HYPERHIDROSIS (sweating), ASTHENIA (started feeling weak I thought their heart gave up since they were diagnosed with heart failure in 2013), GAIT DISTURBANCE (started walking slow), SOMNOLENCE (sleeping a lot), URINARY INCONTINENCE (they were leaking out), VACCINATION COMPLICATION (got real sick), IMPAIRED DRIVING ABILITY (could not drive), LOSS OF PERSONAL INDEPENDENCE IN DAILY ACTIVITIES (what used to be daily life ended) and VACCINATION SITE PAIN (arm hurting) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In 2021, Colonoscopy: normal (normal) Normal. In 2021, Endoscopy: normal (normal) Normal. Reporter</p>
COVID19 VACCINE	1368159-1	80+ years	31-60 days	<p>Resident became hypoxic and supplemental oxygen did not bring oxygen saturation up to normal levels. The physician ordered resident be sent to the emergency room for evaluation.</p>
COVID19 VACCINE	1371859-1	65-79 years	31-60 days	<p>COVID -19 Vaccine, Primary care MD. Wife, 5/23/2021 patient admitted through ED for chief complaint of 5 days shortness of air, tested positive for COVID-19; patient vaccinated 3/30/2021 at 'local church'. 5/24/2021 admitted to ICU - Attending, 5/26/2021 rapid response due to vitals, 5/27/2021 patient intubated due to respiratory failure/distress/hypoxia; identified in septic shock. 5/31/2021 went to surgery for left forearm and hand compartment syndrome. 6/3/2021 Code blue called, 6/3/2021 date of death. Allergies: Losartan (other) and Verapamil (intolerance) Date of Vaccination: 3/30/2021, Dose: 2, Vaccine Manufacturer: Moderna Lot #: Clinic Administering Vaccine: ""local church"" - no specific name was provided, Injection site: Description of event/reaction: Patient does not have vaccination card and reports not knowing date of first vaccine or exact clinic location. Date of Hospitalization: 5/24/2021 Reason for clinic visit or hospitalization: Shortness of air COVID-19 positive test result: Yes or No; if Yes, date 05/23/2021""</p>

COVID19 VACCINE	1377674-1	50-59 years	31-60 days	Sudden Cardiac Arrest . Resuscitated and transferred to the hospital. Never regained consciousness and died on 5/11/21.
COVID19 VACCINE	1378451-1	60-64 years	31-60 days	Unsure, Department followed up on her positive COVID results in 10/2020 and 11/2020. It came to our attention last week that the reason stated for her death on 5/28/21 was due to COVID. Due to having 2 positive tests late last fall and then seeing that she had been vaccinated for COVID in March and April 2021, I was instructed to complete a VAERS.
COVID19 VACCINE	1385230-1	65-79 years	31-60 days	Became a bit dizzy, BP dropped significantly, and he fell while walking into the doctors office (he had no ambulatory issues before this). Legs became weak, couldn't walk on his own, could barely walk with a walker, legs were beginning to get atrophied, arms began to shake. He had 5 falls total after receiving both Moderna shots. While in hospital, received IVIG for possible Guillan-Barre Syndrome.
COVID19 VACCINE	1389069-1	50-59 years	31-60 days	Pt had heart attack 2 weeks after receiving the vaccine and passed away.
COVID19 VACCINE	1391671-1	65-79 years	31-60 days	Her surgery in the morning went very well according to her doctor. Later in the afternoon, pt. had a massive stroke. Next day pt. died at Hospital .
COVID19 VACCINE	1394899-1	80+ years	31-60 days	Stroke at approx 1:10 p.m. on 5/4/21. Taken to emergency room. CT scan and given clot-buster medication shortly after arrival at emergency room. Transport to hospital on 5/4/21 at 5:45 p.m. and subsequent CT scan revealed intracerebral hemorrhage. Administer medication to reverse clot buster medication and airlifted at approx 7:30 p.m. on 5/4/21. At medial center CT scans and EKG testing. Continued brain bleeding. Brain surgery to relieve swelling. Death on 05/08/2021.
COVID19 VACCINE	1399516-1	40-49 years	31-60 days	Sweating, soreness, vomiting
COVID19 VACCINE	1403424-1	65-79 years	31-60 days	Hospital Course: Complicated. Patient was brought in for ostomy reversal, had a colonoscopy performed through his colostomy which revealed the patient to have a right colonic mass, mass was an adenocarcinoma. Had a right colectomy performed , had a massive myocardial infarction and died. Complicated 1 year, started with COVID 19 - patient was admitted prolonged amount of time due to complications of COVID 19 , developed a large decubitus ulcer which was not healing. Was being followed by Dr wound care center. Multiple debridements. Failure to heal. Referred to me for a diverting colostomy to facilitate healing of the large decubitus ulcer. Diverting colostomy was performed September 2nd 2020. Patient had plastic surgery, flap surgeries, in December 2020 and January 2021. finally healed. Brought for a ostomy reversal, found large mass in the cecum attempted endoscopic removal, with micro perforation, taken to the operating room immediately from endoscopy suite had a right colectomy. Colostomy started functioning, patient was recovering, suddenly started having chest pain and had a massive myocardial infarction.

COVID19 VACCINE	1403750-1	80+ years	31-60 days	<p>Patient complained of feeling unwell and having headaches after his second dose of Moderna vaccine on 2/2/2021. He became increasingly confused, paranoid and started occasionally refusing medications. On early March 2021, he started refusing all medications. Around 3/17/21, his increasing confusion and paranoia prompted suspicion for UTI which was confirmed with a urinalis.</p> <p>Unfortunately, he refused antibiotic treatment. On 3/20/2021, nursing staff noted that patients right lower extremity was purple from toes to mid-calf, cold to touch and pedal pulse were not present. He complained of right leg pain. He was evaluated and diagnosed with probable thromboembolic event, since patient refused his oral anticoagulant for weeks prior to these event. Patient was sent to the local Emergency Department (ED) and diagnosed with acute critical right limb ischemia. At the local ED, he had a CTA which showed as per radiology: ""Occlusion of the right superficial femoral artery beginning just beyond the origin. Occluded right popliteal, anterior tibial, tibioperoneal, peroneal, and posterior tibial arteries without reconstitution on arterial and delayed phases. Patent right deep femoral artery with minimal luminal stenosis in the proximal segment. Patent mid and distal right external iliac artery with up to mild luminal stenosis."" Per discharge summary, ""vascular surgery evaluated patient in the ED and did not feel operative revascularization with fasciotomy would provide any benefit; recommended continued anticoagulation with amputation/palliative management."" He was admitted to the general medicine service which consulted orthopedic, infectious diseases and palliative care. Medicine Service also contacted patient's daughter who is his next of kin who opted for comfort care. He was discharged to facility on 3/25/2021 and started in the Comfort Care Program. He was pronounced dead on March 27, 2021 at 0807 hours. His autopsy showed that he also had thrombi on:</p> <p>1. Pulmonary embolism, Left pulmonary artery 2. Left renal infarct""</p>
COVID19 VACCINE	1405284-1	65-79 years	31-60 days	<p>loss sense of taste; Lost sense of smell; pain in body; chills; Patient died; This spontaneous case was reported by a patient family member or friend and describes the occurrence of DEATH (Patient died) in a 74-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030M20A and 007M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 28-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 21-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced AGEUSIA (loss sense of taste), ANOSMIA (Lost sense of smell), PAIN (pain in body) and CHILLS (chills). The patient died on 06-Mar-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, AGEUSIA (loss sense of taste), ANOSMIA (Lost sense of smell), PAIN (pain in body) and CHILLS (chills) was resolving. Concomitant medications were not reported. No treatment information was provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to MOD-2021-201255 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Reported Cause(s) of Death: unknown casue of death</p>

COVID19 VACCINE	1407967-1	40-49 years	31-60 days	Patient was vaccinated with the Moderna Covid-19 vaccine on 3-26-21 and 4-23-21. He was admitted to Hospital on 06-08-2021. He tested positive for Covid-19 on 06-11-2021. He passed away on 06-12-2021. It is unknown whether or not Covid-19 contributed to the case's illness, hospitalization, possible adverse vaccine reaction or death.
COVID19 VACCINE	1410139-1	65-79 years	31-60 days	The patient received the first dose of vaccine on March the 1st and the 2nd dose of the vaccine on March 28th. Patient had difficulty breathing with swelling feet and ankles that did not begin until April 12th. Patient had no history of breathing problems. Cardiovascular history is unknown at the pharmacy as we had only ever performed vaccinations on the patient. Patient was discovered in his house deceased. Exact date is unknown. The pharmacy was contacted by the patient's prescriber which requested we file this report. I apologize for the lack of precise information.
COVID19 VACCINE	1415021-1	65-79 years	31-60 days	Cardiac arrest, death
COVID19 VACCINE	1415200-1	80+ years	31-60 days	Patient presented to the ED and was subsequently hospitalized for atrial fibrillation within 6 weeks of receiving COVID vaccination. She died on 5/26/2021.
COVID19 VACCINE	1415368-1	65-79 years	31-60 days	Patient died of a sudden heart attack at age 70, just 2 months after receiving his 2nd dose of the vaccine. His parents lived well into their mid-eighties and patient spent the last 17 years of his working years as a door to door, getting lots of cardio exercise every day. At the time of his death he was a very low stress person and taking good care of himself.
COVID19 VACCINE	1415480-1	65-79 years	31-60 days	Massive pulmonary embolism, pulseless electrical activity

COVID19 VACCINE	1416721-1	65-79 years	31-60 days	<p>Dehydrated, collapsed, cardiac death, the patient woke up and then grab it's chest and collapsed, Started having heart issues; Chest pain; Lose it's appetite; Thirsty; Short of breath/got very winded; Fatigue/ very tired; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CARDIAC DEATH (Cardiac death/the patient woke up and then grab it's chest and collapsed), DEHYDRATION (Dehydrated) and CIRCULATORY COLLAPSE (Collapsed) in a 66-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concomitant products included CHLORTHALIDONE, LOSARTAN POTASSIUM, MELOXICAM, METOPROLOL SUCCINATE, PANTOPRAZOLE SODIUM SESQUIHYDRATE (PANTOPRAZOLE SODIUM), TAMSULOSIN HYDROCHLORIDE (TAMSULOSIN HCL), RIVAROXABAN (XARELTO), AMLODIPINE BESILATE (AMLODIPINE BESYLATE) and TADALAFIL for an unknown indication. On 01-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 01-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. In April 2021, the patient experienced DEHYDRATION (Dehydrated) (seriousness criterion hospitalization), CARDIAC DISORDER (Started having heart issues), CHEST PAIN (Chest pain), DECREASED APPETITE (Lose it's appetite), THIRST (Thirsty), DYSPNOEA (Short of breath/got very winded) and FATIGUE (Fatigue/ very tired). On an unknown date, the patient experienced CIRCULATORY COLLAPSE (Collapsed) (seriousness criterion medically significant). The patient died on 10-Apr-2021. The reported cause of death was Cardiac death. An autopsy was not performed. At the time of death, DEHYDRATION (Dehydrated), CIRCULATORY COLLAPSE (Collapsed), CARDIAC DISORDER (Started having heart issues), CHEST PAIN (Chest pain), DECREASED APPETITE (Lose it's appetite), THIRST (Thirsty), DYSPNOEA (Short of breath/got very winded) and FATIGUE (Fatigue/ very tired) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Electrocardiogram: inconclusive (Inconclusive) Inconclusive and inconclusive (Inconclusive) Inconclusive. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Action taken with the mRNA-1273 vaccine due to the events was not applicable. The reporter informed that the patient had received both doses of mRNA-1273 vaccine. He first lost his appetite and started feeling thirsty on the</p>
COVID19 VACCINE	1417278-1	80+ years	31-60 days	<p>I am the epidemiologist reporting on behalf of patient who tested positive for COVID-19 via PCR on 4/22/21 after the completion of a full Moderna vaccine series (Dose 1 on 2/11 and Dose 2 on 3/11). The patient later died on 5/13/21 . Cause of Death is listed as ?Intestinal Obstruction?.</p>

COVID19 VACCINE	1417729-1	50-59 years	31-60 days	This was very unfortunate 51 years old male with past medical history of hypertension, hyperlipidemia, obesity. Patient presented with chief complaint of shortness of breath and chest pain. EMS reported that the patient has been complaining of some shortness of breath and chest pain intermittent for couple of weeks. 12 leads EKG showed evidence of anterior ST elevation myocardial infarction. Code heart was called. Patient developed PEA arrest in the Cath Lab. CPR ACLS was initiated. ROSC was achieved initially after 30 minutes of CPR. Intra-aortic balloon pump was placed. Coronary arteries were essentially clean. Due to high suspicion for massive PE-TPA was given 100 mg without meaningful clinical improvement. CPR was continued for more than an hour. Despite all aggressive measures patient continued to deteriorate. At 3:26 PM patient has no spontaneous breathing, no peripheral pulses, no heartbeats by auscultation or by monitor. Pupils were fixed and dilated. No cough no gag reflexes . patient was pronounced dead.
COVID19 VACCINE	1420208-1	80+ years	31-60 days	Died, unknown reasons, no symptomology reported.
COVID19 VACCINE	1421819-1	60-64 years	31-60 days	Pt was vaccinated on 3/31/2021. His long time partner reported that he started feeling a little off 2 days post vaccination, he thought he had indigestion. Over the next few weeks he began feeling worse especially with exertion. While at work on 4/19/2021 he told his friend that he hadn't been feeling well for 3 weeks. Shortly after reporting this he went into Cardiac arrest. He was transported to Medical Center, where he was pronounced dead. His partner reports he was healthy with the exception of hypertension. She reports he was thin, never smoked, didn't drink alcohol and rarely used marijuana. She reports only a visual autopsy was performed and pt was cremated.
COVID19 VACCINE	1423365-1	80+ years	31-60 days	Died in the hospital. Was admitted due to respiratory problems, had urinary tract infection, had complications with medications administered at the hospital ( did not specified which ones).
COVID19 VACCINE	1423777-1	65-79 years	31-60 days	Death 3/8/2021
COVID19 VACCINE	1423868-1	80+ years	31-60 days	Death 3/18/2021 Causes of death listed on patient's death certificate: 1) Acute cessation of cardiac function Other: Severe symptomatic aortic stenosis, coronary artery disease status post percutaneous coronary intervention
COVID19 VACCINE	1424069-1	80+ years	31-60 days	Death 3/31/2021 Causes of death listed on death certificate: 1) Cardiac arrest 2) covid 19 pneumonia
COVID19 VACCINE	1424081-1	80+ years	31-60 days	Death 4/7/2021 Causes of death listed on death certificate: 1) Acute respiratory failure 2) Chronic kidney disease 3) Diabetes mellitus 4) Atrial fibrillation Other: COVID 19
COVID19 VACCINE	1425907-1	80+ years	31-60 days	Death 5/5/2021 Causes of death listed on death certificate: 1) cardiac arrest 2) unknown cause Other: COVID 19, CAD, AKI needing HD
COVID19 VACCINE	1425911-1	80+ years	31-60 days	Death: 04/20/2021 Causes of death listed on death certificate: 1) Covid
COVID19 VACCINE	1426130-1	65-79 years	31-60 days	Death 4/30/2021 Causes of death listed on death certificate: 1) Covid Pneumonia 2) Chronic obstructive pulmonary disease, unspecified Other: none

COVID19 VACCINE	1427367-1	40-49 years	31-60 days	A friend of the patient called us today to inform us that the patient had recently passed away from a brain aneurysm. The friend asked if it were possible that this occurrence was somehow related to patient receiving his covid vaccination. The friend did not have a lot of information about the occurrence; he only stated that the patient's brain aneurysm was about 6 weeks after his 2nd dose of the covid vaccine. Patient was not a regular patient of ours so we have no additional medical history for him. We administered his first Moderna vaccine on 4-2-2021, and he returned for his second dose on 4-30-2021. I assured the friend I would report this to VAERS and thanked him for reaching out to us on behalf of patient.
COVID19 VACCINE	1427845-1	65-79 years	31-60 days	Hospice patient was hospitalized and died within 60 days of receiving a COVID vaccine series
COVID19 VACCINE	1427870-1	65-79 years	31-60 days	COVID-19 symptom onset 5/3, hospital admission 5/11, and death on 5/18/2021. Primary cause of death acute hypoxic respiratory failure, underlying cause COVID-19 viral pneumonia
COVID19 VACCINE	1429643-1	65-79 years	31-60 days	Lethal stroke
COVID19 VACCINE	1431162-1	80+ years	31-60 days	Death N17.9 - Acute kidney injury (CMS/HCC)
COVID19 VACCINE	1432196-1	65-79 years	31-60 days	The day she received the second dose she started with flu like symptoms. She also had tingling hands and feet her condition did not get better and was rushed to the ER. She was there for 4 days and sent to a long term facility where her condition worsen. She started having breathing issues went back to the ER with chronic breathing complications. At the hospital she had low oxygen level, lung complications, kidney failure and went into cardiac arrest. She was resuscitate and put on a ventilator for 3 days. She started breathing on her own and was taken off the machines. She was sent home a few days later and nine days later went into cardiac arrest again and this time did not make it.
COVID19 VACCINE	1433503-1	80+ years	31-60 days	Patient passed away on 03/14/2021
COVID19 VACCINE	1433561-1	65-79 years	31-60 days	Patient passed away on 03/07/2021
COVID19 VACCINE	1433796-1	80+ years	31-60 days	Patient passed away on 04/28/2021
COVID19 VACCINE	1433819-1	65-79 years	31-60 days	Death 6/6/2021 Causes of death listed on death certificate: 1) covid pneumonia
COVID19 VACCINE	1437339-1	65-79 years	31-60 days	Death 5/27/2021 No cause of death provided.
COVID19 VACCINE	1437360-1	80+ years	31-60 days	Death 3/2/2021
COVID19 VACCINE	1437378-1	40-49 years	31-60 days	Died of COVID-19 illness on 05/05/2021
COVID19 VACCINE	1440669-1	80+ years	31-60 days	Patient was admitted to the hospital on 04/29/2021. And was discharged with Care on 5/5/21 and expired on 5/26/21.
COVID19 VACCINE	1152513-1	60-64 years	61-120 days	Employee had a heart attack and past away around 3/17/21.
COVID19 VACCINE	1180051-1	65-79 years	61-120 days	Was hospitalized (unsure dates on hospitalization); has no known pre-existing conditions; symptom onset was 3/3/2021 with fever, chills, rigors, myalgia, rhinorrhea/congestion, sore throat, cough (wet productive), nausea/vomiting, headache, loss of smell and taste, and fatigue. Was a household contact to a known COVID-19 case.
COVID19 VACCINE	1182101-1	80+ years	61-120 days	Completed Moderna series on 02/12/2021. Diagnosed with COVID-19 on 04/06/2021 and expired from COVID-19 pneumonia on 04/06/2021

COVID19 VACCINE	1213288-1	80+ years	61-120 days	death Narrative: Pt received second Moderna COVID vaccine dose on 2/9/21. Pt enrolled in hospice house for end-of-life care 4/8, however, diagnosis was not available in database for enrollment in hospice. Pt's son emailed affairs to report the passing of the patient 4/11/21 with no additional details or reasoning; death has not been verified. Was pt previously covid positive? no Are there any predisposing factors (i.e. PMH, HPI, allergy history etc) for patient experiencing adverse drug event? Yes, CHF potentially a contributing factor to hospice status and death Any occurrence of an ADR at time of administration or during time of observation? No Was there an ADR between observation period and date of death? No Was patient hospitalized prior to vaccination? No Was patient hospitalized prior to death No What are the possible cause of death? unknown, pt enrolled in hospice services outside of the facility.
COVID19 VACCINE	1216264-1	80+ years	61-120 days	Patient admitted 3/28/2021 with severe COVID 19 pneumonia. She progressed to acute respiratory failure and was intubated. During her hospitalization she was diagnosed with acute myeloblastic leukemia. Her family withdrew care and she died on 4/7/2021
COVID19 VACCINE	1228372-1	65-79 years	61-120 days	Patient's wife called in mid March 2021 letting us know that the patient, needed to re-schedule his 2nd dose of Moderna Covid-19 vaccine - he had missed his scheduled 2nd dose date due to being hospitalized - doctors had thought he might need a defibrillator but then discharged him without one. Patient's wife called back on 4/16 to let us know that he passed away on 4/14.
COVID19 VACCINE	1236406-1	80+ years	61-120 days	death Narrative: pt had first vaccine on 1/26; caregiver declined second dose due to concerns of side effects; pt died 3/29/21 (not from COVID)
COVID19 VACCINE	1241397-1	80+ years	61-120 days	Death Narrative: 91 yr old Arterial ulcer on toe, not surgical candidate, patient opted palliative care, hospice enrolled, Died on hospice service. No vaccine complications reported.
COVID19 VACCINE	1241401-1	65-79 years	61-120 days	DEATH Narrative: Patient died after COVID vaccine dose #1. 01/14 COVID vaccine dose #1 04/13 pt died Patient with advanced ALS, progressive respiratory difficulty and passed away while on hospice. Vaccine did not likely contribute to the patient's death, but was due to advanced ALS. Patient was not hospitalized prior to vaccine or immediately after vaccine. No adverse event following vaccine. No previous COVID diagnosis known.
COVID19 VACCINE	1241403-1	80+ years	61-120 days	Death Narrative: Patient tested positive for COVID-19 on 1/25/21 after receiving her first vaccine on 1/8/21. He was discharged from hospital on 1/26/21 with admitting diagnosis of COVID pneumonia. He did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient had made it through the COVID infection period but suffered complications including pneumonitis, lung, heart, and kidney failure requiring high flow oxygen. He required readmission to hospital for the complications in 3/2021 but ultimately passed away on 3/24/21 likely due to the multi organ failure complication of COVID
COVID19 VACCINE	1242858-1	65-79 years	61-120 days	Patient contracted COVID 19 and subsequently expired from respiratory distress, following completion of the serious of two vaccination shots. She received her Moderna vaccinations on 1/7/21 and 2/4/21. I do not have access to the lot # info- would have to contact vaccination site to obtain
COVID19 VACCINE	1243053-1	80+ years	61-120 days	Patient was hospitalized x 2 and died within 60 days of receiving a COVID vaccine

COVID19 VACCINE	1247898-1	65-79 years	61-120 days	Patient had second covid 19 vaccine on 2/2/21 at pharmacy. Was admitted on 4/6/21 to hospital with Shortness and Breath, Vomiting, and COVID-19 (tested positive on 4/6/21). Patient expired on 4/8/21 @ 1954.
COVID19 VACCINE	1266609-1	80+ years	61-120 days	Death
COVID19 VACCINE	1267074-1	40-49 years	61-120 days	#1 = 011J20A on 1-6-21 #2 = 028L20A on 2-3-21 patient presented after sudden onset of chest pain early in morning and found to be covid +. ECG demonstrated diffuse ST elevation, troponins negative. CT without contrast didn't have much in it. He was found to be COVID rapid test+ and IGG negative. He was admitted into isolation, no oxygen needs. DDIMER was over 2000 and friction rub noted on physical exam. Cardiology ruled out STEMI, thought maybe viral pericarditis - but wanted echo done after out of isolation. CTA was planned for AM on 4-28-21, but patient died 4-27-21 PM after being found down in room. ROSC was not able to be achieved despite aggressive resuscitation efforts
COVID19 VACCINE	1267753-1	80+ years	61-120 days	Case tested positive for COVID-19 on 12/7/2020; vaccinated on 1/8/2021 and 2/5/2021 with Moderna; re-tested positive for COVID-19 on 4/1/2021. Case was admitted to hospital on 4/2/2021 for surgery due to a previous fall. Case had altered mental status and fever. Case was found to have an acute CVA.
COVID19 VACCINE	1269849-1	80+ years	61-120 days	Death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was transferred to behavioral health unit at an outside nursing home on 2/15/21 after hospitalization for psychiatric evaluation on 1/29/21 w/subsequent Law for erratic behavior w/ delusions/hallucinations. Patient passed away on 4/12/21 at an outside facility with details surrounding death unknown. PMH significant for CKD, AAA, PVD, anemia, CAD, Dm, HTN, COPD, advanced age.
COVID19 VACCINE	1269853-1	65-79 years	61-120 days	death Narrative: Patient was not previously COVID-19 positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. PMH significant for amyotrophic lateral sclerosis, AF, HTN. No notation regarding death, or cause of death. Patient deceased 4.16.21
COVID19 VACCINE	1271674-1	80+ years	61-120 days	Death within 60 days of vaccination
COVID19 VACCINE	1285947-1	80+ years	61-120 days	Hospitalized and died of COVID-19 after being fully vaccinated.
COVID19 VACCINE	1286085-1	80+ years	61-120 days	Patient had a brain hemorrhage on April 20th and died on April 25th.
COVID19 VACCINE	1289375-1	80+ years	61-120 days	Hospital Course: Patient admitted to the ICU in cardiogenic shock. Intra-aortic balloon pump. Multiple vasopressors. Intubated-mechanical ventilation. Appropriate sedation. EMD arrest 5/2 spontaneous recovery. Family meeting wife and daughter agreed to A1 designation. 0725 recurrent hypotension nonresponsive to vasopressors, calcium, serum bicarbonate. Pronounced dead at 0754.

COVID19 VACCINE	1296477-1	60-64 years	61-120 days	Case had COVID-19 in November 2020 as part of an outbreak in the SNF she lives in. She recovered then received her first COVID-19 vaccination on 1/4/21. She received her 2nd dose of Moderna on 2/1/21. On 4/11/21 she became ill and was transferred to the hospital where she tested PCR positive for COVID-19. She continued to decline and was intubated. She died on 4/28/21 while still in the hospital. The diagnosis on her death summary from the hospital is COVID-19 pneumonia.
COVID19 VACCINE	1302793-1	65-79 years	61-120 days	Hospitalization and Death
COVID19 VACCINE	1303041-1	65-79 years	61-120 days	This 77 year old male received the Covid shot on 2/22/21 and went to the ED and admitted on 4/28/21 with the diagnoses listed below and died on 5/5/21. cause of death unknown at time of report
COVID19 VACCINE	1303145-1	80+ years	61-120 days	This 98 year old female received the Covid shot on 2/13/21 and went to the ED and admitted on 4/30/21 with the diagnoses listed below and died on 5/9/21. J44.9 - COPD (chronic obstructive pulmonary disease) S72.002A - Left displaced femoral neck fracture W19.XXXA - Fall, initial encounter S09.90XA - Head injury, initial encounter
COVID19 VACCINE	1307516-1	80+ years	61-120 days	Hospitalized and died due to COVID-19 after being fully vaccinated. From vital records: ACUTE RESPIRATORY FAILURE WITH HYPOXIA, PNEUMONIA DUE TO COVID-19
COVID19 VACCINE	1310622-1	40-49 years	61-120 days	Developed symptoms around 4/25, presented to ED with complaints of chest pain and something being stuck in his throat. Subsequently died on 4/27.
COVID19 VACCINE	1310799-1	80+ years	61-120 days	Died of respiratory arrest.
COVID19 VACCINE	1317355-1	60-64 years	61-120 days	death
COVID19 VACCINE	1323102-1	80+ years	61-120 days	Death J98.4 - Cavitory lesion of lung R50.9 - Fever, unspecified fever cause
COVID19 VACCINE	1323550-1	80+ years	61-120 days	Patient received Moderna COVID vaccine on 2/1/2021 and 2/22/2021. Pt. presented to Medical center within Health system with weakness and arm and leg swelling on 3/4/2021. Admitted for observation, tested negative for COVID and discharged on 3/5. Pt. presented to Medical Center, also within Health system on 5/2/2021 complaining of SOB. Stated that she has had non-productive cough for months, but felt it had worsened lately. Pt. found to be COVID positive with bilateral infiltrates. Pt. required 6L O2. Pt. was DNRCCA. Pt. not intubated but expired from cardiac arrest/COVID on 5/16/2021.
COVID19 VACCINE	1323657-1	80+ years	61-120 days	Pt presented from a nursing home due to AMS. Was found to be COVID positive post vaccination. Pt was diagnosed with COVID pneumonia.
COVID19 VACCINE	1329227-1	80+ years	61-120 days	My mother was in generally good health for her age, known as the strongest woman to many. She defied covid for over a year, despite living in an assisted living facility in one of 2020's ""hot zones"". After taking the vaccine, she died within 2 months. I definitely believe 100% the vaccine in the very least hastened her health as she began declining immediately after the first dose, with on/off flu like symptoms until her death. ""
COVID19 VACCINE	1329965-1	65-79 years	61-120 days	Deterioration of condition.
COVID19 VACCINE	1330712-1	65-79 years	61-120 days	Family considers patients demise 5/8/2021 a result of vaccination with COVID-19 series given 2/3/2021 and 3/3/2021. He died from respiratory acidosis yet never had breathing problems prior tom vaccine.
COVID19 VACCINE	1334899-1	65-79 years	61-120 days	Grand mal seizure; encephalopathy

COVID19 VACCINE	1337755-1	65-79 years	61-120 days	Person died on 5/9/2021, with death note listing acute and chronic respiratory failure with hypoxia, COVID-19, paroxysmal atrial fibrillation, chronic heart failure with reduced ejection fraction, follicular lymphoma, history of CABG, hyperglycemia, and type 2 diabetes.
COVID19 VACCINE	1346738-1	65-79 years	61-120 days	death E87.1 - Hypo-osmolality and hyponatremia N17.9 - Acute kidney failure, unspecified
COVID19 VACCINE	1346804-1	65-79 years	61-120 days	death N17.9 - Acute kidney injury WEAKNESS - GENERALIZED
COVID19 VACCINE	1347160-1	30-39 years	61-120 days	fall on May 19 and admitted to ER May 22 with subacute RMCA stroke resulting in obtundation and left sided hemiparalysis. Complicating his presentation is acute COVID 19 infection with pneumonia along with acute on chronic systolic congestive heart failure.
COVID19 VACCINE	1350766-1	65-79 years	61-120 days	Hospitalization and death
COVID19 VACCINE	1355014-1	80+ years	61-120 days	Patient on hospice d/t Stroke. She had a history of CVA's. She died 5-26-2021.
COVID19 VACCINE	1364018-1	60-64 years	61-120 days	Cardiac Arrest (38 days after second vaccine); This spontaneous case was reported by a consumer and describes the occurrence of CARDIAC ARREST (Cardiac Arrest (38 days after second vaccine)) in a 61-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 03-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 31-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 08-May-2021, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced CARDIAC ARREST (Cardiac Arrest (38 days after second vaccine)) (seriousness criteria death, medically significant and life threatening). The patient died on 08-May-2021. The reported cause of death was cardiac arrest (38 days after second vaccine). It is unknown if an autopsy was performed. It was reported that Lot number 023M20A was the only lot on the vaccination card. Caller was not sure if this lot is from first or second vaccine. Treatment information was not reported but it was reported "Paramedics were there at home and they could not resuscitate him." Concomitant medication was not reported. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Reported Cause(s) of Death: Cardiac Arrest (38 days after second vaccine)"
COVID19 VACCINE	1368553-1	60-64 years	61-120 days	5/16- symptoms started- cough, fever body aches. admitted 5/19 with SOB in addition. COVID pnueumonitis, 5/23-sudden decrease in saturation - placed on BiPAP and transferred to the ICU. further decline and arrested on 5/27. PEA and agonal breathing. intubated and ACLS meds given. Coded a second time and family elected to halt heroic measures.

COVID19 VACCINE	1370350-1	65-79 years	61-120 days	Heart problems; Breathing problems; Lymph nodes swollen; This spontaneous case was reported by a consumer and describes the occurrence of CARDIAC DISORDER (Heart problems), DYSPNOEA (Breathing problems) and LYMPHADENOPATHY (Lymph nodes swollen) in a 79-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 024m20a and 029I20a) for COVID-19 vaccination. Concurrent medical conditions included Diabetes, Lung cancer (in remission since November) and Liver disorder (liver problems). On 19-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 19-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 14-May-2021, the patient experienced CARDIAC DISORDER (Heart problems) (seriousness criterion death), DYSPNOEA (Breathing problems) (seriousness criterion death) and LYMPHADENOPATHY (Lymph nodes swollen) (seriousness criterion death). The patient died on 15-May-2021. The cause of death was not reported. It is unknown if an autopsy was performed. No relevant concomitant medications were provided. Daughter of the patient reported that the patient passed away after his lymph nodes swollen, had breathing problems, and hart problems. She stated that the patient was in remission of lung cancer since November, and that he was diabetic and had liver problems. They wanted to be part of the trials for the vaccine. She wanted his cases to be research because his lymph nodes were swollen, and that for her means there's a correlation between the vaccine taking and his demised. No treatment information was provided. Very limited information regarding these events has been provided at this time. Further information has been requested. The patient's medical history of diabetes, liver disorder and lung cancer are confounding factors that may play possible contributory roles.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested. The patient's medical history of diabetes, liver disorder and lung cancer are confounding factors that may play possible contributory roles.; Reported Cause(s) of Death: passed away
COVID19 VACCINE	1371177-1	80+ years	61-120 days	Patient hospitalized and died after testing positive for COVID-19. Tested positive on 5/3/2021.
COVID19 VACCINE	1371446-1	65-79 years	61-120 days	Admitted for syncopal episode on 5/14/21, found to have lung lesion with necrotizing granulomatous inflammation, deceased 5/20/21
COVID19 VACCINE	1374114-1	80+ years	61-120 days	death Pneumonia heart murmur weight loss
COVID19 VACCINE	1374761-1	60-64 years	61-120 days	COVID vaccine on 2/27/2021 & 3/27/2021 (Moderna); tested positive for COVID-19 by PCR on 5/28/2021; Medical records mention pneumonia, hypoxia, non-sustained ventricular tachycardia, altered mental status, cardiomyopathy, septic shock, and multiorgan failure; also tested positive for haemophilus influenza.
COVID19 VACCINE	1377765-1	65-79 years	61-120 days	My mother was the patient in question She had a Moderna Covid Vaccine in Feb/March of 2021. She then had 2 doses of Rituxan on April 28th of 2021. After her second dose of the medication, she tested positive for covid 3 days later. She was hospitalized on May 8th and was not able to recover. She passed away on May 20th. The Drs at the Hospital in told me the rituxan essentially wiped the vaccine from her body. The reason I'm reporting this is to warn others in her position about the possible side effects. My mom had a very false sense of security.

COVID19 VACCINE	1382330-1	65-79 years	61-120 days	Case is a vaccine breakthrough case of interest who died of COVID-19 pneumonia on 6/2/2021 after an approximately 2 week hospitalization. Whole genome sequencing resulted in identification of B.1.1.7.
COVID19 VACCINE	1382602-1	65-79 years	61-120 days	Altered mental status, stroke, death
COVID19 VACCINE	1382624-1	65-79 years	61-120 days	Sudden Cardiac Death
COVID19 VACCINE	1385943-1	80+ years	61-120 days	04/28/2021: Patient transferred from Hospital with shortness of breath, COVID-19 Positive 4/30-5/16: Patient condition deteriorated. Had repeated episodes of hypoxemia and hypotension - was intubated on mechanical ventilation, eventually switched to pressure control inspiratory pressure, extubated, had to be reintubated. Developed A-fib, leukocytosis worsened, Xray showed tension pneumothorax on right side - chest tube placed. 5/17: Family counseled - patient placed on comfort care, remained on ventilator. Time of Death: 05/17/2021, 16:00 Causes of Death: Bilateral Pulmonary infiltrate, Acute hypoxic type 1 respiratory failure, ARDS, Right Pneumothorax, Acute COVID-19 viral pneumonitis with probable bacterial superinfection, Atrial fibrillation with rapid ventricular response, Septic Shock, Bleeding rom lung/ETT - resolved, Possible Mucor in mouth, Candida tracheobronchitis, Previous history of prostate cancer status post radiation, dyslipidemia, hypertension present at admission.
COVID19 VACCINE	1387983-1	80+ years	61-120 days	#NAME?
COVID19 VACCINE	1395844-1	65-79 years	61-120 days	pt had 2nd Moderna vaccine on 2/10/2021 lot # 013M20A. Pt became ill on 5/10/2021, test covid-19 positive on 5/17/2021 and treated with BAM, Intubated on vent 6/1/2021 deceased 6/13/2021

COVID19 VACCINE	1401722-1	50-59 years	61-120 days	<p>Died on the night of 05Jun2021 or Morning 06Jun2021 not Sure; Gastritis; The reaction came back with a vengeance; was doubling over; This spontaneous case was reported by an other health care professional (subsequently medically confirmed) and describes the occurrence of DEATH (Died on the night of 05Jun2021 or Morning 06Jun2021 not Sure) in a 53-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 007C21A and 028A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Heart disease, unspecified. On 25-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 22-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 28-May-2021, the patient experienced DISEASE RECURRENCE (The reaction came back with a vengeance) and CONDITION AGGRAVATED (was doubling over). On 01-Jun-2021, the patient experienced GASTRITIS (Gastritis). The patient died on 05-Jun-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, GASTRITIS (Gastritis), DISEASE RECURRENCE (The reaction came back with a vengeance) and CONDITION AGGRAVATED (was doubling over) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 01-Jun-2021, Ultrasound scan: abnormal (abnormal) confirmed gastritis.. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant medications were not provided. Labs included electrocardiogram (EKG) whose results were not provided. It was reported that on 01-jun-2021 at Emergency room, gastritis was diagnosed and patient was sent home. Treatment information was not provided. Company comment: This is a case of sudden death in a 53-year-old male patient with a history of Heart disease, who died 1 month 14 days after receiving last dose of vaccine. Very limited information has been provided at this time. This case was linked to MOD-2021-211580 (Patient Link).; Sender's Comments: This is a case of sudden death in a 53-year-old male patient with a history of Heart disease, who died 1 month 14 days after receiving last dose of vaccine. Very limited information has been provided at this time.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1406845-1	65-79 years	61-120 days	<p>Evaluated in Health Services for complaints of SOB on 4/13/21, states he felt 'winded and weak after the 2nd moderna vaccine.'''''''</p>

COVID19 VACCINE	1406851-1	80+ years	61-120 days	5/10/2021 Patient died. 5/3/2021 Patient is a 91 y.o. female with a history of afib, PE/DVT, hypothyroidism, GERD, htn, colon resection 206 and HTN who presented to the ED with AMS and difficulty breathing. Patient unresponsive in the ED and was intubated for airway protection. CTA chest with extensive acute pulmonary embolism with findings of right heart strain. Patient intubated and sedated, information is obtained from her son, medical staff and medical records. Patient was hospitalized with Covid 2 weeks ago, following discharge she seemed to slowly be improving until Saturday prior to admission Per son was more tired but she had worked with physical therapy and HH on Friday. Sunday she was having difficulty breathing and was brought to the hospital. 4/17/2021 Altered mental status, unspecified altered mental status type; Pneumonia of left lower lobe due to infectious organism; Atrial fibrillation with rapid ventricular response (HCC); Acute pulmonary embolism without acute cor pulmonale, unspecified pulmonary embolism type (HCC); Acute hypoxemic respiratory failure (HCC); Chronic respiratory failure with hypoxia (HCC); Pressure injury of sacral region, stage 3 (HCC); SOB (shortness of breath); Palliative care encounter; Shock (HCC); Chronic atrial fibrillation (HCC); Acute respiratory failure with hypoxia and hypercapnia (HCC)
COVID19 VACCINE	1410369-1	65-79 years	61-120 days	Patient received 2nd dose of the COVID-19 vaccine on 2/10/21 and was considered fully vaccinated two weeks later on 2/24/21. On 6/10/21 patient was hospitalized with a possible upper GI bleed. Overnight the patient began to have increased oxygen needs and crackles on auscultation. She was transferred to the ICU, had an abnormal chest x-ray, and tested PCR positive for COVID-19. The patient had acute kidney failure and respiratory failure with a DNR and DNI. She expired on 6/11/21.
COVID19 VACCINE	1410797-1	80+ years	61-120 days	Initially had fatigue, diarrhea, and loss of appetite. Tested positive for COVID 19 on 5/28/21 , during surveillance testing related to a facility COVID Outbreak. He went to ED 5/28/21 for decrease level of consciousness, high blood pressure, low blood sugar, anorexia. Once stabilized, transferred back to facility. On 6/7/21, transferred to ED for COVID pneumonia and hypoglycemia, treated with Dexamethasone and oxygen. Discharged back to facility 6/10/2021. On 6/12/2021, went to ED for ischemic stroke. Died 6/13/2021.
COVID19 VACCINE	1414947-1	80+ years	61-120 days	Pt showed up to the ER via EMS on 6/5/2021 with low back pain and weakness, bilateral leg swelling, shortness of breath. On 6/6/2021-developed bilateral upper and lower weakness that progressed to dysphagia and dysphonia. Transferred to ER on 6/8/2021 for Gillian Barre Syndrome On 6/11 had bilateral DVTS He was placed on palliative care and passed away on 6/19/2021
COVID19 VACCINE	1414999-1	65-79 years	61-120 days	Dies due to Alzheimer complications.
COVID19 VACCINE	1421090-1	80+ years	61-120 days	Advanced coronary artery disease, Arteriovascular risk factors, Chronic obstructive lung disease. COVID-19 2/10/2021, Recurrent GI bleed with iron deficiency
COVID19 VACCINE	1423308-1	30-39 years	61-120 days	patient complained of intermittent fevers since the first administration of the Moderna vaccine on 4/7/21. fevers continued intermittently until second moderna dose on 5/5/21. Patient developed lymphadenopathy and eventually was hospitalized on 6/6/21 for sepsis symptoms. Patient was intubated and found to have an acute lymphoproliferative disorder that caused cardiac arrest and the patient expired on 6/8/21. She has no lab abnormalities suggesting a lymphoproliferative disorder prior to these events.

COVID19 VACCINE	1425918-1	80+ years	61-120 days	Death 5/31/2021 Causes of death listed on death certificate: 1) atherosclerotic heart disease Other: recent Cove at 19, pneumonia, peripheral vascular disease, hypertension, dementia, extensive squamous cell carcinoma of skin of scalp, protein calorie malnutrition
COVID19 VACCINE	1426460-1	65-79 years	61-120 days	Death: 5/3/2021 Causes of death listed on death certificate: -1) Acute hypoxic respiratory failure 2) Acute on chronic diastolic heart failure 3) Atrial fibrillation 4) Covid 19 pneumonia Other: Hypertension. Acute toxic encephalopathy. Type 2 diabetes. Esophageal dysphagia. Debility. Depression. Moderate malnutrition.
COVID19 VACCINE	1427795-1	80+ years	61-120 days	Died 4/24. Immediate cause of death acute hypoxic respiratory failure, underlying cause COVID-19 associated respiratory distress syndrome and COVID-19 viral pneumonia
COVID19 VACCINE	1427916-1	65-79 years	61-120 days	Hospice patient was hospitalized multiple times within 60 days of receiving a COVID vaccine series and later died
COVID19 VACCINE	1431080-1	65-79 years	61-120 days	Death LEG SWELLING N17.9 - Acute kidney failure, unspecified J18.9 - Pneumonia, unspecified organism K92.2 - GI bleed K92.2 - Upper GI bleed
COVID19 VACCINE	1431110-1	80+ years	61-120 days	Death Gastrointestinal hemorrhage, unspecified Pneumonia
COVID19 VACCINE	1431133-1	65-79 years	61-120 days	death J18.9 - Pneumonia, unspecified organism E87.1 - Hypo-osmolality and hyponatremia N17.9 - Acute kidney failure, unspecified
COVID19 VACCINE	1431167-1	80+ years	61-120 days	Death J18.9 - Pneumonia of both lower lobes due to infectious organism
COVID19 VACCINE	1431215-1	80+ years	61-120 days	Death N17.9 - AKI (acute kidney injury)
COVID19 VACCINE	1433471-1	80+ years	61-120 days	Died of COVID-19 illness on 05/08/2021
COVID19 VACCINE	1433476-1	65-79 years	61-120 days	PNEMONIA, ARDS, VENT REQUIRED 4 DAYS DOD3/19/21
COVID19 VACCINE	1433776-1	80+ years	61-120 days	Death 5/5/2021 Causes of death listed on death certificate: 1) acute bleeding 2) rupture of internal iliac aneurysm
COVID19 VACCINE	1433783-1	65-79 years	61-120 days	Death 5/7/2021 Causes of death listed on death certificate: 1) Ventricular fibrillation 2) Covid19 pneumonia Other: Diabetes
COVID19 VACCINE	1433788-1	80+ years	61-120 days	Death 5/29/2021 Causes of death listed on death certificate: 1. pneumonia 2. COVID 19 3. coronary artery disease, hypertensin, Non insulin dependant diabetes
COVID19 VACCINE	1433815-1	65-79 years	61-120 days	Patient passed away on 04/18/2021.
COVID19 VACCINE	1433851-1	65-79 years	61-120 days	patient passed away on 05/03/2021.
COVID19 VACCINE	1437364-1	65-79 years	61-120 days	Death 5/1/2021 Causes of death listed on death certificate: 1) Cardiac arrest 2) Failure to thrive 3) Parkinson's Disease 4) COVID-19 infection 4/2021 Other: Coronary artery disease
COVID19 VACCINE	1437399-1	65-79 years	61-120 days	Death 5/30/2021 Causes of death listed on death certificate: 1) Covid 19 Pneumonia 2) colo-vesical fistular 3) Heart failure 4) chronic uti
COVID19 VACCINE	1437443-1	80+ years	61-120 days	Death 5/31/2021 Causes of death listed on death certificate: 1. Autoimmune cold-agglutinin hemolytic anemia 2. COVID 19 3. rheumatoid arthritis, chronic immunosuppression
COVID19 VACCINE	1437449-1	80+ years	61-120 days	Death 5/30/2021 Causes of death listed on death certificate: 1) Hypertensive Heart disease with Heart Failure Diastolic Other: Covid-19
COVID19 VACCINE	1437456-1	80+ years	61-120 days	Death 6/2/2021 Causes of death listed on death certificate: 1) aspiration pneumonia 2) dysphagia 3) esophageal stenosis Other: congestive heart failure, hypertension, chronic kidney disease stage 3
COVID19 VACCINE	1440448-1	80+ years	61-120 days	Severe thrombocytopenia, transaminitis, followed by worsening AKI and death.
COVID19 VACCINE	1440922-1	80+ years	61-120 days	ADMITTED TO HOSP AFTER BYSTANDER CPR. COVID TEST AT ADMIT POSITIVE

COVID19 VACCINE	0925264-1	65-79 years	Unknown	PT was found deceased in his home on 1/5/2021
COVID19 VACCINE	0933578-1	40-49 years	Unknown	Pronounced dead 1/9/2021 at 12:42. Received first dose of vaccine 1/8/2021
COVID19 VACCINE	0948181-1	80+ years	Unknown	Death Chest pain; irreg heart rhythm; evening of vaccine; death on toilet on 1/13/21
COVID19 VACCINE	0967506-1	65-79 years	Unknown	Died within 5 days of receiving vaccine. Exact cause and day unknown.
COVID19 VACCINE	0969636-1	65-79 years	Unknown	<p>Found dead at home slumped on the floor, loss of appetite, body aches, feverish, A spontaneous report was received from a physician, concerning a 65-years-old male patient, who received Moderna's COVID-19 Vaccine and experienced feverish, body aches, loss of appetite, and death. The patient's medical history, as provided by the reporter, included diabetes, hypertension, Hashimoto's, smoker, cataracts, atrioventricular block, occasional premature ventricular contractions, and hypertriglyceridemia. Concomitant medications reported included metformin, glimepiride, lisinopril, atorvastatin, aspirin, methimazole, propranolol, and cilostazol. On 05 Jan 2021, prior to the onset of events, the patient received the first of two planned doses of mRNA-1273 (lot number 037k20a) for COVID-19 infection prophylaxis. On an unknown date in Jan 2021, some time after receiving the vaccine, the patient was feeling feverish with body aches and loss of appetite. On 09 Jan 2021 at approximately 21:30, the patient was found dead at home slumped on the floor. According to the paramedics, the patient was dead longer than when his wife found him, and no resuscitation was performed. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the events, feverish, body aches, loss of appetite, was considered resolved. The patient died on 09 Jan 2021. The cause of death was not reported. The reporter assessed the event, death, as not related to Moderna's COVID-19 Vaccine. The reporter did not provide assessment for the events, feverish and body aches, in relation to Moderna's COVID-19 Vaccine.; Reporter's Comments: This case concerns a 65 year old male patient with medical history of diabetes, hypertension, Hashimoto's, smoker, cataracts, atrioventricular block, occasional premature ventricular contractions, and hypertriglyceridemia, who experienced the serious unexpected event of death, non-serious unexpected event of loss of appetite, and non-serious expected events of fever and body pain. The event of death occurred 5 days after the first dose of mRNA-1273. The events of fever, body pain and loss of appetite occurred an unspecified period of time after the first dose of mRNA-1273. Very limited information regarding these events has been provided at this time. Based on temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Definitive causal association is confounded by age and medical history of diabetes, hypertension, Hashimoto's, smoker, cataracts, atrioventricular block, occasional premature ventricular contractions, and hypertriglyceridemia.</p>
COVID19 VACCINE	0975421-1	60-64 years	Unknown	Resident was discovered deceased in his apartment on 1/23/2021. Family had
COVID19 VACCINE	0979495-1	80+ years	Unknown	No adverse events noted Patient past away was notified by Public Health the record is at Vital Statistics
COVID19 VACCINE	0983919-1	65-79 years	Unknown	death
COVID19 VACCINE	0991450-1	Unknown	Unknown	The patient developed left sided neck and trapezoid tightness and pain after receiving the moderna covid vaccine in her left shoulder. The injection site is non tender and does not show any erythema or tenderness. The tenderness is over the left trapezius and left lateral neck area. It also feel tight like a muscle spasm.

COVID19 VACCINE	1001713-1	Unknown	Unknown	<p>Passed away; A spontaneous report was received from a consumer concerning a patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and passed away. The patient's medical history was not provided. No relevant concomitant medications were reported. On an unknown date, approximately 2 hours prior to the onset of the event, the patient received a dose of mRNA-1273 intramuscularly in the for prophylaxis of COVID-19 infection. They were not feeling sick or experiencing any adverse events. Vital signs included temperature 98 degrees Fahrenheit. Approximately two hours after receiving the vaccine, the patient passed away. No treatment information was provided. Action taken with the drug in response to the event was not applicable. The patient died on an undisclosed date. The cause of death was not provided. Plans for an autopsy were not provided.; Reporter's Comments: This case concerns a patient of unknown age and gender. The medical history and concomitant medication is not provided. The patient experienced Death. The event occurred approximately two hours after receiving their first of two planned doses of mRNA-1273 (Lot unknown). Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. The benefit-risk relationship of Moderna's COVID-19 vaccine is not affected by this report.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1005020-1	Unknown	Unknown	<p>Patient took vaccine and died two weeks later; Spontaneous reports were received from consumers via social media posts concerning an 86 year old male patient who received Moderna's COVID-19 vaccine and died. There was no medical history provided. There were no concomitant medications provided. On approximately 06 Jan 2021, the patient received the first of two planned doses of mRNA-1273 (Batch # unknown), intramuscularly for prophylaxis of COVID-19 infection. All of the social media posts reported the patients death and, according to one post, the patient took two doses of Moderna's vaccine and died two weeks later. The patient died on or before 23 Jan 2021. No additional information was provided. Very limited information regarding this event has been provided at this time. The benefit-risk relationship of Moderna's COVID-19 vaccine is not affected by this report.; Reporter's Comments: This case concerns a 86-year old male patient. The medical history and concomitant medication is not provided. The patient experienced Death. The event occurred approximately two weeks after receiving their second of two planned doses of mRNA-1273 (Lot unknown). Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the onset of the event, a causal relationship cannot be excluded and the event is considered possibly related to the vaccine. The benefit-risk relationship of Moderna's COVID-19 vaccine is not affected by this report.; Reported Cause(s) of Death: unknown cause of death</p>

COVID19 VACCINE	1005022-1	Unknown	Unknown	Respiratory distress; Anxiety; Fever; Passed away; A spontaneous report was received from a consumer concerning a female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed fever, respiratory distress, anxiety and passed away. The patient's medical history was not provided. Concomitant product use was not provided. On an unknown date, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On an unknown date, within 24 hours of receiving the vaccine, the patient developed a fever, respiratory distress and anxiety. Treatment for the events included oxygen, morphine, and lorazepam. On the evening of 26 Dec 2020, the patient passed away. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 26 Dec 2020. The cause of death was not reported. Plans for an autopsy were not provided.; Reporter's Comments: This case concerns a female patient who received their first of two planned doses of mRNA-1273 (Lot unknown), and who experienced the serious unlisted events of death (unknown cause) and respiratory distress, the non-serious listed event of fever, and the non-serious unlisted event of anxiety. The events of respiratory distress, fever, and anxiety occurred within 24 hours of vaccination, while the event of death (unknown cause) occurred an unknown amount of time after vaccination. Very limited information has been provided regarding the circumstances leading to death and additional information has been requested. Based on the current available information and temporal association between the use of the product and the onset of events after vaccination, a causal relationship cannot be excluded.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1005377-1	80+ years	Unknown	Significant other reported patient expired ""a week before 2nd vaccine was due"". ""
COVID19 VACCINE	1012612-1	65-79 years	Unknown	Patient was hospitalized on 31 Jan for COVID pneumonia after 3 days of increasing baseline supplemental O2 requirements and dyspnea and ultimately died on comfort care on 3 Feb 2021.
COVID19 VACCINE	1013095-1	80+ years	Unknown	Patient was technically a resident of retirement community, however, he chose to live independently at home at his current home. Only his spouse actually resides at retirement community. Patient received the second dose of the Moderna vaccine via pharmacy vaccination clinic at retirement community on 2/3/2021. He was found deceased in his home by a certified nursing assistant on 2/4/2021 at approximately 10:00am.

COVID19 VACCINE	1015630-1	50-59 years	Unknown	Died of a heart attack; A spontaneous report was received from a consumer concerning a 56-year-old male patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and died due to a heart attack. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included additional medications. On an unknown date, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. - On an unknown date, the reporter stated the patient received Moderna's COVID-19 vaccine and sometime after he was found dead by his bedside around 02:30 am. The patient died on an unknown date. The cause of death was due to a heart attack. Plans for autopsy were not provided.; Reporter's Comments: This case concerns a 56 year old, male patient, who experienced fatal unexpected event of myocardial infarction. The event occurred on an unspecified date after mRNA-1273 (Lot# Unknown). Treatment details not provided. Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Additional information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1015996-1	80+ years	Unknown	Family reported patient expired 1/31/2021.
COVID19 VACCINE	1016605-1	Unknown	Unknown	Sepsis; A spontaneous report was received from a consumer post , concerning an approximately 55-year-old, male physician who received Moderna's COVID-19 vaccine (mRNA-1273) and developed sepsis, resulting in death. There was no medical history provided. There were no concomitant medications provided. On an unknown date (Thursday), the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. According to the post, two days after vaccine administration, the patient died of sepsis on Saturday. Action taken with mRNA-1273 in response to the event was not applicable. The event, sepsis, was considered fatal. The patient's date of death was not provided. The cause of death was reported as sepsis.; Reporter's Comments: This case concerns a 55-year-old, male subject, who experienced a serious unexpected event of Sepsis. Sepsis occurred after first dose of mRNA-1273 vaccine administration. On an unknown date, two days after vaccine administration, the patient died of sepsis. Treatment for the event was not provided. The patient's medical history was not provided. The patient is a physician. Concomitant product use was not reported. Very limited information regarding this event has been provided at this time and no definite diagnosis or autopsy report have been provided. Based on the current available information and temporal association between the use of the product and the start date of the event of Sepsis, a causal relationship cannot be excluded.; Reported Cause(s) of Death: Sepsis
COVID19 VACCINE	1021038-1	80+ years	Unknown	Patient had passed since the first dose was given.

COVID19 VACCINE	1030025-1	Unknown	Unknown	Death; A spontaneous report was received from a consumer concerning a male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and the patient was died. The patient's medical history was not provided. Concomitant product use was not provided. On an unknown date, the patient received his first dose of mRNA-1273 (Lot number unknown) for prophylaxis of COVID-19 infection. On an unknown date, the patient was died. Treatment of this event was not provided. The patient was died. The cause of death was not provided. Autopsy details were not provided.; Reporter's Comments: This case concerns a male patient (unknown age), who experienced event of death (cause unknown). The event occurred on an unknown date after the first and last dose of mRNA-1273 vaccine administration. Autopsy and cause of death were not reported. Based on the current available limited information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded and the events are assessed as possibly related.; Reported Cause(s) of Death: Death
COVID19 VACCINE	1030852-1	Unknown	Unknown	Died; A spontaneous report was received from a reporter concerning a unknown patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and passed away. The patient's medical history was not provided. No relevant concomitant medications were reported. On an unknown date, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On an unknown date, the patient passed away. No treatment information was provided. Action taken with RNA-1273 in response to the event was not applicable. The patient died on unknown date. The cause of death was reported as unknown. Autopsy details were unknown.; Reporter's Comments: This case concerns a patient of unknown age and gender. The patient's medical history was not provided. The fatal, unexpected event of death occurred on an unknown date after the administration of the first dose of mRNA-1273 on an unknown date. The cause of death was reported as unknown. Autopsy details were unknown. Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the event, a causal relationship cannot be excluded. Additional information regarding the autopsy report, date of the mRNA administration, day of death, medical information and details of concomitant product are all required for further assessment of causality.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1033466-1	65-79 years	Unknown	70 yo man with multiple severe medical comorbidities received his first dose of Moderna COVID-19 vaccination without incident. 8.5 hours later, he was noted by his family to be in his usual state of health. 9.5 hours after the vaccination, he was found down by his family in cardiac arrest. Resuscitation attempts were not successful, and the patient died.

COVID19 VACCINE	1033472-1	Unknown	Unknown	<p>Resident coded and expired; A spontaneous report was received from a consumer concerning a patient who received Moderna's COVID-19 vaccine (mRNA-1273) and coded and expired. The patient's medical history was not provided. No concomitant product use was reported. On an undisclosed date, the patient received their first of two planned doses of mRNA-1273 (Lot number: not provided) for prophylaxis of COVID-19 infection. On undisclosed date, the patient coded and expired. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on an undisclosed date. The cause of death was not provided. Plans for an autopsy were not provided.; Reporter's Comments: MEDICAL COMMENT: MOD 2021 009822 DEATH NOS This case concerns a patient of unknown age and gender who received their first of two planned doses of mRNA-1273 (Lot number: not provided) for prophylaxis of COVID-19 infection and had died. Very limited information regarding this event has been provided at this time to make a proper medical assessment, therefore, the causality is unlikely related to the vaccine in this case of death not otherwise specified. No contact information provided. Follow up is not expected.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1034985-1	Unknown	Unknown	<p>4 Nursing home patients Died; A Spontaneous report was received from a pharmacist concerning 4 nursing home patients of unspecified age and gender who received Moderna's COVID-19 vaccine (mRNA-1273) and died. The patients' medical histories were not provided. No relevant concomitant medications were reported. On unspecified dates, 4 nursing home patients received their first of two planned doses of mRNA-1273 (Lot # 039K20A) for prophylaxis of COVID-19 infection. A pharmacist reported that they just learned 4 nursing home patients died after the first dose of the Modern vaccine. The patients were buried, and no autopsies were conducted. The pharmacist suspected latent Covid-19 on the patients and that the vaccine precipitated this outcome. No treatment information was provided. Action taken with the second dose of mRNA-1273 in response to the event was not applicable. The event 4 nursing home patients died was fatal.; Reporter's Comments: This case concerns 4 nursing home patients of unspecified age and gender who received their first dose of Moderna's COVID-19 vaccine (mRNA-1273) Lot # 039K20A) and died. Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: died</p>

COVID19 VACCINE	1035505-1	Unknown	Unknown	<p>Passed away with an hour to hour and 1/2 of receiving vaccine; A spontaneous report was received from a consumer concerning a patient who received Moderna's COVID-19 vaccine (mRNA-1273) and passed away with an hour to hour and 1/2 of receiving vaccine. The patient's medical history, as provided by the reporter, included COVID-19. No relevant concomitant medications were reported. On unknown date, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On an unknown date, the patient passed away within an hour and a 1/2 of receiving the vaccine. Per the nursing home staff, they did not expect the patient to make it many more days. The patient was unresponsive in the room when the shot was given. The patient was 14+ days post COVID. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not applicable. The patient died on an unknown date. The cause of death was unknown.; Reporter's Comments: This case concerns a patient, who experienced event of death (unknown cause). The event occurred an hour to hour and 1/2 after the first and last dose of mRNA-1273 vaccine administration. Based on the current limited available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded and the event is assessed as possibly related. However, Per the nursing home staff, the patient was 14+ days post COVID and they did not expect the patient to make it many more days. The patient was unresponsive in the room when the shot was given.; Reported Cause(s) of Death: unknown cause of death</p>
COVID19 VACCINE	1037720-1	Unknown	Unknown	<p>Suicide; A spontaneous report was received from a consumer concerning a patient, of unknown age/gender, who received Moderna's COVID-19 vaccine and experienced suicide. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On unknown date, the patient received mRNA-1273 (Lot number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On an unknown date the patient experienced suicide. Treatment information was not provided. Action taken with the mRNA-1273 in response to the event was not reported. The patient died on unknown date. The cause of death was reported as suicide. Plans for an autopsy were not provided.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Suicide</p>
COVID19 VACCINE	1046347-1	65-79 years	Unknown	<p>When family members came to receive the second dose of their COVID vaccine, they informed us that the above patient had passed away.</p>
COVID19 VACCINE	1047183-1	80+ years	Unknown	<p>Pt had expired before second dose was delivered.</p>

COVID19 VACCINE	1048665-1	Unknown	Unknown	Died; Internal bleeding and died; A spontaneous report was received from a nurse concerning a male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced internal bleeding and died. The patient's medical history was not provided. No concomitant product use was reported. On unknown date, the patient received their first of two planned doses of mRNA-1273 (Lot number: not provided) intramuscularly for prophylaxis of COVID-19 infection. On unknown date, a nurse reported she read about a doctor who received the COVID-19 vaccine and died 3 days later. She stated she read that the doctor had internal bleeding. It started with bleeding in his hands and feet, then went to his brain and died 3 days later. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, internal bleeding and died, was considered fatal.; Reporter's Comments: Very limited information regarding the events has been provided at this time and is insufficient for causality assessment. Further information has been requested.; Reported Cause(s) of Death: Internal bleeding
COVID19 VACCINE	1048672-1	80+ years	Unknown	Pass away; Got COVID; A spontaneous report was received on from a consumer, concerning an 87-year-old male patient, who received Moderna's COVID-19 (mRNA 1273) vaccine and experienced pass away (death) and COVID (COVID-19). The patient's medical history was not provided. No relevant concomitant medications were reported. On 29 Dec 2020, the patient received their first of two planned doses of mRNA-1273 injection for the prophylaxis of COVID-19 infection. Two days after mRNA-1273 injection, the patient's daughter was diagnosed with COVID-19 infection. The daughter states that her mother also got infected with COVID. On an unknown date, the patient got COVID. It was reported that he passed away. Treatment for the event was not provided. The cause of death was not provided. The plans for an autopsy were not provided. .; Reporter's Comments: Although the onset date of COVID-19 and the fatal outcome is lacking, Based on the natural history of COVID-19, the reported event, it is assessed as unlikely related with mRNA-1273. The actual cause of death cannot be ascertained but assessed as not related and most likely due to the COVID-19 infection.
COVID19 VACCINE	1049284-1	Unknown	Unknown	Died; A spontaneous report was received from a consumer concerning a 58-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and patient was died. The patient's medical history was reported as underlying health issue. Concomitant product use was not provided by the reporter. On an unknown date, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: if reported or unknown) intramuscularly for prophylaxis of COVID-19 infection. On an unknown date, patient with underlying health issue died after getting the Moderna COVID-19 vaccine. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on an unknown date. The cause of death was not provided. Plans for an autopsy were not provided.; Reporter's Comments: This case concerns a 58-year-old female who died on unknown date after first dose of mRNA-1273, lot # unknown. Very limited information regarding this event has been provided at this time, therefore it is difficult to assess a cause and effect relationship. No further information will be available. Of note, patient's medical history included unknown underlying health issues.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1049773-1	50-59 years	Unknown	Patient died on 02/20/2021. Cause of death was pulmonary embolism.

COVID19 VACCINE	1050281-1	65-79 years	Unknown	Per family, patient has been feeling sick since he was vaccinated, patient went to ER on 02/15/2021, and after few hours at ER patient passed away.
COVID19 VACCINE	1057547-1	Unknown	Unknown	86 year old manager received the two doses of the Moderna vaccine and died; A spontaneous report was received from a consumer, concerning an 86-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and passed away. The patient's medical history was not provided. No relevant concomitant medications were reported. On an unspecified date, the patient received their doses of mRNA-1273 (Lot number: unknown) through an unknown route in an unknown arm for prophylaxis of COVID-19 infection. On an unspecified date, it was reported that the patient passed away after receiving both doses. The cause of death was unknown. It was unknown if an autopsy was performed. The patient received both scheduled doses of mRNA-1273 prior to the event; therefore, action taken with the drug in response to the events is not applicable. The outcome of event ""86 year old manager received the two doses of the Moderna vaccine and died"" was fatal.; Reporter's Comments: Very limited information regarding this event has been provided at this time. No autopsy report provided. Further information has been requested.; Reported Cause(s) of Death: 86 year old manager received the two doses of the Moderna vaccine and died""
COVID19 VACCINE	1061910-1	65-79 years	Unknown	Passed away; A spontaneous report was received from a Pharmacist concerning a 65 years-old, male patient who passed away/MedDRA PT: death, days after receiving the second dose of the Moderna COVID-19 vaccine. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Lot #012L20A) on 12 Jan 2021. On 11 Feb 2021, the patient received their second of two planned doses of mRNA-1273 (Lot # 030M20A) (route of administration and injection site not provided) for prophylaxis of COVID-19 infection. On an unknown date, days after receiving the second dose of the Moderna COVID-19 vaccine, the patient passed away. The patient did not come to the hospital; therefore the Pharmacist had very little detail of the situation but believed it was due to aspiration based on report received from the patient's boss. The Pharmacist reported there was no report of any issues from the first vaccine. The patient was found at home by spouse and had yellow stuff on face and chest. Action taken with mRNA-1273 was not applicable as the patient deceased. The patient died on an unknown date. The cause of death was reported as unknown. Plans for autopsy were not provided.; Reporter's Comments: Very limited information regarding the event of death has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Death days after receiving the second dose of the Moderna Covid-19 Vaccine

COVID19 VACCINE	1065394-1	Unknown	Unknown	Died; A spontaneous report was received from a consumer on a social media, concerning a 58-years-old female patient, unknown race and ethnicity, who was administered Moderna's COVID-19 vaccine (mRNA-1273), and died. The patient's medical history was not provided. No relevant concomitant medications were reported. On an unknown date, prior to the onset of the event, the patient received dose of mRNA-1273 (Lot number: unknown), for the prophylaxis of COVID-19 infection. On 17-Feb-2021, social media interaction was posted concerning a death of a patient on an unknown date after receiving Moderna vaccine. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not applicable. The patient died on an unknown date. The cause of death was not provided. Plans for autopsy were not provided.; Reporter's Comments: Very limited information regarding the event has been provided at this time and is insufficient for causality assessment. The cause of death was not provided. Plans for autopsy were not provided.; Sender's Comments: US-MODERNATX, INC.-MOD-2021-018302:Same Reporter; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1066291-1	80+ years	Unknown	Patient administered vaccine on 1/14/21 with no reactions noted after 15 minutes. Patient seen for wellness visit on 1/20/21 with no complaints regarding vaccine. Patient died on 1/30/21
COVID19 VACCINE	1070005-1	80+ years	Unknown	Patient contracted Covid some period of time after receiving the vaccine.
COVID19 VACCINE	1070051-1	65-79 years	Unknown	unknown
COVID19 VACCINE	1071300-1	Unknown	Unknown	Died; A spontaneous report, was received from a consumer on a social media, concerning a 38-years-old female patient, unknown race and ethnicity, who was administered Moderna's COVID-19 vaccine (mRNA-1273), and died. The patient's medical history was not provided. No relevant concomitant medications were reported. On an unknown date, prior to the onset of the event, the patient received dose of mRNA-1273 (Lot number: unknown), for the prophylaxis of COVID-19 infection. On 17-Feb-2021, social media interaction was posted concerning a death of a patient on an unknown date after receiving Moderna vaccine. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not applicable. The patient died on an unknown date. The cause of death was not provided. Plans for autopsy were not provided.; Reporter's Comments: Very limited information regarding the event of death has been provided at this time. No further information will be available.; Sender's Comments: MODERNA, INC.-MOD-2021-018380:Same reporter; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1073471-1	Unknown	Unknown	Was found deceased a little less than 12 hours following COVID vaccination; A spontaneous report was received from a reporter concerning a 96-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and was found deceased a little less than 12 hours following COVID vaccination. The patient's medical history included hospice care. No relevant concomitant medications were reported. On an unknown date, prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On an unknown date, the patient was found deceased a little less than 12 hours following COVID vaccination, and he had had some changes over the last two days. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. On an unknown date the patient died. The cause of death was unknown. Plans for an autopsy were not provided.; Reporter's Comments: This case concerns a 96 year old male patient, who was on hospice care experienced a fatal event of death, after receiving mRNA- 1273 (Lot# Unknown). Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1077014-1	65-79 years	Unknown	Death
COVID19 VACCINE	1080335-1	Unknown	Unknown	Anaphylaxis; A spontaneous report was received from a physician assistant concerning a patient of unspecified age and gender, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced anaphylaxis. The patient's medical history was not provided. No relevant Concomitant medications were reported. On an unknown date, prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) for prophylaxis of COVID-19 infection. On an unknown date, after receiving vaccine, the patient died due to anaphylaxis. No further details were available at the time of this report. Treatment for the event was not provided. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the event anaphylaxis was fatal. The patient died on an unspecified due to anaphylaxis. Autopsy details were not provided.; Reporter's Comments: Very limited information regarding the event of anaphylaxis has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Anaphylaxis
COVID19 VACCINE	1085865-1	Unknown	Unknown	DEATH 2/23/21
COVID19 VACCINE	1090182-1	Unknown	Unknown	Passed away; A spontaneous report was received from a consumer concerning a male patient of unknown age, who was received Moderna's COVID-19 vaccine (mRNA-1273) and died. The patient's medical history was not provided. No concomitant medications were reported. On an unknown date, prior to the onset of event, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly for prophylaxis of COVID-19 infection. It was reported by the patient's wife that the patient died. She was calling to cancel his second dose of mRNA-1273. No additional details, including the date of death, were reported. Treatment information was not provided. Action taken with the mRNA-1273 was not applicable as the patient died. The cause of death was not provided. Plans for an autopsy were not provided.; Reporter's Comments: Very limited information regarding this event has been provided at this time. No further information is expected.; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1100247-1	65-79 years	Unknown	Unconsciousness; Feeling discomfort within a few minutes after the vaccination; A spontaneous report was received from a healthcare professional concerning a 78-year-old, female patient, who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced of feeling discomfort within a few minutes after the vaccination, followed by unconsciousness and death. The patient's medical history was not provided. No relevant concomitant medications were reported. On an unspecified date, prior to the onset of the event, patient received their dose of mRNA-1273 (Batch Number: Unknown) for prophylaxis of COVID-19 infection. On an unspecified date, the patient experienced feeling discomfort within a few minutes after the vaccination, followed by unconsciousness and death. Treatment information for event unconsciousness included resuscitate via cardiopulmonary resuscitation with no success. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the event unconsciousness was fatal and patient died.; Reporter's Comments: This is a case of death of a 78-year-old, female patient who experienced within a few minutes of product use who experienced feeling of discomfort and became unconscious and subsequently expired. Based on the current available information, a strong temporal association between the product use and onset of the events, a causal relationship with the events cannot be excluded. However, critical details such as the patient's medical history and actual cause of death is lacking.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1106175-1	Unknown	Unknown	a friend died from the vaccine; A spontaneous report was received from a non health care professional, concerning her friend, who was administered Moderna's COVID-19 vaccine (mRNA-1273) and died from the vaccine. The patient's medical history, concomitant history, and lab data was not provided by the reporter. On an unknown date, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. The patient experienced death after receiving the moderna mRNA1273 vaccine. No further details were provided. The action taken with the second dose of mRNA-1273 in response to the event was not applicable. The outcome of the events, died from the vaccine, were considered as fatal.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1107188-1	Unknown	Unknown	death after second dose; A spontaneous report was received from a consumer concerning a female patient of unknown age, who experienced severe symptoms post first dose of Moderna's Covid-19 vaccine (mRNA-1273) and death shortly after her second dose. The patient's medical history was not provided. Concomitant medication was not provided by the reporter. No lab data was not provided On unspecified date, the patient received her second of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. It was reported that shortly after receiving the second dose of mRNA-1273, the patient died. Treatment information was not provided/unknown. Action taken with the drug in response to the events is not applicable. The patient died on an unknown date. Plans for an autopsy were not reported; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: death

COVID19 VACCINE	1108470-1	80+ years	Unknown	Pulmonary Embolism Narrative: Patient was hospitalized with acute pulmonary embolism on 2/12/2021. Was started on Eloquis and discharged on 2/15/2021, with primary diagnosis of acute PE and BLE DVT. Secondary diagnosis of acute systolic heart failure with bilateral pleural effusions. On 2/17 we got notification that patient was placed on hospital.
COVID19 VACCINE	1112825-1	Unknown	Unknown	Received vaccine on afternoon of 3/15/2021 and began experiencing nausea and vomiting, left arm and shoulder pain, fever, body aches, fatigue, and abdominal pain the morning of 3/16/20. He notified the pharmacy that administered the vaccine to him and they told him that some people have those symptoms with it. On 3/16/21 he went to bed around 11:30 PM feeling terrible and was found dead in his bed the next day (3/17/21) with dried blood coming out of his nose and mouth.
COVID19 VACCINE	1114256-1	Unknown	Unknown	Aneurysm; red splotches on arm skin; A spontaneous report was received from a Consumer concerning a HCP, male patient of unknown age who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced developed red splotches on his arm skin and patient died from an aneurysm. The patient's medical history was not provided. No concomitant medications were reported. On an unknown date, prior to the onset of the events, the patient received their unknown of the two planned doses of mRNA-1273 (lot/batch: unknown) via unknown route for prophylaxis of COVID-19 infection. On an unspecified date, after vaccination the patient had a reaction and developed red splotches on his arm skin. Then four to five days, later in the hospital the patient died from an aneurysm (Seriousness criteria: death). The cause of death was aneurysm. No autopsy details reported No Laboratory investigations were provided. No Treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of aneurysm was fatal and for erythema was unknown.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested; Reported Cause(s) of Death: Aneurysm
COVID19 VACCINE	1114894-1	Unknown	Unknown	Thrombocytopenia; Vaccinators are vaccinating very high up on the shoulder; A spontaneous report was received from a nurse concerning a patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced Vaccinators are vaccinating very high up on the shoulder, thrombocytopenia. The patient's medical history, was not provided by the reporter.No Concomitant medications were reported. On an unknown date, the patient received their planned dose of mRNA-1273 (Lot number: unknown) for prophylaxis of COVID-19 infection. The reporter stated that Vaccinators are vaccinating very high up on the shoulder. They need to go down on the deltoid. She also reported the event of thrombocytopenia of which one involved a doctor who died. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the event, vaccinators are vaccinating very high up on the shoulder was resolved . The outcome of the events thrombocytopenia is fatal.; Reporter's Comments: This report refers to a patient who experienced non-serious of vaccinating very high up on the shoulder, (Vaccine administered at inappropriate site). There were no reported AEs associated with this case of vaccine administered at inappropriate site.; Reported Cause(s) of Death: Thrombocytopenia
COVID19 VACCINE	1116106-1	65-79 years	Unknown	Death Narrative:

COVID19 VACCINE	1116373-1	80+ years	Unknown	<p>Passed away; so weak she was no longer able to use her walker and declined steadily each day thereafter; A spontaneous report was received from a consumer concerning a 88-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced being so weak she was no longer able to use her walker and declined steadily each day thereafter (asthenia) and passed away (death). The patient's medical history was not provided. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Batch number not provided) on an unspecified date. On an unspecified date, approximately 15 days prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. On an unspecified date, two days after their second dose of the vaccine, the patient was so weak that she was no longer able to use her walker and declined steadily each day thereafter. On an unspecified date, 17 days after their second dose of the vaccine, the patient passed away. Treatment information was not provided. The outcome of the event, asthenia, was unknown. The outcome of the event, passed away (death), was fatal. The cause of death was reported as unknown. Plans for an autopsy were not provided.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1121585-1	Unknown	Unknown	<p>died; A spontaneous report from was received from a Consumer concerning a female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and mentioned that a patient who had received the Moderna vaccine had died, and so they were concerned about getting the second dose. The patient's medical history was not provided. No relevant concomitant medications were reported. On unknown date, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On an unknown date, The patient mentioned that a patient who had received the Moderna vaccine had died, and so they were concerned about getting the second dose. Laboratory details are not provided. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events was considered Fatal.; Reporter's Comments: This is a case of death of an unknown age female subject with unknown medical history, who died on an unknown day after receiving first dose of vaccine. Very limited information has been provided at this time. No follow up is possible.; Reported Cause(s) of Death: Unknown cause of death</p>

COVID19 VACCINE	1121847-1	30-39 years	Unknown	<p>Kidneys and liver shutting down; Kidneys and liver shutting down; Heart started racing 3 days later; Vomiting; A spontaneous report was received from a consumer concerning a 39-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced heart racing, kidney failure, liver failure, vomiting and death. The patient's medical history included Sjogren's syndrome, Hashimoto's, inflammatory joint disease, osteoporosis, osteoarthritis. She has history of fractured tail bone and leg in three places. Concomitant medications included D3 2 pills a day, folic acid, B12, and calcium citrate. She was allergic to 15 different antibiotics two of which she had anaphylaxis; had huge autoimmune issues; had had reaction to Pneumovax vaccine. On an unown date ,prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. Approximately after three days of receiving second dose vaccine patient experienced heart racing and went to the emergency room .The patient started vomiting and developed a kidney and liver failure. And on the next day she died. Autopsy is doing and the results are not available at the time of report. Action taken with mRNA-1273 in response to the events was reported as not applicable. The events heart racing, kidney failure, liver failure and death were considered serious and medically significant. The outcome of the events renal failure, hepatic failure, palpitations and vomiting was considered as Fatal.; Reporter's Comments: This is a case of death in a 39year-old female subject with unknown medical history of anaphylactic reactions, allergic reactions to pneumovax vaccine, Sjogren's syndrome, Hashimoto's, inflammatory joint disease, osteoporosis, osteoarthritis, who died 4 days after receiving second dose of vaccine. Very limited information has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Renal failure; Hepatic failure</p>
COVID19 VACCINE	1122714-1	65-79 years	Unknown	<p>illness and very very sick; Death; A spontaneous report was received from a lawyer concerning a 70 or 71-years-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and who died following illness. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Batch number not provided) on an unspecified date. On an unknown date, approximately 24 hours prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number not provided) via an unknown route for prophylaxis of COVID-19 infection. Within 24 hours, of vaccination the patient got very ill and sick and on the 4th day patient went to have a shower and found dead by patient's husband. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the event, illness and very sick was unknown. The patient died on 13 Mar 2021. The cause of death was unknown. Plans for an autopsy were denied due to COVID-19 relation and are reporting to Moderna. Autopsy was not performed.; Reporter's Comments: This is a case of death in an 70/71-year-old male subject with unknown medical history, who was sick from day 1 and died on day 4 after receiving first dose of vaccine. Very limited information has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death</p>

COVID19 VACCINE	1130148-1	Unknown	Unknown	<p>something wrong with the liver; A spontaneous report was received from a consumer concerning patients of unspecified age and gender who received Moderna's COVID-19 vaccine (mRNA-1273) and were dying after second shot and something wrong with the liver (liver disorder). The patients' medical histories were not provided. No relevant concomitant medications were reported. Dates of vaccination were not reported. The reported heard on the news that ""people are dying after the second shot"" and apparently one of the patients had something wrong with the liver after getting the shot. The reporter said the patients received Moderna's mRNA-vaccine. On an unknown date, the patient experienced the event(s) people are dying after second shot, No treatment information was provided. The action taken with the vaccine in response to the events was not applicable. The cause of death for ""one of the patients was had something wrong with the liver"".; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested; Reported Cause(s) of Death: liver disorder; death unknown cause""</p>
COVID19 VACCINE	1132090-1	80+ years	Unknown	<p>Patient reportedly received COVID vaccine doses on 1/23 and 2/15, but we are unsure of which manufacturer or lot number. Patient admitted to our hospital on 3/9/2021. Patient presented with elevated D-dimer with concern for septic shock. Ultrasound of patient revealed no VTEs. COVID test on 3/10 resulted POSITIVE. Patient was going to require vasopressors but patient requested to go on comfort measures only. Patient ordered comfort measures on 3/10 and pronounced deceased on 3/18.</p>
COVID19 VACCINE	1132313-1	65-79 years	Unknown	<p>Patient got vaccine dose #2 on 3/23/21 (Tues) approx 10am. Per family reports patient went to hospital 3/24/21 (Wed) for unspecified pain and temp of 102f. Family states a ""scan"" was done and came back with nothing. P was treated for UTI and sent home. Patient was reportedly laying down at home about 8:15 or 8:30am complaining of a bad headache. Patient was found later that am deceased in her bed.""</p>
COVID19 VACCINE	1133010-1	50-59 years	Unknown	<p>shortness of breath; weakness; diffuse chest tightness; confusion; dizziness; cardiac failure; pulmonary failure; A spontaneous report was received from a consumer concerning a 51-year-old, male patient who developed cardiac failure, pulmonary failure/respiratory failure and died. The patient's medical history included hypertension, obesity, bee allergy and bipolar disorder. Concomitant product use was not provided by the reporter. Patient received first dose of vaccine prior to two weeks to his death (died on 09 Mar 2021). A week prior to his vaccination as shortness of breath, weakness, diffuse chest tightness, confusion, and dizziness. These symptoms progressed following his vaccination and he was hospitalized for two days prior to his death on 09 Mar 2021. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not applicable. The patient died on 09 Mar 2021 The cause of death was reported as cardio/pulmonary failure with secondary and tertiary causes of hypertension and obesity. Plans for an autopsy were not provided. The outcome of the events, cardiac failure and pulmonary failure were fatal.; Reporter's Comments: This is a case of death in a 51-year-old male subject with a medical history of HTN, obesity, bee allergy and bipolar disorder,who died 7 days after receiving first dose of vaccine. Very limited information has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: cardiac failure; pulmonary failure</p>

COVID19 VACCINE	1133747-1	80+ years	Unknown	died on hospice Narrative: Patient died on hospice, it is my clinical recommendation that death was r/t chronic anemia, advanced dementia, COPD, CAD, and not related to prior administration of COVID-19 vaccination
COVID19 VACCINE	1135292-1	80+ years	Unknown	Stroke shortly after the first dose; A spontaneous report was received from a consumer concerning an 81 year old, male patient who experienced stroke shortly after the first dose (cerebrovascular accident). The patient's medical history was not provided. No relevant concomitant medications were reported. On 11 FEB 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 for prophylaxis of COVID-19 infection. It was reported that the patient experienced stroke shortly after the first dose. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the event of stroke shortly after the first dose (cerebrovascular accident) was considered unknown.; Reporter's Comments: This is a case of sudden death in a 93-year-old female subject with no medical hx reported who suffered a stroke (unspecified days) after receiving first dose of vaccine. Very limited information has been provided at this time. Further information will be pursued..
COVID19 VACCINE	1142806-1	80+ years	Unknown	altered mental status cardiac arrest hyperglycemia death
COVID19 VACCINE	1149905-1	Unknown	Unknown	Died; A spontaneous report was received from a Consumer concerning a patient where age and gender unspecified who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced event Death. The patient's medical history was not provided. No relevant concomitant medications were reported. On unknown date, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) in the Anatomical location unspecified for prophylaxis of COVID-19 infection. On unknown date, The patient experienced the event Death. Laboratory details were not provided. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the event was Fatal. The reporter assessed the event Death related to the study drug was unknown.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1151698-1	80+ years	Unknown	death Narrative: patient did not receive active care at the clinic since 2017 no evidence of COVID positive diagnosis in past no known hospitalizations no acute ADRS following vaccination no death note or autopsy in record no other ADRS documented in record
COVID19 VACCINE	1152674-1	65-79 years	Unknown	Patient hospitalized with shortness of breath

COVID19 VACCINE	1153994-1	Unknown	Unknown	Died from the Moderna vaccine; A spontaneous report was received from a consumer concerning a patient who received Moderna's COVID-19 vaccine (mRNA-1273) and died from the Moderna vaccine/death. The patient's medical history was not provided. No concomitant product use was reported. On unknown date, the patient received their first of two planned doses of mRNA-1273 (Lot number: not provided) intramuscularly for prophylaxis of COVID-19 infection. On unknown date, the patient died after receiving the Moderna vaccine (Seriousness criteria: death, medically significant). The date of death was unknown. Autopsy results not provided. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the event, died from the Moderna vaccine/death, was considered fatal. .; Reporter's Comments: Very limited information regarding the event of death has been provided at this time. No further information has been requested.; Reported Cause(s) of Death: Died from the Moderna vaccine
COVID19 VACCINE	1155738-1	50-59 years	Unknown	Death
COVID19 VACCINE	1157604-1	Unknown	Unknown	Pneumonia; Stage four stomach cancer; Parent died after receiving both doses; A spontaneous report was received from a consumer concerning a female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced stage four stomach cancer/gastric cancer stage IV, pneumonia and parent died after receiving both doses. The patient's medical history, as provided by the reporter, included stomach cancer. Concomitant product use was not provided by the reporter. On an unspecified date, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) via unknown route of administration for prophylaxis of COVID-19 infection. On an unspecified date, prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 (Lot number: unknown) via unknown route of administration for prophylaxis of COVID-19 infection. On an unspecified date, patient was diagnosed of stage four stomach cancer and developed pneumonia after both doses of vaccine with seriousness criteria as medically significant. The patient died on 21 Mar 2021. Treatment information was not provided. The patient received both scheduled doses of mRNA-1273 prior to the events, therefore action taken with the drug in response to the events were not applicable. The outcome of the events, stage four stomach cancer and pneumonia were fatal. The patient died on 21 Mar 2021. The cause of death was reported as stage four stomach cancer and pneumonia. Plans for an autopsy were unknown.; Reporter's Comments: This patient's stage IVgastric cancer is unlikely due to the Moderna's mRNA-1273 vaccine due to the latency of gastric cancer. Very limited information regarding these events have been provided at this time. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death

COVID19 VACCINE	1169011-1	Unknown	Unknown	<p>one friend got COVID after the shot and has passed away; A spontaneous report was received from a consumer concerning a female patient of an unknown age who received Moderna's COVID-19 vaccine and got COVID after the shot and has died/COVID-19. The patient's medical history was not provided. Concomitant product use was not provided by reporter. On an unknown date the patient received their first of two planned doses of mRNA-1273 (Batch number not provided) for prophylaxis of COVID-19 infection. Reporter mentioned that her friend got COVID after the shot and has died. No treatment information was provided. Action taken with the second dose of mRNA-1273 in response to the event death is not applicable. The patient died on an unknown date. The cause of death was not provided. Plans for an autopsy were not provided.; Reporter's Comments: A case of death of female patient of an unknown age who developed COVI on an unknown date post mRNA-1273 (vaccination (lot unknown) and died. Very limited information regarding this event/s has been provided at this time. However, based on the known etiology of COVID and the established profile of mRNA-1273, the event is assessed as unlikely related to mRNA-1273 administration. Further information has been requested.; Reported Cause(s) of Death: unknown cause of death</p>
COVID19 VACCINE	1173591-1	Unknown	Unknown	<p>Died; A spontaneous report was received from a consumer concerning a male patient of an unknown age who received Moderna's COVID-19 vaccine (mRNA-1273) and died. The patient's medical history was not provided. No relevant concomitant medications were reported. On an unknown date, prior to onset of the event, the patient received their dose of mRNA-1273 (lot/batch number: unknown) for prophylaxis of COVID-19 infection. On an unknown date, the patient died. Action taken with mRNA-1273 in response to the event was not applicable. The patient died on an unspecified date. The cause of death was unknown. Plans for an autopsy were unknown.; Reporter's Comments: Very limited information regarding the event has been provided at this time and is insufficient for causality assessment. The cause of death was unknown. Plans for an autopsy were unknown. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1187918-1	6-17 years	Unknown	<p>I do not know the exact date of the first or second Moderna Vaccine. I am the PICU attending who cared for the patient after her cardiac arrest which we believe was about 3-4 days after her second Moderna Vaccine</p>
COVID19 VACCINE	1194127-1	Unknown	Unknown	<p>Died; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Died) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No reported medical history). On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant product use was not provided by the reporter. No treatment information was provided. Very limited information regarding the event of death has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding the event of death has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death</p>

COVID19 VACCINE	1200688-1	80+ years	Unknown	Death
COVID19 VACCINE	1201994-1	80+ years	Unknown	DEATH Narrative: Patient passed away within 30 days of Covid Vaccine dose #1. No evidence of ADR immediately following vaccine or between vaccine and date of death. No evidence of illness or hospitalization before or after vaccine up to date of death. No evidence of illness or hospitalization before or after vaccine up to date of death. No evidence of a previous positive covid infection. No evidence of pre-disposing factors to preclude use of vaccine. Unlikely that vaccine contributed to patient's death, but cause of death was likely advanced age +/- potential comorbidities. No death note or autopsy documented in record.
COVID19 VACCINE	1202450-1	65-79 years	Unknown	UNRESPONSIVE, CARDIAC ARREST Narrative: Death following Covid Vaccine dose # 1 According to nursing note 3/4/21: ""pt was found unresponsive in bathroom this AM, no foul play suspected"" No evidence of ADR immediately following vaccine or up until date of death. No recent hospitalizations before, at time of or following vaccination up to time of death. No illnesses recently around vaccination or time of death. No pre-disposing factors to death. Unlikely that vaccine contributed to patient's death, but was likely a result of advanced age (74 y/o) in combination with comorbidities.""
COVID19 VACCINE	1207372-1	80+ years	Unknown	On 1/21/2021 Caregivers proceed to go on rounds taking vitals and found she was with low blood pressure. They call Hospice and they certify that she had passed away.
COVID19 VACCINE	1208905-1	80+ years	Unknown	Patient felt fatigue, malaise, SOB and chest pain 2-4 days after vaccine
COVID19 VACCINE	1218468-1	80+ years	Unknown	Patient's daughter called and reported he was hospitalized for a heart attack and passed away on 4/5/2021.
COVID19 VACCINE	1219828-1	80+ years	Unknown	Patient received his first Moderna vaccine 3-19-21. He was due for his 2nd dose 4-16-21. We followed up with his sister due to missed appointment and was informed that he passed away 4-15-21 due to a blood clot.

COVID19 VACCINE	1220913-1	Unknown	Unknown	<p>Husband died because of terminal pancreatic cancer; Sore arm; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of PANCREATIC CARCINOMA (Husband died because of terminal pancreatic cancer) in a 74-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 012M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Diabetes. Concurrent medical conditions included Pancreatic cancer and Cancer (NOS) (for 30 years). On 03-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced PANCREATIC CARCINOMA (Husband died because of terminal pancreatic cancer) (seriousness criteria death and medically significant) and VACCINATION SITE PAIN (Sore arm). On 23-Feb-2021, VACCINATION SITE PAIN (Sore arm) outcome was unknown. The patient died on 23-Feb-2021. The reported cause of death was Pancreatic cancer. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. He was on loads of different medication for cancer which the wife did not know about. Treatment information was not provided. As per the patient's wife on 23Feb2021, her husband died because of terminal pancreatic cancer which she thinks is not related to the vaccine This case was linked to US-MODERNATX, INC.-MOD-2021-069647 (Linked Report).; Sender's Comments: Based on the current available information and the temporal association between the product use and the start date of the event a causal relationship cannot be ruled out. US-MODERNATX, INC.-MOD-2021-069647;; Reported Cause(s) of Death: Pancreatic cancer</p>
COVID19 VACCINE	1220979-1	Unknown	Unknown	<p>Death; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Death) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event. Concurrent medical conditions included No adverse event. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant medication list was not provided. Treatment information was not provided.; Sender's Comments: Limited information regarding the event has been provided at this time and a causal relationship cannot be excluded; Reported Cause(s) of Death: Unknown cause of death</p>

COVID19 VACCINE	1221166-1	30-39 years	Unknown	<p>needed kidney and/or bladder transplant; within 30 hs after second shot, she died; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DEATH (within 30 hs after second shot, she died) and TRANSPLANT (needed kidney and/or bladder transplant) in a 39-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No reported medical history). On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced DEATH (within 30 hs after second shot, she died) (seriousness criterion death) and TRANSPLANT (needed kidney and/or bladder transplant) (seriousness criteria death, hospitalization and medically significant). The cause of death was not reported. It is unknown if an autopsy was performed. The reporter does not remember if this was from Pfizer or Moderna. Concomitant product use was not provided. Treatment information was unknown. This case concerns death of a 30 year old female 30 minutes after the administration of the mRNA-1273 vaccine. Patient is reported to have no underlying issue. Based on the current available information which includes a strong temporal association between the use of mRNA-1273 vaccine and onset of the reported events, causal relationship cannot be excluded. Reporter did not allow further contact; Reporter's Comments: Th; Sender's Comments: This case concerns death of a 30 year old female 30 minutes after the administration of the mRNA-1273 vaccine. Patient is reported to have no underlying issue. Based on the current available information which includes a strong temporal association between the use of mRNA-1273 vaccine and onset of the reported events, causal relationship cannot be excluded.; Reported Cause(s) of Death: unknown cause of death</p>
-----------------	-----------	-------------	---------	--

COVID19 VACCINE	1221915-1	65-79 years	Unknown	<p>Acute intertribal hemorrhage, STROKE, Starting getting confused, Had a fall, Brain bleeding, Brain hemorrhage; Induced coma; This spontaneous case was reported by a consumer and describes the occurrence of CEREBRAL HAEMORRHAGE (Acute intertribal hemorrhage), CEREBROVASCULAR ACCIDENT (Stroke), CONFUSIONAL STATE (Starting getting confused), FALL (Had a fall), HAEMORRHAGE (Brain bleeding, brain hemorrhage) and COMA (Induced coma) in a 79-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No medical history reported). On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) Dosage form. On 24-Mar-2021, the patient experienced COMA (Induced coma) (seriousness criterion medically significant). On an unknown date, the patient experienced CEREBRAL HAEMORRHAGE (Acute intertribal hemorrhage) (seriousness criterion death), CEREBROVASCULAR ACCIDENT (Stroke) (seriousness criterion medically significant), CONFUSIONAL STATE (Starting getting confused) (seriousness criterion medically significant), FALL (Had a fall) (seriousness criterion medically significant) and HAEMORRHAGE (Brain bleeding, brain hemorrhage) (seriousness criterion medically significant). The patient died on an unknown date. The reported cause of death was intra cerebral hemorrhage. At the time of death, CEREBROVASCULAR ACCIDENT (Stroke), CONFUSIONAL STATE (Starting getting confused), FALL (Had a fall), HAEMORRHAGE (Brain bleeding, brain hemorrhage) and COMA (Induced coma) outcome was unknown. Not Provided Concomitant medication not provided. No treatment information/hospitalization information provided. This case concerns death of a 79-year-old male patient who expired from acute intertribal hemorrhage after receiving mRNA-1273 vaccine. three days after vaccine administration, the patient developed confusion and fell with subsequent events ensuing. Based on the available information causal association between the event if confusion leading to fall and product use cannot be excluded. The other events are assessed as directly related to the fall and unlikely due to product use.; Sender's Comments: This case concerns death of a 79-year-old male patient who expired from acute intertribal hemorrhage after receiving mRNA-1273 vaccine. three days after vaccine administration, the patient developed confusion and fell with subsequent events ensuing. Based on the available information causal association between the event if confusion leading to fall and product use cannot be excluded. The other events are assessed</p>
COVID19 VACCINE	1228017-1	80+ years	Unknown	<p>Death Narrative: Patient was not previously Covid positive and did not have any predisposing factors(PMH, allergies, etc.) for experiencing an adverse drug event. The ADR did not occur at the time of the administration of the vaccine nor was there an ADR that occurred between the observation period and the date of death. Patient was 84 with comorbidities of CKD, COPD, Coronary arteriosclerosis w/ 2 stents. Death was reported by daughter and unclear of the cause.</p>

COVID19 VACCINE	1241385-1	80+ years	Unknown	Death Narrative: 4/12 patient had fatigue/dyspnea -Per NP visit/note: -"" reviewed with office/clinic team MD on phone, clinically does not appear to have fluid overload, has chronic LE edema which is no worse than usual, could be pneumonia possible aspiration related to dyphagia. patient does not want to go to hospital for evaluation and treatment. Spoke with patient's daughter, confirms DNR and LST wishes, no hospitalization, no cpr/ventilation/feeding tubes. She is agreeable to treating with low dose diuretic and antibiotic in effort to help symptoms. She is agreeable to hospice consult. -cipro 250 mg po bid x 7 days, furosemide 10 mg qday and kcl 10 meq x7 days called into pharmacy. caregiver to pick up today. reviewed s/e and precautions with meds in addition to indications - caregiver encouraged to keep patient upright in chair or bed for easier breathing. """""
COVID19 VACCINE	1245392-1	Unknown	Unknown	arm was really sore; felt tired; passed away / she was dead; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DEATH (passed away / she was dead) in a 71-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced VACCINATION SITE PAIN (arm was really sore) and FATIGUE (felt tired). The patient died on 13-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, VACCINATION SITE PAIN (arm was really sore) and FATIGUE (felt tired) outcome was unknown. No treatment information was provided. No concomitant medications was provided. Reporter did not allow further contact; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1245400-1	50-59 years	Unknown	Death; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Death) in a 57-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (Medical history was not reported). On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on 14-Apr-2021 The cause of death was not reported. It is unknown if an autopsy was performed. Not Provided Concomitant product use was not provided by the reporter. No treatment information was provided. Very limited information regarding the events has been provided at this time and is insufficient for causality assessment. Further information has been requested. The cause of death was not reported. It is unknown if an autopsy was performed. Action taken with mRNA-1273 in response to the event was not applicable.; Sender's Comments: Very limited information regarding the events has been provided at this time and is insufficient for causality assessment. Further information has been requested. The cause of death was not reported. It is unknown if an autopsy was performed.; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1245485-1	Unknown	Unknown	<p>death after 1 dose of vaccine; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (death after 1 dose of vaccine) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. This spontaneous case was reported by a consumer and describes the occurrence of DEATH (death after 1 dose of vaccine) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. Not Provided The reporter stated that she was not sure of the vaccine name that the patient used.; Sender's Comments: This is a male patient of unknown age, who received mRNA-1273 Vaccine and died on an unknown date after receiving first dose of vaccine. No medical hx or conmeds were provided. The fatal outcome may be related to the patient's pre-existing comorbidities Very limited information has been reported at this time. Further information is expected.; Reported Cause(s) of Death: death after 1 dose of vaccine</p>
COVID19 VACCINE	1249559-1	Unknown	Unknown	<p>respiratory distress; cardiac arrest; pulmonary embolism; This spontaneous case was reported by a consumer and describes the occurrence of RESPIRATORY DISTRESS (respiratory distress), CARDIAC ARREST (cardiac arrest) and PULMONARY EMBOLISM (pulmonary embolism) in a 76-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Concurrent medical conditions included Lipid metabolism disorder NOS. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 08-Apr-2021, the patient experienced RESPIRATORY DISTRESS (respiratory distress) (seriousness criterion death), CARDIAC ARREST (cardiac arrest) (seriousness criterion death) and PULMONARY EMBOLISM (pulmonary embolism) (seriousness criterion death). The patient died on 11-Apr-2021. It is unknown if an autopsy was performed. Not Provided For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. NO treatment or Concomitant medication were provided. Company Comment This is a case of sudden death in a 76-year-old female patient with a history of Lipid metabolism disorder, who died (date unknown) of respiratory distress, cardiac arrest and PULMONARY EMBOLISM after receiving first dose of vaccine. Very limited information has been provided at this time.</p>

COVID19 VACCINE	1249697-1	Unknown	Unknown	<p>passed away from self inflicted injury; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by an other health care professional (subsequently medically confirmed) and describes the occurrence of INTENTIONAL SELF-INJURY (passed away from self inflicted injury) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event. On 09-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced INTENTIONAL SELF-INJURY (passed away from self inflicted injury) (seriousness criterion death). The patient died on 18-Apr-2021. The cause of death was not reported. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant product use was not provided by the reporter. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not applicable. Reporter did not allow further contact; Sender's Comments: Patient died of an unknown cause from a self-inflicted injury nine days after receiving second dose of Moderna Vaccine. Very limited information regarding this event has been provided at this time. Further information can not be requested.; Reported Cause(s) of Death: cause of death unknown</p>
COVID19 VACCINE	1249748-1	65-79 years	Unknown	<p>At first my mother had a headache. Then My mother was feeling weak and could not breathe. She continued to suffer so went to the doctor to get a check up but continued to suffer and finally died on 2/8/21 due to a couple of reasons which include hypertension</p>
COVID19 VACCINE	1254024-1	Unknown	Unknown	<p>committed suicide; ringing in his ears; This spontaneous case was reported by a consumer and describes the occurrence of COMPLETED SUICIDE (committed suicide) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced COMPLETED SUICIDE (committed suicide) (seriousness criterion death) and TINNITUS (ringing in his ears). The patient died on an unknown date. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, TINNITUS (ringing in his ears) outcome was unknown. Concomitant medications were not reported; Reported Cause(s) of Death: Unknown cause of death</p>

COVID19 VACCINE	1254028-1	Unknown	Unknown	<p>Patient passed away; patient had blood clots in his brain/ Legs/ Lungs/ Arms; Severe hypotension; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of DEATH (Patient passed away), THROMBOSIS (patient had blood clots in his brain/ Legs/ Lungs/ Arms) and HYPOTENSION (Severe hypotension) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced DEATH (Patient passed away) (seriousness criterion death), THROMBOSIS (patient had blood clots in his brain/ Legs/ Lungs/ Arms) (seriousness criterion death) and HYPOTENSION (Severe hypotension) (seriousness criterion death). The cause of death was not reported. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Treatment information was not provided. Company comment: This case concerns the death of a patient of unknown age and gender after administration of mna-1273 ( )LOT UNKNOWN). Very limited information regarding this event/s has been provided at this time. Further information has been requested. Critical details such as the mRNA-1273 date of administration, onset of any signs and symptoms, and date of death is lacking.; Sender's Comments: This case concerns the death of a patient of unknown age and gender after administration of mna-1273 ( )LOT UNKNOWN) . Very limited information regarding this event/s has been provided at this time. Further information has been requested. Critical details such as the mRNA-1273 date of administration, onset of any signs and symptoms, and date of death is lacking.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1272739-1	65-79 years	Unknown	Expired within 72 hours of receiving vaccine.
COVID19 VACCINE	1276773-1	40-49 years	Unknown	<p>Stroke; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (Stroke) in a 45-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 05-Apr-2021, the patient experienced CEREBROVASCULAR ACCIDENT (Stroke) (seriousness criterion death). The patient died on 05-Apr-2021. The reported cause of death was Stroke. It is unknown if an autopsy was performed. Concomitant medications were not reported. The patient was not hospitalized prior to or during the stroke. The reporter mentioned that the organs were donated as the patient was on a ventilator.; Reported Cause(s) of Death: Stroke</p>

COVID19 VACCINE	1276796-1	Unknown	Unknown	<p>blood clot; This spontaneous case was reported by a consumer and describes the occurrence of THROMBOSIS (blood clot) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, the patient experienced THROMBOSIS (blood clot) (seriousness criterion death). The reported cause of death was Clot blood. It is unknown if an autopsy was performed. The reporter stated that his wife had recently passed away from a blood clot after receiving a second dose of the Moderna COVID-19 vaccine. Treatment information was not provided. Very limited information regarding this event has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Clot blood</p>
COVID19 VACCINE	1284730-1	65-79 years	Unknown	<p>Death; This case was received via an unknown source (no reference has been entered for a health authority or license partner) on 28-Apr-2021 and was forwarded to Moderna on 28-Apr-2021. This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Death) in a 68-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 18-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. No treatment information was provided. No concomitant medication was provided.; Sender's Comments: This is a 68-year-old, male patient who received mRNA-1273 vaccine (batch no. unknown) who died, on an unknown date after receiving first dose of vaccine. No medical history or conmeds were provided. Existing comorbidities probably could have been the causative factor in his death. Very limited information has been reported at this time. Further information is expected.; Reported Cause(s) of Death: unknown cause of death</p>

COVID19 VACCINE	1284731-1	Unknown	Unknown	<p>Died due to his many medical conditions; could not administer second vaccine; This spontaneous case was reported by a pharmacist (subsequently medically confirmed) and describes the occurrence of GENERAL PHYSICAL HEALTH DETERIORATION (Died due to his many medical conditions) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Rehabilitation therapy (Patient was in rehabilitation center) and General physical health deterioration (It is reported that patient had history of many medical conditions, unspecified.). On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced GENERAL PHYSICAL HEALTH DETERIORATION (Died due to his many medical conditions) (seriousness criterion death) and PRODUCT DOSE OMISSION ISSUE (could not administer second vaccine). The patient died on an unknown date. The reported cause of death was medical conditions. It is unknown if an autopsy was performed. At the time of death, PRODUCT DOSE OMISSION ISSUE (could not administer second vaccine) had resolved. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Concomitant product use was not provided by the reporter. No treatment information was provided.; Sender's Comments: This is a male patient of unknown age who received mRNA-1273 vaccine (batch no. unknown) who died on an unknown date after receiving first dose of vaccine. Patient had history of many medical conditions. No conmeds were given. Reporter could not administer second vaccine. Very limited information has been reported at this time. No further information is expected.; Reported Cause(s) of Death: medical conditions</p>
COVID19 VACCINE	1284940-1	Unknown	Unknown	<p>girl died after getting second dose of Moderna vaccine it was thought to be fault of Tylenol.; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (girl died after getting second dose of Moderna vaccine it was thought to be fault of Tylenol.) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. No concomitant and treatment information was provided. Company comment:This is an age unknown, female patient who received mRNA-1273 vaccine (batch no. unk) who died, after receiving second dose of vaccine. No medical history and conmeds were provided. Existing comorbidities probably could have been the causative factor in her death. Very limited information has been reported at this time. Further information is expected.; Sender's Comments: This is an age unknown, female patient who received mRNA-1273 vaccine (batch no. unk) who died, after receiving second dose of vaccine. No medical history and conmeds were provided. Existing comorbidities probably could have been the causative factor in her death. Very limited information has been reported at this time. Further information is expected.; Reported Cause(s) of Death: Reporter mentioned that a girl died after getting second dose of Moderna vaccine.that it was thought to be fault of Tylenol.</p>

COVID19 VACCINE	1290766-1	Unknown	Unknown	<p>Passed out; Abdominal pain; Trouble breathing; Sweats; Didn't feel well; Fatigue; death; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (death) and LOSS OF CONSCIOUSNESS (Passed out) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced LOSS OF CONSCIOUSNESS (Passed out) (seriousness criterion medically significant), ABDOMINAL PAIN (Abdominal pain), DYSPNOEA (Trouble breathing), HYPERHIDROSIS (Sweats), VACCINATION COMPLICATION (Didn't feel well) and FATIGUE (Fatigue). The patient died on 26-Apr-2021. The reported cause of death was Passed out. It is unknown if an autopsy was performed. At the time of death, LOSS OF CONSCIOUSNESS (Passed out), ABDOMINAL PAIN (Abdominal pain), DYSPNOEA (Trouble breathing), HYPERHIDROSIS (Sweats), VACCINATION COMPLICATION (Didn't feel well) and FATIGUE (Fatigue) outcome was unknown. No treatment information provided by the reporter and no history of concomitant medication was reported Regarding the events of loss of consciousness, malaise, abdominal pain, dyspnea, hyperhidrosis and fatigue, based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However regarding the event of death, Very limited information regarding this event has been provided at this time. Further information has been requested; Sender's Comments: Regarding the events of loss of consciousness, malaise, abdominal pain, dyspnea, hyperhidrosis and fatigue, based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However regarding the event of death, Very limited information regarding this event has been provided at this time. Further information has been requested; Reported Cause(s) of Death: passed out</p>
COVID19 VACCINE	1291614-1	Unknown	Unknown	<p>had a friend who dropped dead after getting the vaccine; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (had a friend who dropped dead after getting the vaccine) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant product use was not provided by the reporter. Action taken with mRNA-1273 in response to the event was not applicable. This is a patient of unknown age and gender who received mRNA-1273 vaccine (batch no. unk) who died on an unknown date after receiving the first dose of vaccine No medical hx or concomitant products Very limited information has been reported at this time. Further information is being followed up; Sender's Comments: This is a patient of unknown age and gender who received mRNA-1273 vaccine (batch no. unk) who died on an unknown date after receiving the first dose of vaccine No medical hx or concomitant products Very limited information has been reported at this time. Further information is being followed up; Reported Cause(s) of Death: Unknown cause of death</p>

COVID19 VACCINE	1294841-1	Unknown	Unknown	<p>Death; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Death) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant product use was not provided by the reporter. The reporter informed there were 2 deaths of those who had received their second dose of Moderna vaccine, same day, same location who died 2 hours after vaccine administration. Treatment information was not provided. This is a patient who received mRNA-1273 (COVID 19 Vaccine Moderna) (batch no. unk) and died after he received the second dose of vaccine. No Medical History information was reported. Concomitant product use was not provided by the reporter Very limited information has been reported at this time. Further information is expected.; Sender's Comments: This is a patient who received mRNA-1273 (COVID 19 Vaccine Moderna) (batch no. unk) and died after he received the second dose of vaccine. No Medical History information was reported. Concomitant product use was not provided by the reporter Very limited information has been reported at this time. Further information is expected.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1305027-1	Unknown	Unknown	<p>died after receiving the Moderna Covid-19 vaccine; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of DEATH (died after receiving the Moderna Covid-19 vaccine) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. Not Provided Concomitant medications were not reported. No treatment information was provided. Action taken with mRNA-1273 in response to the drug was not applicable. Company comment: This is a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. died on an unknown date after the first dose of vaccine. No Medical History or Concomitant medications were reported. Very limited information has been reported at this time. Further information is not expected. This case was linked to US-MODERNATX, INC.-MOD-2021-012533, US-MODERNATX, INC.-MOD-2021-020196, MOD21-10588, MOD21-086364, MOD21-086368 (Linked Report).; Sender's Comments: This is a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. died on an unknown date after the first dose of vaccine. No Medical History or Concomitant medications were reported. Very limited information has been reported at this time. Further information is not expected. US-MODERNATX, INC.-MOD-2021-012533: US-MODERNATX, INC.-MOD-2021-020196: MOD21-10588: MOD21-086364: MOD21-086368;; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1314475-1	80+ years	Unknown	Unknown

COVID19 VACCINE	1327397-1	40-49 years	Unknown	Pneumonia that put her in the Hospital. Followed by brain, lung, kidney. & Death after over a month in the Hospital.
COVID19 VACCINE	1332507-1	Unknown	Unknown	Change in patient's condition; Passed away; This spontaneous case was reported by a health care professional (subsequently medically confirmed) and describes the occurrence of DEATH (Passed away) and ADVERSE EVENT (Change in patient's condition) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 26-Apr-2021, the patient experienced ADVERSE EVENT (Change in patient's condition) (seriousness criterion hospitalization). The patient died on 06-May-2021. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, ADVERSE EVENT (Change in patient's condition) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. No relevant concomitant medications were reported. No treatment information was provided. Very limited information regarding these events has been provided at this time. Further information has been requested; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested; Reported Cause(s) of Death: Unknown cause of death

COVID19 VACCINE	1345808-1	65-79 years	Unknown	<p>Shortness of breath increasing, lethargy, Hyperkalemia, Acute kidney injury, metabolic encephalopathy; Uremia; metabolic acidosis; protein calorie malnutrition; Hyperuricemia; Hyperphosphatemia; Hyponatremia; Anemia; Substernal chest pain aggravated; increasing abdominal girth; Abdominal Pain; Weakness; Nausea; multiorgan failure; This spontaneous case was reported by a physician assistant (subsequently medically confirmed) and describes the occurrence of MULTIPLE ORGAN DYSFUNCTION SYNDROME (multiorgan failure), DYSPNOEA (Shortness of breath increasing), LETHARGY (lethargy), HYPERKALAEMIA (Hyperkalemia), ACUTE KIDNEY INJURY (Acute kidney injury), METABOLIC ENCEPHALOPATHY (metabolic encephalopathy) and AZOTAEMIA (Uremia) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 001121A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Breast cancer stage IV since March 2019, COPD since an unknown date, GERD since an unknown date, Hypertension since an unknown date, Tobacco user since an unknown date, Transaminases increased since an unknown date, Peritoneal carcinomatosis since an unknown date and Metastatic bone disease prophylaxis (Lumbar spine pelvis and proximal femurs) since an unknown date. Concurrent medical conditions included Acute renal failure (Due to Foley catheter placement) and Pneumonitis. On 28-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced MULTIPLE ORGAN DYSFUNCTION SYNDROME (multiorgan failure) (seriousness criteria death and medically significant), DYSPNOEA (Shortness of breath increasing) (seriousness criterion hospitalization), LETHARGY (lethargy) (seriousness criterion hospitalization), HYPERKALAEMIA (Hyperkalemia) (seriousness criterion medically significant), ACUTE KIDNEY INJURY (Acute kidney injury) (seriousness criterion medically significant), METABOLIC ENCEPHALOPATHY (metabolic encephalopathy) (seriousness criterion medically significant), AZOTAEMIA (Uremia) (seriousness criterion medically significant), METABOLIC ACIDOSIS (metabolic acidosis), MALNUTRITION (protein calorie malnutrition), HYPERURICAEMIA (Hyperuricemia), HYPERPHOSPHATAEMIA (Hyperphosphatemia), HYPONATRAEMIA (Hyponatremia), ANAEMIA (Anemia), CHEST PAIN (Substernal chest pain aggravated), WAIST CIRCUMFERENCE INCREASED (increasing abdominal girth), ABDOMINAL PAIN (Abdominal Pain), ASTHENIA (Weakness) and</p>
-----------------	-----------	-------------	---------	--

COVID19 VACCINE	1345844-1	Unknown	Unknown	<p>Patient died 2 hours after getting the vaccine; This spontaneous case was reported by a non-health professional and describes the occurrence of DEATH (Patient died 2 hours after getting the vaccine) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. No concomitant products were reported. The reporter was worried about the administration of the vaccine and wanted to know if there was a way for someone to help their community. Reporter had contacted everyone in Public health department of the rural hometown. With the amount of adverse reactions with vaccine reporter was concerned that the vaccine was not being stored properly or not been given properly and further reported that one person died and they were not reporting it because they did not trust the government. A patient died two hours after getting the Moderna vaccine. No treatment information provided. This is a case of sudden death in a female patient who died 2 hours after receiving a dose of vaccine. Very limited information regarding this event has been provided at this time.; Sender's Comments: This is a case of sudden death in a female patient who died 2 hours after receiving a dose of vaccine. Very limited information regarding this event has been provided at this time.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1349104-1	30-39 years	Unknown	<p>Died; irregular heartbeat; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Died) and HEART RATE IRREGULAR (irregular heartbeat) in a 30-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. unknown) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced DEATH (Died) (seriousness criteria death and medically significant) and HEART RATE IRREGULAR (irregular heartbeat) (seriousness criterion medically significant). The patient died on an unknown date. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, HEART RATE IRREGULAR (irregular heartbeat) outcome was unknown. Concomitant medication and treatment information were not reported. Action taken with mRNA-1273 in response to the event was Not Applicable. Company comment:Limited information regarding the events has been provided at this time and a causal relationship cannot be excluded. Cause of death not reported.; Sender's Comments: Limited information regarding the events has been provided at this time and a causal relationship cannot be excluded. Cause of death not reported.; Reported Cause(s) of Death: Died</p>

COVID19 VACCINE	1349117-1	Unknown	Unknown	<p>Dropped dead of a heart attack; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of MYOCARDIAL INFARCTION (Dropped dead of a heart attack) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. Unknown) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced MYOCARDIAL INFARCTION (Dropped dead of a heart attack) (seriousness criteria death and medically significant). The reported cause of death was Heart attack. It is unknown if an autopsy was performed. No concomitant medication was reported. No treatment information was reported. It was reported that patient's funeral was on 11 May 2021. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. This case was linked to MOD21-090166, US-MODERNATX, INC.-MOD-2021-128463, US-MODERNATX, INC.-MOD-2021-128999 (E2B Linked Report).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. MOD21-090166: US-MODERNATX, INC.-MOD-2021-128463:Same reporter US-MODERNATX, INC.-MOD-2021-128999;; Reported Cause(s) of Death: Heart attack</p>
-----------------	-----------	---------	---------	--

COVID19 VACCINE	1353088-1	Unknown	Unknown	<p>Died in the car on the way home after receiving the second dose of the Moderna COVID-19; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Died in the car on the way home after receiving the second dose of the Moderna COVID-19) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant medication information not provided. Treatment information not provided. Action taken with mRNA in response to the event/s was not applicable. A patient called on 13MAY2021 to report adverse effects she experienced after receiving the Moderna COVID-19 vaccine. During the call, she reported a serious adverse effect for ""another lady"" who ""died in the car on the way home"" after receiving the second dose of the Moderna COVID-19 vaccine. The caller reported that the individual received the second dose of the vaccine. No additional information was provided. The Serious Adverse Event Reporting form has been completed. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-128107, MOD21-090166, US-MODERNATX, INC.-MOD-2021-128999 (E2B Linked Report).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. US-MODERNATX, INC.-MOD-2021-128107: MOD21-090166: US-MODERNATX, INC.-MOD-2021-128999;; Reported Cause(s) of Death: unknown cause of death""</p>
COVID19 VACCINE	1366906-1	Unknown	Unknown	<p>Passed away; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Passed away) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. The patient's wife reported that the patient passed away a few weeks after taking the Moderna vaccine. Concomitant medication and treatment information were not reported. Action taken with mRNA-1273 in response to the event was Not Applicable Company comment Very limited information regarding this event/s has been provided at this time. Further information has been requested. Reporter did not allow further contact; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death</p>

COVID19 VACCINE	1366907-1	Unknown	Unknown	<p>Died; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Died) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on 23-May-2021 The patient died on 23-May-2021. The cause of death was not reported. It is unknown if an autopsy was performed. The reporter mentioned that grandma got Moderna vaccine and died yesterday (23 -May-2021) Concomitant medication and treatment information were not reported. Action taken with mRNA-1273 in response to the event was Not Applicable Company comment Very limited information regarding this event/s has been provided at this time. Further information has not been requested since follow up was denied. Reporter did not allow further contact; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has not been requested since follow up was denied.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1366914-1	Unknown	Unknown	<p>got his grandma a covid-19 vaccine and she died /she's not the first i have heard about that died; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (got his grandma a covid-19 vaccine and she died /she's not the first i have heard about that died) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on 23-May-2021 The patient died on 23-May-2021. The cause of death was not reported. It is unknown if an autopsy was performed. No concomitant medication was reported. It was reported that the reporter grandma received a covid-19 vaccine and died yesterday. Reporter also stated that it's not the first he has heard about that someone died from the covid-19 vaccine. The reporter did not specify it was the morderna Covid-19 vaccine he was referring to. Company comment Very limited information regarding this event/s has been provided at this time. Further information has not been requested since reporter did not share any personal information.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has not been requested since reporter did not share any personal information.; Reported Cause(s) of Death: unknown cause of death</p>

COVID19 VACCINE	1370319-1	Unknown	Unknown	<p>Son died 10 days after his first moderna vaccine; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Son died 10 days after his first moderna vaccine) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant product was not provided by the reporter. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not applicable. A male patient of an unknown age who received mRNA-1273 died 10 days after his first dose of vaccine. No medical conditions or conmeds were provided. Very limited information regarding these events has been provided at this time. Further information is being pursued.; Sender's Comments: A male patient of an unknown age who received mRNA-1273 died 10 days after his first dose of vaccine. No medical conditions or conmeds were provided. Very limited information regarding these events has been provided at this time. Further information is being pursued.; Reported Cause(s) of Death: Son died 10 days after his first moderna vaccine</p>
-----------------	-----------	---------	---------	--

COVID19 VACCINE	1373292-1	80+ years	Unknown	<p>drained fluid off her liver, they thought she was dehydrated, Throwing up, Small headache, Not eating; Not drinking; Not peeing; Sore feet; Sepsis; Death; Screwed up kidneys; Fluid overload; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of DEATH (Death), SEPSIS (Sepsis), RENAL DISORDER (Screwed up kidneys), LIVER DISORDER (drained fluid off her liver), FLUID OVERLOAD (Fluid overload), DECREASED APPETITE (Not eating), FLUID INTAKE REDUCED (Not drinking), ANURIA (Not peeing), PAIN IN EXTREMITY (Sore feet), VOMITING (Throwing up), HEADACHE (Small headache) and DEHYDRATION (they thought she was dehydrated) in an 83-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 041B21A) for COVID-19 vaccination. Concurrent medical conditions included Arthritis (shoulders and knees), Hypertension, Acid reflux (esophageal), Penicillin allergy, Drug allergy (Lyrica), Drug allergy (cymbalta) and Drug allergy (ibuprofen). Concomitant products included AMLODIPINE for Blood pressure management, AMITRIPTYLINE for Sleep disorder, HYDROCODONE, POTASSIUM and PARACETAMOL (TYLENOL) for an unknown indication. On 08-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 10-Apr-2021, the patient experienced DECREASED APPETITE (Not eating) (seriousness criterion hospitalization), FLUID INTAKE REDUCED (Not drinking) (seriousness criterion hospitalization), ANURIA (Not peeing) (seriousness criterion hospitalization), VOMITING (Throwing up) (seriousness criterion hospitalization) and HEADACHE (Small headache) (seriousness criterion hospitalization). In April 2021, the patient experienced RENAL DISORDER (Screwed up kidneys) (seriousness criterion hospitalization prolonged), FLUID OVERLOAD (Fluid overload) (seriousness criterion hospitalization prolonged) and PAIN IN EXTREMITY (Sore feet) (seriousness criterion hospitalization). On an unknown date, the patient experienced SEPSIS (Sepsis) (seriousness criterion hospitalization prolonged), LIVER DISORDER (drained fluid off her liver) (seriousness criterion hospitalization) and DEHYDRATION (they thought she was dehydrated) (seriousness criterion hospitalization). The patient was treated with DULOXETINE HYDROCHLORIDE (CYMBALTA) in May 2021 at a dose of UNK dosage form. The patient died on 21-May-2021. It is unknown if an autopsy was performed. At the time of death, SEPSIS (Sepsis), RENAL DISORDER (Screwed up kidneys), LIVER DISORDER (drained fluid off her liver), FLUID OVERLOAD (Fluid overload), DECREASED APPETITE (Not eating), FLUID INTAKE REDUCED (Not drinking), ANURIA (Not</p>
COVID19 VACCINE	1374022-1	Unknown	Unknown	<p>Death; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Death) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. No concomitant medication or treatment were reported by the reporter. Company Comment: This is an invalid case due to no identifiable patient. Also, very limited information regarding the event has been provided at this time. This case was linked to MOD-2021-102410 (Patient Link).; Sender's Comments: This is an invalid case due to no identifiable patient. Also, very limited information regarding the event has been provided at this time.; Reported Cause(s) of Death: Unknown cause of death</p>

COVID19 VACCINE	1374303-1	Unknown	Unknown	<p>This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Died) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. No concomitant medications were reported. No treatment information was reported. Action taken with mRNA-1273 (Moderna COVID-19 Vaccine) in response to the event was not applicable. Company comment: Very limited information regarding this patient's death has been provided at this time.; Sender's Comments: Very limited information regarding this patient's death has been provided at this time.; Reported Cause(s) of Death: Death</p>
COVID19 VACCINE	1394058-1	Unknown	Unknown	<p>This spontaneous case was reported by a patient family member or friend (subsequently medically confirmed) and describes the occurrence of DEATH (She passed away) and THROMBOSIS (Clots in her leg) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 037A21B) for COVID-19 vaccination. No Medical History information was reported. On 17-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced DEATH (She passed away) (seriousness criteria death, hospitalization and medically significant) and THROMBOSIS (Clots in her leg) (seriousness criteria hospitalization and medically significant). The patient died on an unknown date. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, THROMBOSIS (Clots in her leg) outcome was unknown. No concomitant medications reported. Description: The patient had clots in her leg and was hospitalized. There was talk of amputation, but she passed away before that occurred. No treatment information provided. Company Comment: Very limited information regarding these events have been provided at this time. Further information cannot be requested.; Sender's Comments: Very limited information regarding these events have been provided at this time. Further information cannot be requested.; Reported Cause(s) of Death: Unknown cause of death</p>

COVID19 VACCINE	1398495-1	65-79 years	Unknown	<p>Myalgia; Chills; Taste loss; Smell loss; This spontaneous case was reported by a consumer and describes the occurrence of MYALGIA (Myalgia), CHILLS (Chills), AGEUSIA (Taste loss) and ANOSMIA (Smell loss) in a 74-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030M20A and 007M20A) for COVID-19 vaccination. No medical history information was provided. On 28-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 21-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, the patient experienced MYALGIA (Myalgia) (seriousness criterion death), CHILLS (Chills) (seriousness criterion death), AGEUSIA (Taste loss) (seriousness criterion death) and ANOSMIA (Smell loss) (seriousness criterion death). The patient died on 06-Mar-2021. The cause of death was not reported. It is unknown if an autopsy was performed. No Concomitant medication information was provided. No treatment medication information was provided. Company Comment: This is a case of sudden death in a 74-year-old male patient with unknown medical history died after receiving vaccine. Very limited information has been provided at this time.; Sender's Comments: This is a case of sudden death in a 74-year-old male patient with unknown medical history died after receiving vaccine. Very limited information has been provided at this time.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1398528-1	Unknown	Unknown	<p>heart attack; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of MYOCARDIAL INFARCTION (heart attack) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) unknown. On an unknown date, the patient experienced MYOCARDIAL INFARCTION (heart attack) (seriousness criteria death and medically significant). The reported cause of death was Myocardial infarction. It is unknown if an autopsy was performed. Concomitant medications were not reported. No treatment information was provided. Patient reported a family member died from a heart attack shortly after getting your vaccine. Very limited information regarding this event has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Myocardial infarction</p>

COVID19 VACCINE	1401705-1	Unknown	Unknown	<p>Cardiac problems after receiving either Pfizer or Moderna vaccine; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a nurse and describes the occurrence of CARDIAC DISORDER (Cardiac problems after receiving either Pfizer or Moderna vaccine) in an elderly patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. Unknown) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced CARDIAC DISORDER (Cardiac problems after receiving either Pfizer or Moderna vaccine) (seriousness criterion death). The reported cause of death was Cardiac disorder NOS. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Reported Cause(s) of Death: Cardiac disorder NOS</p>
COVID19 VACCINE	1405294-1	Unknown	Unknown	<p>Cardiac problems after receiving either Pfizer or Moderna vaccine; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a health care professional and describes the occurrence of CARDIAC DISORDER (Cardiac problems after receiving either Pfizer or Moderna vaccine) in an elderly patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. Unknown) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced CARDIAC DISORDER (Cardiac problems after receiving either Pfizer or Moderna vaccine) (seriousness criteria death and life threatening). The reported cause of death was cardiac disorder. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No relevant concomitant medications were reported. It was reported that the reporter has seen that patients above 60 years of age who developed Cardiac problems after receiving either Pfizer or Moderna vaccine. Two patients even passed away post cardiac problems after vaccination. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not applicable. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Reported Cause(s) of Death: Cardiac disorder</p>
COVID19 VACCINE	1410930-1	80+ years	Unknown	<p>death, June 14, 2021</p>

COVID19 VACCINE	1416488-1	Unknown	Unknown	<p>Passed away; Had seizures 2 days after receiving his first dose; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Passed away) and SEIZURE (Had seizures 2 days after receiving his first dose) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced DEATH (Passed away) (seriousness criteria death and medically significant) and SEIZURE (Had seizures 2 days after receiving his first dose) (seriousness criterion medically significant). The patient died on an unknown date. The cause of death was not reported. It is unknown if an autopsy was performed. At the time of death, SEIZURE (Had seizures 2 days after receiving his first dose) outcome was unknown. No concomitant medication information was provided. No treatment medication information was provided. Reporter stated she knows of someone and is not totally sure which vaccine was taken, but says Moderna. Action taken with respect to mRNA-1273 was not applicable. This is a case of a sudden death of a Male patient who reportedly had seizures 2 days after receiving his vaccine. Reporter is unsure of vaccine that patient received and this can be a confounding factor. Very limited information has been provided regarding these events. Most recent FOLLOW-UP information incorporated above includes: On 18-Jun-2021: Sender's Comments: This is a case of a sudden death of a Male patient who reportedly had seizures 2 days after receiving his vaccine. Reporter is unsure of vaccine that patient received and this can be a confounding factor. Very limited information has been provided regarding these events.; Reported Cause(s) of Death: unknown cause of death</p>
COVID19 VACCINE	1419824-1	Unknown	Unknown	<p>Died; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Died) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. No concomitant medications were provided. It was reported that a person died after receiving a COVID-19 vaccine. No further details were provided. Very limited information regarding this event has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death</p>
COVID19 VACCINE	1422827-1	Unknown	Unknown	Death

COVID19 VACCINE	1423057-1	Unknown	Unknown	Problems breathing; This spontaneous case was reported by an other health care professional and describes the occurrence of DYSPNOEA (Problems breathing) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Concurrent medical conditions included Polio. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, the patient experienced DYSPNOEA (Problems breathing) (seriousness criterion death). The reported cause of death was problems breathing. It is unknown if an autopsy was performed. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Concomitant medications was not provided. Treatment medications was not provided. Action taken with mRNA-1273 in response to events was not applicable. As a young child, patient was in an iron lung. This is a case of fatal Dyspnoea in a male subject with a hx of polio, who died after receiving the second dose of vaccine. Very limited information has been provided at this time.; Sender's Comments: This is a case of fatal Dyspnoea in a male subject with a hx of polio, who died after receiving the second dose of vaccine. Very limited information has been provided at this time.; Reported Cause(s) of Death: Problems breathing
COVID19 VACCINE	1426131-1	65-79 years	Unknown	mild fever, asthma flare-ups
COVID19 VACCINE	1432866-1	Unknown	Unknown	Her son has died; This spontaneous case was reported by a consumer and describes the occurrence of DEATH (Her son has died) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. No relevant concomitant medications were reported. No treatment information was provided. This is a case of death in a male subject who died after receiving first dose of vaccine Very limited information has been provided at this time.; Sender's Comments: This is a case of death in a male subject who died after receiving first dose of vaccine Very limited information has been provided at this time.; Reported Cause(s) of Death: unknown cause of death
COVID19 VACCINE	1433495-1	80+ years	Unknown	HOSPITALIZED MEDICAL CENTER DOD 4/3/21 COD GASTROINTESTINAL DISEASE

COVID19 VACCINE	1435925-1	Unknown	Unknown	Fatal fevers; Septic shock; Product contamination; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a non-health professional and describes the occurrence of PYREXIA (Fatal fevers), SEPTIC SHOCK (Septic shock) and PRODUCT CONTAMINATION (Product contamination) in an elderly patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) at an unspecified dose. On an unknown date, the patient experienced PYREXIA (Fatal fevers) (seriousness criterion death), SEPTIC SHOCK (Septic shock) (seriousness criteria death and medically significant) and PRODUCT CONTAMINATION (Product contamination) (seriousness criterion death). The cause of death was not reported. It is unknown if an autopsy was performed. Concomitant product use was not provided. 104 Patients received the vaccine. Treatment information was not provided. Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1435953-1	Unknown	Unknown	Death; This spontaneous case was reported by a non-health professional and describes the occurrence of DEATH (Death) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. Death occurred on an unknown date The cause of death was not reported. It is unknown if an autopsy was performed. Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Unknown cause of death
COVID19 VACCINE	1437814-1	50-59 years	Unknown	mild fever, congestion, headaches

---

Dataset: The Vaccine Adverse Event Reporting System (VAERS)

Query Parameters:

Event Category: Death

State / Territory: The United States/Territories/Unknown

Vaccine Manufacturer: MODERNA

Vaccine Products: COVID19 VACCINE (COVID19)

VAERS ID: All

Group By: Vaccine Type; VAERS ID; Age; Onset Interval

Show Totals: False

Show Zero Values: Disabled

---

Help: See <http://wonder.cdc.gov/wonder/help/vaers.html> for more information.

---

Query Date: Jul 9, 2021 10:02:32 AM

---

Suggested Citation: Accessed at <http://wonder.cdc.gov/vaers.html> on Jul 9, 2021 10:02:32 AM

---

Messages:

1. The full results are too long to be displayed, only non-zero rows are available.
2. VAERS data in CDC WONDER are updated every Friday. Hence, results for the same query can change from week to week.

### **3. These results are for 2,491 total events.**

4. When grouped by VAERS ID, results initially don't show Events Reported, Percent, or totals. Use Quick or More Options to restore them, if you wish.
5. Click on a VAERS ID to see a report containing detailed information for the event.

---

Footnotes:

1. Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).

---

Caveats:

1. <p> VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind. </p> <p> The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine. </p> <p> Key considerations and limitations of VAERS data: <ul><li> Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause. </li><li> Reports may include incomplete, inaccurate, coincidental and unverified information. </li><li> The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines. </li><li> VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available. </li><li> VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information. </li></ul> </p>

2

3. Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. More information: <http://wonder.cdc.gov/wonder/help/vaers.html#Suppress>.

4. Data contains VAERS reports processed as of 07/02/2021. The VAERS data in WONDER are updated weekly, yet the VAERS system

receives continuous updates including revisions and new reports for preceding time periods. Duplicate event reports and/or reports determined to be false are removed from VAERS. More information: <http://wonder.cdc.gov/wonder/help/vaers.html#Reporting>.

5. Values of Event Category field vary in their availability over time due to changes in the reporting form. The "Emergency Room/Office Visit" value was available only for events reported using the VAERS-1 form, active 07/01/1990 to 06/29/2017. The "Congenital Anomaly/Birth Defect", "Emergency Room", and "Office Visit" values are available only for events reported using the VAERS 2.0 form, active 06/30/2017 to present. These changes must be considered when evaluating count of events for these categories.

6. For more information on how many persons have been vaccinated in the US for COVID19 to date, see <https://covid.cdc.gov/covid-data-tracker/#vaccinations/>