

COVID Vaccine VAERS Reports for Shingles / Herpes Zoster - April 16, 2021

Notes	Vaccine Type	Vaccine Manufacturer	VAERS ID	Age	Onset Interval	Adverse Event Description
	COVID19 VACCINE	JANSSEN	1109057-1	65+ years	0 days	Localized headache starting the afternoon after the vaccine. Shingles outbreak near and marginal in right eye as of March 16 (4 days after vaccination.)
	COVID19 VACCINE	JANSSEN	1173712-1	60-64 years	0 days	Arm became sore on the left arm - I had a lump and my whole arm was like one giant bruise. That lasted about three weeks. I still have a lump but it isn't bruised looking anymore. The incident I went to medical care for - I saw the doctor on 4/2/2021 and he diagnosed I have shingles on my right leg. I thought it was spider bites. I did have the shingles vaccine. It is inflamed and I get nerve pain down my leg. It is very, very sore to the touch. Right now it is kind of dry - like blisters on it. It's a mild case. Doctor put me on Valacyclovir. He put me on it for one week and I have two more days after today.
	COVID19 VACCINE	MODERNA	0933837-1	65+ years	0 days	After several hours, patient describes pain, numbness and cramping down left arm, muscle spasms causing fingers to curl, shortly thereafter generalized muscle aches and fever up to 101. 3 days later rash which has now been identified, with PCP, as herpes zoster. She has no known history of shingles in the past.
	COVID19 VACCINE	MODERNA	0950203-1	50-59 years	0 days	Same day of vaccination on 12/28/2020 I was feeling my left arm sore I couldn't lift anything at night I had severe pain all over my left arm all the way to my finger tips. The next morning on 12/29/2020 when I woke up I shingles scattered on my left arm all the way to my hand it lasted till 1/12/2021. I had small fevers, I felt tired, weak & was in pain. Virtual doctors appointment on 12/29/2020 & prescribed valtrex for 7 days 3 times a day.
	COVID19 VACCINE	MODERNA	0959400-1	30-39 years	0 days	12 hours after vaccination began experiencing fever, chills, body aches, slight head ache - lasted around 12 hours Had slight pain above eye prior to getting vaccination Saw PCP on 01/08/2021 due to eye pain - had CT scan for possible aneurysm, found 2 spots on brain, thought patient had shingles On 01/10/2021 shingles rash appeared
	COVID19 VACCINE	MODERNA	0981028-1	40-49 years	0 days	I received the shot at 1:30 pm, I felt fine. At about 8:30 pm I felt like I was hot, and my chest was tight, I was just uncomfortable - I checked my BP and it was 187/110. I immediately began drinking water and resting. I felt uncomfortable all weekend, achy and tired. My BP stayed high until Sunday evening. On Monday I felt like my throat was swollen and tired. I was still fatigued. Tuesday my mouth was still sore and Wednesday 1/13 I was diagnosed with oral shingles (blister in center of the roof of mouth). I started medication for shingles on 1/14, was still fatigued and took the medicine for 7 days. I had another shingles outbreak on my stomach (tiny blisters on stomach, burning, itching and red) on 1/23 and the fatigue increased and continues. I started fainted for the second time on 1/25/21.
	COVID19 VACCINE	MODERNA	0986338-1	65+ years	0 days	Pt called on 1/29/2021 stating she had been sick since the night of 01/25/2021. Pt reports she slept for 12 hours straight, woke up with extreme dizziness and could not walk without assistance, went back to sleep and slept for 5 more hours. When Patient woke up, she had shingles on her left lumbar/sacrum area, a headache and was nauseous. Pt called Doctor at ER and was prescribed Prednisone. Pt reports that her symptoms were very severe for 36 hours but she is feeling much better after taking the prednisone. Pt reports that she is still very fatigued.
	COVID19 VACCINE	MODERNA	0991065-1	65+ years	0 days	Shortly after vaccine I got ear pain and then broke out in shingles.
	COVID19 VACCINE	MODERNA	1020051-1	40-49 years	0 days	ramsay hunt syndrome appeared day 27/28 after first vaccine, which was also the evening of dose #2
	COVID19 VACCINE	MODERNA	1046429-1	50-59 years	0 days	Painful site of vaccine area for 3-4 days. Headache and body aches beginning the evening of the vaccine (Friday 2/12/2021) and still continues. Itching around the mouth the next day(Saturday). Red spots on chin started appearing on (Sunday) the third day. Red painful spots continued to come up on scalp, eyelid, eyebrow, and forehead all on the left side of my head. Finally went to a Clinic (Saturday 2/20/21)and was diagnosed with Shingles. Prescribed Valacyclovir Hcl 1 gram tablet. Was told to contact eye doctor since most of the red areas were around left eye. Also scheduled with family doctor to get something prescribed for nerve pain.

COVID19 VACCINE	MODERNA	1048927-1	50-59 years	0 days	1/19/2021 heavy arm sore injection sight for 24 hours 2/13/2021 Shingles
COVID19 VACCINE	MODERNA	1203134-1	Unknown	0 days	<p>diagnosed her with shingles; rash on the evening on both of the eye lid; right hand middle finger is feeling like shooting pain almost like nerve pain; knee pain; left hand was having tingling like vibrating pain; numbness that stayed about 3-4 minutes maybe longer; body ache; neck pain; ear pain; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of EYELID RASH (rash on the evening on both of the eye lid) and HERPES ZOSTER (diagnosed her with shingles) in a 50-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 013L20A) for an unknown indication. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical reported history). On 03-Feb-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Feb-2021, the patient experienced MYALGIA (body ache), NECK PAIN (neck pain) and EAR PAIN (ear pain). On 05-Feb-2021, the patient experienced EYELID RASH (rash on the evening on both of the eye lid) (seriousness criterion hospitalization). On 06-Feb-2021, the patient experienced HERPES ZOSTER (diagnosed her with shingles) (seriousness criterion hospitalization). On 21-Feb-2021, the patient experienced PARAESTHESIA (left hand was having tingling like vibrating pain) and HYPOAESTHESIA (numbness that stayed about 3-4 minutes maybe longer). On an unknown date, the patient experienced NEURALGIA (right hand middle finger is feeling like shooting pain almost like nerve pain) and ARTHRALGIA (knee pain). On 21-Feb-2021, PARAESTHESIA (left hand was having tingling like vibrating pain) and HYPOAESTHESIA (numbness that stayed about 3-4 minutes maybe longer) had resolved. At the time of the report, EYELID RASH (rash on the evening on both of the eye lid), HERPES ZOSTER (diagnosed her with shingles), MYALGIA (body ache), NECK PAIN (neck pain), EAR PAIN (ear pain), NEURALGIA (right hand middle finger is feeling like shooting pain almost like nerve pain) and ARTHRALGIA (knee pain) outcome was unknown. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.</p>
COVID19 VACCINE	PFIZER\BIONTECH	0907314-1	30-39 years	0 days	Shingles, left T4 dermatome. Treated with valacyclovir. Adequate response to treatment.
COVID19 VACCINE	PFIZER\BIONTECH	0911156-1	60-64 years	0 days	<p>Classic Herpes Zoster(shingles) left T5 and T6 dermatomes. Received injection at 10AM and noticed rash when I got home from the hospital at 8:00PM same day. Not likely related but felt should report any; rash; This is a spontaneous report from a contactable physician (hospital based neurologist) reporting for a himself. A 64-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot #ELO140) via an unspecified route of administration in left arm on 18Dec2020 10:00AM at single dose for COVID-19 immunization. The patient received the vaccine in hospital. Medical history included coronary artery disease (CAD), status post stent placement right marginal branch in 2015. The patient had no allergies outside of seasonal. The patient did not received any other vaccines within 4 weeks prior to the COVID vaccine. The patient received medications within 2 weeks of vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient experienced classic herpes zoster (shingles) left T5 and T6 dermatomes and noticed rash when he got home from the hospital at 20:00 on 18Dec2020, same day of vaccination. The patient started on valacyclovir (VALTREX) 1 gm every 8 hours for treatment of events. Since the vaccination, the patient had not been tested for COVID-19. The outcome of events was not recovered. The reporter considered not likely related but felt should report any.; Sender's Comments: Classic herpes zoster (shingles) /rash occurred on the same day of vaccination with BNT162B2 represents a coincidental viral infection caused by Herpes zoster, unrelated to the vaccine use.</p>

COVID19 VACCINE	PFIZER\BIONTECH	0912260-1	Unknown	0 days	shingles; This is a spontaneous report from a contactable Nurse. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration in Dec2020 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient was vaccinated with the Pfizer-BioNTech COVID-19 Vaccine last week (in Dec2020). She claimed being diagnosed with shingles and has asked the nurse if it could be related to the vaccine. The outcome of the event was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained. No further information is expected.
COVID19 VACCINE	PFIZER\BIONTECH	0925143-1	40-49 years	0 days	Developed Herpes Zoster on Left Forehead
COVID19 VACCINE	PFIZER\BIONTECH	0926273-1	40-49 years	0 days	After 10 mins of shot had hot flash, nagging headache, nausea in waves. Driving home more hot flashes and nausea, pain in left hip. Got really sleepy. Had problems with left hip, problem getting out of car very stiff. Couldn't stand on the left leg. Had stinging with every step. Burning sensation in the hip. Right arm started having nagging pain with tingling, took Tylenol. Tried to get out of bed, left hip felt like something was poking with fire. Saw bumps on hip, left back. Upper arm was still having tinge. Took Benadryl. Next morning woke up with lesions on left hip, some ruptured that felt like acid and then form a scab. The right arm started with the lesions. Went to urgent care. Dr. diagnosed patient with shingles. Patient questions the Shingles at her age. Pt was given Valtrex for the shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0931162-1	50-59 years	0 days	Developed severe right leg pain, small rash on my right buttocks, tenderness at the LS joint, subsequently diagnosed with shingles on 1/7/21
COVID19 VACCINE	PFIZER\BIONTECH	0935203-1	60-64 years	0 days	Raised red itchy rash on left palm of hand, evaluated by pharmacy, diagnosed as Shingles onset same day as Covid-19 vaccine obtained.
COVID19 VACCINE	PFIZER\BIONTECH	0941954-1	30-39 years	0 days	Low grade fever, body aches, lightheadedness and sore arm. Developed a localized rash that was later diagnosed as shingles on 01/11/2021 by her PCP. A 01/04/202 COVID test was negative.
COVID19 VACCINE	PFIZER\BIONTECH	0942269-1	40-49 years	0 days	onset of body aches, fatigue, tachycardia a few hours after receiving his second vaccine dose on 1/8/21. onset of and L3 dermatome shingles on 1/10/21 pulse was 138 on presentation for evaluation 1/13/21. Hypertensive 170/80
COVID19 VACCINE	PFIZER\BIONTECH	0942291-1	50-59 years	0 days	Pain in right leg since evening of injection. Got rash 1 week after injection on right buttock . Found to have shingles when saw pmd today
COVID19 VACCINE	PFIZER\BIONTECH	0943506-1	30-39 years	0 days	Shingles under R breast Valtrex 1g tid x 7 days
COVID19 VACCINE	PFIZER\BIONTECH	0965868-1	30-39 years	0 days	Severe headache and neck pain for two weeks. Tired and body ache Shingles on third week

COVID19 VACCINE	PFIZER\BIONTECH	1005988-1	40-49 years	0 days	<p>Shingles: Approximately 3 hours after receiving vaccine, experienced redness and tenderness under eyebrow of right eye.; Tenderness under eyebrow of right eye/pain behind right eye that did not go away for more than 5 days; Shingles: Approximately 3 hours after receiving vaccine, experienced redness and tenderness under eyebrow of right eye.; This is a spontaneous report from a contactable healthcare professional (HCP). A 40-year-old female patient received first single dose of BNT162B2 (Pfizer- BioNTech, Solution for injection, batch/lot number and exp date not reported), via an unspecified route of administration (vaccine location: right arm) on 14Jan2021 16:00 for COVID-19 immunization. Vaccination facility: Hospital. The patient had no relevant history. The patient was not pregnant at time of vaccination and at the time of reporting. The patient had no known allergies. The patient did not have Covid prior vaccination. Concomitant medication (other medications in two weeks) included multivitamin (unspecified). There was no other vaccine in four weeks. On 14Jan2021 19:00, the patient experienced shingles: approximately 3 hours after receiving vaccine, experienced redness and tenderness under eyebrow of right eye. Experienced pain behind right eye that did not go away for more than 5 days. Sought medical attention and ophthalmologist diagnosed shingles on 20Jan2021. The adverse events resulted in Doctor or other healthcare professional office/clinic visit, and Emergency room/department or urgent care. Treatment for the adverse events included antiviral medication and steroid drops. Patient was not Covid tested post vaccination. The patient had not recovered from the events at the time of reporting. Information about lot number and expiry date for the suspect product will be requested in follow-up attempts.; Sender's Comments: Based on temporal association, the causal relationship between BNT162B2 and the events herpes zoster, eyelid pain and erythema of eyelid cannot be excluded. The information available in this report is limited; information on previous occurrences of shingles, if any, would aid in case assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate.</p>
COVID19 VACCINE	PFIZER\BIONTECH	1022062-1	65+ years	0 days	<p>shingles; Pain; This is a spontaneous report from a contactable consumer (patient husband). A 70-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EL9261) via unspecified route on arm single dose for COVID-19 immunization on 21Jan2021, about 15:00, at 70-year-old. Medical history included: diagnosed allergies, compromised immune status, endocrine abnormalities, genetic / chromosomal abnormalities, respiratory illness, diabetes, obesity. The patient had a whole list of concomitant product medications (unspecified). The patient came down with shingles four and a half hours after the vaccine (21Jan2021, about 19:00 - 19:30), emergency room visited. They noticed a rash on her back which got worse, so she was taken to the hospital on 26Jan2021 and was diagnosed with shingles. She's still in the hospital but has gotten better. She was currently hospitalized for the shingles and related pain on 26Jan2021 that was more than she could handle. The patient had a few blood tests; urinalysis; a lot of sugar testing; and negative on the COVID test prior to them admitting her to the hospital. Action taken for BNT162B2 was not applicable. Outcome of the events was not resolved.</p>

COVID19 VACCINE	PFIZER\BIONTECH	1035517-1	65+ years	0 days	<p>psychedelic feeling; horrible palsy, as if her muscle was being pulled like a rubber band; horrible palsy, as if her muscle was being pulled like a rubber band; the worse bowel movement. She had to go the bathroom a lot; Her right arm was the worse with the pain and then her hands would kind of move in a kind of crazy way where it was tightening; muscle cramping and pulling; Her toes would contort and go backwards.; she feels like the left arm is going to do something, its like the last to be pulled; shingles; muscles became tight/contort; minor nausea; Stomach cramps; Gas; Indigestion; became weird in her head, almost like a lightheadedness; This is a spontaneous report from a contactable consumer. A 73-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL9261), intramuscular on 30Jan2021 at 10:00 at a single dose on right arm for COVID-19 immunisation. Medical history included fever, being ill (deathly ill and it lasted for three weeks) and bug bites from an unknown date and unknown if ongoing. There were no concomitant medications. The patient is the type of person that takes a lot for her to take medications. She is allergic to a lot of things; she always has crazy reactions. She can't take morphine. It took her 7 pills to get the right one for high blood pressure. She has the craziest one-day reactions. She received the COVID-19 vaccine on Saturday much against her will, knowing she had COVID but not diagnosed in March. She had a fever, she was deathly ill and it lasted for three weeks. She had a nasal swab done and it came back negative. She doesn't think that was right, she believes she had COVID-19 in Mar2020. Her daughter is younger, and she had the same thing, she couldn't breathe good for 3 weeks. She had pneumonia. She knows she had COVID-19. She was trying to lose weight. She was given her first COVID-19 vaccine by a doctor. Everything was going okay at first. About an hour and a half later, she became weird in her head, almost like a lightheadedness. She can't describe it. She has never taken drugs. She doesn't drink alcohol at all. She has like a virgin body. She states plus she is red headed, which it is known red heads have a harder time with medication. As the day goes on, she just felt lightheaded all the rest of the day. The next day (Sunday, 31Jan2021), she wakes up and it hits her like a ton of bricks. She woke in the morning and seemed to be okay and then it was like she was pregnant and blew up. She started cramping really bad and had gas. Everybody has gas. She was a little nauseated as well. She experienced lots of indigestion, cramping in her stomach like she was going to have a baby or the worse bowel movement. She had to go the bathroom a lot. She had a little bit of nausea. She had nausea pills because she had a gallbladder taken out and she took nausea pills for 2-3 days. She didn't take any medication for any of these symptoms she started to experience on Sunday. However, she did start popping Gas-X. She was taking two Gas-X every 3 or 4 hours. The caller states it helped. She had lots of gas; gas was just coming out of her bottom. She had the gas, cramps, her stomach hurt. She was able to get through it, which that is good. Then Monday, 01Feb2021 was the day she had weird things happen to her that she was kind of concerned about. Her muscles started to draw, that is the best way she can describe it. Her feet would just draw up weird. Her arms and hands would do crazy things and contort or draw up. This hurts because the muscles are like a rubber band pulling. It was weird, and she didn't like it.</p>
COVID19 VACCINE	JANSSEN	1088851-1	65+ years	1 day	Patient complained of a shingles flare the day after receiving vaccine and also described intensification of chronic pain, above and beyond normal, for the two days since her vaccine.
COVID19 VACCINE	JANSSEN	1088892-1	65+ years	1 day	Patient described a shingles flare the day after her injection and also described intensification of chronic pain, above and beyond normal pain, for the two days after her vaccination.
COVID19 VACCINE	JANSSEN	1101733-1	60-64 years	1 day	3/9 patient began with rash to left side of face, sore throat, left ear pain and productive cough. Was evaluated @ the facility on 3/10 where the vaccine was administered- Johnson and Johnson. Evaluated @ facility on 3/12/21. Herpes Zoster affecting left side of scalp and face extending to eyelid. Referred to Ophthalmology for evaluation. Zpak discontinued and changed to Amoxil.
COVID19 VACCINE	JANSSEN	1170961-1	65+ years	1 day	Doctor diagnosed that I had an outbreak of shingles over my left eye and forehead following my vaccination of the Janssen Covid-19 vaccine EUA. Doctor is currently treating me for this condition with valacyclovir HCL, prednisone and acyclovir.
COVID19 VACCINE	JANSSEN	1171298-1	40-49 years	1 day	Shingles in my eye and in my face , body aches, enlarged lymph nodes, tiredness
COVID19 VACCINE	MODERNA	0907908-1	40-49 years	1 day	Temperature of 100.1 about 5 hours after administration with mild frontal headache. Today - about 24 hours after administration - herpetic rash developed along the left mandibular branch of the trigeminal nerve.

COVID19 VACCINE	MODERNA	0917558-1	18-29 years	1 day	Developed multi-dermatomal shingles and moderate-severe abdominal . Preliminary read of the CT states - ""Minimally distended loops of small bowel with bowel wall thickening and mucosal hyperenhancement, likely enteritis. Normal large bowel.""
COVID19 VACCINE	MODERNA	0917751-1	30-39 years	1 day	I developed shingles after vaccine. First day after vaccine developed pain then rash 2 days later
COVID19 VACCINE	MODERNA	0920831-1	60-64 years	1 day	Severe muscle pain in neck, nausea, headache, fatigue, weakness, nerve pain which developed into shingles outbreak 5 days later, with continued malaise.
COVID19 VACCINE	MODERNA	0921085-1	50-59 years	1 day	Patient broke out in a rash and was diagnosed with shingles
COVID19 VACCINE	MODERNA	0923736-1	50-59 years	1 day	One day after Moderna Covid 19 vaccine eua my wife noticed a blister on my forehead. I initially dismissed it as one of those things. Over the next couple of days the blisters spread in a line on my forehead. Soon after the blisters were around my ear. I went to an urgent care and was diagnosed with shingles. Currently the blisters on my forehead are receding, but the blisters behind my ear are still painful. I received valtrex for the treatment of shingles
COVID19 VACCINE	MODERNA	0925219-1	65+ years	1 day	Woke up Thursday am with hives on right lower abdomen and leg getting progressively worse throughout the day. By that afternoon had back pain in right back and continuing hives. Woke up Friday with numbness to right leg, hives, and back pain all on right side of body. Had numbness to foot, face but especially thigh, back and across upper buttocks. Saturday hives subsiding, numbness receding to face, upper thigh and foot only on right side of body. Sunday, back pain some improved, no hives or hives minimal, numbness persists upper thigh face and foot on right side of body. Monday, Tuesday and Wednesday the same. Woke up Thursday with shingles rash to upper thigh back, numbness to foot face and upper thigh persist only on right side of body. Darn!!!
COVID19 VACCINE	MODERNA	0930870-1	18-29 years	1 day	Diagnosed with Shingles
COVID19 VACCINE	MODERNA	0934293-1	30-39 years	1 day	developed shingles, saw PCP on day 5 to diagnose, start antivirals. Symptoms (rash, pain) started on day 1.
COVID19 VACCINE	MODERNA	0935459-1	65+ years	1 day	Pt reports that the day after she had her vaccine she started having some pain where she had shingles before. That evening she started feeling really bad and knew she was having a shingles flair again. Reports she was nave able to finish her shingles vaccine series because she developed shingles a week after her first vaccination. She was still within the 6 month period to wait to get the second dose when this occurred. She called her doctor who advised her it was ok to take her antiviral for the shingles and that she could still get her second injection for the COVID vaccine.
COVID19 VACCINE	MODERNA	0938583-1	18-29 years	1 day	Herpes zoster in C2 distribution on left. Prodrome for three days starting day after vaccination with lesions developing 4th day after vaccination.
COVID19 VACCINE	MODERNA	0940131-1	40-49 years	1 day	started with back pain which turned into shingles
COVID19 VACCINE	MODERNA	0940156-1	40-49 years	1 day	started with back pain. which turned into shingles
COVID19 VACCINE	MODERNA	0943207-1	40-49 years	1 day	About 24 hours after receiving vaccine, noticed very slight pain and small blistering in right cheek area on face. Did not think too much of it at first, however the area grew a little and swelled up. Consulted with my doctor and they diagnosed Shingles. Am currently prescribed Valtrex for shingles.
COVID19 VACCINE	MODERNA	0944550-1	40-49 years	1 day	severe fatigue day of vaccine, next day 1/7 also headache and general feeling unwell and arm pain at site of injection. Fatigue and headache-stabbing pain R side of head continue. Head pain increased overnight 1/12. Rash on forehead started 1/10 or 1/11, eye pain. 1/13 went to urgent care and diagnosed with shingles. Today rash continues,eye worse, severe pain on R side of head mostly in front of and around R ear into jaw and neck. Started on Valtrex
COVID19 VACCINE	MODERNA	0947245-1	50-59 years	1 day	Started right side of head sharp pain then developed multiple skin rash with blister. Went to Dr after 7dsys.confirmed as Shingle.
COVID19 VACCINE	MODERNA	0949881-1	18-29 years	1 day	Shingles. Treatment: Acydovir, lidocaine gel and gabapentin
COVID19 VACCINE	MODERNA	0959735-1	60-64 years	1 day	shingles outbreak right hip. Last shingles outbreak 10 plus years ago. Have received the shingles vaccine
COVID19 VACCINE	MODERNA	0967565-1	65+ years	1 day	shingles like rash with vesicles, chest, not severe

COVID19 VACCINE	MODERNA	0986880-1	30-39 years	1 day	Started with rash/hives on back. Next morning had extreme flu like symptoms. Body aches and pains. Was prescribed narcotics for pain. Day 5 severe headache, dizziness. Could not see or hear. Was unable to walk. Rash/ Shingles developed after 7 days on the face/neck/ and chest area. The most severe part of this lasted about 16 days. Still recovering as migraines are consistent everyday. Still have pain in joints, and struggle with breathing.
COVID19 VACCINE	MODERNA	0990949-1	65+ years	1 day	Had a shingles outbreak the following morning
COVID19 VACCINE	MODERNA	0995864-1	50-59 years	1 day	Developed Shingles
COVID19 VACCINE	MODERNA	1069052-1	65+ years	1 day	sepsis; UTI; shingles; severe headaches; A spontaneous report was received from a 90-year old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced UTI, sepsis, shingles, and headaches. The patient's medical history was not provided. No relevant concomitant medications were reported. On 04 Feb 2021, the patient received their second of two planned doses of mRNA-1273 (Batch number not provided) for prophylaxis of COVID-19 infection. On 05 Feb 2021, the patient began experiencing severe headaches. On 11 Feb 2021, the patient developed a severe urinary tract infection and had to be hospitalized. The patient broke out with shingles and now has sepsis. The patient is reported as being conscious, but not responding. No treatment information was provided. The patient received both scheduled doses of mRNA-1273; therefore, action taken with the drug in response to the event is not applicable. The outcomes of the events, UTI, sepsis, shingles, and headaches, were not provided.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
COVID19 VACCINE	MODERNA	1075388-1	65+ years	1 day	The day after the shot she developed fever for 2 days as high as 101. She developed a pruritic burning rash to posterior right leg extending down the lateral lower leg. She had fatigue and myalgias. Diagnosed with shingles on 2/23. and informed to not receive the 2nd vaccine. She presented to the Emergency room on 2/27 with fatigue, numbness right side of the face, no reports of shortness of breath or chest pain. Ambulated in to ER. After her work up she was discharged home - she present back to the ER within 30 minutes. PTA arrival at the ER for the 2nd time - she complained of left neck and arm pain - then went unconscious. She arrived to the ER in full arrest - pronounced deceased after resuscitation efforts were not effective
COVID19 VACCINE	MODERNA	1086931-1	65+ years	1 day	Shingles in the ear; Passed out; Couldn't mover her arm, head, legs, chest, felt paralyzed; Felt weak; A spontaneous report was received from a consumer concerning a female patient of 75 year old, who was received Moderna's COVID-19 vaccine(mRNA-1273) and experienced loss of consciousness, paralysis, weakness and shingles in the ear. The patients medical history, as provided by the reporter, included myasthenia gravis. Concomitant medications reported included lidocaine patch and prednisone. On 10 feb 2021,prior to the onset of events, the patient received their first of two planned dose of mRNA-1273(Lot number:010M20A) intramuscularly on an unknown arm for prophylaxis of COVID-19 infection. On 11 feb 2021, one day after vaccination,patient experienced loss of consciousness,paralysis and weakness. The event loss of consciousness and paralysis was also considered to be medically significant. On 16 feb 2021, patient experienced shingles in the ear. Treatment for the events included acyclovir and ice. Action taken with mRNA-1273 in response to the event was not reported. The outcome for the events loss of consciousness, paralysis, weakness and shingles in the ear were considered as unknown.; Reporter's Comments: Based on the current available information, a strong temporal association between the use of the product and the start date of the events, a causal relationship with the events cannot be excluded.
COVID19 VACCINE	MODERNA	1087965-1	40-49 years	1 day	On Thurs I start exp headache. Then on Saturday I developed a rash on my right side of forehead. I exp irritation to my eye was referred to Ophthalmologist. I went to the Urgent Care was diagnosed with Shingles.

COVID19 VACCINE	MODERNA	1115503-1	40-49 years	1 day	After 24 hours, I started having body aches, that night couldn't sleep I took Ibuprofen it helped, over the weekend I kept taking Ibuprofen. Monday my tongue and half of head was sensitive and weird, it kind of hurt to rub through my hair and tongue felt like pins and needles this lasted through Thursday, and that morning woke up with a lump behind my ear, I went to clinic, the doctor or PA diagnosed me with shingles, but I don't have any sores, he gave me a prescription but the next morning I woke up and notice I lost facial control on left side, could blink or close mouth on left side. I went to clinic and they diagnosed me with Bells Palsy and gave me a prescription for steroids and that was last Friday and its been a week that I've been on these meds. The main problem is the Bells Palsy has made my left side not work, dizziness, pain down my neck, the lump behind my ear finally went away after a week but the paralysis on the left side of my face is still there and the dizziness. I was having headaches but stayed on top of it with Advil and today I go back to clinic for a follow up appointment.
COVID19 VACCINE	MODERNA	1115602-1	30-39 years	1 day	Shingles; COVID Arm; Swelling of Lymph Nodes; Fatigue in Arm and Leg; A spontaneous report was received from a consumer concerning a 37-year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced COVID Arm, Swelling of Lymph Nodes, Fatigue in Arm and Leg and Shingles. The patient's medical history was not reported. Concomitant medications reported included daily vitamin and ginger 500 mg. On 23 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 029K20A) intramuscularly for prophylaxis of COVID-19 infection. On 24 Jan 2021, a day after the vaccination of first dose the patient experienced COVID Arm, Swelling of Lymph Nodes in the injection arm and Fatigue in Arm and Leg. On 05 Feb 2021, the patient went to urgent care and was diagnosed with Shingles Virus (Shingles). Shingles was medically assessed as serious at urgent care. Treatment medications for the event Shingles included Valtrex and Tylenol. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, COVID Arm, Swelling of Lymph Nodes and Fatigue in Arm and Leg was reported as unknown. On 05 Feb 2021, the outcome of the event shingles was not recovered/not resolved.; Reporter's Comments: Based on the established safety profile and a strong temporal association between the reported events and administration of mRNA-1273 vaccine, a causal association cannot be excluded. The events of COVID arm, swelling of lymph nodes in the injection arm and fatigue in arm and leg are consistent with the known safety profile of the vaccine.
COVID19 VACCINE	MODERNA	1197984-1	65+ years	1 day	This was the 2nd Moderna Shot on 2-18-2021. She received the first shot on 1-22-2021. Patient verbally reported to me that about 4 hours after the shot, she began experiencing severe shocks all over her face and into her left neck and chest area. This quickly worsened to include her left arm. That all resolved after a nap. But when she woke up, and went to the mirror, she noted that her left face was slow and drooping. She went to the ER. It was noted that she was having a severe problem with swallowing. She also was noting severe pain in left external ear canal. She had obvious severe breakout in the left ear canal - and the immediate area. She was sent home - and came to my office the next day. By that time, the symptoms had become much much worse. She was unable to swallow. The outbreak in the left ear was much more pronounced. And her entire left face and left tongue were paralyzed. She was diagnosed with the Ramsay-Hunt Syndrome - she was unable to talk or swallow. She was readmitted back into the hospital.
COVID19 VACCINE	PFIZER\BIONTECH	0905555-1	60-64 years	1 day	Shingle like symptoms on left side of scalp/ face/ neck/ left arm and left torso.Extreme sensitivity to touch/cold/heat on affected side.Left neck muscles sore and aching.
COVID19 VACCINE	PFIZER\BIONTECH	0907973-1	50-59 years	1 day	11am on the 20th I noticed pain on my back torso and it came around to the left of my abdomen and was told it was textbook shingles rash and was prescribed valacyclovir 1gram 3x daily for one week, the pain is now mild and I can treat it with tylenol and I've only had to take it once, the rash is still there but it's not spreading I started the medication at 3pm after seeing the dr
COVID19 VACCINE	PFIZER\BIONTECH	0909686-1	50-59 years	1 day	Shingles lasting about 5 days -mild case
COVID19 VACCINE	PFIZER\BIONTECH	0910008-1	60-64 years	1 day	Developed a rash on abdomen that was discovered at approximately 10 pm on 12/29/20, the day following the vaccination. Personal physician diagnosed it the following day as shingles and an anti-viral (valacyclovir) was prescribed. Last dose taken on 12/27/20. Rash is clearing.
COVID19 VACCINE	PFIZER\BIONTECH	0913069-1	50-59 years	1 day	Shingles outbreak mostly lesser occipital nerve distribution

COVID19 VACCINE	PFIZER\BIONTECH	0914104-1	30-39 years	1 day	On 12/19 I woke with swelling to my right arm pit and no other symptoms at that time. Swelling moved over the right side of my body and a mild headache. At 10 pm on 12/19 the swelling was no different with soreness and a mild headache which I took two tylenol and slept most of the night. On 12/20 I had the same swelling, no pain, no fever, bruising on the right side of my body. I took two advil and two tylenol through out the day. The swelling and bruising changed. No fever just a mild headache. On 12/21 I woke with not swelling, more bruising, and a mild headache. Under my right breast, there was a rash. I applied cream. The bruising was still there no swelling. The rash and bruising increased the next day. No fever or swelling. I was treated for Shingles at an Urgent Care.
COVID19 VACCINE	PFIZER\BIONTECH	0915492-1	40-49 years	1 day	Shingles flare Nerve pain in known area to face/eyebrow/skin around left eye
COVID19 VACCINE	PFIZER\BIONTECH	0916849-1	30-39 years	1 day	I received the vaccine in the left arm on 12/23 with no immediate symptoms. On 12/24 I had body aches mostly on my left side. On 12/25, I started having a strong headache, focused mostly on the left side. On 12/26 the headache continued and I also noticed swollen lymph nodes on both sides of my neck, and behind my ears. Also, it felt like someone had broken my nose and when I would try to bite down or chew I would have a sharp pain and pressure in my nose and sinuses. On 12/27, the headache continued, and I had severe left eye pain, as well as pain chewing and the swollen nodes, that became painful to touch. On 12/28, I went to my PCP and was tested for covid, which was negative. She diagnosed me with a sinus infection and prescribed amoxicillin. On 12/29, I noticed my scalp had lumps on it that were painful and I had a very itchy spot on my forehead, which became swollen as well to about a quarter size lump. I also had other painful spots on my scalp all over and a continued severe headache and left eye pain. I tried to follow up with my PCP on 12/31, but their office was closed, and the on call nurse referred me to urgent care. More painful, swollen lymph nodes have appeared on my face and neck. I wasn't able to be seen at urgent care until today (1/1), and was then diagnosed with Shingles. I was told to continue amoxicillin and to start taking Valtrex. I am very itchy, mostly on my face, scalp, and left side of my body.
COVID19 VACCINE	PFIZER\BIONTECH	0935945-1	50-59 years	1 day	First right sided parotitis - diag 12/26/ ER; next day right sided facial shingles; - antibiotics and antiviral and a doctor's visit ; first day back to work was today - SAW 5 DRS VISIT TOTAL - 1 er DR AND 4 OTHER DOCTORS
COVID19 VACCINE	PFIZER\BIONTECH	0936965-1	40-49 years	1 day	Pt developed left flank pain the day after receiving the vaccination. Workup for kidney stone was negative. Was seen by PCP on 1-11-21 and was given diagnosis of probable shingles due to type and nature of pain. No rash is present. Also lymphadenopathy of left axillary lymph nodes. Was prescribed medication for pain only.
COVID19 VACCINE	PFIZER\BIONTECH	0939065-1	30-39 years	1 day	I experienced a rash shingles on 12/22/2020 the next day of vaccination. The rash lasted for a week in a half. I seen my primary care doctor on 12/29/2020
COVID19 VACCINE	PFIZER\BIONTECH	0942262-1	40-49 years	1 day	Developed Shingles rash on 1/23/2020
COVID19 VACCINE	PFIZER\BIONTECH	0942935-1	30-39 years	1 day	shingles R s2 dermatone
COVID19 VACCINE	PFIZER\BIONTECH	0946214-1	65+ years	1 day	the morning after her vaccine, her daughter noticed a rash on her left hip with red blisters. Noted Sat 1/9/2021. She was seen in my office on 1/13/2021 and I diagnosed her with shingles. Rash had spread over the 4 days to a dermatomal distribution from left mid back around to left mid abdomen. She had received the Zostavax vaccine in 2007.
COVID19 VACCINE	PFIZER\BIONTECH	0951113-1	40-49 years	1 day	severe muscle, spine cord and joint pain, chills, lymphadenopathy started 12 hrs after 2nd vaccine dose, extreme pain in right arm, leg, neck, and right side of the stomach started on day 2 - phone appointment with doctor , rash started on day 3 - urgent care visit, diagnosed with shingles after dermatology consult
COVID19 VACCINE	PFIZER\BIONTECH	0971043-1	65+ years	1 day	Developed pain on right side including arm down into hand and right shoulder.

COVID19 VACCINE	PFIZER\BIONTECH	0995290-1	30-39 years	1 day	Shingles behind left ear the morning after (31Dec2020)Vaccine received; This is a spontaneous report from a contactable other health professional (patient). A 32-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: E11284), via an unspecified route of administration on 30Dec2020 16:30, at left arm, at single dose for covid-19 immunization. Medical history included atopic dermatitis (eczema). No known allergies. Concomitant medication included melatonin. The patient experienced shingles behind left ear the morning after (31dec2020) vaccine received on 31Dec2020 09:00. Event resulted in Emergency room. The patient underwent lab tests and procedures which included covid test Nasal Swab (Fulgent Genetics) post vaccination: negative on 08Jan2021. Therapeutic measures were taken as a result of shingles behind left ear the morning after (31Dec2020) includes oral Antibiotics, oral Antivirals, antibiotic shot. The outcome of the event was recovered on an unspecified date. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine.; Sender's Comments: Based solely on a chronological association, a causal relationship between event ""patient experienced shingles behind left ear the morning after vaccination"" and BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) cannot be completely excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.""
COVID19 VACCINE	PFIZER\BIONTECH	1002535-1	65+ years	1 day	On 1/29/21 patient began not feeling well and saw her provider. The doctor gave her fluids and tramadol for pain. They noticed increased confusion, but thought that could have been due to the tramadol. They also increased her gabapentin as she was experiencing nerve pain. Patient also developed a rash and was diagnosed with shingles on 2/1/21. Patient died on 2/3/21
COVID19 VACCINE	PFIZER\BIONTECH	1013270-1	65+ years	1 day	Pt developed Shingles after vaccination. Notes from call to PCP day after vaccination: ""Since yesterday morning after vaccine after she received her covid vaccine, she noted that her right ear hurts. She says that the pain does not feel like it is in the ear but right around the ear, and the bones around the ear. She says it hurts to chew, and the area to the back of her ear has ringing sound. She does not note that the ear is red. When she rubs under the ear she says the area is painful is painful. She does not note a lump or bump under her ear.. She states that the jaw/bone area hurts with the vibration of the conversation."" Sore throat and headache, only on right side. Pain progressed to the point of hospitalization, with vesicles erupting on right side of face/ear canal.""
COVID19 VACCINE	PFIZER\BIONTECH	1028831-1	30-39 years	1 day	Ramsey Hunt Syndrome (2nd Dose)
COVID19 VACCINE	PFIZER\BIONTECH	1035837-1	30-39 years	1 day	The day of the vaccine everything was fine sore arm. On the following morning notice rash on the right side of the mouth was flare of shingles on day 7 rash had crusted over. Around 2 more weeks still exp nerve pain right side of the mouth.
COVID19 VACCINE	PFIZER\BIONTECH	1049539-1	65+ years	1 day	Per patient: "" I received my 2nd vaccine on Friday, February 12, 2021 and started breaking out on Saturday, February 13, 2021 around my forehead and into my eyebrow. I developed body aches as well as a headache and arm soreness. I went to the dermatologist on Wednesday, February 17, 2021 and they cultured the lesions and results came back positive for shingles on February 22, 2021. I called the health department to let you know. """"

COVID19 VACCINE	PFIZER\BIONTECH	1062010-1	65+ years	1 day	<p>She started experiencing burning; Rash; Shingles; itching; Headache; Malaise; very tired; This is a spontaneous report from a Pfizer sponsored program. A contactable consumer (patient) reported that a 71-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: E13247) via an unspecified route of administration on 19Jan2021 11:30 at a single dose for COVID-19 immunization. Medical history included A-fib. Concomitant medication included apixaban (ELIQUIS). Had COVID-19 Vaccine on 19Jan2021 and everything was fine. Had a headache and a little bit of malaise on 20Jan2021. After two days was ok. On 21Jan2021, broke out in what she thinks was shingles. Not 100% sure if it was a major rash or shingles. Wanted to know if that was a possible side effect. Patient was taking Valaciclovir (VALTREX) for Shingles. Doctor suspected it was shingles, but it was possible she had shingles brewing before the COVID-19 Vaccine or the COVID-19 Vaccine brought the shingles out. Second COVID-19 Vaccine is scheduled for 09Feb2021, patient was scared and afraid of it. Doesn't know what to do. On 20Jan2021 she was very tired and had a headache. Next day was ok. On 21Jan2021 thought she had bug bites. Started itching. Then it began traveling and she realized it was not bug bites. She started experiencing burning. Went to two Urgent Care and her Internist. Was told it was basically shingles. Her internist was on the fence because she just had the COVID-19 Vaccine and wasn't certain. Caller stated it was ironic that she broke out after the vaccine. Caller's internist stated for any rash it would be treated the same with Valtrex. Internist stated chances were the rash was viral so if it's not shingles, would be treated with Valtrex. Rash and Itching: Wasn't very bad on Saturday, 23Jan2021, which was the first time she had someone look at it. On Sunday, 24Jan2021 it was full blown and really blossomed. Was initially treating rash as if it was bug bites. Was applying Benadryl tropical. On Sunday, 24Jan2021, started taking Valtrex. Outcome of the events headache, malaise, fatigue was recovered on n unspecified date, while unknown for the other events.</p>
COVID19 VACCINE	PFIZER\BIONTECH	1072993-1	65+ years	1 day	<p>Day After - severe headache, 2 days after headache continues, itchy scalp, day 3 rash visible at hair line headache continues, more confusion than normal, day 4 on site nurses check rash and think it is dermatitis, day 5 continues to get work nurse practitioner was to visit next day, day 6 NP thinks that she has UTI and sends her to hospital (2/11/21). Hospital determines - Rash is Shingles, UTI present, - MRSA is now present in shingles which is on right back of head and right neck and face. Next Sepsis is diagnosed. Since 2/11/21 patient was not conscious. 2/20/21 famiy is notified that she should be moved to Hospice. Moved to hospice on 2/20/21. The patient, my mother, died on 2/23/21 official cause of death is UTI.</p>
COVID19 VACCINE	PFIZER\BIONTECH	1086966-1	40-49 years	1 day	<p>Appear to be either Shingles or hives, itchy spots on neck face and scalp; Appear to be either Shingles or hives, itchy spots on neck face and scalp; Appear to be either Shingles or hives, itchy spots on neck face and scalp; This is a spontaneous report from a contactable consumer (patient). A 46-years-old female patient received dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot number EL9265), via an unspecified route of administration in left arm on 05Feb2021 10:30 at single dose for COVID-19 immunization. Medical history included Allergic to shellfish, Allergic to soy, Mould allergy, pollen allergies, Atopic dermatitis. There were no concomitant medications. The patient previously took dupilumab (DUPIXENT) from unknown date to 20Dec2020 for Atopic dermatitis. The patient experienced appear to be either shingles or hives, itchy spots on neck face and scalp on 06Feb2021 06:00. Treatment received for the events included Desoxymetasone steroid applied without any effect. The patient was not pregnant. The patient had no COVID prior vaccination. She had no COVID tested post vaccination. There was no other vaccine received at the same date of the COVID-19 vaccine. There was no other vaccine received in four weeks. The outcome of the events was not recovered.</p>

COVID19 VACCINE	PFIZER\BIONTECH	1115230-1	50-59 years	1 day	shingles flare-up/ The rash is mainly on my left arm; The rash is mainly on my left arm, which is the same arm where I got the vaccination shot; This is a spontaneous report from a contactable consumer (patient). A 52-year-old male received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection; Lot number: EM9810) via an unspecified route of administration in the left arm on 02Feb2021 (at the age of 52-years-old) as a single dose for COVID-19 Immunization in the workplace clinic. The patient medical history included depression. The patient had no allergies to medications, food, or other products. The patient concomitant medications were not reported. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL3249) on 12Jan2021 08:30 via an unspecified route of administration in the left arm as a single dose for COVID-19 Immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not have any other medications the patient received within 2 weeks of vaccination. The patient was not diagnosed with Covid-19 prior to vaccination and not tested for COVID-19 since vaccination. On 03Feb2021 05:30, the patient had the 1st shingles flare-up of his life and it began the day after receiving the second dose of vaccine. The rash was mainly on his left arm, which is the same arm where he got the vaccination shot (both times). On 09Feb2021 doctor's nurse-practitioner confirmed suspicion of shingles. The event assessed as non-serious by the reporter. The patient prescribed Valtrex for the treatment of the event. The outcome of the events was not recovered. No follow-up attempts are possible. No further information was expected.
COVID19 VACCINE	PFIZER\BIONTECH	1173959-1	65+ years	1 day	Rash in her mouth/break out on her lips and her ear; Rash in her mouth/break out on her lips and her ear; Shingles; Pain; Ramsay-Hunt syndrome; Loss of hearing; Itchy on the left side of the face; Blisters on face, temple, ear; Left side of her face is scorched bright red and painful; Left side of her face is scorched bright red and painful; Numbness; no feeling in her mouth on the left, cheek, temple; Numbness; no feeling in her mouth on the left, cheek, temple; Blisters in her mouth; Pain, teeth started hurting went to her temple; Pain, teeth started hurting went to her temple; This is a spontaneous report from a contactable consumer (patient). A 67-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number and expiration date were not reported) on the left arm on 20Feb2021 (09:30) as a single dose, with route of administration unspecified, for COVID -19 immunization at the pharmacy/drug store (not a military facility). Medical history included shoulder surgery in Aug2020; ongoing abnormal blood pressure; ongoing heart disorder; and was in a pacemaker and defibrillator. Concomitant medications included carvedilol for abnormal blood pressure from 2012 and ongoing; losartan for heart disorder from 2012 and ongoing; and furosemide from 2017 and ongoing. On 05Mar2021, the patient had Ramsay-Hunt syndrome and loss of hearing. On 21Feb2021, the patient had pain/teeth started hurting and went to her temple. On 22Feb2021, the patient had blisters in the mouth; left side of the face was scorched bright red and painful; and numbness/no feeling in the mouth on the left, cheek and temple. On 23Feb2021, the patient had blisters on face, temple and ear. On 25Feb2021, the patient was itchy on the left side of the face. On an unspecified date, the patient had rash in her mouth/broke out on her lips and ear; shingles; and pain. The events, 'pain/teeth started hurting and went to her temple', 'blisters in the mouth', 'blisters on face, temple and ear' and 'pain', had resulted into physician's office visit. The patient's ENT had the patient put on treatment with valaciclovir (VALTREX) and prednisolone for the 'blisters in the mouth', 'blisters on face, temple and ear'; treatment for 'pain/teeth started hurting and went to her temple', 'left side of the face was scorched bright red and painful', 'itchy on the left side of the face', 'rash in her mouth/broke out on her lips and ear', 'shingles' and 'pain'; and unspecified ear drops for 'loss of hearing'. The outcome of the events was not recovered for 'Ramsay-Hunt syndrome', 'loss of hearing', 'pain/teeth started hurting and went to her temple', 'left side of the face was scorched bright red and painful', 'numbness/no feeling in the mouth on the left, cheek and temple' and 'itchy on the left side of the face'; was recovered on 04Mar2021 for 'blisters in the mouth' and 'blisters on face, temple and ear'; and was unknown for 'rash in her mouth/broke out on her lips and ear' and 'pain'. The patient had received the second dose of vaccination on 20Mar2021. Information about batch/lot number has been requested.
COVID19 VACCINE	JANSEN	1137799-1	65+ years	2 days	pt developed shingles and increased blood pressure, anxiety. pt had tests done with dr to rule out other causes.

COVID19 VACCINE	JANSEN	1142398-1	65+ years	2 days	PATIENT SAID GOT A RASH ON TRUNK ABOUT 24 HOURS AFTER VACCINE. STARTED TO HURT A DAY LATER, SO DECIDED TO GO TO URGENT CARE. PHYSICIAN AT URGENT CARE DIAGNOSISED HIM WITH SHINGLES AND TREATED HIM WITH ANTIVIRAL. PATIENT THOUGHT IT ODD SO CLOSE TO THE VACCINE, SO HE REPORTED IT WITH ME.
COVID19 VACCINE	MODERNA	0927907-1	30-39 years	2 days	2 days after vaccination client noticed lesions on right buttock. Diagnosed with Shingles 1/7/21. Rx Acyclovir by Internal Medicine MD.
COVID19 VACCINE	MODERNA	0928031-1	50-59 years	2 days	Shingles outbreak in mouth involving right side of hard palate and fever peaking at 101. 4 orally on 01/07/21. Began with minor itching and irritation in mouth on 01/06/2021 midmorning. Began treatment with Valacyclovir 1 gm twice a day to take for 7 days at 1:00 pm. I am using Orajel topically on the lesions and Boost nutritional supplement drink for food source currently.
COVID19 VACCINE	MODERNA	0934122-1	65+ years	2 days	Patient received first dose of Moderna vaccine on 1.8.21. Reported to urgent care on 1.10.21 and was diagnosed with shingles. Prescribed antivirals at that time. Today (1/11), bad headache, burning from shingles, and more joint pain than usual.
COVID19 VACCINE	MODERNA	0936401-1	40-49 years	2 days	Wednesday 1/6: I had welts on my eye lid to the back of my scalp. I thought it was bug bite or rash. It didn't itch just sensitive to touch. I took some Tylenol. By 1/10/21, it still didn't go away and I took a Zyrtec and Tylenol. It was stinging and sensitive to touch. When I got up from my nap, I took a Valtrex before I went to work and the welts are seemed to be going down. I believe it is a shingles-like reaction to vaccine.
COVID19 VACCINE	MODERNA	0937360-1	40-49 years	2 days	Developed pain, redness, and swelling to injection site within 2-3 days of injection. She also has moderate itching to site. There is a 7.5 cm circle/induration at injection site currently as of 1/12/21, 12 days post injection. Also with increased nausea, fatigue and multi-joint pain and shingles outbreak.
COVID19 VACCINE	MODERNA	0937699-1	65+ years	2 days	Pt woke up on Saturday with headache. Pt broke out in shingles on Monday and was diagnosed today with Herpes Zoster
COVID19 VACCINE	MODERNA	0940155-1	40-49 years	2 days	1/6: diarrhea 1/6-1/10: fatigue 1/7-present (1/13): shingles (dx confirmed by MD 1/13)
COVID19 VACCINE	MODERNA	0944717-1	30-39 years	2 days	Received call from patient on 1/14/2021. He stated he developed shingles 2 days after receiving the vaccine. Rash is on R thorax and under the arm. He saw his PCP and was started on Acyclovir. The lesions are crusted
COVID19 VACCINE	MODERNA	0946863-1	50-59 years	2 days	A day or so after taking the First Merdona immunization 1/6/21 developed warmth in rt arm with redness and some pain. Also noted burning on right side under rt arm and back. within 3 days of vaccine had a eruption of a rash on my back and over the weekend 1/11/21 developed vesicles under RT Brest
COVID19 VACCINE	MODERNA	0947151-1	40-49 years	2 days	I was diagnosed today, 1/15/21, as having shingles.
COVID19 VACCINE	MODERNA	0958872-1	30-39 years	2 days	Initial soreness in arm/fatigue. Tuesday through Thursday intense night sweats. Wednesday night a rash appeared on my left side. Thursday morning the rash became more prominent and started to hurt. Friday to now (1/20/21) pain from shingles rash and extreme headache/fatigue. Occasional nausea. Shingles was diagnosed Monday night at an Urgent care facility. I have been taking Valtrex since Monday (1/18/21).
COVID19 VACCINE	MODERNA	0964834-1	50-59 years	2 days	Minor body aches noted on 1/8/21, more severe back pain on 1/9/21, also swelling & redness under left knee. On 1/12/21 PCP diagnosed shingles on back & skin infection on left leg. Treated with Valtrex 1 Gm PO TID x 10 days, Bactrim , one tab PO BID
COVID19 VACCINE	MODERNA	0966174-1	65+ years	2 days	The patient received a Covid vaccine on 1/17/2021 and a couple of days later she developed shingles.
COVID19 VACCINE	MODERNA	0977633-1	65+ years	2 days	The patient developed symptoms consistent with Trigeminal neuralgia* approximately 2 days after is first dose of Moderna COVID-19 vaccine. * (Ultimately turned out to be dermatomal zoster)
COVID19 VACCINE	MODERNA	0977895-1	40-49 years	2 days	2 days post vaccination, I developed what appeared to be a rash on the back of left leg behind knee (approx 5pm). Next evening the rash spread and by day 5 the rash spread more. Redness, tenderness, stinging & burning sensation / pustules I contacted PCP due to worsening spread of rash and informed I had shingles. I provided pictures of the rash from day 2, 3 and 5. PCP consulted Infectious Disease colleague who confirmed shingles. I was instructed to get Immunoglobulin G antibody testing, which I did, on 1/26/21. Currently awaiting lab results. Informed that I may need anti-viral and anti-biotic depending on lab results. There was NO illness, new medication, change in diet, soaps, perfumes or laundry detergents prior to 1st dose of COVID-19 vaccination.

COVID19 VACCINE	MODERNA	0991132-1	40-49 years	2 days	Vaccine Monday 1/11/2021 1530. Wednesday 1/13/2021 woke up with mild site pain, fatigue, arthralgia. 1/14/2021 Pain in shoulder blade area. 1/16/2021-1/17/2021 developed painful, unilateral truncal rash and tingling pain. Sought help with PCP; Dx. with SHINGLES; started on Valtrex, etc.. Positive COVID history 12/9/2021. States when had her blood tested to donate in January the week before her vaccine she tested negative.
COVID19 VACCINE	MODERNA	0994024-1	60-64 years	2 days	2nd dose received 8am 1/27. Fever, 102.1 and severe headache 1/28, 12 am. Developed Shingles 1/28, 10 pm. Shingles lesions continue to develop at the time of this report, despite starting Valtrex 1/29 am
COVID19 VACCINE	MODERNA	1050051-1	65+ years	2 days	2-3 days after the vaccine patient broke out in shingles on right arm (same as vaccination site) from shoulder to right thumb
COVID19 VACCINE	MODERNA	1057702-1	Unknown	2 days	Herpes Ophthalmic Zoster; A spontaneous report was received from a consumer concerning a 42 years-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed Herpes Ophthalmic Zoster/MedDRA PT: Ophthalmic herpes zoster. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Lot #not provided) on an unknown date. On 09 Feb 2021, the patient received their second of two planned doses of mRNA-1273 (Lot #, site of injection and route of administration Not provided) for the prophylaxis of COVID-19 infection. On 11 Feb 2021, the patient was diagnosed with Herpes Ophthalmic Zoster. Treatment details were not provided. The patient received both scheduled doses of mRNA-1273 prior to the event ; therefore, action taken with the drug in response to the event is not applicable. The outcome of the event Herpes Ophthalmic Zoster was unknown.; Reporter's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	0904427-1	30-39 years	2 days	12/18/2020 scrotal pain. Evening onset of rash 12/19/2020 Rash lower lumber, left butt cheek, scrotum and penis. Took picture and sent to Consult with infectious disease. Doctor deemed rash to be SHINGLES and prescribed Valtrex. By evening, rash had progressed all over and pain associated with shingles. 12/20/2020 Stable but rash is still prominent. Consult over tele
COVID19 VACCINE	PFIZER\BIONTECH	0905858-1	60-64 years	2 days	Shingles right arm 2 days after COVID 19 vaccination. Evaluated 12/21 and prescribed topical acyclovir and oral vatrex 1g TID x 7 days. Labs obtained and pending (CMP, CMP, ESR, CRP, Zoster IgG,M, viral swab)
COVID19 VACCINE	PFIZER\BIONTECH	0907968-1	30-39 years	2 days	I was itchy only to find out it was Shingles
COVID19 VACCINE	PFIZER\BIONTECH	0909543-1	50-59 years	2 days	Shingles, left side leg and foot
COVID19 VACCINE	PFIZER\BIONTECH	0909550-1	30-39 years	2 days	shingles, nasociliary branch. started with burning in the inside of my left Nare, vesicular rash appeared which spread to the tip of my nose. I immediately (day 2 of rash) started valtrex 1gm TID. After 48 hours on valtrex no progression of rash. I have not had any visual symptoms (herpes ophthalmicus) yet and hopefully don't.
COVID19 VACCINE	PFIZER\BIONTECH	0914858-1	30-39 years	2 days	A couple/few days post-vaccination, I noticed a minor skin irritation on my lower-right back. It was barely a rash; I thought it might have been due to exercising outside with a lot of layers on and sweating into those clothes and chafing/irritation from that. So, I didn't think anything of it. Then after a couple days, it developed into a more pronounced rash. Then, yesterday (six days post-vaccination), it started itching. Upon touch, I could feel that the rash was raised above nearby skin, and I could feel defined vesicles or papules. At this point, I grew concerned, and sent a portal message to my PCP. Midday today (seven days post-vaccination), a nurse and two internal medicine physicians examined me, and I was diagnosed with Shingles. I have never had Shingles before in my life. At age 5, I had Chickenpox, but I have had no presentation of the underlying virus in 30 years. I can't speak to there being a causal or correlational relationship with being administered the Covid-19 vaccine – I leave that to you all – but it does seem quite oddly coincidental given the rash appearing within perhaps 48hrs after the first injection. I began a regimen of oral Valacyclovir a few hours ago and will see how this illness and rash progress.
COVID19 VACCINE	PFIZER\BIONTECH	0918888-1	30-39 years	2 days	6 day history R sided chest rash w/ skin hypersensitivity consistent with shingles rash. Received covid vaccine 1.5 days before. Seen by PMD over telehealth appt and dx with shingles. Had VZV at 5 yo. No prior vaccine for VZV.

COVID19 VACCINE	PFIZER\BIONTECH	0918900-1	30-39 years	2 days	6 day history of R sided chest rash w/ skin hypersensitivity and pain of R upper body consistent with shingles rash. Received vaccine 1.5 days prior. Went to PMD video telehealth appt and dx with shingles. Had VZV at 5yo. No prior vaccination for VZV.
COVID19 VACCINE	PFIZER\BIONTECH	0925068-1	40-49 years	2 days	shingles on v1 verve
COVID19 VACCINE	PFIZER\BIONTECH	0931201-1	40-49 years	2 days	I exp pain in my cheek and swelling of my face. On 12/27 I went to urgent care with a rash and diagnosed with Shingles. I had blisters with redness scalping which fell off on 1/8.
COVID19 VACCINE	PFIZER\BIONTECH	0934513-1	30-39 years	2 days	Shingles
COVID19 VACCINE	PFIZER\BIONTECH	0937469-1	65+ years	2 days	Patient received Covid vaccine 12/31/2021 at Nursing facility by representatives from Pharmacy. on Jan 2nd patient started with bruising on Left arm and Back, Patient noted as developing shingles. Jan 4th bruising noted buttock. Bruising continued to be seen Chin and Neck. Patient brought to Medical Center for evaluation 1/8/2021 not admitted discharged back to NH. Patient noted as 70.3 on 1/6 and 71.2 on 1/8/2020. H/H noted as 9/28.4 decreased from 12/9/2020 when 11.2/35.9. also in history patient did receive Prevnar 13 on 12-10-2020. Patient Primary Care asked for possibility of ADR vaccine leading to VAERS report
COVID19 VACCINE	PFIZER\BIONTECH	0940109-1	30-39 years	2 days	Immunization given on Wednesday evening. On Friday evening, developed pain and rash near groin. Thought it was reactivation of HSV-1. However, it has been diagnosed as shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0944399-1	50-59 years	2 days	shingles to lower back after 2nd dose
COVID19 VACCINE	PFIZER\BIONTECH	0946079-1	Unknown	2 days	This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Solution for injection (Lot number and expiry date were unknown) via an unspecified route of administration on 30Dec2020 at a single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. The patient previously took shingles shot (unspecified medication) about 3 or 4 years ago for immunization. The patient stated ""I got the Pfizer Vaccine last Wednesday (30Dec2020), then now that ""I am in bed"" and four days later (Jan2021) my rib cage started hurting on the left side, the side I got the shot on. I went to the doctor and she thought I was starting to have shingles or Intercostal neuritis. I just wondered if the shot could cause you to have shingles."" The patient also stated, ""I had the shingles shot (unspecified medication) about 3 or 4 years ago. The doctor thought I might have shingles or Intercostal neuritis which is infection in between the ribs."" Outcome of the events was unknown. Information about lot/batch number has been requested.""
COVID19 VACCINE	PFIZER\BIONTECH	0949946-1	40-49 years	2 days	1/8 back pain, 1/9 lesion L flank, 1/11 Md prescribed acyclovir for shingles, 1/13 rash progress toward spine, 1/15 spots under navel L side, blood test comes back negative for shingles On 1/7 son dx covid
COVID19 VACCINE	PFIZER\BIONTECH	0950883-1	30-39 years	2 days	Developed shingles starting 48 hours after vaccination
COVID19 VACCINE	PFIZER\BIONTECH	0951037-1	50-59 years	2 days	painful rash. appears to be shingles
COVID19 VACCINE	PFIZER\BIONTECH	0970998-1	30-39 years	2 days	Less than 48 hours after shot developed shingles in left ear.

COVID19 VACCINE	PFIZER\BIONTECH	1035557-1	30-39 years	2 days	Swollen lymph nodes; Developed Shingles on his face; This is a spontaneous report from a contactable other healthcare professional. This other healthcare professional reported for a 32-year-old male patient (her fiancé). A 32-year-old male patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiration date were not reported), via an unspecified route of administration at the right arm on 29Jan2021 at single dose for COVID-19 immunization. The patient's medical history was not reported. There were no concomitant medications. The patient previously took the first dose of bnt162b2 on 08Jan2021 for COVID-19 immunization. The patient developed shingles on his face on 31Jan2021 and swollen lymph nodes on 01Feb2021. The events were reported as serious (medically significant) and worsened. There were no investigation assessment. The patient had not recovered from the events at the time of the report. Information on the batch number has been requested.; Sender's Comments: Based on the compatible temporal association and the drug's known safety profile, the Company considers the event swollen lymph nodes is possibly related to suspect vaccine BNT162B2. Other than a temporal association, there is no evidence or argument to suggest a causal relationship between BNT162B2 and the event shingles, which is likely an intercurrent condition. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
COVID19 VACCINE	PFIZER\BIONTECH	1045614-1	65+ years	2 days	shingles; This is a spontaneous report from a contactable consumer (patient). A 72-year-old non-pregnant female patient received her first dose of bnt162b2 (BNT162B2 reported as COVID-19 vaccine; lot number: EN5318; expiration date: unknown), via an unspecified route of administration left arm on 30Jan2021 08:00 at a single dose for covid-19 immunisation . The patient 's medical history was none. Concomitant medication included NP [pending clarification]. The patient was not diagnosed with COVID-19 prior vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient reported that she did not have side effects from the shot. The patient added that 2 days after the shot (01Feb2021 08:00 AM), she got shingles. The patient reported that the event as non-serious. She received treatment for the event (medicine) and the adverse event result in doctor or other healthcare professional office/clinic visit. The patient has not been for COVID-19 since the vaccination. The outcome of the event was recovering.
COVID19 VACCINE	PFIZER\BIONTECH	1046349-1	65+ years	2 days	Patient did not feel well and reports general malaise day 2 and day 3 post vaccination. She noticed itching of Right Breast on Day 3 and later that evening, noticed a rash with blisters.
COVID19 VACCINE	PFIZER\BIONTECH	1046645-1	60-64 years	2 days	I developed chills on Friday, February 19, 2021 in the afternoon. Chills continued through Saturday, February 20, 2021. Did not feel well on Sunday, February 22nd and today, February 22nd, I woke up with a nice dose of shingles on my face. Went to see the nurse practitioner at Dr office. Not sure if this is a coincidence or a result of the vaccine.
COVID19 VACCINE	PFIZER\BIONTECH	1073511-1	30-39 years	2 days	shingles rash; pain; This is a spontaneous report from a contactable healthcare professional via a Pfizer-sponsored program. A 32-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 29Jan2021 at a single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. Historical vaccine included first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) for COVID-19 immunization on an unspecified date. The patient developed shingles after the second dose of the Pfizer covid 19 vaccine. He received the vaccine on 29Jan2021 and developed a shingles rash on Sunday (31Jan2021). The healthcare professional wanted to know if he can take antivirals, if it is safe for him to get antivirals, and what he could take for pain on an unspecified date in 2021. Information on the lot/batch number has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	1102754-1	50-59 years	2 days	Patient contacted her employer 2 days after vaccination with complaint of new onset rash. Was seen by her PCP and was reportedly being treated for Shingles. Missed work week of 8-12 March for same. When didn't report to work today (3/15/21), supervisor went to home to conduct a safety check and found the patient dead in her home.

COVID19 VACCINE	PFIZER\BIONTECH	1106218-1	65+ years	2 days	Shingles; This is a spontaneous report from a contactable consumer reported for herself. A 71-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/Lot Number Batch/Lot number was not reported, via an unspecified route of administration on 24Jan2021 as SINGLE DOSE for covid-19 immunisation. The patient medical history and Concomitant medications was not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. No allergies to medications, food, or other products. The patient experienced shingles (herpes zoster) on 26Jan2021. Outcome of the event was recovered. The reporter considered the events as non-serious. Information on the lot/batch number has been requested.
COVID19 VACCINE	JANSSEN	1125348-1	40-49 years	3 days	Received COVID Vaccine on 03/14/2021. Pt had body aches and fatigue but on 03/17/2021 started with itching, pain on lips, forehead and waist line. Patient has lesions and significant pain consistent with shingles.
COVID19 VACCINE	JANSSEN	1134713-1	30-39 years	3 days	I did get sick that evening - I had a fever and chills. I did throw up. That lasted all night. The fever broke by the morning. But the exhausted next day - I went home from work early that day. Friday, I got a rash - very itchy and sore (it felt very tender when touched)- on my left side (abdomen). It spread around the left side on my back and to my stomach. I say my doctor on this Tuesday (virtual appt) said it was Shingles - Valtrex - to help it heal faster. The rash is starting to scab over and is peeling now. It's getting better.
COVID19 VACCINE	MODERNA	0917911-1	30-39 years	3 days	Left T11-12 zoster reactivation
COVID19 VACCINE	MODERNA	0947774-1	40-49 years	3 days	Shingles
COVID19 VACCINE	MODERNA	0967282-1	50-59 years	3 days	Herpes Zoster of face. Painful areas started on face in 3 areas around the mouth that became red and developed blisters within several hours at about 1700 on January 22, 2021
COVID19 VACCINE	MODERNA	0977280-1	65+ years	3 days	3 days after the injection my left side itched and burned above my waste with numbness and tingling a few days later starting get a rash kept getting worse and called the Dr office and found out i had shingles and put me on Valacyclovir 1 mg tab twice a day. Was vaccinated for shingles about 8 years ago. But i have not gotten the new vaccine.
COVID19 VACCINE	MODERNA	0990808-1	30-39 years	3 days	I contracted Shingles from immune system being knocked down so low. 4 days after the shot. No change to daily life or diet.
COVID19 VACCINE	MODERNA	0994687-1	30-39 years	3 days	I received the first dose of covid-19 vaccine (moderna) and several days after receiving it developed a rash on my neck with accompanying pain and pruritus. The rash has since been diagnosed by a physician as herpes zoster (shingles) reactivation. I had VZV and HSV as a child (>20 years ago). Of note, the covid-19 vaccine made me sick (chills, myalgia, fever).
COVID19 VACCINE	MODERNA	1046488-1	65+ years	3 days	Modern vaccine rec'd 1/27, about 3-4 days later she started itching across her shoulders. It was itching really bad and there were small bumps and she was red from one shoulder to the other. I applied a itching cream and it only lasted a couple hours so we tried many different creams but nothing seem to stop the itch. The rash is from her shoulders to her neck line and from nick to waist line and it itches tremendously. The NP stated it was Shingles and she was prescribed meds and took them for 10 days and it cleared up for a few days. today it's broken out again and its itching. She's scheduled to get the 2nd dose and don't know if she should get the next dose
COVID19 VACCINE	MODERNA	1059076-1	65+ years	3 days	February 11, 2021 ° Arm pain ° He starts taking Tylenol as prescribed on day of Vaccination. February 13, 2021 ° Stabbing pain on the left side of the head (above his ear) ° Poor sleep the next 2 days February 14, 2021 ° Spoke to Dr ° He ordered a CT Scan and recommended for him to take Tylenol Extra Strength. The headache continues to escalate. February 15, 2021 ° He is taken to ER (Hospital) February 16, 2021 ° He is released with pain/insomnia medication February 20, 2021 ° He is confused, disoriented, repeats things, forgets things, has difficulty functioning normally and sleeping February 21, 2021 ° He has difficulty standing, he falls, he has difficulty swallowing. He is taken to ER (Hospital) February 21-26 - He is still at the Hospital. Was diagnosed with Viral Meningitis/Shingles

COVID19 VACCINE	MODERNA	1062356-1	Unknown	3 days	Pain under right breast; Itching; Shingles right abdomen dermatone; Pain in abdomen; A spontaneous report was received from a consumer concerning a 72, year old, female patient who developed pain under right breast, itching, shingles, and pain in abdomen. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 30-12-2020, approximately four days prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. On 02-JAN-2021 the patient went to an urgent care for pain under the right breast, itching, shingles, and abdominal pain. On 03-JAN-2021 the patient went to the hospital for pain under the right breast, itching, shingles, and abdominal pain. The patient was discharged the same day 03-JAN-2021. Treatment for the event included Lyrica twice daily, Valtrex twice daily, Tramadol and two rounds of Prednisone. The patient self-administered Advil and Tylenol. There was no change planned to the dosing schedule of mRNA-1273 in response to the event(s) and was administered on 27-JAN-2021. The outcome of the event(s) not reported. Follow up: No follow up provided.; Reporter's Comments: This case concerns a 72, year old, female patient who developed pain under right breast, itching, shingles, and pain in abdomen. Very limited information of this event has been provided at this time. Further information has been requested.
COVID19 VACCINE	MODERNA	1074154-1	60-64 years	3 days	Shingles; Pain behind ear; Rash; Slight drooping in face on the side of vaccination; A spontaneous report was received from consumer concerning a 63 Years-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events- Drooping of Face, Pain Behind Ear, Rash and Shingles. The patient's medical history was not provided. No relevant concomitant medications were reported. On 13 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 030MZ0A) intramuscularly for prophylaxis of COVID-19 infection. On 16 Feb 2021, the patient noticed that she was experiencing slight drooping in her face on the side of the vaccination. The next day, on 17 Feb 2021, the patient began experiencing some pain behind her ear and a small rash on the same side. She was diagnosed with shingles on 22Feb2021. Treatment information provided include Allergy Pills, Tylenol, Prednisone, Anti-Bacterial medications. Action taken with mRNA-1273 in response to the events was not reported. At the time of this report, the outcome of the event- Drooping of Face, Pain Behind Ear, Rash and Shingles was unknown.; Reporter's Comments: Based on the information provided and a temporal association between the reported events and the administration of mRNA-1273 vaccine, a causal relationship cannot be excluded.
COVID19 VACCINE	MODERNA	1082821-1	65+ years	3 days	Two days after her second Moderna vaccination (administered on 2/25/2021) she developed lesions on her neck. We took her to an urgent care clinic on 3/2/2021 and they diagnosed her with a shingles outbreak more than likely as a result of her vaccination. She did not have any reaction to her first Moderna vaccination four weeks earlier. She was prescribed an anti-viral. She is more comfortable now but her cognitive and physical abilities have declined significantly. She is also having significant sleep issues which have also contributed to her cognitive and physical problems.
COVID19 VACCINE	PFIZER\BIONTECH	0908408-1	50-59 years	3 days	Shingles outbreak emerged about 72 hours after vaccine. Prescribed Acyclovir 800mg on 12/22/2020 Also had a co-worker develop shingles within 24 hours of the vaccine this week.
COVID19 VACCINE	PFIZER\BIONTECH	0922883-1	40-49 years	3 days	Shingles-diagnosed at Urgent Care
COVID19 VACCINE	PFIZER\BIONTECH	0923464-1	40-49 years	3 days	Began with symptoms for shingles 72 hrs post vaccine, severe outbreak that still not has resolved and currently on second round of anti-virals; delaying second vaccine until shingles resolve

COVID19 VACCINE	PFIZER\BIONTECH	0933275-1	40-49 years	3 days	ball palsy, facial drooping; painful shingles; This is spontaneous report from a contactable consumer reported for herself. A 47-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; batch/lot number: EK5730; dosage form: injection) via an unspecified route of administration as injection to left arm on 24Dec2020 at 7:30 am at a single dose for COVID-19 immunization. Relevant medical history and concurrent conditions included slight hypertension from Jul2020 and ongoing. Concomitant medications included lisinopril from Jul2020 and ongoing for slight hypertension. The patient developed ball palsy, facial drooping which did not lasted long but she still had the painful shingles on 27Dec2020, after the first dose. She wanted to know the recommendations for taking the second dose which is due in 10 days. The patient wanted to know if she should receive the shingles vaccine. This caller was a lab tech who works in the healthcare industry and manages a medical office; but clarified she did not call on behalf of a healthcare professional. She was the patient who received her first dose of Pfizer SARS-CoV-2 Vaccine on 24Dec2020. She reported onset of what the Urgent Care Physician believed was Shingles on 27Dec2020. She called to ask if she should or should not receive the second dose of Pfizer SARS-CoV-2 Vaccine on 14Jan2021 as scheduled due to the Shingles. The Urgent Care Physician advised her to still get the second dose, as there was about a 1:10,000 chance of developing shingles with the vaccine. She reported shingles as a reaction subsequent to the Pfizer SARS-CoV-2 Vaccine. Initially on 27Dec2020 she developed sites of what she thought were canker sores or fever blisters in her mouth which had gotten pretty large and stopped her from being able to eat on 29Dec2020. Then on 30Dec2020 she developed sites on her face which have gotten scarily large; and was causing some deep nerve pain going to her eye and down her chin; the sites felt like lesions on her face with roots. The sites in her mouth were now completely gone; but the sites on her face are ongoing. Now it has kind of taken over her face. She saw the Urgent Care Physician regarding this who believed the sites to be shingles. She had never had fever blisters or shingles before this event. She was still kind of reeling. The report was reported as non-serious. The outcome of event ball palsy/facial drooping was resolved and of shingles was unknown.
COVID19 VACCINE	PFIZER\BIONTECH	0935486-1	65+ years	3 days	ON 1/11/21, DEVELOPED SHINGLES LIKE REACTION. RAISED, RED, PUSTULES ON LEFT UPPER BACK. BEING TREATED WITH VALACYCLOVIR BY PCP.
COVID19 VACCINE	PFIZER\BIONTECH	0936204-1	50-59 years	3 days	Shingle type pain burning; Shingle type pain burning; Shingle type pain burning; tingling; very sensitive from left flank down toward mid buttocks slightly toward anterior area; This is a spontaneous report from the Medical Information Team. A contactable nurse reported that a 53-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), lot number: EK9231, via intramuscular route of administration in the left arm, from 24Dec2020 08:15 at a single dose for COVID-19 immunization. Patient had no other medical history (reported as ""none""). Concomitant medication included melatonin, calcium and bupropion hydrochloride (WELLBUTRIN). The patient is not pregnant. The patient was not diagnosed with COVID-19 prior to vaccination and has not been tested for COVID-19 since the vaccination. On 27Dec2020 09:00, the patient experienced shingle type pain burning, tingling and very sensitive from left flank down toward mid buttocks slightly toward anterior area. The outcome of events was reported as ""not recovered"". Therapeutic measures were taken as a result of events included motrin, tylenol and lidocaine. Patient was unable to go to work for a few days. No follow-up attempts are possible. No further information is expected. Information on the batch number has been obtained.""

COVID19 VACCINE	PFIZER\BIONTECH	0939384-1	18-29 years	3 days	left eyelid swollen; she sweat a lot; rash on head around bump on her left; swollen lymph nodes on neck left side/right side/swollen lymph node on collar bone right side; pain in left side of her face; Fever; feel tired; felt like her body was hot; bump on head on left side; face was numb on left side; pimples to left eyebrows; possibly has shingles; This is a spontaneous report from a contactable consumer (patient). A 27 years old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot number: EL0140) at her right arm at single dose for COVID-19 immunization on 29Dec2020. Relevant history included she had UTI, acne and dandruff which she had before the vaccine. Concomitant drug included clomifene citrate (CLOMID) since 30Dec2020 (5 days regimen). Past drug included she was taking Ampicillin 25mg prior to vaccine (last dose 2 days before vaccine). The patient experienced face was numb on left side since 02Jan2021. The patient also experienced pain in left side of her face, swollen lymph node on neck left side/neck right side, feel tired, felt like her body was hot, bump on head on left side, rash on head around bump on her left and fever since 03Jan2020. She took medication for fever. She felt good when take Motrin or Tylenol and then it came back again being tired. Then, the patient stated she sweat a lot since 04Jan2021, she had swollen lymph node on collar bone right side since 05Jan2021. The had left eyelid swollen since 06Jan2021. The patient also experienced pimples to left eyebrows that started Saturday or Sunday and possibly had shingles since unknown date in Jan2021. The patient went to the doctor because the doctor suggested that she had shingles and she had the shingles test on 06Jan2021, while she had not gotten the results back yet. The outcome of event Fever was recovered with sequel on 06Jan2021. Outcome of event possibly had shingles was unknown. The outcome of event she sweat a lot was Resolving. The outcome of other events was not resolved. The events pain in left side of her face, swollen lymph node on neck left side, rash on head around bump on her left, left eyelid swollen and pimples to left eyebrows was worsened.
COVID19 VACCINE	PFIZER\BIONTECH	0946436-1	50-59 years	3 days	Developed shingles on left side of spine on mid/lower back area. 1.5 inch x .5 inch. I have a history of shingles in 2011. I received the 2 dose shingles vaccine in 2019. I received my second Pfizer dose on 1/11. Developed fatigue and muscle aches on 1/12, then slight headache, muscle weakness, myalgia's and arthralgia on 11/13. Morning of 11/14, woke up and noticed a sore spot/blister on my lower/mid back area. Slowly became more painful (burning sensation). No injury to area or any other reason for blister and pain. 11/15, realized it was shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0947970-1	40-49 years	3 days	Shingles rash developed within 3 days of the vaccine; This is a spontaneous report from a contactable nurse (patient) reported that a 42-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: Ek5730, expiration date: not reported), via an unspecified route of administration on the left arm on 18Dec2020 16:45 at single dose for COVID-19 immunization. The patient medical history was not reported. The patient was not pregnant. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included cyanocobalamin-tannin complex (B12 [CYANOCOBALAMIN-TANNIN COMPLEX]), ginkgo biloba and colecalciferol (VITAMIN D [COLECALCIFEROL]). Within 3 days of the vaccine, on 21Dec2020, the patient developed shingles rash with outcome of recovered. As treatment, patient received antiviral medication for 7 days. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on 19Dec2020. Since the vaccination, the patient has not been tested for COVID-19. No follow-up attempts are possible; information about lot number was already obtained.
COVID19 VACCINE	PFIZER\BIONTECH	0951267-1	50-59 years	3 days	I received the Pfizer vaccine #2 on 1/11/21 and developed Herpes Zoster (shingles) symptoms beginning 1/14/21
COVID19 VACCINE	PFIZER\BIONTECH	0965947-1	65+ years	3 days	Developed what looked like a spider bite on right shoulder; painful for two days, additional red spots appeared over the next 4 days with rash extending now down upper arm. Some spots starting to blister. Very painful. Suspect shingles. There is some literature that suggests the COVID 19 vaccine and shingles may be related.
COVID19 VACCINE	PFIZER\BIONTECH	0966072-1	65+ years	3 days	Several days after first dose of Covid-19 vaccine, she developed shingles of her left frontal face.
COVID19 VACCINE	PFIZER\BIONTECH	0979209-1	40-49 years	3 days	was not ill prior to vaccine. 3 days later started getting rash on neck. went to doctor was told it was shingles. never had any warning signs of shingles. I had just had a complete health check a couple months prior and everything was OK.

COVID19 VACCINE	PFIZER\BIONTECH	0994082-1	50-59 years	3 days	Shingles rash; did have lethargy and was dragging; did have lethargy and was dragging; This is a spontaneous report from a contactable healthcare professional reporting for self. This 56-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231) via intramuscular on 11Jan2021 at left deltoid at single dose for COVID Prevention. Medical history and concomitant medications were none. Her health had improved over the last six months and she was on no medications, and her labs had been good. The patient previously received first dose of BNT162B2 (lot number: EJ1685) via IM injection into the left deltoid on 23Dec2020 at single dose for COVID Prevention. She stated that she may have had some dragging after the first dose, but it was after the holidays and she was laying around anyway, so if she did, it was not of note to her at the time. She confirmed that she received no other vaccines on the same day as either her first dose, nor her second dose of the vaccine. The patient experienced shingles rash starting on 14Jan2021. It was reported that the patient received her second dose of vaccine last Monday (11Jan2021). The Thursday following that (14Jan2021), she noticed a small patch of a rash on her right side, and she did not think much of it at first, because she had been gardening. But she stated that by Friday, it was clear that she had the initial onslaught of Shingles. She stated that over the weekend, the rash had taken a very predicable course, where it is now in circles around her body. She had had no other sentinel events, she had not been sick, she was not stressed, the only thing was that four days prior to the rash, she got the last COVID shot. She just wanted there to be accuracy in known side effects because she was 56 years old, but she was not immunosuppressed at all, and she knew that it would be given to people 65 and older soon. Patient stated that she was no sick as a dog, but two days after receiving the second dose, she did have lethargy and was dragging on 14Jan2021. She thought after the second dose, the vaccine may have hit her immune system. The outcome of shingles rash was not recovered and reported as worsened, outcome of other events was unknown. The reporter considered the event shingles rash was serious as medically significant and was related to the vaccine.; Sender's Comments: Based on the information currently available, a possible contributory role of the suspect BNT162B2 in triggering the onset of shingles rash cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.,Linked Report(s) : US-PFIZER INC-2021092332 same patient/drug, different event separated with time
COVID19 VACCINE	PFIZER\BIONTECH	1047689-1	65+ years	3 days	Shingles outbreak on right let and buttocks
COVID19 VACCINE	PFIZER\BIONTECH	1076743-1	40-49 years	3 days	shingles on face and near eye; This is a spontaneous report from a contactable healthcare professional (patient). A 41-year-old male patient received second dose of BNT162B2, lot no. EL3249, via an unspecified route of administration (left arm) on 27Jan2021 05:00 PM at a single dose for Covid-19 immunization at a hospital. Medical history included HTN (hypertension). No allergies to medications, food, or other products. Concomitant medications included losartan, colecalciferol (VIT D3), cyanocobalamin (B 12), ubidecarenone (COQ 10), and fish oil. Historical vaccine included first dose BNT162B2 for Covid-19 immunization on 06Jan2021 05:00 PM (left arm, lot no. EK9231). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient has not been diagnosed with COVID-19 prior to vaccination. The patient experienced shingles on face and near eye on 30Jan2021 that required doctor or other healthcare professional office/clinic visit. It was treated with Valtrex. The event was reported as non-serious (did not result to death, not life threatening, did not cause/prolong hospitalization, not disabling/incapacitating, and not congenital anomaly/birth defect). Since the vaccination, the patient has not been tested for COVID-19. The outcome of the event was not recovered.
COVID19 VACCINE	JANSSEN	1111856-1	50-59 years	4 days	Shortly after I developed a low grade fever of 99, my stomach got upset and I developed diarrhea right after the vaccine. Wed, Thur and Friday I had an excruciating headache. A few days after I noticed a rash on my back and reached out to my PCP who diagnosed me with Shingles and perscribed antivirals to treat

COVID19 VACCINE	JANSSEN	1120265-1	50-59 years	4 days	Patient had J/J vaccine on 3/14. Patient developed what appears to be a shingles rash on 3/18 or 3/19. She presented to the clinic for eval of rash on 3/20, which was dx as shingles rash. She was placed on valacyclovir 1000mg q 8 hours x 7 days and told to follow up with PCP on Monday AM.
COVID19 VACCINE	JANSSEN	1128372-1	50-59 years	4 days	4 days later I got shingles on my eye brow and my forehead
COVID19 VACCINE	JANSSEN	1130540-1	65+ years	4 days	SHE STARTED FEELING ILL THE NEXT DAY AND THEN 4 DAYS LATER SHE STARTED GETTING LARGE RED SPOTS WENT TO URGENT CARE AND THEY INFORMED US THAT SHE HAD SHINGLES...AND IT WAS CAUSED BY THE COVID SHOT.
COVID19 VACCINE	MODERNA	0925139-1	40-49 years	4 days	Developed shingles symptoms 5 days following the vaccine in the T1 dermatome distribution on same arm in which vaccine was administered
COVID19 VACCINE	MODERNA	0935766-1	30-39 years	4 days	The day after I received the vaccine I had a rash the size of a golf ball. It itched a little and was very warm to the touch. The rash cleared by Jan 9th and on the 10th I woke up and noticed I had shingles on the left arm, on the outside next to my arpit. This was the same arm that I had the vaccine and rash. It is also about the size of a golf ball. I have been using Hydrochrotozone Cream 1% OTC once a day. I also start antivirals on the 10th. Acyclovir 400 mg PO TID. The only reason why I know this is Shingles, was do to a similar experience in 2017 I recieved my Hep A &B, and oral Typhoid for missions trip to Haiti. We were there for 5 days and the day I got back I had a rash on both sides of my body from my armpit to my waist. The doctors had trouble trying to figure out what it was. I also went to a dermatologist and they had not clue. Until months later my travel doctor figured it out. He told me it was shingles and had me start taking antivirals. After a week or so the rash cleared up with the antivirals. This rash presents in the same manner as it did then. So I started taking my antivirals again. The rash is still there currently. I am not sure if the COVID vaccine and the other vaccines have similar properties? I am not sure if it is related, however it does seem to be. I have only had the 1st shot so I am not sure if I should go ahead with the second one.
COVID19 VACCINE	MODERNA	0941585-1	30-39 years	4 days	pt has shingles on right arm
COVID19 VACCINE	MODERNA	0985531-1	40-49 years	4 days	Patient had second COVID vaccine by Moderna received in left arm on 1/21/21. (Lot: 042L20A), after 1st on 12/23/20 (lot:011J20A). 1/22 supraclavicular nodule appeared (typical for this patient after last 4 immunizations). 1/25 blisters appeared on left elbow (later diagnosed as shingles). 1/26 pain began in medial aspect of the elbow which radiated upwards at in increasing distance over the next 3 days. 1/29 streaking from shingles lesion traveling medially into left arm and into the axilla with diagnosis of lymphangitis secondary to COVID vaccination.
COVID19 VACCINE	MODERNA	1011013-1	50-59 years	4 days	Developed shingles 6 days post second vaccine
COVID19 VACCINE	MODERNA	1049425-1	30-39 years	4 days	I had a shingles outbreak on my abdomen lasted 14 days.
COVID19 VACCINE	PFIZER\BIONTECH	0911986-1	18-29 years	4 days	shingles
COVID19 VACCINE	PFIZER\BIONTECH	0915879-1	Unknown	4 days	Employee developed shingles rash on left scapula four days after receiving the vaccine . Valtrex started. Rash resolved in one day.
COVID19 VACCINE	PFIZER\BIONTECH	0917715-1	30-39 years	4 days	Day 4 after receiving vaccine dose developed nerve pain in the groin and R glute/thigh, as well as fatigue. Sx worsened on day 5, so I had a virtual visit with a medical provider who prescribed me Valtrex x7d to treat suspected Herpes Zoster, which I previously had in my early 20s.
COVID19 VACCINE	PFIZER\BIONTECH	0920112-1	50-59 years	4 days	developed shingles outbreak 4 days later; This is a spontaneous report from a contactable consumer. A 59-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) for COVID-19 immunization on 22Dec2020 at single dose in the upper arm via unspecified route of administration. The patient had not medical history. Concomitant medications were not reported. On 26Dec2020 the patient developed shingles outbreak. The outcome of the event was not recovered. Information on the lot/batch number has been requested
COVID19 VACCINE	PFIZER\BIONTECH	0921958-1	40-49 years	4 days	I experienced Fatigue, chest tightness, and increased blood pressure the first 2 days. Day 5 I started having pain in my upper back, left side. The next day had increased discomfort and developed a rash. Today, it is extremely painful and spread from the upper back to across my left breast. My PCP agrees that it is Shingles. I am beginning a course of Valtrex today, to lesson the severity of symptoms.
COVID19 VACCINE	PFIZER\BIONTECH	0941587-1	40-49 years	4 days	Whole headache and right eye pain started on 01/06/2021, Skin burning sensation started on 06/08/2021. Rashes started on 06/09/2021. On 06/10/2021, I went to the emergency room, diagnosis with Shingles, and the doctor prescribed Valacyclovir.

COVID19 VACCINE	PFIZER\BIONTECH	0941660-1	40-49 years	4 days	Headache and right eye pain started on 01/06/2021. Skin burning sensation started on 01/08/2021. Rashes started on 01/09/2021. I went to the emergency room on 01/10/2021, diagnosed with shingles, started treatment with Valacyclovir.
COVID19 VACCINE	PFIZER\BIONTECH	0943256-1	50-59 years	4 days	4 days after vaccine administration developed shingles, left mid-thoracic
COVID19 VACCINE	PFIZER\BIONTECH	0943264-1	60-64 years	4 days	4 days after receiving Covid shot in left arm, shingles appeared on right scapula area, 3 days later shingles appeared on right upper lateral arm from shoulder to forearm
COVID19 VACCINE	PFIZER\BIONTECH	0948110-1	30-39 years	4 days	Several days after the first dose, I developed shingles and needed medical attention for this. 12 hours after the second dose, I developed fevers, chills, rigors, body aches for 5-6 hours.
COVID19 VACCINE	PFIZER\BIONTECH	0952010-1	50-59 years	4 days	Shingles; This is a spontaneous report from a contactable physician reported for himself. A 56-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231, expiration date was not reported), via an unspecified route of administration on the left arm on 23Dec2020 07:30 at single dose for COVID-19 immunization. Medical history was reported as none. The patient has no allergies to medications, food, or other products. The patient received 'rovoustatin' within two weeks of vaccination. The patient experienced shingles on 27Dec2020. The patient received Valtrex as treatment for the event. The patient did not receive any other vaccine within four weeks prior to COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination. The patient has not been tested for COVID-19 since the vaccination. The patient recovered from the event on an unspecified date.
COVID19 VACCINE	PFIZER\BIONTECH	0970076-1	Unknown	4 days	Shingles; sores and pain; This is a spontaneous report from a contactable Other-HCP (patient). A female patient of an unspecified age received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 02Jan2021 at single dose for COVID-19 immunisation. The patient medical history included ongoing lupus erythematosus. Concomitant medication included belimumab (BENLYSTA), intravenous from an unspecified date (after the vaccine) at unspecified dosage for systemic lupus erythematosus. The patient experienced shingles, sores and pain on 06Jan2021 with outcome of unknown. The action taken for belimumab was unknown. She would like to know if her first dose of the vaccine was still effective and if she should receive her second dose of the vaccine on 23Jan2021. Information about lot/batch number has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	0970110-1	50-59 years	4 days	4 days after vaccine, developed shingles, left thorax; This is a spontaneous report from a contactable Physician (patient). A 52-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: ek9321), on 08Jan2021 at 13:00 at single dose intramuscular in left arm for COVID-19 immunisation. No other vaccine was given within 4 weeks prior to the COVID vaccine. The patient was vaccinated at hospital. Historical vaccine included first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), on 18Dec2020 at 13:00 at single dose intramuscular in right arm. Medical history included gastroesophageal reflux disease and palpitations. The patient had no known allergies. Concomitant medications included famotidine (PEPCID), and metoprolol. On 12Jan2021 at 13:00, four days after vaccine, the patient developed shingles, left thorax. The event resulted in Doctor or other healthcare professional office/clinic visit. Treatment for the event included Valacyclovir. The event was resolving at the time of the report. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, she has not been tested for COVID-19.

COVID19 VACCINE	PFIZER\BIONTECH	0980596-1	Unknown	4 days	diagnosed with shingles; a lump on my left ear; This is a spontaneous report from a contactable nurse(patient). A female patient of an unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration on 27Dec2020 at single dose for covid-19 immunization. The patient medical history and concomitant medications were not reported. On 31Dec2020 there was a lump on her left ear. On 04Jan2021 there was a rash on her eyes. On 05Jan2021, the patient had a rash like shingles and the doctor diagnosed with shingles. She was taking an antiviral: acyclovir. The doctor said it's a side effect from the vaccine. The patient had no history of sickness. It's so rare. The doctor said shingles was dormant, a sleeping virus that's in her spine. She was not sure if it's because Covid was virus, and it activated her dormant virus. Her 2nd vaccine was soon, 5 days from now. She asked that ""Is it ok to get the 2nd dose? Do I need to wait? I spoke with my doctor and infectious disease and they stated after a month; if my immune system was better"". The outcome of events was unknown. Information about lot/batch number has been requested.""
COVID19 VACCINE	PFIZER\BIONTECH	0985462-1	40-49 years	4 days	Shingles involving R. flank, with first lesion presenting 15JAN. Treated with valacyclovir, amitriptyline, prednisone. Treatment still ongoing on 29JAN
COVID19 VACCINE	PFIZER\BIONTECH	1073591-1	Unknown	4 days	shingles; This is a spontaneous report from a contactable consumer (patient) received via a Pfizer-sponsored program. A female patient of an unspecified age received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number and expiry date were not reported), via an unspecified route of administration on 28Jan2021 at a single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient previously took first dose of bnt162b2 on unspecified date at a single dose for covid-19 immunisation. The patient experienced shingles on 01Feb2021. Outcome of the event was unknown. Information on the batch/lot number has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	1085965-1	65+ years	4 days	Experienced right side aside pain 3 days after vaccination and broke out with shingles rash 6 days after vaccination
COVID19 VACCINE	PFIZER\BIONTECH	1184249-1	65+ years	4 days	Symptoms started around 3/30/21, after her second COVID vaccine. Presented to ED with evidence zoster in the V1 distribution of the ophthalmic nerve. Rash on the face was classic for zoster and involved swelling of her eyelids. Started patient on treatment for zoster infection. On acyclovir 10mg/kg q8h.
COVID19 VACCINE	JANSSEN	1102675-1	40-49 years	5 days	Shingles on left side of face. It's a mild case, but pain and extreme sensitivity to touch, numbness in some areas, fluid-filled blisters that break open and crust over, itching.
COVID19 VACCINE	JANSSEN	1145745-1	40-49 years	5 days	Redness around left eye developed into severe rash spread all over body. Intense itching and discomfort. All started to occur 3/16 and progressively got worse and continued to spread. 1st dx was shingles (2nd time having it?2018) treated with prednisone and then dx contact dermatitis steroid shot and antihistamines then diflucan and went to Derm gave another steroid shot and antibiotic?all since 3/16 still progressing
COVID19 VACCINE	MODERNA	0914706-1	40-49 years	5 days	Bruising at injection site Shingles symptoms started on 12/28/2020, with burning pain on L armpit, progressing with each day, no blisters at time of this report; will be taking acyclovir as per MD consult on 12/20/2020
COVID19 VACCINE	MODERNA	0924108-1	30-39 years	5 days	Shingles (herpes zoster) outbreak on abdomen.
COVID19 VACCINE	MODERNA	0924732-1	30-39 years	5 days	Shingles rash outbreak
COVID19 VACCINE	MODERNA	0943692-1	40-49 years	5 days	I was diagnosed with shingles 4 days after the vaccine
COVID19 VACCINE	MODERNA	0959732-1	40-49 years	5 days	Latent onset shingles outbreak in female patient that has never had chicken pox, but has had the varicella vaccine . Was reported in the journal as well. Extreme shooting pain, 10/10, with herpetic sores outbreak on left leg . Managing symptoms with PO valacylovir, gabapentin and po NSAIDS . Note: covid vaccine did not cause the shingles outbreak, rather the immune response caused the antibodies to varicella (vaccine) to cause a shingles outbreak

COVID19 VACCINE	MODERNA	0970897-1	60-64 years	5 days	On the 6th day 1/16 , I ran a fever in the evening along with a rash that appeared on my left buttocks and underneath my left upper leg areas and along my private area, a harsh burning intense pain and rash developed. it has been diagnosed as shingles. I have never had shingles before and therefore did not know what was happening , if this was a reaction to vaccine or another cause as to why i was experiencing this issue.
COVID19 VACCINE	MODERNA	1047165-1	50-59 years	5 days	Developed Shingles 5 days after vaccination
COVID19 VACCINE	PFIZER\BIONTECH	0909137-1	30-39 years	5 days	Herpes zoster (intraoral - left hard palate and left scalp V2 distribution) which began 4 to 5 days status post vaccination. No prior history of shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0909300-1	60-64 years	5 days	Approximately 5 days later I began having symptoms which then developed into a shingles rash on the 7th day after receiving the vaccine. I wanted to report this to see if others had the same experience.
COVID19 VACCINE	PFIZER\BIONTECH	0915585-1	40-49 years	5 days	Shingles on right upper back and right chest. Pain and widespread shingles rash. Prescribed Valacyclovir and Gabapentin.
COVID19 VACCINE	PFIZER\BIONTECH	0925473-1	40-49 years	5 days	5d after vaccine I developed a R sided trigeminal neuralgia of branches 1 & 2. By d10 I developed the rash consistent with herpes zoster, including ophthalmic involvement of the R eye. I have not previously had shingles, but did have varicella as a child. I went to the ER as it was the middle of the night on the weekend and as a physician I realized the eye involvement required immediate treatment. I have since had to see the ophthalmologist x2. The shingles itself is improving, and the eye has healed with steroids and valtrex. I did still receive my 2nd booster shot on 1/5/21 and thus far have not had any additional effects.
COVID19 VACCINE	PFIZER\BIONTECH	0932003-1	40-49 years	5 days	5 days after injection trigeminal facial neuropathic shingles, left side of face, C3, r arm, side
COVID19 VACCINE	PFIZER\BIONTECH	0937380-1	30-39 years	5 days	Erythematous raised rash started on the left arm 01/10/21, the following day blisters appeared and the rash became painful. Prior to that there was shock-like pain through the left arm starting on the day after the vaccination. Suspect likely shingles
COVID19 VACCINE	PFIZER\BIONTECH	0944513-1	40-49 years	5 days	Shingles outbreak 5 days after vaccination; This is a spontaneous report from a contactable other healthcare professional. A 48-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number: EL0140), intramuscular on 22Dec2020 at single dose on the right arm for COVID-19 immunization. The patient is not pregnant at the time of vaccination. The patient's medical history and concomitant medications were not reported. The patient previously took morphine and experienced allergies. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, patient was not diagnosed with COVID-19. COVID-19 vaccine was administered in the hospital. The patient experienced shingles outbreak 5 days after vaccination on 27Dec2020. The event was assessed as non-serious. Acyclovir pills were given as treatment. Since the vaccination, the patient has not been tested for COVID-19. It was also reported that ""Did the adverse event result in any of the following?: Doctor or other healthcare professional office/clinic visit"". Outcome of the event was not recovered.""
COVID19 VACCINE	PFIZER\BIONTECH	0951584-1	40-49 years	5 days	Both Pfizer shots given in same arm (right). Less than a week later have shingles only located on right arm and right hand. The same arm where shots were given.
COVID19 VACCINE	PFIZER\BIONTECH	0957951-1	60-64 years	5 days	adverse affect was on 1/12 and was diagnosed by her PCP with Shingles. Today, 1/20, remains with Shingles, with rash, itchy and pain.
COVID19 VACCINE	PFIZER\BIONTECH	0979278-1	65+ years	5 days	Pt received COVID 19 injection on 1/16/21 and on 1/21/21 broke out with shingles He did have a shingles vaccine 10/22/12
COVID19 VACCINE	PFIZER\BIONTECH	0985044-1	65+ years	5 days	Shingles despite having had shingles vaccine (Shingrex) completed two years ago
COVID19 VACCINE	PFIZER\BIONTECH	1050462-1	40-49 years	5 days	Developed Shingles on the right side of my head

COVID19 VACCINE	PFIZER\BIONTECH	1056612-1	65+ years	5 days	Shingles; This is a spontaneous report from a contactable physician. A 67-year-old male patient received his first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) in his left arm, via an unspecified route of administration on 16Jan2021 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. It was reported that the patient received the COVID Vaccine about 10-12 days ago. He got facial shingles about 10 days after getting the vaccine. He has never had shingles before. This was his first dose. He clarifies that he in fact got shingles 5 days after getting the vaccine on 21Jan2021, instead of 10 days after getting the vaccine. He was not going to get treatment but then it got worse. He is on Valtrex 1 Gram three times a day and Mupirocin topical ointment. The outcome of the event was recovering. Information on the Lot/Batch number has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	1071382-1	50-59 years	5 days	On February 15, 2021, had fever and MASSIVE HEADACHE. Got worse each day. Went to ER on 2/19/21, was treated and release. Found unconscious in home on 2/20/21. Was hospitalized on 2/20/2021. Was diagnosed with varicella meningitis on 2/22/2021. Hospitalized till 2/25/2021. Still not well
COVID19 VACCINE	PFIZER\BIONTECH	1195809-1	Unknown	5 days	Suspected Vaccination failure; Shingles around right eye / despite shingrix jabs x2 in 2018.; This case was reported by a consumer via other manufacturer and described the occurrence of suspected vaccination failure in a 64-year-old male patient who received Herpes zoster (Shingrix) for prophylaxis. Co-suspect products included Herpes zoster (Shingrix) for prophylaxis and COVID 19 VACCINE PFIZER for prophylaxis. The patient's past medical history included essential tremor. Concomitant medical conditions included hypertension, blood cholesterol increased and penicillin allergy. Concomitant products included propranolol (Propanolol), meloxicam, enalapril and atorvastatin. On an unknown date, the patient received the 1st dose of Shingrix and the 2nd dose of Shingrix. On 19th February 2021 15:30, the patient received the 1st dose of COVID 19 VACCINE PFIZER. On 24th February 2021, more than 2 years after receiving Shingrix and Shingrix and an unknown time after starting Valacyclovir, the patient experienced vaccination failure (serious criteria GSK medically significant) and shingles. The patient was treated with valaciclovir hydrochloride (Valacyclovir) and gabapentin. On an unknown date, the outcome of the vaccination failure was unknown and the outcome of the shingles was not recovered/not resolved. It was unknown if the reporter considered the vaccination failure and shingles to be related to Shingrix and Shingrix. Additional details were provided as follows: Age at vaccination was not reported. The patient received 2 shingrix vaccination in 2018. The patient received COVID vaccine in left arm. Despite of shingrix vaccination the patient experienced shingles. It was reported that the patient experienced shingles around right eye. The symptoms started day 4 after COVID-19 jab. It was reported that the patient did not received any other vaccine 4 weeks prior to COVID vaccine. The patient was not diagnosed with COVID-19 and not tested for COVID 19. The reporter consented to follow up. It was unknown if the reporter considered the ophthalmic herpes zoster to be related to COVID-19 vaccine. This case was considered as suspected vaccination failure since the details regarding laboratory confirmation of shingles was not provided.
COVID19 VACCINE	MODERNA	0951411-1	18-29 years	6 days	Had severe back pain all day on January 7. Got Shingles on January 8. Diagnosed by dermatologist.
COVID19 VACCINE	MODERNA	1047772-1	50-59 years	6 days	PT DEVELOPED ""HOT SPOTS"" ON BACK OF HIS NECK ON 2/1/21 THAT BECAME BLISTERS AND THEN MORE BLISTERS ON THE LEFT SIDE OF HIS BODY THAT STARTED TO BURN. PT ALSO STATES HIS HEARING ON HIS LEFT SIDE WAS AFFECTED INTERMITANTLY FOR ABOUT A WEEK, AND THE BLISTERS APPEARED NEAR HIS LEFT EYE BEFORE SEEING HIS MD ON 2/11/21 AD BEING DIAGNOSED WITH SHINGLES. PT WAS GIVEN ORAL VALACYCLOVIR PO X7 DAYS, WHICH HE COMPLETED AND PT IS STILL RECOVERING.""

COVID19 VACCINE	MODERNA	1119806-1	65+ years	6 days	Developed Shingles; This morning had a lot more burning; Itching and Burning; A spontaneous report was received from a consumer concerning a 91 year old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and developed Shingles, itching and burning, this morning had a lot more burning and it was running down the leg. The patient's medical history was provided not by the reporter. No concomitant medications were reported. On 28 Jan 2021, about seven days prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: probably 010M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 03 Feb 2021, a week later, the patient developed shingles and an itching and burning. On 05 Feb 2021, this morning had a lot more burning and it was running down the leg. Treatment included anti viral drug for shingles and lidocaine for itch and burning and pain. Lab details were not provided. The seriousness criterion for all the events was reported as other without a rationale. The event is serious meeting Medical Significant criteria due to the necessity of treatment. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events, developed shingles, itching and burning, this morning had a lot more burning and it was running down the leg was considered as unknown.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	0921706-1	40-49 years	6 days	I was diagnosed with shingles on my left side on 12/31/2020, with symptoms (burning/skin sensitivity on my back (probably on 12/27, definitely by 12/28 progressing to waves of pain in my back to abdomen). On 12/30, a rash appeared on my abdomen starting below my navel and going around my left side to about an inch before my spine. I submitted a picture and it was diagnosed as shingles via a virtual visit. It is responding to antiviral therapy, although I still have a rash and pain (but improving). I did not go through the COVID vaccine side effect virtual visit route because I did not really think it was a side effect and knew I had a history of chicken pox and have been experiencing ongoing stress. The provider for the virtual visit told me to still report it for it to be investigated, but she too, thought it was likely unrelated, but still should be investigated.
COVID19 VACCINE	PFIZER\BIONTECH	0921948-1	30-39 years	6 days	Employee got COVID vaccine to right arm 12/21/2020. He noticed a rash to his right arm on the night of 12/27/2020. The rash was red and raised, he didn't think anything of it at the time. The rash persisted and was growing in a linear fashion and seemed to have an unusual appearance. He scheduled a telehealth visit with a Hospital Urgent Care on 12/31/2020. At this time he was diagnosed with Shingles and started on an antiviral. Multiple providers on the telehealth visit think that Shingles is a reaction to the Covid vaccine, as he is otherwise healthy and young and had recently gotten the vaccine. His symptoms are improving and he will be on antivirals for a week total. He denies other symptoms or concerns at this time.
COVID19 VACCINE	PFIZER\BIONTECH	0929354-1	40-49 years	6 days	Severe painful shingle like rash, chills,
COVID19 VACCINE	PFIZER\BIONTECH	0959327-1	50-59 years	6 days	Shingles. Open weeping sores on L side of head. Received prescription for 7 day course of Valtrex (anti viral). Sores scabbed over by end of 7 day prescription. Shingles vaccine had been received 2 years prior.
COVID19 VACCINE	PFIZER\BIONTECH	1049933-1	65+ years	6 days	Shingles rash, right ear and neck
COVID19 VACCINE	PFIZER\BIONTECH	1073648-1	65+ years	6 days	Shingles; This is a spontaneous report from a contactable consumer (patient). A 75-year-old male patient received the first dose of BNT162B2, via an unspecified route of administration on 02Feb2021 14:30 at single dose in Right arm for COVID-19 immunisation. Medical history included known allergies: Duck eggs, rheumatoid arthritis (RA), type 2 diabetes, all from an unknown date. Concomitant medications included RA injections. There was no other vaccine in four weeks. The patient did not have COVID prior vaccination. The patient experienced shingles on 08Feb2021. Covid was not tested post vaccination. Therapeutic measures were taken as a result of shingles which included unspecified medication. The adverse event resulted in Doctor or other healthcare professional office/clinic visit. The outcome of event was recovering. Information about lot/batch number has been requested.
COVID19 VACCINE	JANSSEN	1128280-1	50-59 years	7 days	Shingles in the abdomen appeared 7 days after injection to the 58 yr. old male.

COVID19 VACCINE	JANSSEN	1129449-1	65+ years	7 days	Shingles- on head, scalp, face - treatment valacyclovir, lost of 10 teaching days, Atrial fibrillation - irregular heart beat, 4 EKG ?s, 1 physicians care facility, 1 emergency room visit, 1 urgent care facility, 1 phone call to family doctor, 1 visit to Dr. cardiologist , suppose schedule of a cardiac stimulus procedure ; treatment apixaban and metoprolol
COVID19 VACCINE	JANSSEN	1132776-1	50-59 years	7 days	I exp headache and chills 2 days after vaccine. I broke out with Shingles on my abdomen on 3/13.The doctor told me Shingles would remain for several weeks.
COVID19 VACCINE	JANSSEN	1170990-1	50-59 years	7 days	pt started with flank pain on 3-29-21, went to the ER on 3-29-21 diagnosed with UTI, developed shingles rash on right side on 4-1-21, diagnosed with shingles per provider on 4-1-21. prescribed Neurontin, Lidocaine patch and Valacyclovir.
COVID19 VACCINE	MODERNA	0935890-1	50-59 years	7 days	Left ear pain, unilateral. Burning sensation on left aspect of scalp with redness, unilateral. Symptoms began on day 7 after administration of vaccine. Seen by PCP. Being treated for presumptive shingles.
COVID19 VACCINE	MODERNA	0944521-1	60-64 years	7 days	Shingles, antiviral given, pain resolved but still has HA. Has followed up w/PCP.
COVID19 VACCINE	MODERNA	0946206-1	30-39 years	7 days	Shingles on the right side of my face. Symptoms include cold sores, mouth sores, severe tooth pain, some pain in my eye, no serious issues with the nerves of my right eye. Put on Valtrex. As of today, 1/15 still have symptoms but am improving.
COVID19 VACCINE	MODERNA	0966628-1	65+ years	7 days	Came down with an outbreak of Herpes Zoster. Given Acyclovir 800mg tid for 10 days and Gabapentin 100mg bid for 10 days
COVID19 VACCINE	MODERNA	0967206-1	50-59 years	7 days	One week following my first dose of Moderna I developed shingles on my right eye and forehead. It was treated within 48 hours of onset of the classic type symptoms of shingles with valacyclovir for 7 days. The condition improved over the one week course of treatment with lesions almost gone by 8th day after onset.
COVID19 VACCINE	MODERNA	1049862-1	65+ years	7 days	shingles of face
COVID19 VACCINE	MODERNA	1050386-1	40-49 years	7 days	Presented with Shingles on Jan 11/2021. Had a rash on the ribs. Right side, burning sensation on the rib area, both sides and the feeling that my clothes were made of sand paper. I was prescribed acyclovir tablets. 1g every 8 hours for a week. After that shingles progressed and over the next week I developed more discomfort at wearing clothes, the rash moved to my back. I also had numbing sensation in the area and the feeling of warm tickling worms crawling over the area. Finally I started experiencing a lot of pain in the area. All of this caused me to miss about a week and a half of work. I was given gabapentin for the pain, but it messed with my equilibrium a lot so now I am taking Ifrica 150mg every 8 hours. The rash is almost gone as are most of the other symptoms except for the pain and occasional discomfort to clothes. I am also on lidocaine cream to help that.
COVID19 VACCINE	PFIZER\BIONTECH	0913977-1	30-39 years	7 days	Moderate Left upper mid back pain started less than 24 hours after injection. 7 days after injection pt had fully developed shingles in this area; This is a spontaneous report from a contactable Physician. A 39-Year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via Intramuscular route of administration on 16Dec2020 17:00 at single dose on left arm for COVID-19 immunization. Medical history was none. Concomitant medication included omeprazole. The patient had no other vaccine in four weeks. The patient experienced moderate Left upper mid back pain started less than 24 hours after injection on 17Dec2020 15:00. 7 days after injection (23Dec2020) the patient had fully developed shingles in this area. Treatment received included Valacyclovir tid (Three times a day) for 7 days. The outcome of the events was not resolved. Information on the lot/batch number has been requested
COVID19 VACCINE	PFIZER\BIONTECH	0914500-1	40-49 years	7 days	I broke out in shingles one week after receiving the vaccine.

COVID19 VACCINE	PFIZER\BIONTECH	0920011-1	50-59 years	7 days	Aching all over; headaches; shingles; This is a spontaneous report from a contactable Nurse (Patient). A 56-year-old non-pregnant female patient received first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EJ1685) via an unspecified route of administration at right arm on 17Dec2020 13:00 at single dose for covid-19 immunization. The COVID-19 vaccine was administered at Hospital. Relevant medical history and concurrent conditions was reported as ""Structured information (Patient episode name): Fibromyalgia, tachycardia, shingles, breast cancer"". Patient was diagnosed with COVID prior to vaccination. Patient known allergies included Codeine, morphine sulfate (Duramorph) and Sulfa. Concomitant medication included metoprolol succinate (TOPROL), alprazolam (XANAX) and desvenlafaxine succinate (PRISTIQ) received within 2 weeks of vaccination. No other vaccine in four weeks. Adverse events were reported as ""Started day after shot. Aching all over headaches. Broke out in shingles 7 days later"". Adverse event start date was reported on 24Dec2020. No treatment received for the events. since the vaccination, the patient was not been tested for COVID-19. The outcome of the events was recovering.""
COVID19 VACCINE	PFIZER\BIONTECH	0921943-1	40-49 years	7 days	Developed shingles on 12/23/20- went to urgent care on 12/24/20, was given Prednisone and Acyclovir prescriptions. Rash sites dried on 12/28/20.
COVID19 VACCINE	PFIZER\BIONTECH	0926421-1	40-49 years	7 days	Shingles outbreak 5-7 days after infection in C6-C7 dermatome of left arm (injection was in right arm) limiting the use of this arm and causing excruciating pain and discomfort.
COVID19 VACCINE	PFIZER\BIONTECH	0931030-1	60-64 years	7 days	I had a very small, left sided C5 dermatome breakout of a rash that appeared to be herpes zoster (shingles). I've never had a rash like this before. It's now been 2+ weeks and is fading, leaving me with mild burning and itching in same area. I went ahead and had 2cd dose on 1/7/21. FYI: I'm an Emergency Physician myself.
COVID19 VACCINE	PFIZER\BIONTECH	0939682-1	65+ years	7 days	shingles left chest painful maculopapular labs with elevated igg and igm vzv still painful lesions still present no crusting or weeping no past hx of shingles vaccine
COVID19 VACCINE	PFIZER\BIONTECH	0940550-1	50-59 years	7 days	I developed a severe case of Shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0950856-1	50-59 years	7 days	Shingles
COVID19 VACCINE	PFIZER\BIONTECH	1047412-1	50-59 years	7 days	Developed Shingles, approx 7 days after 2nd dose after 2nd dose
COVID19 VACCINE	PFIZER\BIONTECH	1073500-1	65+ years	7 days	first thought it was a rash, and after he went to the Dr., she confirmed that what he had was actually the shingles; This is a spontaneous report from a contactable consumer (patient). A 72-year-old male patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/lot number: EL1283), via an unspecified route of administration on 15Jan2021 17:00 (at 72-year-old) at single dose (Left Arm) for COVID-19 immunization. Medical history included type 2 diabetes (he uses insulin for this), bladder cancer (he was a former bladder cancer patient). Concomitant medication included insulin for Type 2 diabetes. Patient had the first dose of the Pfizer BioNTech COVID-19 vaccine. A week later, he had developed a rash and it turned into shingles. It is currently clearing up and he is taking medications for it. He is due for his second shot of the vaccine on 05Feb2021 and was wondering if there are any recommendations for him not to take it. It was clarified that on 22Jan2021 a rash developed on his face which was found to be shingles. He saw a personal doctor, the doctor even put him on medication. All has gone well, once he started taking the medication the shingles didn't progress and dried up and is now in the late stage of drying up. He asked if he should be reporting this, he also would like to know if he should get the second covid vaccine. The Rash started on 22Jan2021 and was on the face, hair scalp region. He specified further that the rash was located in the upper right quadrant on his face, also being on the eye lid and hairline. He added that he actually had a second doctor check this as well, because the rash was on the eyelid. His Primary Care doctor had him see a ophthalmologist. Patient clarified that he first thought it was a rash, and after he went to the Dr., she confirmed that what he had was actually the shingles. Outcome described as still with a little bit of redness, but it is healing and it is dried up. Dr prescribed him Valtrex for the shingles. The patient underwent lab tests and procedures which included that he has had no positive covid tests. In Dec2020, he had the regular covid test and that was negative. In early Jan2021, he had the regular covid test as well as a covid-19 antibody test, and both were negative. Patient mentioned serology test, he then confirmed that he used the word serology inadvertently, and meant antibody. He has had no issues with vaccines in the past. The outcome of the event was recovering.

COVID19 VACCINE	PFIZER\BIONTECH	1083802-1	Unknown	7 days	more symptoms and her right eye is more closed; more pain in her head; shingles; This is spontaneous report from a Pfizer-sponsored program. A contactable consumer reported for a female patient (Wife) with unknown age (85; Unit: Unknown) received first dose of bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine, Lot Number and Expiration Date unknown) via an unspecified route of administration on 25Jan2021 at single dose for COVID-19 immunisation. The patient's medical history included shingles 4 years before unspecified date and since has neuropathy on head and right eye. The concomitant medications were not reported. Patient had the first dose of the vaccine on 25Jan2021 and are tentatively scheduled for the second dose 24Feb2021, 30 days apart. Patient may have had a reaction to the first dose but it may not be related. Patient experienced shingles in Feb2021. The vaccine seemed to more symptoms and her right eye is more closed and there is more pain in her head in Feb2021. The caller stated they are seriously considering cancelling their second dose. The outcome of events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported events of headache and eye disorder due to temporal relationship. Based on the information provided by the reporter, it appears unlikely that subject vaccine contributed to the event of shingles, which may likely represent intercurrent medical condition. There is limited information provided in this report. This case will be reassessed once additional information is available.
COVID19 VACCINE	MODERNA	0920883-1	50-59 years	8 days	Fatigue four days after vaccine. Shingles diagnosed one week after vaccine.
COVID19 VACCINE	MODERNA	0934956-1	30-39 years	8 days	Vesicular single dermatome rash consistent with shingles. Previous case of varicella as child with documented titer markers. No eye, face, ear involvement. Rash is located around the T6 distribution on the left.
COVID19 VACCINE	MODERNA	0946792-1	50-59 years	8 days	At day 7 after receiving the vaccine, a rash developed on my entire body. Including the Hutchinson's sign found on the right side of nose, eye and ear. Immediately began treatment for shingles of 1 gram Valacyclovir prescribed by Urgent Care. Referred then for vision examine which found an eye complication including inflammation and zoster lesions on the right eye. Treatment of Zirgan 0.15% ophthalmic gel started. Rash around left eye began 01/15/2021.
COVID19 VACCINE	MODERNA	0964254-1	40-49 years	8 days	Moderna - left sided severe neck pain starting 1/8/2021 developing into shingles pustules appearing on left temporal and occipital scalp progressing to left anterior neck. Started on Valtrex 1g 3x/day plus oral prednisone 20 mg bid for 5 days. Currently still have scalp tingling/pain.
COVID19 VACCINE	MODERNA	1049095-1	40-49 years	8 days	I received the Moderna vaccine on 2/8/21. On 2/16)21 Shingles symptoms occurred pain to left scalp on 2/19/21 first rash noted to left scalp, left temple and left eyebrow. I went to urgent care and was treated with acyclovir and neurontin and on 2/22/21 I went to the ER due to pain and eye swelling and more shingle rashes occurring to left eye lid. I was started on Steroids and stronger pain meds were added.
COVID19 VACCINE	PFIZER\BIONTECH	0916854-1	60-64 years	8 days	12/28 developed shingles for the first time. Started antivirals 12/31 when vesicles appeared and I realized it was shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0920219-1	65+ years	8 days	I developed a case of herpes zoster on my left flank area; This is a spontaneous report from a contactable physician. A 68-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, lot number and expiry date were not reported), via an unspecified route of administration on the left arm on 20Dec2020 01:15 at single dose for COVID-19 immunisation. Medical history included rheumatoid arthritis, coronary artery disease, asthma, hypertension, and gastroesophageal reflux disease (GERD). Concomitant medications included irbesartan, sulfasalazine, and hydroxychloroquine. The patient previously took lansoprazole (PREVACID) and experienced drug allergies. On 28Dec2020, the patient developed a case of herpes zoster on his left flank area. Therapeutic measure was taken as a result of herpes zoster that included valacyclovir (Valtrex). Clinical outcome of event was recovering. Information on lot/Batch Number has been requested.

COVID19 VACCINE	PFIZER\BIONTECH	0923739-1	60-64 years	8 days	Shingles; This is a spontaneous report from a contactable nurse reporting for herself. A 61-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection; lot number PAA156571) via an unspecified route of administration, on 20Dec2020, single dose for COVID-19 immunization. Relevant medical history included hypercholesterolemia. Concomitant medications were not reported. The patient took unspecified medication for hypercholesterolemia however the patient stopped taking it for a month or two already. The patient got the first Pfizer vaccine shot on work (clinic) on 20Dec2020. On 28Dec2020, the patient developed shingles which is now being treated. The patient does not know if this is because of that or a part of it. The patient never had Shingles before. Outcome of the event was unknown.
COVID19 VACCINE	PFIZER\BIONTECH	0926190-1	50-59 years	8 days	Exactly one week after shot developed pain in back left flank. Over several days it moved to left side and front. One week later a rash developed. It is diagnosed as shingles. I'm now on Valtrex. I was also working night shift for several months which also may be the cause. I submit this because I'm not stressed. I don't get sick. Maybe my immunity was suppressed by vaccine.
COVID19 VACCINE	PFIZER\BIONTECH	0934493-1	65+ years	8 days	Shingles breakout about a week after 1st vaccine. Dermatology confirmed; medication given and treatment plan started.
COVID19 VACCINE	PFIZER\BIONTECH	0937871-1	65+ years	8 days	8 days after receiving vaccination I abruptly started a case of shingles
COVID19 VACCINE	PFIZER\BIONTECH	0977608-1	65+ years	8 days	1/18/21 begin muscle cramp starting at lower rib on rt side 1/19/21 next was deep, severe, debilitating pain from mid front center to center back at level of last rib on rt Diagnosed w Shingles, no rash or blisters severe debilitating nerve pain. Valacyclovir 2 grams a day for seven days 1/27/21 no rash or redness ever developed but nerve pain continues, skin still sensitive to touch, less stabbing sharp debilitating pain to now an aching nagging pain from mid center in a semi circle to mid back.
COVID19 VACCINE	PFIZER\BIONTECH	1046184-1	18-29 years	8 days	8 days post completion of the COVID-19 Pfizer 2 vaccine series, herpes zoster (shingles) outbreak began on the left forehead with ocular migraine and hypersensitivity of the left medial portion of the face. Valacyclovir 1000mg TID x10 days was initiated within 24 hours of onset, and rash continued to progress down the face to the left eyebrow, left nostril, and left upper lip. Pain and hypersensitivity of the left upper jaw and teeth began on day 3 of zoster outbreak, and ocular migraine increased in intensity. The rash began to blister on day 4, and is continuing to blister and weep currently (day 5).
COVID19 VACCINE	PFIZER\BIONTECH	1047235-1	65+ years	8 days	I am reporting that I was diagnosed with shingles after 2 wks of getting my 1st dose of Covid vaccine shot in my upper left arm. My arm starting hurting & a few days later, I broke out with tiny dark red spots inside a red swollen circle. Arm remained with a burning aching pain. My dermatologist said it was definately shingles & prescribed a 10 day treatment of antiviral medication. She didn't know if it was caused by the vaccine but should report this. The shingles are just below the shot area.

COVID19 VACCINE	PFIZER\BIONTECH	1048211-1	60-64 years	8 days	a genitourinary infection (UTI)/diagnosed with a gram negative urinary tract infection; iron level was low at 21. He said a normal iron level for a male is 35; couldn't walk afterwards; Tiredness; another soft tissue injury; Headache; left eye was totally blurry/ one eye blurriness; has severe eye dryness; Injection site pain; Injection site redness; injection site puffiness; stated he noticed at around 2:30PM-3:00PM he had a rash on his hip and back; shingles/ shingles pain; a fever of 100.4 Degree F/Fever; This is a spontaneous report from a contactable pharmacist (patient) reported similar events for two patients. This is the first of two reports. A 64-year-old male patient receive first dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3246), at same age intramuscular in arm left on 16Jan2021 11:00 at single dose for COVID-19 immunization. Medical history included fallen at work and landed on his left side, hitting his head and left knee, a knot on the left side of his head, bleeding from above his left eyebrow, had a left black eye, all on Nov2020, subarachnoid hemorrhage, cataract surgery, using crutches when he walks, in the hospital from Nov2020 to 17Nov2020, pacemaker implanted while he was in the hospital on Nov2020, he couldn't walk on 19Nov2020, 6 stents, 3 cardiac stents on Oct2020, and chicken pox as a young adult. Concomitant medication included aspirin [acetylsalicylic acid], clopidogrel bisulfate (PLAVIX) from unspecified date to 27Jan2021 for 6 stents, paracetamol (TYLENOL, 500 mg, caplets, NDC Number: 5058044936, Lot Number: SJA066 and Expiration Date: Jul2024). The patient said he received his first COVID-19 Vaccine dose on 16Jan2021. He said at the time he pre-medicated with 2 paracetamol. He said he had read afterwards that it is not recommended to pre-medicate with Tylenol before receiving the COVID-19 Vaccine. On 24Jan2021 he developed a fever of 100.4 Degree F (body temperature). He stated his fever was 8 days after receiving his first COVID-19 Vaccine dose. On 27Jan2021, he was urinating blood/blood clots and was admitted to the hospital and treated for a UTI. He was diagnosed with a genitourinary infection (UTI). He clarified on the morning of 27Jan2021 his urine looked darker than normal. He said he went to physical therapy (PT) on 27Jan2021. He said when he came back from PT, and went to the bathroom, there was blood and blood clots in his urine. He said he called his urologist, and his urologist saw him on 27Jan2021. He said his urologist took a urine sample, and his urine sample was clear and negative for nitrites. He clarified his urologist did a digital prostate exam, and his prostate was fine. He said his urologist wanted him to make an appointment for a cystoscopy, and a CAT scan of his abdomen and pelvis. He said after he got home from the urologist, he went to the bathroom, and again had blood and blood clots in his urine. He went to emergency room. While he was in the Emergency Room, he was set-up on CBI (Continuous Bladder Irrigation). He said the urologist did not seem concerned about the amount of blood in his urine. He clarified he was admitted to the hospital, and had in place for approximately 16 hours. Next day (28Jan2021) he was diagnosed with a gram negative urinary tract infection. He said he was given a daily dose of IV Ceftriaxone 1gram on 29Jan2021 and 30Jan2021. He said he was also given a daily dose on 29Jan2021 and 30Jan2021 of IV Ferrlecit 125mg because his iron level was low at 21. He said a normal iron level for a male is 35. On 31Jan2021 he had injection site pain in his left arm, he said the COVID-19 Vaccine
COVID19 VACCINE	JANSSEN	1126809-1	50-59 years	9 days	I noticed nerve pain(left side back to front), pain on my back right below scapula. On 3/17 I was diagnosed with Shingles prescribed Antiviral, Lidocaine patches and Ibuprofen.
COVID19 VACCINE	MODERNA	0929728-1	40-49 years	9 days	Got vaccine on the 23rd, on 25th got fever, chills, headache, and this happened for four days. Had shingles at the same time.
COVID19 VACCINE	MODERNA	0965855-1	50-59 years	9 days	12/29/2020 - Moderna COVID 19 Vaccine #1 administered 1/7/2021 - Right ear pain, worsening over 7 days and not responsive to antibiotics 1/14/2021 - Right facial palsy; negative brain MRI w/w/o 1/21/2021 - Diagnosis of Ramsay Hunt syndrome by neurology
COVID19 VACCINE	MODERNA	0967600-1	30-39 years	9 days	Received Moderna vaccine at work on 1/7/21. Had a sore arm for a few days. However I developed Shingles on 1/16/21. First was pain in scalp and neck and then a rash developed on my neck. Diagnosed on 1/19/21. Was told to report just encase this was a side effect.
COVID19 VACCINE	MODERNA	1045922-1	50-59 years	9 days	Got my first case of shingles, diagnosed yesterday (02/21/2021). I started treatment (Methylprednisolone and Valacyclovir) yesterday. Since I just received my 2nd COVID-19 vaccine a little over one week after the start of shingles, I thought it may be related and wanted you to check it out. Thanks!
COVID19 VACCINE	MODERNA	1079079-1	30-39 years	9 days	Shingles. Woke up with facial pain and slight redness. This progressed into very painful full blown right sided facial shingles. In addition my 6months old baby contracted the chickenpox from my shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0912979-1	65+ years	9 days	Onset of herpes zoster (shingles) - right anterior thigh

COVID19 VACCINE	PFIZER\BIONTECH	0916723-1	30-39 years	9 days	Headache and myalgias started day 2 after vaccine, treated with ibuprofen and APAP turned into: Migraine headache started 8 days after vaccine, lasted 2 days and treated with sumatriptan led into: Shingles on left side of face started after migraine
COVID19 VACCINE	PFIZER\BIONTECH	0934722-1	40-49 years	9 days	I received my first vaccine 12/22/2020 at 3:45pm. My right arm was sore like I would have expected and everything else was fine, until 12/31/2020. My left upper thigh had a burning feeling around the outer part and in the groin on that thigh a painful lymph node. That afternoon I had a burning sensation on my left butt cheek. When I looked I noticed a very small rash with blisters. I waited through the weekend because I knew the OBGYN was not open. I called first thing Monday morning and made an appointment as soon as they could see me which was the next day (1/5/2021) at 3:30pm. The doctor took samples and sent them to the lab for testing. The test was positive for shingles. I am now taking valtrex for shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0949414-1	40-49 years	9 days	I developed left forehead and scalp pain associated with a rash-shingles. I did seek care with my PCP and was treated.
COVID19 VACCINE	PFIZER\BIONTECH	0977563-1	50-59 years	9 days	Onset of SVT, resolving after 10 day; worsening of hypertension; first occurrence of shingles (herpes zoster recurrence)
COVID19 VACCINE	PFIZER\BIONTECH	1010188-1	40-49 years	9 days	I experienced Shingles less than two weeks after the initial vaccine
COVID19 VACCINE	PFIZER\BIONTECH	1076735-1	60-64 years	9 days	shingles; This is a spontaneous report from a contactable nurse (patient). A 64-year-old female (also age at vaccination) patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot: EL3248), via an unspecified route of administration at the left arm on 19Jan2021 at SINGLE DOSE for covid-19 immunization. The patient previously took the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EH9899) on 29Dec2020 10:00 AM at the left arm for covid-19 immunization. The patient is not pregnant at time of vaccination and was vaccinated at a hospital. Medical history included breast cancer, lichen planus, hypothyroid, allergies to Sulfa drugs and environmental. The patient was not diagnosed with COVID-19 prior to vaccination and since vaccination the patient has not been tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient also received other medications within 2 weeks of vaccination (unspecified). The patient experienced shingles on 28Jan2021 08:00 AM (diagnosed on 02Feb2021). The event resulted in Doctor or other healthcare professional office/clinic visit. It was reported that treatment received for the adverse event includes: clinic visit and medication. The outcome of the event was recovering. Case was considered as non-serious.
COVID19 VACCINE	PFIZER\BIONTECH	1076746-1	65+ years	9 days	diagnosed with shingles (on Scalp); This is a spontaneous report from a contactable consumer (patient). A 70-year-old non-pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19, Formulation: Solution for injection, Lot number: EN5318), via an unspecified route of administration on 25Jan2021 09:00 in left arm at single dose for covid-19 immunisation. Medical history included CAD (coronary artery disease), allergies: cosmetics, some topical meds, preservatives in eye drops and some perfume. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medication included atorvastatin (LIPITOR) at 40mg, acetylsalicylic acid (ASPIRIN) at 81mg and fexofenadine hydrochloride (ALLEGRA). The patient historical vaccine included varicella zoster vaccine rge (CHO) (SHINGRIX) and shingles vaccine (unspecified) for shingles, and previously took codeine and experienced allergies: Codeine. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 03Feb2021 22:00, the patient experienced shingles (on scalp). The patient has received both the Shingrix Vaccine and the earlier Shingles Vaccine. So, it doesn't make sense. The seriousness criteria were considered as non-serious. Since the vaccination, the patient has been not tested for COVID-19. Therapeutic measures were taken as a result of diagnosed with shingles (on scalp) included valaciclovir 21 tablets. The outcome of the event shingles was not recovered.

COVID19 VACCINE	PFIZER\BIONTECH	1106189-1	30-39 years	9 days	Shingles to the left side of my face and left eye; Impetigo to my jaw line on both sides of my back and back of my neck/hairline area; This is a spontaneous report from a contactable other healthcare professional (patient herself). A 33-years-old male patient received bnt162b2 (BNT162B2),(PFIZER-BIONTECH COVID-19 VACCINE, Formulation: Solution for injection, Lot number: EL1284) dose 2 via an unspecified route of administration, administered in Arm Left on 10Jan2021 as SINGLE DOSE for covid-19 immunisation .Medical history included hypertension from an unknown date and unknown if ongoing , nephrolithiasis from an unknown date and unknown if ongoing , drug hypersensitivity from an unknown date and unknown if ongoing. Concomitant medications included potassium citrate (POTASSIUM CITRATE) taken for an unspecified indication, start and stop date were not reported; amlodipine (AMLODIPINE) taken for an unspecified indication, start and stop date were not reported; chlorthalidone (CHLORTHALIDONE) taken for an unspecified indication, start and stop date were not reported. The patient experienced shingles to the left side of my face and left eye on 19Jan2021 15:30 and impetigo to my jaw line on both sides of my back and back of my neck/hairline area on 19Jan2021 15:30 and The events were considered as non-serious by the other healthcare professional. The outcome of the events was recovered
COVID19 VACCINE	JANSSEN	1127649-1	30-39 years	10-14 days	I developed Shingles on 3/16 left side of my face. It started off as small cluster blisters contained to that one side of my face spreaded back of my neck accompanied by TJ symptoms. I had a TeleHealth visit was prescribed Antiviral medication and was told vaccine might have triggered my immune system. I have been on the medication for a week now symptoms had subsided.
COVID19 VACCINE	JANSSEN	1145233-1	60-64 years	10-14 days	Shingles
COVID19 VACCINE	JANSSEN	1175931-1	65+ years	10-14 days	Exactly 2 weeks later, I was experiencing pain and red splotches on my upper back around my left side, Including my left breast.
COVID19 VACCINE	MODERNA	0926668-1	40-49 years	10-14 days	Shingles outbreak with no previous history
COVID19 VACCINE	MODERNA	0933756-1	50-59 years	10-14 days	developed progressively severe right flank pain and back pain on 1/1. Went to emergency department on 1/6/21 d/t severe pain (no fever, diarrhea, nausea or vomiting). ED md stated it was potentially shingles. Have had similar outbreak of shingles (no rash but severe right flank and abdominal pain approximately 12 years ago and was seen in same ED and the dx of shingles was made by the PA in Dr office). Pain improving as of today 1/11/21. Have been unable to tolerate the increased dose of the naproxen prescribed by the ED md d/t increased gastric irritation.
COVID19 VACCINE	MODERNA	0934065-1	65+ years	10-14 days	shingles, severe, ongoing, taking antiviral medication
COVID19 VACCINE	MODERNA	0937950-1	30-39 years	10-14 days	Rash/heat/Redness/Swelling/itching Left side of face. Emergency Room visit due to list above, Doctor believes to be shingles.
COVID19 VACCINE	MODERNA	0940452-1	30-39 years	10-14 days	Shingles
COVID19 VACCINE	MODERNA	0950235-1	50-59 years	10-14 days	Developed case of shingles on left side of back and down left arm.
COVID19 VACCINE	MODERNA	0966719-1	40-49 years	10-14 days	Seems like shingles.
COVID19 VACCINE	MODERNA	0966770-1	30-39 years	10-14 days	Soreness in arm 3 days after shot then two weeks later developed rotator cuff pain 2 weeks after injection. Then 2 days after rotator cuff pain developed shingles.
COVID19 VACCINE	MODERNA	0967076-1	30-39 years	10-14 days	Appx 1.5 weeks after covid vaccine I developed shingles on my back
COVID19 VACCINE	MODERNA	0971265-1	60-64 years	10-14 days	Herpes Zoster Right forehead, eyelid to up above hair line.
COVID19 VACCINE	MODERNA	0991175-1	50-59 years	10-14 days	On 1/30/21 PCP diagnosed shingles which may or may not be related to the vaccine administered on 1/11/21. Symptoms began 1/25/21, prescribed Valacyclovir 3 times daily for 7 days beginning 1/30/21. Still significant pain and unopened blisters at this time.
COVID19 VACCINE	MODERNA	0991387-1	65+ years	10-14 days	Shingle to nose and forehead within week after getting vaccine, Saw their provider and got Valtrex with resolution of shingles
COVID19 VACCINE	MODERNA	0991432-1	40-49 years	10-14 days	Shingle developed in hair approximately 2 weeks after 1 dose of vaccine. Unknown if patient was treated for shingle.
COVID19 VACCINE	MODERNA	1033152-1	50-59 years	10-14 days	Chills, aches, post dose 2 and left sick within 24 hours of receiving the injection but was fine approximately 16 hours post injection. On or about 2/03/2021 felt intense itching deeply in left flank area. On 2/5/2021 the pain became so intense that I missed work and went to the hospital, and had concerns there was a problem with my kidneys. On 2/9 itching, urning and pain in left flank area and later developed shingles for the first time.

COVID19 VACCINE	MODERNA	1050264-1	65+ years	10-14 days	Approximately 10 days after vaccination, I experienced a severe Shingles outbreak. The worst Shingles outbreak I have ever had, while I had previously had Shingles approximately every 5-6 years for the past 45 years. The severity of this case was markedly different from any other Shingles outbreak I have ever had. Previously, I did have both the Varivax vaccination (approx 10 years ago) as well as two doses of the Shingrix vaccination (approx 3-4 years ago).
COVID19 VACCINE	MODERNA	1086025-1	Unknown	10-14 days	Losing eyesight in one eye; Has scratched cornea; She developed Bell's Palsy; She developed shingles; A spontaneous report was received from a relative concerning a 91-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and developed shingles, Bell's Palsy, losing eyesight in one eye, and scratched cornea. The patient's medical history included blind in one eye after laser surgery. Concomitant medications include vitamin d, equate arthritis medicine, losartan potassium, and eye vitamins. On 30 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 007M20A) intramuscularly for prophylaxis of COVID-19 infection. On 09 Feb 2021, the patient developed shingles and Bell's Palsy. The patient was in the process of losing eyesight in one eye, on the side affected by the Bell's Palsy. The patient also has a scratched cornea. The patient went to the emergency room on 12 Feb 2021. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events was unknown.; Reporter's Comments: Based on the current available information, a temporal association between the use of the product and the start date of the event and excluding all other etiologies, a causal relationship with the events of shingles Bell's Palsy cannot be excluded. However, causality with scratched cornea and losing eyesight in one eye is unlikely. The scratch is most likely due to a trauma and can impair vision. No further information is expected and follow up consent was denied.
COVID19 VACCINE	PFIZER\BIONTECH	0915817-1	50-59 years	10-14 days	Shingles rash noted 12 days after receiving vaccine. I have had shingles earlier this year so I was familiar and able to contact my care provider.
COVID19 VACCINE	PFIZER\BIONTECH	0917253-1	30-39 years	10-14 days	Patient (physician) reported she developed shingles post-COVID vaccination.
COVID19 VACCINE	PFIZER\BIONTECH	0927166-1	18-29 years	10-14 days	Beginning January 2nd, 11 days after my covid vaccine I developed right sided back pain. Two days later I had an area of papules on my anterior thigh the size of a half dollar. The right sided back pain then began to radiate around to my hip and the rash began to be painful. My right thigh eventually began to tingle and the pain increased in severity. On Jan 7th I presented to the acute care clinic at the Clinic and was diagnosed with shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0935701-1	40-49 years	10-14 days	Right Fifth Cranial Nerve, second branch distribution, burning and tingling , no rash. Presumed to be mild herpes zoster (shingles). Treated with Valacyclovir 1000mg TID for 7 days with resolution.
COVID19 VACCINE	PFIZER\BIONTECH	0947959-1	60-64 years	10-14 days	Shingles type reaction without a rash or redness; Extreme skin sensitivity on torso (chest and back) on left side of body parallel to injection site.; This is a spontaneous report from a contactable pharmacist (patient). A 61-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot/batch number: EJ1685), via an unspecified route of administration on the left arm on 22Dec2020 07:45 at SINGLE DOSE for COVID-19 immunization at the hospital. Medical history included diabetes and hypertension (HTN). It was also reported that the patient had allergies with quinolones. Concomitant medications included metformin (METFORMIN), cetirizine hydrochloride (ZYRTEC), semaglutide (OZEMPIC), simvastatin (ZOCOR), levothyroxine sodium (SYNTHROID) and ""elav"". On 01Jan2021 19:00, the patient had extreme skin sensitivity on torso (chest and back) on left side of body parallel to injection site. The patient also had shingles type reaction without a rash or redness. Prior to vaccination the patient was not diagnosed with COVID-19 and since the vaccination, has not been tested for COVID-19. The patient did not receive any treatment for the events. Outcome of the events were not recovered.""

COVID19 VACCINE	PFIZER\BIONTECH	0964218-1	50-59 years	10-14 days	Pt received dose 1 of Pfizer vaccine on 12/23/2020. Starting 1/4/2021, pt developed numbness and tingling of left arm, cheek, and tongue lasting 1.5-2 minutes. Numbness starts in elbow and radiates up and down arm. These episodes happen at various times throughout the day. Sometimes her arm feels heavy. Has had an episode involving lip numbness that affected her speaking. Sometimes gets hot flashes lasting a few seconds. She contacted PCP to re-establish care on 1/11/21 after about 2 weeks of consistent, infrequent episodes. Never experienced this before. On 1/14 pt had an in person visit where she was evaluated by PCP. At ambulatory visit, BP 174/96. Other vital signs normal. Upper extremity exam: wrist (left, Phalen's test positive, Tinel test positive, no deformity, no crepitus), wrist (right, normal range of motion, Phalen's test negative, Tinel test negative), hand grips 5/5 bicep 5/5 tricep 5/5. Differential diagnosis: TIA, carpal tunnel syndrome, transient neurological event, shingles, hypertensive urgency. Anxiety could be component as well. Pt started ASA 81 mg QD and amlodipine 5 mg QD. Plan to get carotid Dopplers to rule out TIA/stroke. Consider MRI in the future. 1/16/21: Pt developed left arm/leg numbness and tingling 0530 and reported to ED with stroke-like symptoms. During this encounter, pt states that she experiences these 1-3 minute episodes of tingling/numbness every hour or so (initially only had 1-2 per day, became more frequent in days immediately preceding 1/16). Pt reports not being able to stand that morning due to weakness in lower extremities, though the symptoms resolved after sitting down. The patient denies any weakness to the right side, along with any family hx of stroke or headache. She takes omeprazole, amlodipine, and a baby aspirin daily. She does not currently follow up with a neurologist. The patient had lab work done yesterday and also recently had a US of her carotid artery which was unremarkable. She denies any weakness, numbness, or tingling currently. There are no other concerns at this time. The onset was 3 weeks ago. The course/duration of symptoms is worsening and episodic: lasting 3 minutes and with a frequency of every hour. Location: Left face, left upper extremity, left lower extremity. The character of symptoms is weakness, tingling and numbness. SBP 182/86. Temp 97.6 F. CT head negative, bloodwork unremarkable, chest X-ray negative. Pt admitted for MRI of brain and C-spine. 1/17/21: Hospital notes note that symptoms appear to worsen when pt is stressed or she talks about it. MRI of brain w/ and w/o contrast completed and unremarkable. Pt declined C-spine MRI with and without contrast. Pt discharged. 1/19/21: Pt presented to outpatient ambulatory appointment to follow up with worsening episodes of tingling in left arm/leg, numbness and tingling in mouth - is now affecting balance. Considering testing for other diseases such as syphilis, Lyme disease, multiple sclerosis, Guillaine-Barre. Priority status on referral to neurologist.
COVID19 VACCINE	PFIZER\BIONTECH	0973328-1	30-39 years	10-14 days	This is a spontaneous report from a non-contactable other health professional (patient). A 37-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EL1284), via an unspecified route of administration on 28Dec2020 at single dose for COVID-19 immunization. Medical history was none, the patient was not on any meds. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not have COVID tested post vaccination and did not have COVID prior vaccination. The patient had no known allergies. The patient experienced shingles, painful rash on the flank on 09Jan2021 with outcome of not recovered. The patient took valacyclovir as treatment. The events resulted in doctor or other healthcare professional office/clinic visit. No follow up attempts are possible. No further information is expected.
COVID19 VACCINE	PFIZER\BIONTECH	0979195-1	40-49 years	10-14 days	I got shingles approximately two weeks after the vaccination date. The doctor didn't think it was related to the vaccine, but I wanted to report it since it is rare in people under 50.
COVID19 VACCINE	PFIZER\BIONTECH	0990087-1	40-49 years	10-14 days	Received vaccine on 1/15 and developed rash c/w shingles (herpes Zoster) on 1/28.
COVID19 VACCINE	PFIZER\BIONTECH	1047343-1	65+ years	10-14 days	1 week after injection, February 10th, 2 itchy red spots appeared on back of left thigh. Thought they were bites, as I had no other symptoms. The itching and size of spots increased over a week, but did not find blisters until February 17th. Saw Nurse Practitioner on Feb. 18th, who sent swab to lab for verification of Shingles and started me on antiviral, valACYclovir (Valtrex), for 7 days. By Feb. 21. no new outbreaks, and 2 of 4 areas of outbreak were drying.

COVID19 VACCINE	PFIZER\BIONTECH	1048677-1	50-59 years	10-14 days	<p>shingles; Bump on nose; It is painful; broke out in rash/rash under right eye; pretty sick; This is a spontaneous report from a contactable nurse (the patient). A 58-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), intramuscular in the left upper arm on 19Jan2021 at 11:15 to 11:30 (at the age of 58-years-old) as a single dose for Covid-19 immunization. Medical history included COVID-19 in Mar2020 and was reported as recovering (ongoing). The patient's concomitant medications were reported and none. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 02Feb2021, the patient experienced a bump on her nose and later got a rash under the right eye and broke out in a rash; on 08Feb2021, the patient was diagnosed with shingles; on an unknown date in Feb2021 she experienced she was pretty sick now; not feeling well and it was painful. The patient went to the emergency room about 3:40am on 08Feb2021. The events were considered serious per disabling since she was not able to return to work until blisters were crusted over. Has missed a couple days of work. Her only concern was that it was not in her eye and she was good. Treatment was given for the shingles which included Acyclovir. The clinical outcome of the events herpes zoster, rash, illness, skin disorder and pain was not recovered. The reporter stated she was supposed to get her second dose but cannot now. The reported considered the events herpes zoster, rash, illness, skin disorder and pain related to BNT162B2. The batch/lot numbers for the vaccine, PFIZER-BIONTECH COVID-19 MRNA VACCINE, were not provided and will be requested during follow up.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of events cannot be totally excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.</p>
COVID19 VACCINE	PFIZER\BIONTECH	1048831-1	30-39 years	10-14 days	<p>presenting to the emergency department via car for evaluation of Herpes Zoster to the left side of the patient's face. The patient was evaluated at Urgent Care yesterday and sent by the NP. Patient reports three days of rash to the left side of his face with redness and swelling. The patient initially thought the rash was acne due to his face mask. There is intermittent pain to the area which is rated 10/10 severity at its worst. The patient has been unable to sleep the past two days due to the pain. Pain is worse with cold weather and at night with increased clenching of his jaw and grinding of his teeth. He was prescribed Valtrex at Urgent Care and took one dose just PTA to the ED. There is concern given a bump just lateral to the patient's left eye. The patient received his first COVID-19 vaccination on 01/18/2021 and explains that the Urgent Care provider believes this may be an adverse reaction.</p>

COVID19 VACCINE	PFIZER\BIONTECH	1106188-1	65+ years	10-14 days	<p>I developed Shingles (herpes zoster) approximately 10-12 days after receiving the first covid-19 vaccine; This is a spontaneous report from a contactable Nurse (Patient). A 67-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation: Solution for injection, Lot number: EL1284), via an unspecified route of administration, in right arm, on 31Dec2020 at 11:00 as SINGLE DOSE for covid-19 immunisation at Hospital. Age at vaccination was 67 years. The patient's medical history included asthma, osteoporosis. Allergies to medications, food, or other products included NSAIDS allergy. The patient was not pregnant at the time of vaccination. Concomitant medication(s) included fluticasone propionate, salmeterol xinafoate (ADVAIR); montelukast sodium (SINGULAIR); omeprazole (PRILOSEC [OMEPRAZOLE]); ergocalciferol (VIT D); Multivitamin. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient stated ""I am a healthy active senior citizen. On 12Jan2021 at 04:00 after the first dose of vaccination the patient developed shingles (herpes zoster) approximately 10-12 days after receiving the first covid-19 vaccine. I did not have a weakened or compromised immune system prior to the first covid-19 vaccination."" The patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL1283), via an unspecified route of administration, in left arm, on 21Jan2021. The events resulted in doctor or other healthcare professional office/clinic visit/Emergency room/department or urgent care. The patient received treatment included Valacyclovir 1 gm PO three times daily for 7 days. Since the vaccination, the patient hasn't been tested for COVID-19. Outcome of the events was not recovered. The events were considered non-serious by the reporter. No follow-up attempts are possible. No further information is expected.""</p>
-----------------	-----------------	-----------	-----------	------------	---

COVID19 VACCINE	PFIZER\BIONTECH	1107137-1	Unknown	10-14 days	<p>The worst SHINGLES ATTACK EVER HAD AND HAVE HAD SHINGRIX VACC./ Suspected vaccination failure; The worst SHINGLES ATTACK EVER HAD AND HAVE HAD SHINGRIX VACC.!: Heaviness; Burning in chest; Tingling; stabbing pain all over skin; red lesion on lower back; red lesion on lower back; light headedness; Fatigue; Fever; Muscle aches/pain; Joint pain; This case was reported by a consumer via other manufacturer and described the occurrence of suspected vaccination failure in a 65-year-old female patient who received Herpes zoster (Shingrix) for prophylaxis. Co-suspect products included COVID 19 VACCINE PFIZER (batch number EK4176, expiry date unknown) and (batch number EJ1686, expiry date unknown) for prophylaxis, lisinopril and hydrochlorothiazide for drug use for unknown indication, montelukast for drug use for unknown indication and paracetamol (Tylenol) for drug use for unknown indication. The patient's past medical history included spinal osteoarthritis, hips osteoarthritis and knee replacement (Bilateral). Previously administered products included Steroids injection. Concurrent medical conditions included allergy to antibiotic (Levaquin). On an unknown date, the patient received Shingrix. On 9th February 2021, the patient received the 2nd dose of COVID 19 VACCINE PFIZER. On 19th January 2021, the 1st dose was an unknown dose. On an unknown date, the patient started lisinopril and hydrochlorothiazide at an unknown dose and frequency, montelukast at an unknown dose and frequency and Tylenol at an unknown dose and frequency. In February 2021, unknown after receiving Shingrix, the patient experienced vaccination failure (serious criteria GSK medically significant), shingles, sensation of heaviness, chest burning, tingling, pain, erythema, skin lesion, light headedness, fatigue, fever, muscle pain and joint pain. The action taken with lisinopril and hydrochlorothiazide was unknown. The action taken with montelukast was unknown. The action taken with Tylenol was unknown. On an unknown date, the outcome of the vaccination failure, shingles, sensation of heaviness, chest burning, tingling, pain, erythema, skin lesion, light headedness, fatigue, fever, muscle pain and joint pain were unknown. It was unknown if the reporter considered the vaccination failure, shingles, sensation of heaviness, chest burning, tingling, pain, erythema, skin lesion, light headedness, fatigue, fever, muscle pain and joint pain to be related to Shingrix. Additional details were reported as follows: The age at vaccination was not reported. The patient did not receive any other vaccine within 4 weeks prior to the Covid 19 vaccine. The patient received lisinopril hydrochlorothiazide, montelukast and Tylenol within 2 weeks of receiving Covid 19 vaccine. After receiving Shingrix vaccine and less than a week after receiving Covid 19 vaccine (Pfizer), the patient experienced heaviness, burning in chest, tingling, stabbing pain all over skin, red lesion on lower back, light headedness, fatigue, fever of 101 degree F, muscle aches/pain, joint pain and had the worst shingles attack ever. Treatment was not received for adverse events. Sine vaccination with Covid 19 vaccine the patient has not been tested for Covid 19. This case was considered to be a suspected vaccination failure case, as the details regarding being full vaccination schedule, laboratory confirmation for shingles and exact time to onset were unknown. It was unknown if the reporter considered the vaccination failure, shingles, sensation of heaviness, chest burning, tingling, pain, erythema, skin lesion, light headedness, fatigue, fever, muscle</p>
-----------------	-----------------	-----------	---------	------------	--

COVID19 VACCINE	PFIZER\BIONTECH	1114948-1	30-39 years	10-14 days	Shingles flare up; Shingles flare up; This is a spontaneous report from a contactable nurse (patient). A 31-year-old male patient received his second dose of bnt162b2 (BNT162B2 reported as PFIZER COVID VACCINE; lot number: EL9262; expiration date: unknown) at 31-year-old vaccination age via an unspecified route of administration in the right deltoid on 18Feb2021 9:00 AM as a single dose to protect self (covid-19 immunization). Medical history included chicken pox virus as a kid and shingles. The patient has no family medical history. There were no concomitant medications. Historical vaccination included varicella zoster vaccine (CHICKENPOX VACCINE) for vaccination for chicken pox and received his first dose of bnt162b2 (BNT162B2 reported as PFIZER COVID VACCINE; lot number: EL3246) at unknown vaccination age via an unspecified route of administration in the left deltoid on an unspecified date as a single dose to protect self (covid-19 immunization). The patient received the vaccine in a hospital and did not receive other vaccines administered on same date of Pfizer suspect. The patient did not have prior vaccinations within 4 weeks. The patient reported that he just got a flare up of shingles on 28Feb2021 and doesn't know if it is related or not to the covid vaccination he took. The patient reported that he did nothing unusual in the last 14 days. Doesn't know if that is something to report to see if there was any trending. The patient inquired if a shingles flare-up has happened before after the COVID vaccine. He got the vaccine ten days before (18Feb2021) the shingles flare up started. He added that it is on right side of torso in the thorax area and goes from midline abdomen all the way to midline on his back on the right side. The adverse event required urgent care visit (emergency room visit). The nurse considered the event serious. The patient did not have relevant tests and was only clinically diagnosed with a shingles flare up. The outcome of the events was not recovered.; Sender's Comments: Based on the information currently available, a possible contributory role of the suspect drug to the reported event ""Shingles flare up"" cannot be completely excluded based on temporal association. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identifies as part of this review, as well as any appropriate action in response, will be promptly notifies to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.""
COVID19 VACCINE	MODERNA	0932539-1	40-49 years	Over 120 days	On the 4th day following vaccination woke up with severe vertigo, nausea, vomiting. Following day developed shingles rash. Was seen by my PCP on Monday and started on antiviral med.
COVID19 VACCINE	PFIZER\BIONTECH	0929945-1	30-39 years	Over 120 days	Administered on Saturday January 2, 2021. On Tuesday started with some ear pain and lymph node swelling. Wednesday much worse lymph node swelling and right side of face with some swelling. Tingling began and bumps with red line formed on forehead. Thursday-same except swelling I'm lymph nodes was so painful it woke me up. Today, Friday January 8th I went to a doctor's care. Diagnosed with shingles.
COVID19 VACCINE	JANSSEN	1136895-1	40-49 years	15-30 days	Herpes Zoster, Right chest and axilla, T2 Dermatome. Mild itching, not painful. Patient noted rash on the chest, axillary lesions found during exam. Patient presented for previously scheduled skin exam and brought up the rash wondering if it was poison ivy.
COVID19 VACCINE	JANSSEN	1146087-1	40-49 years	15-30 days	Shingles
COVID19 VACCINE	JANSSEN	1148331-1	50-59 years	15-30 days	On 03-26-2021 I went to see my doctor and I was diagnosed with having shingles. I do not know if this is related to the vaccine. I had no rash after my vaccine.
COVID19 VACCINE	JANSSEN	1175660-1	18-29 years	15-30 days	General skin irritation that began to itch and hurt. I then believed that I was having symptoms of Shingles. I went to my GP who then confirmed that it was likely shingles and began treatment with antiviral medication.
COVID19 VACCINE	JANSSEN	1175688-1	18-29 years	15-30 days	I began having general skin irritation on my back and chest all on the upper left of my torso. I developed a rash that began hurting, and believed I was having symptoms of shingles. I made a visit to my GP whom also believed it was a shingles infection and began antiviral treatment.
COVID19 VACCINE	JANSSEN	1181968-1	30-39 years	15-30 days	Confirmed Shingles outbreak. First time ever having shingles. Received prescription for Valaciclovir.
COVID19 VACCINE	MODERNA	0937705-1	30-39 years	15-30 days	Patient developed lesion inner arm near elbow of (L) hand. Reports that his skin is painful when touched. Saw his PCP, being treated as Shingles.
COVID19 VACCINE	MODERNA	0950824-1	40-49 years	15-30 days	Developed shingles with symptoms starting on 1/10/21 including lesions along dermatome T5, neuralgia, and fatigue.

COVID19 VACCINE	MODERNA	0966422-1	30-39 years	15-30 days	I've prior had mild adverse reactions to flu shots where I'd feel slightly ill for a day or so afterwards, but no significant responses to question the initial COVID vaccine. About 3 weeks from receiving the vaccine, I started to develop an intense pain along my left chest/back/and posteriomedial arm which was clinically dx'd as Shingles by my physician. I have physical pictures to detail the areas of effect, but the symptoms remain as significant arm/chest pain with paresthesia along my scapula. Mild nausea and chills are also episodic. Having never exhibited these symptoms and the upcoming date for my second dose (1/27) I'm concerned if this is a triggered immune response which could worsen or prolong with a second dose.
COVID19 VACCINE	MODERNA	0977577-1	30-39 years	15-30 days	R torso shingles, ~T10 dermatome
COVID19 VACCINE	MODERNA	0991409-1	40-49 years	15-30 days	Shingle developed on patient back approximately 3 weeks after 1st vaccination. Has not seen a provider for this
COVID19 VACCINE	MODERNA	1046991-1	65+ years	15-30 days	Developed shingles on 2/20/21
COVID19 VACCINE	MODERNA	1047819-1	65+ years	15-30 days	2/02/2021 developed shingles (herpes roster) first time in my life. Severe pain, red bumps on right back and front
COVID19 VACCINE	MODERNA	1049080-1	65+ years	15-30 days	Patient developed right facial zoster following her first dose of the Moderna Covid-19 vaccine. She was placed on valacyclovir and gabapentin. She was seen by Ophthalmology due to eyelid involvement and double vision. She was immunized 20 JAN and developed zoster 06FEB.
COVID19 VACCINE	MODERNA	1050495-1	50-59 years	15-30 days	I developed Shingles two weeks after getting the first dose of the vaccine.
COVID19 VACCINE	MODERNA	1051616-1	50-59 years	15-30 days	Shingles at the right L1-2 dermatome
COVID19 VACCINE	MODERNA	1117151-1	65+ years	15-30 days	Shingles Outbreak. Currently being treated for Postherpetic Neuralgia with epidural steroid injections.
COVID19 VACCINE	MODERNA	1154501-1	65+ years	15-30 days	Within days symptoms of likely CVA. Within one week diagnosis of shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0918686-1	30-39 years	15-30 days	Left T7 herpes zoster
COVID19 VACCINE	PFIZER\BIONTECH	0924593-1	50-59 years	15-30 days	On 1/3/2021, I broke out with shingles outbreak in my face. I have never had this before.
COVID19 VACCINE	PFIZER\BIONTECH	0926960-1	18-29 years	15-30 days	On 1/3 I developed a rash along my right side, under my right arm pit and along right breast. This progressed the following days, became itchy and painful. The pain was shooting. I saw my PCP office on 1/6 and was diagnosed with Shingles.
COVID19 VACCINE	PFIZER\BIONTECH	0927369-1	40-49 years	15-30 days	I got the vaccine on 12/18/20 on my left arm and on 12/28/20, 10 days after I started to have pain on my upper left arm and the next day the pain went to my armpit, back and forth from my upper left arm to my armpit and this went on for at least 5 days. On 01/02/21, 15 days after I notice red bumps on my upper left arm and as days went on red bumps show in my armpit, left back, and chest. The pain went from sharp to burning. On 01/06/21 I got the 2nd dose of the vaccine and I told the injection person about the red bumps. I told him that they look like hives. He spoke with the medical doctor about it and doctor said it was ok for me to get the 2nd dose of the vaccine. They think it was a delayed reaction. They have me monitored for 30 mins after the 2nd dose of the injection before I leave the site. I still have pain and red bumps so I went to see my primary doctor on 01/07/21. The doctor said that I have shingles. I told him that I never had shingles before and he said maybe the vaccine trigger it. He prescribed me some medications for the shingles. I don't know if the vaccine trigger the shingles or just coincidence but I want to report this maybe someone might have the same experience. Thank you.
COVID19 VACCINE	PFIZER\BIONTECH	0927921-1	30-39 years	15-30 days	Shingles left flank, mild case so far
COVID19 VACCINE	PFIZER\BIONTECH	0928804-1	30-39 years	15-30 days	I have a history of chicken pox at age 7 and on 1/2/21 started having burning on the right eyelid and subsequently developed shingles in the V1 branch of the trigeminal nerve on the right. Treating with valacyclovir 1g three times daily.
COVID19 VACCINE	PFIZER\BIONTECH	0931514-1	60-64 years	15-30 days	Developed shingles on right side at waist. Pain, nausea, itching
COVID19 VACCINE	PFIZER\BIONTECH	0932187-1	40-49 years	15-30 days	Shingles
COVID19 VACCINE	PFIZER\BIONTECH	0935213-1	50-59 years	15-30 days	Shingles diagnosed on 1/8/2021 in PCP office--may be unrelated to vaccine?
COVID19 VACCINE	PFIZER\BIONTECH	0935555-1	30-39 years	15-30 days	Two weeks after receiving the vaccine, I started noticing nerve pain in my left arm. The next day I had a few red blisters on my arm, which began to spread along my arm over the next couple of days. I then went to the doctor on a Friday (18 days after receiving the vaccine), and he diagnosed me with Shingles and I was started on Valtrex and gabapentin.

COVID19 VACCINE	PFIZER\BIONTECH	0936009-1	50-59 years	15-30 days	Shingles, diagnosed on January 7 2021 by my PCP. First symptoms (pain and rash) first appeared January 5th.
COVID19 VACCINE	PFIZER\BIONTECH	0936583-1	Unknown	15-30 days	Shingles infection; This is a spontaneous report from a contactable nurse (patient). A female patient of an unspecified age received first dose of bnt162b2 (Pfizer BioNTech COVID vaccine), via an unspecified route of administration on 18Dec2020 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced shingles infection diagnosed on 04Jan2021. 2nd dose scheduled for tomorrow, 08Jan2021. The outcome of event was unknown. Information on Lot/Batch number has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	0937103-1	40-49 years	15-30 days	1st zoster re-activation
COVID19 VACCINE	PFIZER\BIONTECH	0938651-1	40-49 years	15-30 days	viral outbreak S1/S2 dermatome, ddx zoster vs. HSV (history of genital HSV). simultaneously had recurrence of genital HSV.
COVID19 VACCINE	PFIZER\BIONTECH	0939488-1	30-39 years	15-30 days	shingles; This is a spontaneous report from a contactable consumer (patient) Pfizer Sponsored Program. A 34-year-old Female consumer received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 18Dec2020 at 08:45 at single dose in right arm for COVID-19 immunisation at the age of 34-year-old. Lot number was EJ1685. Medical history included ongoing epilepsy. Concomitant medications included ongoing carbamazepine (TEGRETOL) for epilepsy. On 06Jan2021, the patient had shingles. The consumer was provided with medication, VALTREX and she was informed to take it at 1mg three times a day. The consumer was calling because she needed to know if she could get her second dose as she was scheduled to receive it on 08Jan2021. The patient did not recover from the event. Information on the lot/batch number has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	0939719-1	40-49 years	15-30 days	24 hours after the injection I had a sore arm, developed slight body aches and headache. Since the injection I had been getting headaches almost daily, mostly on my right side of my head. On Dec. 5, 2021 I noticed I was getting a sore eyebrow. Later that evening ok noticed swollen lymph nodes throughout my scalp, face, ear, jaw, neck and chest. My eyebrow also started to swell and was slightly pink. When the swelling was worse the next day - I went to urgent care and saw A doctor that diagnosed me with facial cellulitis. After a couple days my eye was not getting any better and started to itch severely. Called to urgent care over the weekend and takes to one of the providers who said to use cold compresses and elevate my head as much as I could. On Dec. 11, 2021 I called back to the provider I had seen on Dec. 6 - he told me he believed I had developed shingles and to go to the eye doctor that day. I saw a doctor on Dec. 11 & was diagnosed with shingles. They started me on antivirals along with the antibiotics they had prescribed on Dec. 6.
COVID19 VACCINE	PFIZER\BIONTECH	0940972-1	40-49 years	15-30 days	Herpes zoster. Treating with Valacyclovir
COVID19 VACCINE	PFIZER\BIONTECH	0950125-1	40-49 years	15-30 days	Shingles affecting Left Trigeminal Nerve, 3rd division
COVID19 VACCINE	PFIZER\BIONTECH	0973900-1	40-49 years	15-30 days	Onset of shingles 16 days after 1st covid vaccine over L1 dermatome, mild discomfort with only a few vesicles. No prior shingles outbreaks or known triggering factors. Treated with a course of Valtrex
COVID19 VACCINE	PFIZER\BIONTECH	0977512-1	40-49 years	15-30 days	Herpes Zoster (Shingles)- tingling, rash, sharp shooting pains all on left side of face. Acyclovir 1 GM tablet TID
COVID19 VACCINE	PFIZER\BIONTECH	1046165-1	40-49 years	15-30 days	Shingles developed on the right upper back 3 weeks after the rash
COVID19 VACCINE	PFIZER\BIONTECH	1048979-1	40-49 years	15-30 days	Shingles rash started on 2/16/2021. T7, T8 right side from midline back to midline anterior torso. Treated with Valtrex 1 grm TID
COVID19 VACCINE	PFIZER\BIONTECH	1050187-1	50-59 years	15-30 days	Pt got vaccine 12/23/2020- then herpes zoster 1/7/2021 so started Valtrex. Started bleeding 1/10/21 and was admitted with platelet count of zero 1/11/2021. Diagnosed with ITP and is responding to prednisone. Also got IVIG. Of note- her dad has a h/o ITP as well and was on Rituxan and also developed low platelet count with each of his COVID vaccines.
COVID19 VACCINE	PFIZER\BIONTECH	1061637-1	30-39 years	15-30 days	1/1/21- Severe right side eye pain 1/3/21 - Appearance of vesicular rash with sever pain above right eyelid 1/3/21 - Diagnosed with Zoster Ophthalmicus of Right Eye at urgent care and initiated on Valacyclovir 1000 mg PO TID x 10 days 1/4/21 - Ganciclovir eye drops added to treatment course 1/10/21- Rash crusted and resolved but with severe neuropathic pain and itch 1/12/21 - Second dose of COVID vaccine received

COVID19 VACCINE	PFIZER\BIONTECH	1062253-1	65+ years	15-30 days	Shingles; This is a spontaneous report from a non-contactable non-healthcare professional reporting for a patient. A 72-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 20Jan2021 (at the age of 72-years-old) as a single dose for COVID-19 vaccination. Medical history and concomitant medications were not reported. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient was tested for COVID-19 post vaccination by nasal swab on 09Feb2021 which had negative results. The patient did not receive other vaccines within 4 weeks prior to vaccination. On 10Feb2021, the patient experienced shingles. The patient was hospitalized for the event on an unknown date for 2 days. It was unknown if the patient received treatment. The clinical outcome of the event shingles was recovering. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
COVID19 VACCINE	MODERNA	1077312-1	30-39 years	31-60 days	Leg and hip pain, nerve pain on left side. Shingles mainly on left side but also on right indicating something severely wrong in a young healthy patient.
COVID19 VACCINE	PFIZER\BIONTECH	0973621-1	50-59 years	31-60 days	Shingles; This is a spontaneous report from a contactable consumer (patient) via Pfizer-sponsored program. A 59-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) in Dec2020 at 12:00 at single dose in left arm for COVID-19 immunisation at the age of 59-year-old. Lot number was EJ1686. Medical history and concomitant medications were unknown. Patient received SHINGRIX in 2020 and shingles vaccine in 2011 (also reported in 2020), flu shot in 2020 (Sep2020 or Oct2020); all vaccines received for immunisation. On 12Jan2021, the patient developed Shingles; the patient did not visit the emergency room. The patient was due for the second dose of suspect vaccine on the 19Jan2021. The patient did not recover from the event.
COVID19 VACCINE	PFIZER\BIONTECH	1101980-1	18-29 years	61-120 days	Shingles in the chest at the level of T4.
COVID19 VACCINE	JANSSEN	1153890-1	65+ years	Unknown	FELT INCOHERENT; SHINGLES RASH; COLLAPSED DUE TO DIZZINESS, COULDN'T STAY UP; BODY ACHE; SORE THROAT; MUSCLE ACHE; FATIGUE; HEADACHE; This spontaneous report received from a patient concerned an 86 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included steroid allergy, shellfish allergy, and allergic to x ray dyes. The patient received JNJ78436735 (Ad26.COV2.S) (suspension for injection, route of admin not reported, batch number: 1805018 expiry: UNKNOWN) dose was not reported, administered on 13-MAR-2021 09:30 to left deltoid for prophylactic vaccination. No concomitant medications were reported. On 13-MAR-2021, the patient experienced fatigue and headache. On 14-MAR-2021, the patient experienced body ache, sore throat, muscle ache and collapsed due to dizziness as couldn't stay up. On 16-MAR-2021, the patient experienced shingles rash. On an unspecified date, the patient felt incoherent. The action taken with JNJ78436735 (Ad26.COV2.S) was not applicable. The patient had not recovered from fatigue, sore throat, headache, muscle ache, shingles rash, collapsed due to dizziness, couldn't stay up, and body ache whereas the outcome of felt incoherent was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210332591-Covid-19 Vaccine AD26.COV2.S-collapsed due to dizziness, couldn't stay up. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event.

COVID19 VACCINE	JANSSEN	1168938-1	50-59 years	Unknown	SHINGLES; FEELING LIKE CRAP; ITCHING ON LEFT ARM; NECK WAS VERY STIFF; NECK WAS SORE; HEADACHE; MUSCLE PAIN; This spontaneous report received from a patient concerned a 57 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included unknown. The patient received covid-19 vaccine ad26.cov2.s on left arm (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 17-MAR-2021 at left arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On MAR-2021, the subject experienced feeling like crap. On MAR-2021, the subject experienced itching on left arm. On MAR-2021, the subject experienced neck was very stiff. On MAR-2021, the subject experienced neck was sore. On MAR-2021, the subject experienced headache. On MAR-2021, the subject experienced muscle pain. On 23-MAR-2021, the subject experienced shingles. Treatment medications (dates unspecified) included: gabapentin. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from neck was very stiff on MAR-2021, was recovering from headache, had not recovered from shingles, muscle pain, itching on left arm, and neck was sore, and the outcome of feeling like crap was not reported. This report was non-serious. Additional information was received from patient on 30-Mar-2021. The following information was updated and incorporated into case narrative: Reporter (details), due diligence, events (neck was sore and neck was very stiff), outcome (shingles and headache), shingles, muscle pain and neck was sore (treatment information), product (neurontin), labeling and causality updated, narrative updated.
COVID19 VACCINE	JANSSEN	1182422-1	Unknown	Unknown	SHINGLES; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the subject experienced shingles. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from shingles. This report was non-serious.; Sender's Comments: V0: Medical assessment comment not required as per standard procedure as the case was assessed as non-serious.
COVID19 VACCINE	MODERNA	0925388-1	65+ years	Unknown	Shingles. Next morning
COVID19 VACCINE	MODERNA	0953397-1	Unknown	Unknown	1day after vaccine,developed severe headache & later blister in head officially Shingle . Then decreased platelet count fatally to 29(ITP).now hospitalized getting treatment.
COVID19 VACCINE	MODERNA	0986247-1	50-59 years	Unknown	Shingles- developed on 1/2/2021. I did not know that I had the shingles when I took the vaccine on 1/5/2021. I have never had the shingles, I thought it was a rash. I have allergies, have been known to develop dermatitis occasionally. Diagnosed with shingles by my primary care provider on 1/6/2021. Also went to Ophthalmologist as a precaution since the area around my left eye was affected. Primary care doc prescribed Valtrex (7 day regimen). As of today 1/29, I have residual nerve itching, skin is healed. Some nerve pain.
COVID19 VACCINE	MODERNA	1069048-1	Unknown	Unknown	Disk injury; shingles on my left leg; pulled leg; Back pain; A spontaneous report was received from a consumer who was also a female patient of unknown age who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced pulled the leg, back pain from disk injury, and shingles on left leg. The patient's medical history was not provided. Concomitant product use was not provided. On an unknown date, the patient received their first of two planned doses of mRNA-1273 (batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. The patient reported she was hospitalized with pulled leg and back pain from disk injury and shingles on left leg. Treatment information was not provided. Action taken with mRNA-1273 in response to the events were not provided. The outcome of the events were unknown.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.

COVID19 VACCINE	MODERNA	1100235-1	Unknown	Unknown	Shingles; A spontaneous report was received from a healthcare professional concerning their patient, of unknown age, female patient who developed shingles/herpes zoster, open sores/ulcer. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Batch number: unknown) on unknown date at the unknown injection site for prophylaxis of COVID-19 infection. The patient experienced shingles and open sores. Treatment of the events included Valtrex. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events shingles and open sores was not provided.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.
COVID19 VACCINE	MODERNA	1123824-1	Unknown	Unknown	Shingles infection; A spontaneous report was received from a physician concerning a patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced shingles infection. The patient's medical history was not provided. No Concomitant medications information was provided. On an unknown date, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) in an unknown injection site for prophylaxis of COVID-19 infection. On an unknown date, the patient experienced shingles infection (Herpes Zoster). No treatment information was provided. The seriousness criterion for the event was medically significant. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event, shingles infection was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	0919968-1	40-49 years	Unknown	rash; shingles; This is a spontaneous report from a Pfizer-sponsored program Pfizer First Connect. A contactable nurse reported that a 43-year-old female patient started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 22Dec2020 at single dose for covid-19 immunization. The patient medical history and concomitant medications were not reported. The patient experienced developed a rash and shingles in Dec2020. The action taken in response to the events for bnt162b2 was not applicable. The outcome of events was unknown. Information about batch/lot number has been requested.
COVID19 VACCINE	PFIZER\BIONTECH	0923237-1	50-59 years	Unknown	SHINGLES
COVID19 VACCINE	PFIZER\BIONTECH	0927618-1	30-39 years	Unknown	herpes zoster on the left and mid back in the L1 distribution; This is a spontaneous report from a contactable physician (patient). A 34-year-old non pregnant female patient received bnt162b2 (lot number: EK9231), via an unspecified route of administration on 22Dec2020 in left arm at single dose for Covid-19 immunization. Medical history was none. There were no other medications the patient received within 2 weeks of vaccination. The most recent COVID-19 vaccine was administered in the hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. On unspecified date, the patient experienced herpes zoster on the left and mid back in the L1 distribution. She was not otherwise immunosuppressed and never had zoster before. The event resulted in doctor or other healthcare professional office/clinic visit. The outcome of the event was recovered with sequel (reported as Recovered with lasting effects). Therapeutic measures were taken as a result of the event which included Valacyclovir. The event was considered as non-serious.

COVID19 VACCINE	PFIZER\BIONTECH	0947599-1	Unknown	Unknown	<p>outbreak of shingles; This is a spontaneous report from a contactable healthcare professional. A female patient of an unspecified age received her first dose of bnt162b2 (BNT162B2 reported as Pfizer-Biontech Covid-19 Vaccine; unknown lot number and expiration date), via an unspecified route of administration on an unspecified date at a single dose for covid-19 vaccination. The patient's medical history and concomitant medications were not reported. The patient inquired if she can be on an antiviral when receiving her second dose of the vaccine. She is aware that our trial participants with a history of HIV were on antivirals as well. The patient mentioned that she had an outbreak of shingles which occurred after she had her first COVID vaccination. She stated that she doesn't associate it with the COVID vaccine however. She was supposed to start treatment on Valtrex shortly has not started it yet. The outcome of the event was unknown. Information about lot/batch number has been requested.; Sender's Comments: While reporter causality is noted, a possible contributory effect of suspect BNT162B2 on reported event cannot be completely excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.</p>
COVID19 VACCINE	PFIZER\BIONTECH	0960033-1	Unknown	Unknown	<p>Within 3 days of getting the vaccine, the patient broke out in a rash on neck & developed a sore throat. On Jan 20, the rash was diagnosed as shingles. Besides for high blood pressure, patient was otherwise healthy prior to the vaccine and had no medical or symptom indicators of developing shingles.</p>
COVID19 VACCINE	PFIZER\BIONTECH	0984542-1	Unknown	Unknown	<p>shingles; This is a spontaneous report from a contactable other HCP via the Pfizer sponsored program. A female patient of an unspecified age received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration from 04Jan2021 to 04Jan2021 at SINGLE DOSE for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. On Jan2021, the patient got her 1st dose of the Covid-19 vaccine dated 04Jan2021. She has a scheduled 2nd dose for the said vaccine this coming Saturday however, she suddenly got shingles and asking if she still can get the second dose. Outcome of the event was unknown. Information on the Lot/Batch number has been requested.</p>
COVID19 VACCINE	PFIZER\BIONTECH	0984632-1	Unknown	Unknown	<p>I did not clarify if the patient had shingles before the COVID Vaccine; This is a spontaneous report from a contactable pharmacist via a Pfizer sponsored program. A patient of unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date at single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The pharmacist had a patient did the COVID vaccine the previous day and was being prescribed Valtrex (treatment) for shingles. The pharmacist clarified the patient has not started the Valtrex yet, but the pharmacist did not clarify if the patient had shingles before the COVID Vaccine. The outcome of the event was unknown. Information on the Lot/Batch number has been requested.</p>

COVID19 VACCINE	PFIZER\BIONTECH	1000217-1	65+ years	Unknown	<p>Disoriented; Urinary tract infection; Shingles/rash; Complaining of pain and burning; Complaining of pain and burning; she was not feeling that well; lose her mental faculties; This is a spontaneous report from a contactable pharmacist. A 94-year-old female patient (reporter's mother) receive the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3246), via an unspecified route of administration on 07Jan2021 (around 3:15 PM to 3:20 PM) at 0.3 mL, single (0.3ml dose injection in right arm) for COVID-19 immunization. Medical history included blood pressure, cholesterol, blood thinner and fluid. The patient historical vaccine included varicella zoster vaccine live (ZOSTAVAX) for immunization. There was no history of all previous immunization with the Pfizer vaccine considered as suspect as this was the first dose. The patient had no prior Vaccinations within 4 weeks. Concomitant medications included ongoing apixaban (ELIQUIS) for blood thinner, ongoing furosemide (LASIX) for fluid, valsartan for blood pressure, ongoing pravastatin for cholesterol. The reporter was calling because her mother had the COVID-19 Vaccine on 07Jan2021, it was on a Thursday. By that Friday (08Jan2021) she was not feeling that well. Caller stated she did not know if what occurred had any correlation to the vaccine, but she wanted to report these details in case this started to be came a problem. Her mother is 94 years old and was in very good shape. However, now she was in the hospital completely disoriented. Since getting the vaccine she had subsequently broke out with shingles two days after getting the vaccine on 09Jan2021. Caller reiterated she was not saying this had anything to do with the vaccine, but she just wanted to reported these events. Caller initially stated it was unknown why patient was admitted to the hospital. She went on to explain her mother, the patient, was complaining of pain and burning. She started complaining of this pain and burning in the evening like around 5PM (on 08Jan2021 17:00). She later broke out into shingles. Caller mentioned patient has not had the SHINGRIX vaccine yet. However, she did have the older vaccine, ZOSTAVAX. Caller confirmed patient received the ZOSTAVAX years before. Patient went to the Emergency Room the first time on 09Jan2021 due to complaining of pain and burning and they could not find anything wrong with her. They checked her vitals and ran several tests and it all came back fine. They then sent her home. Patient went back to the Emergency Room on 10Jan2021 and completed another battery of test, labs, checked vitals, had chest x-ray, and cat scan at this time they could not diagnose with Shingles. On 11Jan2021, the patient had an appointment with her Primary Doctor and he did not find anything wrong. Patient came home with caller's sister and she was helping her get undressed. That was when the sister noticed a rash on the patient's body. The rash broke out on her body on Monday 11Jan2021. They tried to call the doctor that night, but did not get a response. On Tuesday 12Jan2021 they took the patient to urgent care and that was when she was formally diagnosed with Shingles. She was started on medication for the Shingles, Acyclovir, and sent home. They also thought she had a slight Urinary Tract Infection. She was started on CIPRO for the urinary tract infection. Patient was home for a couple of days in Jan2021 and she was not getting any better. She was then starting to lose her mental faculties. They thought this was from the urinary tract infection. Caller clarified the patient was then admitted to the hospital on</p>
-----------------	-----------------	-----------	-----------	---------	--

COVID19 VACCINE	PFIZER\BIONTECH	1037922-1	65+ years	Unknown	<p>shingles/I've had shingles before, this was the 4th time; shingles/I've had shingles before, this was the 4th time; kidney infection; hurting on my waist around the back; diverticulitis; Her blood pressure went up to 211/92; does not feel well; afraid of taking it if it will be any worse; sick; This is a spontaneous report from a contactable consumer (patient). A 70-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection, lot: EL3248, expiry 30Apr2021), intramuscular on 23Jan2021 08:15 at a single dose in the left arm for COVID-19 immunization (prevention because she has autoimmune). Medical history included Behcet's syndrome and Sjogren's syndrome, both are overactive immune system problem/autoimmune diseases, which were diagnosed 20 years ago; diagnosed allergies; compromised immune status; respiratory illness; genetic chromosomal abnormalities; endocrine abnormalities (including diabetes) and obesity; and patient have had shingles before. Family history was reported as none. Concomitantly, she was just taking daily medications that were not relevant. There was no prescriber for the vaccine. It was through a hospital. It was reported that vaccination was given at 08:15 to 08:30. Patient had no history of previous immunization with the Pfizer vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available). No additional vaccines administered the same date of the Pfizer suspect. Patient had not had prior vaccinations (within 4 weeks). Patient received her first dose of the Pfizer vaccine on Saturday 23Jan2021. She stated, on Tuesday 26Jan2021, patient was hurting on the waist around the back. On Wednesday, 27Jan2021, that next morning, she went to see her internal doctor and they thought a kidney infection or not; he was not sure if she had a kidney infection or what was going on. Patient went home and it got worse and patient went to the ER (Jan2021), also reported as ended up going to the ER. They did a CT scan gave her medicine. They did a CT scan and said it was not her bladder or anything (Jan2021). They thought it was diverticulitis; nothing helped. They gave her medication and she kept getting sick (2021). No further details provided on medication given. On Friday, 29Jan2021, early morning, patient went back to the ER, they did another CT with contrast it wasn't diverticulitis, but it was shingles, and patient have had shingles before, this was the 4th time. It was reported that when the doctor came in, he thought this was shingles and she has had shingles previously. She has had it about 3 other times and the pain was just off the scale (Jan2021). Her blood pressure went up to 211/92 and they were giving her morphine for the pain (Jan2021). She was questioning if she should get the second dose. She has two autoimmune diseases and it was an overactive immune disease. She took the one vaccine and her doctor said to contact Pfizer being as it is kind of new and especially since she has the autoimmune issues. She would like to know if it is safe for her to have the second vaccine. She does not know if she will be over this. She does not feel well (Jan2021). She was afraid of taking it if it will be any worse (Jan2021). Patient felt all right until she had the vaccine, on Tuesday the problem started (26Jan2021). They were giving her medication for the shingles and for the pain. Patient stated that ""it set something off"". Patient was still sick (2021), still taking pain pills. Patient didn't know how many days she has. Her second vaccine is on</p>
-----------------	-----------------	-----------	-----------	---------	--

COVID19 VACCINE	PFIZER\BIONTECH	1056528-1	65+ years	Unknown	<p>still a part of her forehead that feels like a live nerve; upper back started hurting/back was very tender and sensitive around the spine area; arm was a little sore; pharmacist had some left over in the vial and gave her that; has post traumatic neuralgia" related to her shingles; Shingles; The initial case was missing the following minimum criteria: no adverse effect. Upon receipt of follow-up information on 29Jan2021, this case now contains all required information to be considered valid. This is a spontaneous report from two contactable consumers via medical information team. A 74-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: unknown, expiration date: unknown), via an unspecified route of administration on 28Jan2021 at a single dose for COVID-19 immunisation. Medical history included dental work/specifying a tooth being pulled and an implant (an antibiotic (Amoxicillin)) was used and shingles (7 years ago). The patient's concomitant medications were not reported. It was reported that Pharmacist had some left over in the vial and gave the patient on 28Jan2021. Patient wanted to make sure it was ok. Patient stated ""she got shingles on her face, 7 years ago, and had recent dental work done,"" specifying a tooth being pulled and an implant. She stated she received the first dose of the COVID-19 vaccine last Thursday evening (28Jan2021). On 29Jan2021 and 30Jan2021 (friday and saturday), she mentioned, her ""arm was a little sore"". On 30Jan2021 and 31Jan2021 (saturday evening and sunday morning) she said her ""upper back started hurting"" and thought ""maybe [she] sat on the couch for too long"". On 31Jan2021 (Sunday evening), she added her ""back was very tender and sensitive around the spine area"" therefore, she ""took some tylenol and used a heating pad thinking [she] pulled a muscle"". On 01Feb2021 (By Monday) she said her ""the back and front were very sensitive"" to the point where: when she ""touched [her] skin it felt like [she] was touching some live nerves"". She explained seeing a physician assistant who ""couldn't figure out what was going on"" and since it seemed to be getting worst, she thought she could possibly have Shingles. She continued saying she then ""went to see an orthopedic doctor who took x-rays and said he doesn't see anything, and it may be the beginning phases of Shingles"". She mentioned she has an appointment with her internist today at 4:20. She later mentioned her ""brother, who is a doctor, thinks [she] has post traumatic neuralgia"" related to her shingles on an unspecified date in Jan2021. She then added there is ""still a part of her forehead that feels like a live nerve"" to touch, since having Shingles, on 01Feb2021. The outcome of the events was unknown. The outcome of the events was unknown. The information on the Batch/Lot number has been requested.""</p>
COVID19 VACCINE	PFIZER\BIONTECH	1062158-1	Unknown	Unknown	<p>Shingles; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Solution for injection, unknown lot number and expiration), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient is going to have an appointment for the second shot of COVID-19 vaccine on 07Feb2021. Now in the meantime, the patient come down with shingles on unspecified date and was wondering if the patient can make the appointment to have the second shot. Outcome of the event was unknown. Information on the lot/batch number has been requested.</p>

COVID19 VACCINE	PFIZER\BIONTECH	1065913-1	65+ years	Unknown	<p>she couldn't urine/She couldn't urinate anymore; she couldn't urinate, patient tried for a long time in the bathroom and only got a few drops of urine out; Always had burning on bottom of her foot/she felt like her body was burning up in side/Felt like she was burning alive; Had a fever every day and every night/Temperature was 100 degrees; she has an infection in her bladder; feel like I am dying/had a very strange feeling in her body/Something was going across the top and right side like a fluid was flowing or something strange; sweating/wet, perspiring all night./Got all wet with perspiration; gotten more sick; weak; tired; headache; lost a little weight; Eats very little now; afraid; pain was around the bottom of the foot now it's on top of the foot and goes up to knee; uncomfortable; sneezes; diarrhea; cramps; constipation; colon cancer; doesn't think the needle went in all of the way when the nurse administered her vaccine; shingles; Post herpetic neuralgia/the post-herpetic neuralgia was on her whole foot; pain at the bottom of my foot; impact on the nervous system; This is a spontaneous report from a contactable consumer (patient). This 91-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot# EN5318), via an unspecified route of administration on 02Feb2021 at single dose in the left arm for COVID-19 immunization. The patient medical history included high blood pressure, kidney cancer, cancer in her bladder 20 years ago and coughing. The patient's concomitant medications included ergocalciferol (VIT D), ascorbic acid (VIT C), losartan potassium for blood pressure, metoprolol succinate for blood pressure, amlodipine for blood pressure, acetylsalicylic acid (ASPIRIN 81). Patient had cancer in her bladder 20 years ago. That was taken care of. Had kidney cancer because her husband used to smoke and blow it in her face. Had rare type of kidney cancer. It was removed. Treated for bladder cancer. Patient has had no problem ever since and that was more than 18 years ago. Patient had a fever, headache, and was very tired. Burning up on side of the body and she got all wet. This was not normal and she felt like she was dying. Patient stated she had shingles and developed post herpetic neuralgia. Patient always had pain at the bottom of her foot but it was getting worse after she received the first dose of Pfizer COVID-19 vaccine. Patient noticed the liquid going thru arm to chest and in straight line to her leg, like a science fiction movie with an injection of some kind. The doctor thought the vaccine might have an impact on the nervous system and spike the symptoms of post herpetic neuralgia. Patient spoke to her doctor but nobody knows anything. Nobody was willing to help her. Patient felt like she was dying. She didn't want to die. Patient feel the symptoms are getting worst. She was burning up inside. Her pain was around the bottom of the foot now it's on top of the foot and goes up to knee. Patient was not blaming anybody but she thought it was the vaccine. Patient was sweating, wet, perspiring all night. The symptoms usually occur at night. Patient wanted to know if these symptoms were associated with the vaccine. Patient also mentioned she developed a bladder infection for which she was taking antibiotics. Patient had Pfizer vaccine on 02Feb2021, about 5 days ago. Patient followed instructions before vaccine. Doctor said to take paracetamol (TYLENOL) before the vaccine for a headache. Patient did that. Patient had injection and told to wait for 15 minutes before she went home. About 5 minutes, she was relaxed and</p>
-----------------	-----------------	-----------	-----------	---------	---

COVID19 VACCINE	PFIZER\BIONTECH	1068142-1	65+ years	Unknown	<p>I started really scratching and it's really is pink red pumps on my stomach; it spread my whole stomach, then over the breast and under the arm, around my back; rash; I started really scratching and it's really is pink red pumps on my stomach; it spread my whole stomach, then over the breast and under the arm, around my back; rash; I started really scratching and it's really is pink red pumps on my stomach; it spread my whole stomach, then over the breast and under the arm, around my back; rash; Blood sugar was very high; Blood pressure was very high; I had shingles on it; This is a spontaneous report from a contactable consumer (patient). A 78-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: unknown), via an unspecified route of administration on 29Jan2021 (at 78-year-old) at single dose for COVID-19 immunization (Because she was of that age and she wanted to travel again). Medical history included ongoing Diabetic. There were no concomitant medications. Reason for no lot number of COVID 19 Vaccine, consumer stated, ""It says Pfizer, EL9267, no 62, I am not sure now. Maybe I think it says 2, it's a 2."" She woke up at 1 in the morning and started really scratching (31Jan2021) and it's really is pink red pumps (31Jan2021) on her stomach. It started to spread in the whole stomach, then over the breast and under the arm, around her back. She had the reactions. It was a total rash (31Jan2021) and red. She took her blood sugar, she was diabetic, her blood sugar was very high (Jan2021), then she took her blood pressure, her blood pressure was very high (Jan2021). She was all ready to go to the hospital because when you have a rash that's not good. But now 3 hours later her rash disappeared and she felt much better again. When confirmed if the consumer wanted to report the same or have some questions, consumer stated, that she have question, why did she get the rash after she had the COVID vaccine, she had her shot on Friday, Pfizer shot vaccine on Friday. She stated that she felt better, she only have a little bit in her back itching. But everything else it was so red, she meant she had shingles (Jan2021) on it. It's the hospital who gave her the shot. Due date for the next shot was on 19Feb2021. It was stated that she is Diabetic, she don't take any medication, she did it on her own and she is border lined. On lab work, consumer stated that every half a year she had a blood test. Regarding treatment, the consumer stated that she didn't take anything, she was wondering if she was allowed to take anti-histamine. The outcome of the event Itching and Redness was recovering, rash was recovered, while other events was unknown. Information on the lot/batch number has been requested.""</p>
COVID19 VACCINE	PFIZER\BIONTECH	1068156-1	65+ years	Unknown	<p>bad body rash; shingles; This is a spontaneous report from a contactable consumer (wife). An 80-year-old male patient (husband) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot EL0142) via an unspecified route of administration in the right arm on an unspecified date (about three weeks ago) at a single dose for COVID-19 immunisation. There were no medical history and no concomitant medications. The reporter noted that both she and her husband took the Covid vaccine about 3 weeks ago, stated is time to take the second part. She read the pamphlet that came with it when we got the vaccine, said that a person could have a bad body rash. She stated her husband has had a bad body rash on an unspecified date. Noticed the rash right away, maybe the day or two after and it has persisted since, it was a nightmare for him, that she thought it was shingles on unspecified date. They went to the dermatologist and he told them it could be attributed to him eating red meat. The reporter wanted to know what they should do for it. Investigation assessment was noted as no. The outcome of rash was not recovered and of shingles was unknown.</p>
COVID19 VACCINE	PFIZER\BIONTECH	1068267-1	Unknown	Unknown	<p>Shingles; This is a spontaneous report from a contactable consumer (consumer). A female patient of an unspecified age received first dose of BNT162B2 (lot number and expiry date not provided), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient wanted to know if it is okay to receive as scheduled on 20Feb2021 her second dose of Pfizer-BioNTech COVID-19 Vaccine if she has shingles. She stated that she went to the hospital because of it and it started 2 and a half weeks ago. The outcome of the event was unknown. Information on the lot/batch number has been requested.</p>

COVID19 VACCINE	PFIZER\BIONTECH	1074180-1	40-49 years	Unknown	<p>rash; Shingles; intense burning; intense dizziness; body aches; fever of 102.7; left ear pain; This is a spontaneous report from a contactable other health professional (patient). A 45-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EL3249), via an unspecified route of administration in the left arm, on 25Jan2021 at 15:30 (at the age of 45-years-old) at a single dose for COVID-19 immunization. Medical history included atrial fibrillation (AFib), tachycardia, and allergy to proton pump inhibitors. The patient was not pregnant at the time of vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within four weeks prior to the vaccination. Concomitant medications, taken within two weeks of vaccination, included metoprolol tartrate (MANUFACTURER UNKNOWN). The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number: EK9231) on 04Jan2021 at 11:00 (at the age of 45-years-old) in the left arm for COVID-19 immunization. The patient experienced body aches and fever of 102.7 on 26Jan2021, left ear pain in Jan2021, intense burning and intense dizziness on 01Feb2021, and rash and shingles on 02Feb2021. The events were reported as non-serious. The clinical course was reported as follows: The day after the vaccination, 26Jan2021, the patient had body aches intermittently (reported as: not bad) and then spiked a fever of 102.7 the evening of 26Jan2021. The pain (per family recollection: complains of left ear pain) started about 28Jan2021 or 29Jan2021, but intense burning, pain, and intense dizziness started on 01Feb2021 with diagnosis of rash and shingles on 02Feb2021. Therapeutic measures were taken as a result of all of the events, which included valacyclovir (MANUFACTURER UNKNOWN) and prednisone (MANUFACTURER UNKNOWN). The clinical outcome of body aches, fever, left ear pain, intense burning, intense dizziness, rash, and shingles was not recovered. It was also reported that since the vaccination, the patient had not been tested for COVID-19.</p>
COVID19 VACCINE	PFIZER\BIONTECH	1083801-1	Unknown	Unknown	<p>COVID drug reaction with shingles.; This is a spontaneous report from a Pfizer sponsored program. A non-contactable consumer reported for self that the patient of unspecified age and gender received bnt162b2 (BNT162B2), via an unspecified route of administration on an unspecified date at single dose for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient experienced covid drug reaction with shingles on an unspecified date with outcome of unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.</p>

COVID19 VACCINE	PFIZER\BIONTECH	1090222-1	18-29 years	Unknown	<p>shingles; temporary vision loss; dizziness; Extreme fatigue; body aches; nausea; This is a spontaneous report from a contactable other Healthcare professional (patient herself). This 20-year-old female patient, not pregnant, received his second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), Lot EL9265, via an unspecified route of administration in the left arm on 03Feb2021 at 02:00 PM (at the age of 20-year old) single dose for COVID-19 immunization. Relevant medical history included suspected allergy to penicillin. Historical vaccine included first dose of BNT162B2, Lot EL3248, on 13Jan2021 at 11:45 AM single dose in the left arm and recombinant human papillomavirus vaccine (GARDASIL) on 15Dec2020 dose 1 in the left arm. Concomitant medication included one a day women's Vitamins. After 2nd dose of vaccine BNT162B2, the patient experienced extreme fatigue, body aches, dizziness, and nausea. She was unable to go into work 2 days after receiving the vaccine due to temporary vision loss because of dizziness. On 21Feb2021 at 9:30 AM, a painful rash on the left side of torso and on spine had shown up. The patient went into her school doctor on 24Feb2021 and was diagnosed with shingles. The patient specified that she have never had this condition before, she was healthy and she did not have any significant stressors. The patient was treated with acyclovir due to the event. The outcome was not recovered for all events. This is a spontaneous report from a contactable Other HCP. This 20-year-old female Other HCP reported herself that: Report about covid vaccine: Yes Reporting type: AE Reporter type: Patient Age group: Adult (18-64 Years) Current age: 20 Current age unit: Years Gender: Female Is pregnant: No Medical qualification reporter: Other Health Professional Covid vaccine details: [{product=COVID 19, brand=Pfizer, lot number=EL9265, lot unknown=False, administration date=03Feb2021, administration time=02:00 PM, vaccine location=Left arm, dose number=2}, {product=COVID 19, brand=Pfizer, lot number=EL3248, lot unknown=False, administration date=13Jan2021, administration time=11:45 AM, vaccine location=Left arm, dose number=1}] Facility type vaccine: Other If other vaccine in fourweeks: Yes Other vaccine 4weeks details: [{other vaccine 4weeks product=Gardasil, other vaccine 4weeks vaccine date =15Dec2020, other vaccine 4weeks dose number =1, other vaccine 4weeks vaccine location=left arm}] Other medications in two weeks: One a day women's Vitamins Adverse event: Extreme fatigue, body aches, dizziness, and nausea following 2nd dose of the vaccine. I was unable to go into work 2 days after receiving the vaccine due to temporary vision loss because of dizziness. On 21Feb2021, a painful rash on the left side of my torso and on my spine had shown up. I went into my school doctor on 24Feb2021 and was diagnosed with shingles. I have never had this condition before, am 20 years old, and am healthy. I do not have any significant stressors. Adverse event start date: 21Feb2021 Adverse event start time: 09:30 AM AE resulted in: [Doctor or other healthcare professional office/clinic visit] If patient recovered: Not recovered If treatment AE: Yes AE treatment: Acyclovir prescription If covid prior vaccination: No If covid tested post vaccination: No Known allergies: suspected allergy to penicillin Other medical history: N/A; Sender's Comments: Based on the available information and known product profile, the causal relationship between the reported temporary vision loss together with the reported dizziness and vaccination cannot be</p>
-----------------	-----------------	-----------	-------------	---------	---

COVID19 VACCINE	PFIZER\BIONTECH	1100305-1	50-59 years	Unknown	<p>She had symptoms of shingles last Sunday; She noticed burning and tingling on the left side of her head; She noticed burning and tingling on the left side of her head; Shingles was reported as worsened; This is a spontaneous report from a contactable consumer (patient herself) via Medical information team. A 58-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL0140) via unknown route of administration on 12Jan2021 14:00 PM at single dose in left arm for COVID-19 immunization at nursing home. Medical history included ongoing high blood pressure. Ongoing concomitant medication included metoprolol orally at 50 mg, once a day taking for 10 years and hydrochlorothiazide orally at 25 mg, once a day taking for 3 years both for high blood pressure, mecobalamin (B12) orally at 1000 ug, once a day taking 6 years for low b, colecalciferol (D3) orally at 100 ug, daily (50mcg; take two daily by mouth) taking for 6 years for low d. Patient received the first dose of the Pfizer covid vaccine on 12Jan2021 and her second dose was scheduled 02Feb2021. She had symptoms of shingles last Sunday on 29Jan2021 and was given famciclovir and was advised to not take the scheduled second dose of the vaccine. The next time that the vaccine will be given in their facility is on 22Feb2021-23Feb2021, and she wants to know if she can get the vaccine despite having shingles. However she came down with shingles. Adds she is being treated with Famciclovir 50mg; take three times daily by mouth. Her doctor recommended she not get the next dose of the Pfizer COVID 19 vaccine on 02Feb2021 so she stayed home and did not get it. Should she get the second dose? She noticed burning and tingling on the left side of her head in Jan2021 and then shingles on 29Jan2021 on the left eyebrow and hairline. Also shingles was reported as worsened in 2021. Adverse events required a visit to physician or ER was reported as Urgent care but not to the hospital. No Prior Vaccinations (within 4 weeks). The outcome of events shingles and condition worsened was not recovered, while for other events was unknown. No follow-up attempts are possible. No further information is expected.</p>
COVID19 VACCINE	UNKNOWN MANUFACTURER	1135270-1	Unknown	Unknown	<p>suspected vaccination failure; had shingles shot then after my 2 / developed shingles; This case was reported by a consumer via interactive digital media and described the occurrence of suspected vaccination failure in a patient who received Herpes zoster (Shingles vaccine) for prophylaxis. Co-suspect products included COVID-19 VACCINE for prophylaxis. Concomitant products included COVID-19 VACCINE. On an unknown date, the patient received Shingles vaccine and the 2nd dose of COVID-19 VACCINE. On an unknown date, unknown after receiving Shingles vaccine, the patient experienced vaccination failure (serious criteria GSK medically significant) and shingles. On an unknown date, the outcome of the vaccination failure and shingles were unknown. It was unknown if the reporter considered the vaccination failure and shingles to be related to Shingles vaccine. Additional details were reported as follows: This case was reported by patient. The age at vaccination was not reported. The patient reported that preventing was a lie. The patient had shingles shot then after 2 COVID shots, the patient developed the shingles which the patient thought that the patient was having a heart attack. This case was considered to be a suspected vaccination failure case, as the details regarding being full vaccination schedule, laboratory confirmation for shingles and exact time to onset were unknown. It was unknown if the reporter considered the shingles to be related to Covid vaccine.</p>
COVID19 VACCINE	UNKNOWN MANUFACTURER	1188600-1	Unknown	Unknown	<p>Suspected vaccination failure; shingle; This case was reported by a consumer via interactive digital media and described the occurrence of suspected vaccination failure in a female patient who received Herpes zoster (Shingles vaccine) for prophylaxis. Co-suspect products included COVID-19 VACCINE (COVID 19 VACCINE) for prophylaxis. On an unknown date, the patient received Shingles vaccine and COVID 19 VACCINE. On an unknown date, unknown after receiving Shingles vaccine, the patient experienced vaccination failure (serious criteria GSK medically significant) and shingles. On an unknown date, the outcome of the vaccination failure and shingles were unknown. It was unknown if the reporter considered the vaccination failure and shingles to be related to Shingles vaccine. Additional details were provided as follows: The age at vaccination was not reported. After receiving Shingle shot and Covid 19 shot, the patient had shingle. It was unknown if the reporter considered the shingles to be related to COVID 19 VACCINE. This case was considered as suspected vaccination failure, since the details regarding the completion of the primary immunization, time to onset for event and laboratory confirmation were not provided.</p>

—
Dataset: The Vaccine Adverse Event Reporting System (VAERS)

Query Parameters:

State / Territory: The United States/Territories/Unknown

Symptoms: GENITAL HERPES ZOSTER; HERPES ZOSTER; HERPES ZOSTER CUTANEOUS DISSEMINATED; HERPES ZOSTER DISSEMINATED; HERPES ZOSTER INFECTION NEUROLOGICAL; HERPES ZOSTER MENINGITIS; HERPES ZOSTER MENINGOENCEPHALITIS; HERPES ZOSTER MENINGOMYELITIS; HERPES ZOSTER MULTI-DERMATOMAL; HERPES ZOSTER NECROTISING RETINOPATHY; HERPES ZOSTER OPHTHALMIC; HERPES ZOSTER OTICUS; HERPES ZOSTER PHARYNGITIS; HERPES ZOSTER REACTIVATION; OPHTHALMIC HERPES ZOSTER; POST HERPETIC NEURALGIA

Vaccine Products: COVID19 VACCINE (COVID19)

VAERS ID: All

Group By: Vaccine Type; Vaccine Manufacturer; VAERS ID; Age; Onset Interval

Show Totals: False

Show Zero Values: Disabled

—
Help: See <http://wonder.cdc.gov/wonder/help/vaers.html> for more information.

—
Query Date: Apr 26, 2021 3:20:25 PM

—
Suggested Citation: Accessed at <http://wonder.cdc.gov/vaers.html> on Apr 26, 2021 3:20:25 PM

—
Messages:

1. The full results are too long to be displayed, only non-zero rows are available.
2. VAERS data in CDC WONDER are updated every Friday. Hence, results for the same query can change from week to week.
- 3. These results are for 390 total events.**
4. When grouped by VAERS ID, results initially don't show Events Reported, Percent, or totals. Use Quick or More Options to restore them, if you wish.
5. Click on a VAERS ID to see a report containing detailed information for the event.

—
Footnotes:

1. Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).

—
Caveats:

1. <p> VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind. </p> <p> The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine. </p> <p> Key considerations and limitations of VAERS data: Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause. Reports may include incomplete, inaccurate, coincidental and unverified information. The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines. VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available. VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information. </p>

2

3. Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to

unique events is more than 100%. More information: <http://wonder.cdc.gov/wonder/help/vaers.html#Suppress>.

4. Data contains VAERS reports processed as of 4/16/2021. The VAERS data in WONDER are updated weekly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. More information: <http://wonder.cdc.gov/wonder/help/vaers.html#Reporting>.

5. For more information on how many persons have been vaccinated in the US for COVID19 to date, see <https://covid.cdc.gov/covid-data-tracker/#vaccinations/>